


Test Mode	Channel	Polarization	Verdict
11a	5180	Vertical	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	47.94	-1.16	46.78	74.00	-27.22	Vertical
2	1535.3928	51.62	-0.58	51.04	74.00	-22.96	Vertical
3	3366.4852	37.05	10.77	47.82	74.00	-26.18	Vertical
4	4556.4507	36.94	14.10	51.04	74.00	-22.96	Vertical
5	5103.4559	38.27	16.62	54.89	74.00	-19.11	Vertical
6	6107.0119	35.03	18.36	53.39	74.00	-20.61	Vertical

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5103.4559	27.84	16.62	44.46	54.00	-9.54	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5200	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	46.23	-1.16	45.07	74.00	-28.93	Horizontal
2	1535.3928	54.57	-0.58	53.99	74.00	-20.01	Horizontal
3	3834.0371	37.38	12.45	49.83	74.00	-24.17	Horizontal
4	5115.0683	36.29	16.56	52.85	74.00	-21.15	Horizontal
5	5995.7773	36.12	17.75	53.87	74.00	-20.13	Horizontal
6	6168.1298	35.45	18.16	53.61	74.00	-20.39	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5200	Vertical	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1185.7984	43.76	-2.08	41.68	74.00	-32.32	Vertical
2	1255.4728	48.69	-1.16	47.53	74.00	-26.47	Vertical
3	1535.3928	51.87	-0.58	51.29	74.00	-22.71	Vertical
4	4417.7131	36.38	14.15	50.53	74.00	-23.47	Vertical
5	5112.0124	37.70	16.58	54.28	74.00	-19.72	Vertical
6	5987.8320	35.71	17.77	53.48	74.00	-20.52	Vertical

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5112.0124	28.13	16.58	44.71	54.00	-9.29	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5240	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.44	-1.16	43.28	74.00	-30.72	Horizontal
2	1535.3928	55.05	-0.58	54.47	74.00	-19.53	Horizontal
3	2090.9546	39.73	4.10	43.83	74.00	-30.17	Horizontal
4	4381.0423	37.68	13.91	51.59	74.00	-22.41	Horizontal
5	5059.4510	35.64	16.25	51.89	74.00	-22.11	Horizontal
6	6071.5635	35.42	17.98	53.40	74.00	-20.60	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1535.3928	43.64	-0.58	43.06	54.00	-10.94	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5240	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	47.11	-1.16	45.95	74.00	-28.05	Vertical
2	1535.3928	51.67	-0.58	51.09	74.00	-22.91	Vertical
3	1926.5474	42.98	2.45	45.43	74.00	-28.57	Vertical
4	3071.8969	37.85	9.20	47.05	74.00	-26.95	Vertical
5	5117.5131	36.77	16.54	53.31	74.00	-20.69	Vertical
6	6114.3460	34.64	18.41	53.05	74.00	-20.95	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5260	Horizontal	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.29	-1.16	44.13	74.00	-29.87	Horizontal
2	1535.3928	55.00	-0.58	54.42	74.00	-19.58	Horizontal
3	3111.0123	37.01	10.66	47.67	74.00	-26.33	Horizontal
4	5387.0430	35.91	16.93	52.84	74.00	-21.16	Horizontal
5	5950.5501	35.68	17.58	53.26	74.00	-20.74	Horizontal
6	6461.4957	34.85	19.50	54.35	74.00	-19.65	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1535.3928	43.43	-0.58	42.85	54.00	-11.15	Horizontal
2	6461.4957	23.91	19.50	43.41	54.00	-10.59	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


4. Peak: Peak detector.

5. AVG: VBW refer to section 6.2.

6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.

7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5260	Vertical	PASS



PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	43.09	-2.08	41.01	74.00	-32.99	Vertical
2	1255.4728	47.99	-1.16	46.83	74.00	-27.17	Vertical
3	1394.8216	43.35	-0.98	42.37	74.00	-31.63	Vertical
4	1535.3928	51.84	-0.58	51.26	74.00	-22.74	Vertical
5	1929.6033	44.63	2.41	47.04	74.00	-26.96	Vertical
6	5016.0573	37.47	15.34	52.81	74.00	-21.19	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Peak: Peak detector.


5. AVG: VBW refer to section 6.2.

6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.

The proper operation of the transmitter prior to adding the filter to the measurement chain.

7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5280	Horizontal	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.99	-1.16	43.83	74.00	-30.17	Horizontal
2	1535.3928	54.93	-0.58	54.35	74.00	-19.65	Horizontal
3	2090.9546	40.18	4.10	44.28	74.00	-29.72	Horizontal
4	5048.4498	36.42	16.06	52.48	74.00	-21.52	Horizontal
5	6144.2938	35.81	18.31	54.12	74.00	-19.88	Horizontal
6	6301.3668	35.55	18.71	54.26	74.00	-19.74	Horizontal
7	6009.8344	35.03	17.69	52.72	74.00	-21.28	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1535.3928	43.69	-0.58	43.11	54.00	-10.89	Horizontal
2	6144.2938	26.82	18.31	45.13	54.00	-8.87	Horizontal
3	6301.3668	24.42	18.71	43.13	54.00	-10.87	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Peak: Peak detector.


5. AVG: VBW refer to section 6.2.

6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.

The proper operation of the transmitter prior to adding the filter to the measurement chain.

7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5280	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1185.7984	43.94	-2.08	41.86	74.00	-32.14	Vertical
2	1255.4728	47.10	-1.16	45.94	74.00	-28.06	Vertical
3	1395.4328	43.00	-0.99	42.01	74.00	-31.99	Vertical
4	1535.3928	51.56	-0.58	50.98	74.00	-23.02	Vertical
5	5382.1536	35.59	16.92	52.51	74.00	-21.49	Vertical
6	6121.6802	34.73	18.36	53.09	74.00	-20.91	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5320	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	46.48	-1.16	45.32	74.00	-28.68	Horizontal
2	1535.3928	54.80	-0.58	54.22	74.00	-19.78	Horizontal
3	2090.9546	40.35	4.10	44.45	74.00	-29.55	Horizontal
4	5066.1740	36.31	16.40	52.71	74.00	-21.29	Horizontal
5	5877.2086	35.90	17.33	53.23	74.00	-20.77	Horizontal
6	6024.5027	35.64	17.62	53.26	74.00	-20.74	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1535.3928	43.43	-0.58	42.85	54.00	-11.15	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5320	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1256.0840	46.52	-1.18	45.34	74.00	-28.66	Vertical
2	1395.4328	43.20	-0.99	42.21	74.00	-31.79	Vertical
3	1535.3928	51.69	-0.58	51.11	74.00	-22.89	Vertical
4	1931.4368	42.25	2.43	44.68	74.00	-29.32	Vertical
5	5396.2107	36.41	16.96	53.37	74.00	-20.63	Vertical
6	6123.5137	34.45	18.39	52.84	74.00	-21.16	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5500	Horizontal	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.78	-1.48	44.30	74.00	-29.70	Horizontal
2	1535.3928	54.85	-0.72	54.13	74.00	-19.87	Horizontal
3	2090.9546	40.65	3.84	44.49	74.00	-29.51	Horizontal
4	5430.4367	36.12	17.91	54.03	74.00	-19.97	Horizontal
5	5857.0397	35.89	18.17	54.06	74.00	-19.94	Horizontal
6	6425.4362	35.42	19.13	54.55	74.00	-19.45	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5430.4367	27.30	17.91	45.21	54.00	-8.79	Horizontal
2	5857.0397	25.25	18.17	43.42	54.00	-10.58	Horizontal
3	6425.4362	25.38	19.13	44.51	54.00	-9.49	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


4. Peak: Peak detector.

5. AVG: VBW refer to section 6.2.

6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.

7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5500	Vertical	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	47.56	-1.48	46.08	74.00	-27.92	Vertical
2	1535.3928	51.62	-0.72	50.90	74.00	-23.10	Vertical
3	4330.9257	37.63	13.63	51.26	74.00	-22.74	Vertical
4	5427.3808	38.56	17.75	56.31	74.00	-17.69	Vertical
5	6032.4480	36.01	17.75	53.76	74.00	-20.24	Vertical
6	6470.0522	35.23	19.76	54.99	74.00	-19.01	Vertical

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5427.3808	30.43	17.75	48.18	54.00	-5.82	Vertical
2	6470.0522	24.97	19.76	44.73	54.00	-9.27	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


4. Peak: Peak detector.

5. AVG: VBW refer to section 6.2.

6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.

7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5580	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.30	-1.48	42.82	74.00	-31.18	Horizontal
2	1535.3928	54.34	-0.72	53.62	74.00	-20.38	Horizontal
3	4447.6609	36.51	14.92	51.43	74.00	-22.57	Horizontal
4	5493.9993	35.61	17.83	53.44	74.00	-20.56	Horizontal
5	5630.2923	36.06	17.67	53.73	74.00	-20.27	Horizontal
6	6133.2926	36.14	18.19	54.33	74.00	-19.67	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	6133.2926	26.16	18.19	44.35	54.00	-9.65	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5580	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	46.98	-1.48	45.50	74.00	-28.50	Vertical
2	1395.4328	43.09	-1.15	41.94	74.00	-32.06	Vertical
3	1535.3928	51.68	-0.72	50.96	74.00	-23.04	Vertical
4	5429.8255	35.52	17.90	53.42	74.00	-20.58	Vertical
5	5952.3836	36.24	17.60	53.84	74.00	-20.16	Vertical
6	6129.0143	35.57	18.19	53.76	74.00	-20.24	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5700	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.68	-1.48	44.20	74.00	-29.80	Horizontal
2	1535.3928	54.42	-0.72	53.70	74.00	-20.30	Horizontal
3	4409.7678	37.38	14.32	51.70	74.00	-22.30	Horizontal
4	5474.4416	35.79	17.86	53.65	74.00	-20.35	Horizontal
5	5940.7712	35.56	17.91	53.47	74.00	-20.53	Horizontal
6	6173.0192	35.09	18.38	53.47	74.00	-20.53	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5700	Vertical	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	49.51	-1.48	48.03	74.00	-25.97	Vertical
2	1394.8216	43.53	-1.14	42.39	74.00	-31.61	Vertical
3	1535.3928	51.61	-0.72	50.89	74.00	-23.11	Vertical
4	1930.2145	41.14	2.71	43.85	74.00	-30.15	Vertical
5	5638.8488	36.45	17.64	54.09	74.00	-19.91	Vertical
6	6162.6292	35.31	18.26	53.57	74.00	-20.43	Vertical

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5638.8488	26.07	17.64	43.71	54.00	-10.29	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5720	Horizontal	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.67	-1.48	43.19	74.00	-30.81	Horizontal
2	1535.3928	54.88	-0.72	54.16	74.00	-19.84	Horizontal
3	4420.1578	36.80	14.24	51.04	74.00	-22.96	Horizontal
4	5497.0552	35.92	17.82	53.74	74.00	-20.26	Horizontal
5	5859.4844	35.29	18.36	53.65	74.00	-20.35	Horizontal
6	6113.7349	35.55	18.21	53.76	74.00	-20.24	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1535.3928	43.35	-0.72	42.63	54.00	-11.37	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Peak: Peak detector.


5. AVG: VBW refer to section 6.2.

6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.

The proper operation of the transmitter prior to adding the filter to the measurement chain.

7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5720	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1185.7984	44.21	-1.93	42.28	74.00	-31.72	Vertical
2	1255.4728	48.94	-1.48	47.46	74.00	-26.54	Vertical
3	1394.8216	43.56	-1.14	42.42	74.00	-31.58	Vertical
4	1535.3928	51.51	-0.72	50.79	74.00	-23.21	Vertical
5	5758.6398	36.76	17.12	53.88	74.00	-20.12	Vertical
6	6132.6814	35.59	18.19	53.78	74.00	-20.22	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5745	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.26	-1.59	42.67	74.00	-31.33	Horizontal
2	1535.3928	54.41	-0.38	54.03	74.00	-19.97	Horizontal
3	2090.9546	39.51	4.04	43.55	74.00	-30.45	Horizontal
4	5676.1307	36.48	16.65	53.13	74.00	-20.87	Horizontal
5	6162.0180	35.39	17.84	53.23	74.00	-20.77	Horizontal
6	6377.7642	34.99	18.13	53.12	74.00	-20.88	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1535.3928	42.95	-0.38	42.57	54.00	-11.43	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5745	Vertical	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1186.4096	39.34	-1.87	37.47	74.00	-36.53	Vertical
2	1255.4728	45.91	-1.59	44.32	74.00	-29.68	Vertical
3	1395.4328	43.11	-1.14	41.97	74.00	-32.03	Vertical
4	1535.3928	51.49	-0.38	51.11	74.00	-22.89	Vertical
5	5696.2996	39.34	16.57	55.91	74.00	-18.09	Vertical
6	6242.0825	35.06	18.11	53.17	74.00	-20.83	Vertical

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5696.2996	29.87	16.57	46.44	54.00	-7.56	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Peak: Peak detector.


5. AVG: VBW refer to section 6.2.

6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.

The proper operation of the transmitter prior to adding the filter to the measurement chain.

7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5785	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	43.60	-1.59	42.01	74.00	-31.99	Horizontal
2	1535.3928	54.42	-0.38	54.04	74.00	-19.96	Horizontal
3	2090.9546	38.93	4.04	42.97	74.00	-31.03	Horizontal
4	3916.5463	37.17	12.06	49.23	74.00	-24.77	Horizontal
5	5626.0140	36.00	16.46	52.46	74.00	-21.54	Horizontal
6	6178.5198	34.63	18.03	52.66	74.00	-21.34	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1535.3928	53.25	-0.38	52.87	54.00	-1.13	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5785	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1185.7984	43.06	-1.89	41.17	74.00	-32.83	Vertical
2	1255.4728	46.74	-1.59	45.15	74.00	-28.85	Vertical
3	1394.8216	41.68	-1.15	40.53	74.00	-33.47	Vertical
4	1535.3928	51.33	-0.38	50.95	74.00	-23.05	Vertical
5	5688.3543	37.36	16.61	53.97	74.00	-20.03	Vertical
6	5981.1090	35.64	17.31	52.95	74.00	-21.05	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5825	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.31	-1.59	42.72	74.00	-31.28	Horizontal
2	1535.3928	54.48	-0.38	54.10	74.00	-19.90	Horizontal
3	2090.9546	38.92	4.04	42.96	74.00	-31.04	Horizontal
4	3909.2121	36.78	12.26	49.04	74.00	-24.96	Horizontal
5	5688.9654	36.07	16.61	52.68	74.00	-21.32	Horizontal
6	5885.1539	35.89	17.07	52.96	74.00	-21.04	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1535.3928	43.15	-0.38	42.77	54.00	-11.23	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11a	5825	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.90	-1.59	44.31	74.00	-29.69	Vertical
2	1394.8216	42.29	-1.15	41.14	74.00	-32.86	Vertical
3	1535.3928	51.47	-0.38	51.09	74.00	-22.91	Vertical
4	1921.6580	40.48	2.54	43.02	74.00	-30.98	Vertical
5	4801.5335	36.41	15.09	51.50	74.00	-22.50	Vertical
6	5892.4881	36.43	17.11	53.54	74.00	-20.46	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5180	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.61	-1.16	43.45	74.00	-30.55	Horizontal
2	1535.3928	54.30	-0.58	53.72	74.00	-20.28	Horizontal
3	2090.9546	39.06	4.10	43.16	74.00	-30.84	Horizontal
4	4144.5161	36.80	13.08	49.88	74.00	-24.12	Horizontal
5	5192.6881	36.65	16.29	52.94	74.00	-21.06	Horizontal
6	6165.6851	34.60	18.16	52.76	74.00	-21.24	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5180	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	46.62	-1.16	45.46	74.00	-28.54	Vertical
2	1535.3928	51.79	-0.58	51.21	74.00	-22.79	Vertical
3	4372.4858	37.00	13.96	50.96	74.00	-23.04	Vertical
4	5130.3478	36.46	16.48	52.94	74.00	-21.06	Vertical
5	6018.3909	35.94	17.56	53.50	74.00	-20.50	Vertical
6	6247.5831	35.22	18.65	53.87	74.00	-20.13	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5200	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.26	-1.16	44.10	74.00	-29.90	Horizontal
2	1535.3928	54.31	-0.58	53.73	74.00	-20.27	Horizontal
3	2090.9546	39.35	4.10	43.45	74.00	-30.55	Horizontal
4	3450.8279	37.35	10.95	48.30	74.00	-25.70	Horizontal
5	5113.2348	36.22	16.57	52.79	74.00	-21.21	Horizontal
6	6220.6912	35.39	18.50	53.89	74.00	-20.11	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5200	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	48.31	-1.16	47.15	74.00	-26.85	Vertical
2	1535.3928	51.61	-0.58	51.03	74.00	-22.97	Vertical
3	4474.5527	37.05	14.37	51.42	74.00	-22.58	Vertical
4	5102.8448	36.20	16.62	52.82	74.00	-21.18	Vertical
5	6015.3350	35.95	17.60	53.55	74.00	-20.45	Vertical
6	6194.4105	34.81	18.28	53.09	74.00	-20.91	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5240	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.11	-1.16	42.95	74.00	-31.05	Horizontal
2	1535.3928	54.51	-0.58	53.93	74.00	-20.07	Horizontal
3	3812.6458	37.50	12.28	49.78	74.00	-24.22	Horizontal
4	5019.7244	36.75	15.36	52.11	74.00	-21.89	Horizontal
5	5995.7773	35.45	17.75	53.20	74.00	-20.80	Horizontal
6	6208.4676	34.48	18.61	53.09	74.00	-20.91	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5240	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1185.7984	41.72	-2.08	39.64	74.00	-34.36	Vertical
2	1255.4728	46.32	-1.16	45.16	74.00	-28.84	Vertical
3	1394.8216	42.59	-0.98	41.61	74.00	-32.39	Vertical
4	1535.3928	51.77	-0.58	51.19	74.00	-22.81	Vertical
5	5108.9566	35.87	16.60	52.47	74.00	-21.53	Vertical
6	6125.9584	35.16	18.43	53.59	74.00	-20.41	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5260	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.67	-1.16	43.51	74.00	-30.49	Horizontal
2	1535.3928	54.57	-0.58	53.99	74.00	-20.01	Horizontal
3	2090.9546	39.89	4.10	43.99	74.00	-30.01	Horizontal
4	4510.0011	36.96	13.91	50.87	74.00	-23.13	Horizontal
5	5093.0659	36.00	16.65	52.65	74.00	-21.35	Horizontal
6	6189.5211	34.92	18.27	53.19	74.00	-20.81	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5260	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	47.46	-1.16	46.30	74.00	-27.70	Vertical
2	1395.4328	43.31	-0.99	42.32	74.00	-31.68	Vertical
3	1535.3928	51.23	-0.58	50.65	74.00	-23.35	Vertical
4	1922.2691	40.55	2.50	43.05	74.00	-30.95	Vertical
5	5058.8399	36.16	16.24	52.40	74.00	-21.60	Vertical
6	6123.5137	35.12	18.39	53.51	74.00	-20.49	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5280	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.78	-1.16	44.62	74.00	-29.38	Horizontal
2	1535.3928	54.57	-0.58	53.99	74.00	-20.01	Horizontal
3	4410.3789	36.49	14.34	50.83	74.00	-23.17	Horizontal
4	5148.6832	35.48	16.37	51.85	74.00	-22.15	Horizontal
5	5894.3216	35.12	17.82	52.94	74.00	-21.06	Horizontal
6	6081.3424	35.62	17.93	53.55	74.00	-20.45	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5280	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	48.78	-1.16	47.62	74.00	-26.38	Vertical
2	1394.8216	43.18	-0.98	42.20	74.00	-31.80	Vertical
3	1535.3928	51.53	-0.58	50.95	74.00	-23.05	Vertical
4	1921.6580	40.77	2.51	43.28	74.00	-30.72	Vertical
5	3071.2857	38.37	9.13	47.50	74.00	-26.50	Vertical
6	5114.4572	36.04	16.56	52.60	74.00	-21.40	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5320	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.17	-1.16	43.01	74.00	-30.99	Horizontal
2	1394.8216	40.44	-0.98	39.46	74.00	-34.54	Horizontal
3	1535.3928	54.49	-0.58	53.91	74.00	-20.09	Horizontal
4	4250.8612	36.74	13.83	50.57	74.00	-23.43	Horizontal
5	5388.8765	35.91	16.94	52.85	74.00	-21.15	Horizontal
6	6173.6304	35.08	18.20	53.28	74.00	-20.72	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5320	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1185.7984	43.20	-2.08	41.12	74.00	-32.88	Vertical
2	1255.4728	47.26	-1.16	46.10	74.00	-27.90	Vertical
3	1394.8216	43.22	-0.98	42.24	74.00	-31.76	Vertical
4	1535.3928	51.37	-0.58	50.79	74.00	-23.21	Vertical
5	5102.2336	36.06	16.63	52.69	74.00	-21.31	Vertical
6	5431.6591	36.34	16.63	52.97	74.00	-21.03	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5500	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	46.16	-1.48	44.68	74.00	-29.32	Horizontal
2	1535.3928	54.30	-0.72	53.58	74.00	-20.42	Horizontal
3	3795.5328	36.94	12.33	49.27	74.00	-24.73	Horizontal
4	4425.0472	36.78	14.34	51.12	74.00	-22.88	Horizontal
5	5499.4999	35.75	17.82	53.57	74.00	-20.43	Horizontal
6	5951.1612	36.34	17.61	53.95	74.00	-20.05	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5500	Vertical	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	46.22	-1.48	44.74	74.00	-29.26	Vertical
2	1394.8216	43.42	-1.14	42.28	74.00	-31.72	Vertical
3	1535.3928	51.30	-0.72	50.58	74.00	-23.42	Vertical
4	5437.7709	37.95	17.89	55.84	74.00	-18.16	Vertical
5	5962.7736	36.40	17.59	53.99	74.00	-20.01	Vertical
6	6231.6924	35.47	18.44	53.91	74.00	-20.09	Vertical

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5437.7709	28.06	17.89	45.95	54.00	-8.05	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Peak: Peak detector.


5. AVG: VBW refer to section 6.2.

6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.

The proper operation of the transmitter prior to adding the filter to the measurement chain.

7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5580	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.54	-1.48	44.06	74.00	-29.94	Horizontal
2	1535.3928	54.13	-0.72	53.41	74.00	-20.59	Horizontal
3	4415.2684	37.30	14.28	51.58	74.00	-22.42	Horizontal
4	5476.2751	35.75	17.85	53.60	74.00	-20.40	Horizontal
5	5882.0980	35.75	17.85	53.60	74.00	-20.40	Horizontal
6	6454.1616	35.02	19.59	54.61	74.00	-19.39	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	6454.1616	25.14	19.59	44.73	54.00	-9.27	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5580	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	48.26	-1.48	46.78	74.00	-27.22	Vertical
2	1394.8216	42.69	-1.14	41.55	74.00	-32.45	Vertical
3	1535.3928	51.53	-0.72	50.81	74.00	-23.19	Vertical
4	3917.7686	38.25	12.33	50.58	74.00	-23.42	Vertical
5	5499.4999	35.85	17.82	53.67	74.00	-20.33	Vertical
6	6204.8005	35.37	18.56	53.93	74.00	-20.07	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5700	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	46.39	-1.48	44.91	74.00	-29.09	Horizontal
2	1535.3928	54.12	-0.72	53.40	74.00	-20.60	Horizontal
3	3096.9552	37.60	9.62	47.22	74.00	-26.78	Horizontal
4	5464.6627	35.60	17.87	53.47	74.00	-20.53	Horizontal
5	5772.0858	36.77	17.05	53.82	74.00	-20.18	Horizontal
6	5985.9984	35.86	17.63	53.49	74.00	-20.51	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5700	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1185.7984	43.48	-1.93	41.55	74.00	-32.45	Vertical
2	1255.4728	46.79	-1.48	45.31	74.00	-28.69	Vertical
3	1395.4328	43.56	-1.15	42.41	74.00	-31.59	Vertical
4	1535.3928	51.42	-0.72	50.70	74.00	-23.30	Vertical
5	5440.8268	36.09	17.89	53.98	74.00	-20.02	Vertical
6	5773.3081	36.57	17.04	53.61	74.00	-20.39	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5720	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.98	-1.48	44.50	74.00	-29.50	Horizontal
2	1535.3928	54.28	-0.72	53.56	74.00	-20.44	Horizontal
3	4356.5952	37.57	13.64	51.21	74.00	-22.79	Horizontal
4	5420.0467	36.21	17.31	53.52	74.00	-20.48	Horizontal
5	5636.4040	35.85	17.65	53.50	74.00	-20.50	Horizontal
6	6148.5721	35.36	18.19	53.55	74.00	-20.45	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5720	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1185.7984	45.29	-1.93	43.36	74.00	-30.64	Vertical
2	1255.4728	47.91	-1.48	46.43	74.00	-27.57	Vertical
3	1535.3928	51.33	-0.72	50.61	74.00	-23.39	Vertical
4	4867.5408	37.67	15.26	52.93	74.00	-21.07	Vertical
5	5764.7516	36.90	17.09	53.99	74.00	-20.01	Vertical
6	6181.5757	35.33	18.51	53.84	74.00	-20.16	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5745	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	43.84	-1.59	42.25	74.00	-31.75	Horizontal
2	1535.3928	54.26	-0.38	53.88	74.00	-20.12	Horizontal
3	3842.5936	36.43	12.43	48.86	74.00	-25.14	Horizontal
4	5286.1985	36.56	15.13	51.69	74.00	-22.31	Horizontal
5	5696.9108	36.89	16.57	53.46	74.00	-20.54	Horizontal
6	6026.3363	35.39	17.58	52.97	74.00	-21.03	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5745	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.71	-1.59	44.12	74.00	-29.88	Vertical
2	1394.8216	42.42	-1.15	41.27	74.00	-32.73	Vertical
3	1535.3928	51.37	-0.38	50.99	74.00	-23.01	Vertical
4	1932.6592	44.99	2.55	47.54	74.00	-26.46	Vertical
5	5698.7443	36.81	16.56	53.37	74.00	-20.63	Vertical
6	6034.8928	35.57	17.66	53.23	74.00	-20.77	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5785	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.43	-1.59	43.84	74.00	-30.16	Horizontal
2	1535.3928	54.76	-0.38	54.38	74.00	-19.62	Horizontal
3	3447.7720	36.78	11.22	48.00	74.00	-26.00	Horizontal
4	4427.4919	36.84	13.76	50.60	74.00	-23.40	Horizontal
5	5699.3555	36.32	16.55	52.87	74.00	-21.13	Horizontal
6	6138.7932	35.52	17.65	53.17	74.00	-20.83	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1535.3928	42.95	-0.38	42.57	54.00	-11.43	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5785	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	47.55	-1.59	45.96	74.00	-28.04	Vertical
2	1535.3928	51.74	-0.38	51.36	74.00	-22.64	Vertical
3	4330.9257	36.86	13.41	50.27	74.00	-23.73	Vertical
4	4920.1022	36.96	14.81	51.77	74.00	-22.23	Vertical
5	5659.0177	37.27	16.63	53.90	74.00	-20.10	Vertical
6	6174.2416	35.44	18.03	53.47	74.00	-20.53	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5825	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.79	-1.59	43.20	74.00	-30.80	Horizontal
2	1535.3928	54.08	-0.38	53.70	74.00	-20.30	Horizontal
3	3702.0224	36.70	12.09	48.79	74.00	-25.21	Horizontal
4	5480.5534	36.43	16.05	52.48	74.00	-21.52	Horizontal
5	6030.0033	35.27	17.76	53.03	74.00	-20.97	Horizontal
6	6441.3268	34.26	19.26	53.52	74.00	-20.48	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5825	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	46.29	-1.59	44.70	74.00	-29.30	Vertical
2	1394.8216	42.31	-1.15	41.16	74.00	-32.84	Vertical
3	1535.3928	51.14	-0.38	50.76	74.00	-23.24	Vertical
4	3071.2857	38.42	8.80	47.22	74.00	-26.78	Vertical
5	5882.7092	36.59	17.05	53.64	74.00	-20.36	Vertical
6	6444.9939	34.04	19.28	53.32	74.00	-20.68	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5190	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.61	-1.16	44.45	74.00	-29.55	Horizontal
2	1535.3928	54.60	-0.58	54.02	74.00	-19.98	Horizontal
3	4115.1795	36.64	12.84	49.48	74.00	-24.52	Horizontal
4	4518.5576	37.30	13.94	51.24	74.00	-22.76	Horizontal
5	5130.9590	36.28	16.47	52.75	74.00	-21.25	Horizontal
6	6206.6341	34.75	18.55	53.30	74.00	-20.70	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1535.3928	43.01	-0.58	42.43	54.00	-11.57	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5190	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1185.7984	42.96	-2.08	40.88	74.00	-33.12	Vertical
2	1255.4728	46.98	-1.16	45.82	74.00	-28.18	Vertical
3	1535.3928	51.68	-0.58	51.10	74.00	-22.90	Vertical
4	3071.2857	39.14	9.13	48.27	74.00	-25.73	Vertical
5	5112.6236	36.27	16.57	52.84	74.00	-21.16	Vertical
6	6287.3097	34.72	18.73	53.45	74.00	-20.55	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5230	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.09	-1.16	42.93	74.00	-31.07	Horizontal
2	1535.3928	54.65	-0.58	54.07	74.00	-19.93	Horizontal
3	2090.9546	39.52	4.10	43.62	74.00	-30.38	Horizontal
4	3409.8789	38.36	10.20	48.56	74.00	-25.44	Horizontal
5	5129.7366	36.01	16.47	52.48	74.00	-21.52	Horizontal
6	6162.6292	35.21	18.17	53.38	74.00	-20.62	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1535.3928	42.80	-0.58	42.22	54.00	-11.78	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5230	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1185.7984	44.72	-2.08	42.64	74.00	-31.36	Vertical
2	1255.4728	48.79	-1.16	47.63	74.00	-26.37	Vertical
3	1535.3928	51.25	-0.58	50.67	74.00	-23.33	Vertical
4	3824.2583	37.04	12.63	49.67	74.00	-24.33	Vertical
5	5115.6795	36.27	16.56	52.83	74.00	-21.17	Vertical
6	6026.9474	35.89	17.68	53.57	74.00	-20.43	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5270	Horizontal	PASS




PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.44	-1.16	43.28	74.00	-30.72	Horizontal
2	1535.3928	54.18	-0.58	53.60	74.00	-20.40	Horizontal
3	4467.2186	36.68	14.48	51.16	74.00	-22.84	Horizontal
4	5377.8753	35.79	16.92	52.71	74.00	-21.29	Horizontal
5	5889.4322	35.43	18.03	53.46	74.00	-20.54	Horizontal
6	6251.2501	34.52	18.64	53.16	74.00	-20.84	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5270	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1185.7984	44.16	-2.08	42.08	74.00	-31.92	Vertical
2	1255.4728	47.12	-1.16	45.96	74.00	-28.04	Vertical
3	1535.3928	51.73	-0.58	51.15	74.00	-22.85	Vertical
4	5084.5094	35.85	16.46	52.31	74.00	-21.69	Vertical
5	5380.3200	36.12	16.92	53.04	74.00	-20.96	Vertical
6	6028.7810	35.31	17.71	53.02	74.00	-20.98	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5310	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.86	-1.48	44.38	74.00	-29.62	Horizontal
2	1535.3928	54.02	-0.72	53.30	74.00	-20.70	Horizontal
3	4832.7036	36.48	15.45	51.93	74.00	-22.07	Horizontal
4	5445.1050	35.49	17.88	53.37	74.00	-20.63	Horizontal
5	5594.8439	36.01	17.77	53.78	74.00	-20.22	Horizontal
6	6100.9001	35.87	18.24	54.11	74.00	-19.89	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	6100.9001	25.53	18.24	43.77	54.00	-10.23	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5310	Vertical	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	48.16	-1.48	46.68	74.00	-27.32	Vertical
2	1535.3928	51.43	-0.72	50.71	74.00	-23.29	Vertical
3	1932.0480	43.38	2.75	46.13	74.00	-27.87	Vertical
4	5435.3261	37.09	17.90	54.99	74.00	-19.01	Vertical
5	6009.8344	36.69	17.73	54.42	74.00	-19.58	Vertical
6	6178.5198	35.40	18.49	53.89	74.00	-20.11	Vertical

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5435.3261	27.36	17.90	45.26	54.00	-8.74	Vertical
2	6009.8344	26.19	17.73	43.92	54.00	-10.08	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Peak: Peak detector.


5. AVG: VBW refer to section 6.2.

6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.

The proper operation of the transmitter prior to adding the filter to the measurement chain.

7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5510	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.60	-1.48	43.12	74.00	-30.88	Horizontal
2	1535.3928	54.21	-0.72	53.49	74.00	-20.51	Horizontal
3	4832.0925	36.49	15.44	51.93	74.00	-22.07	Horizontal
4	5497.0552	35.80	17.82	53.62	74.00	-20.38	Horizontal
5	6170.5745	35.47	18.33	53.80	74.00	-20.20	Horizontal
6	6424.2138	34.69	19.10	53.79	74.00	-20.21	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5510	Vertical	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1185.7984	44.58	-1.93	42.65	74.00	-31.35	Vertical
2	1255.4728	46.84	-1.48	45.36	74.00	-28.64	Vertical
3	1535.3928	51.19	-0.72	50.47	74.00	-23.53	Vertical
4	5442.0491	37.93	17.89	55.82	74.00	-18.18	Vertical
5	5995.7773	36.34	17.78	54.12	74.00	-19.88	Vertical
6	6204.1894	35.03	18.57	53.60	74.00	-20.40	Vertical

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5442.0491	28.33	17.89	46.22	54.00	-7.78	Vertical
2	5995.7773	25.68	17.78	43.46	54.00	-10.54	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


4. Peak: Peak detector.

5. AVG: VBW refer to section 6.2.

6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.

7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5550	Horizontal	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	43.87	-1.48	42.39	74.00	-31.61	Horizontal
2	1535.3928	54.38	-0.72	53.66	74.00	-20.34	Horizontal
3	5174.9639	36.97	15.28	52.25	74.00	-21.75	Horizontal
4	5433.4926	35.68	17.90	53.58	74.00	-20.42	Horizontal
5	5854.5950	36.13	18.00	54.13	74.00	-19.87	Horizontal
6	6250.6390	35.20	18.44	53.64	74.00	-20.36	Horizontal

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5854.5950	26.14	18.00	44.14	54.00	-9.86	Horizontal

Remark: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Peak: Peak detector.


5. AVG: VBW refer to section 6.2.

6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.

The proper operation of the transmitter prior to adding the filter to the measurement chain.

7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5550	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	47.42	-1.48	45.94	74.00	-28.06	Vertical
2	1535.3928	51.49	-0.72	50.77	74.00	-23.23	Vertical
3	1933.2704	42.35	2.79	45.14	74.00	-28.86	Vertical
4	5425.5473	36.02	17.64	53.66	74.00	-20.34	Vertical
5	5613.7904	36.20	17.73	53.93	74.00	-20.07	Vertical
6	6130.8479	35.48	18.18	53.66	74.00	-20.34	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5670	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	44.36	-1.48	42.88	74.00	-31.12	Horizontal
2	1535.3928	54.22	-0.72	53.50	74.00	-20.50	Horizontal
3	2090.9546	40.88	3.84	44.72	74.00	-29.28	Horizontal
4	5471.9969	35.89	17.86	53.75	74.00	-20.25	Horizontal
5	5843.5937	36.22	17.66	53.88	74.00	-20.12	Horizontal
6	6262.2514	35.51	18.49	54.00	74.00	-20.00	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5670	Vertical	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	47.50	-1.48	46.02	74.00	-27.98	Vertical
2	1535.3928	51.22	-0.72	50.50	74.00	-23.50	Vertical
3	5431.6591	35.47	17.91	53.38	74.00	-20.62	Vertical
4	5879.0421	36.30	17.87	54.17	74.00	-19.83	Vertical
5	6277.5308	35.49	18.64	54.13	74.00	-19.87	Vertical
6	6411.3790	35.56	18.97	54.53	74.00	-19.47	Vertical

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5879.0421	25.49	17.87	43.36	54.00	-10.64	Vertical
2	6277.5308	25.50	18.64	44.14	54.00	-9.86	Vertical
3	6411.3790	24.73	18.97	43.70	54.00	-10.30	Vertical

Remark: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

4. Peak: Peak detector.


5. AVG: VBW refer to section 6.2.

6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.

The proper operation of the transmitter prior to adding the filter to the measurement chain.

7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5710	Horizontal	PASS




PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.60	-1.48	43.12	74.00	-30.88	Horizontal
2	1535.3928	54.21	-0.72	53.49	74.00	-20.51	Horizontal
3	4832.0925	36.49	15.44	51.93	74.00	-22.07	Horizontal
4	5497.0552	35.80	17.82	53.62	74.00	-20.38	Horizontal
5	6170.5745	35.47	18.33	53.80	74.00	-20.20	Horizontal
6	6424.2138	34.69	19.10	53.79	74.00	-20.21	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5710	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	47.13	-1.48	45.65	74.00	-28.35	Vertical
2	1394.8216	43.21	-1.14	42.07	74.00	-31.93	Vertical
3	1535.3928	51.18	-0.72	50.46	74.00	-23.54	Vertical
4	3720.3578	38.11	11.87	49.98	74.00	-24.02	Vertical
5	5912.6570	36.30	17.79	54.09	74.00	-19.91	Vertical
6	6432.1591	35.18	19.25	54.43	74.00	-19.57	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5755	Horizontal	PASS




PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.15	-1.59	42.56	74.00	-31.44	Horizontal
2	1535.3928	54.27	-0.38	53.89	74.00	-20.11	Horizontal
3	4465.9962	36.86	14.48	51.34	74.00	-22.66	Horizontal
4	5025.8362	37.34	15.14	52.48	74.00	-21.52	Horizontal
5	5704.8561	36.61	16.55	53.16	74.00	-20.84	Horizontal
6	6032.4480	35.27	17.71	52.98	74.00	-21.02	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5755	Vertical	PASS




PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.66	-1.59	46.07	74.00	-27.93	Vertical
2	1394.8216	41.88	-1.15	40.73	74.00	-33.27	Vertical
3	1535.3928	51.26	-0.38	50.88	74.00	-23.12	Vertical
4	4516.7241	37.23	13.56	50.79	74.00	-23.21	Vertical
5	5623.5693	36.73	16.46	53.19	74.00	-20.81	Vertical
6	6285.4762	34.60	18.53	53.13	74.00	-20.87	Vertical

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5795	Horizontal	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	1255.4728	45.40	-1.59	43.81	74.00	-30.19	Horizontal
2	1535.3928	54.22	-0.38	53.84	74.00	-20.16	Horizontal
3	3891.4879	36.89	12.17	49.06	74.00	-24.94	Horizontal
4	5016.0573	36.49	15.04	51.53	74.00	-22.47	Horizontal
5	6017.7798	35.55	17.28	52.83	74.00	-21.17	Horizontal
6	6327.0363	34.67	18.60	53.27	74.00	-20.73	Horizontal

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.2.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.