

TEST DATA

FCC ID:2BGIKSL-029

Product : Led helmet

Model Name : SL029, SL030, SL031, SL032, SL033

Brand : /

Report No. : NCT24033719XE1-1

Prepared for

Huizhou Shining Bright Technology Co., Ltd

**9th Floor, Building 2,Hengxin Wisdom Science and Technology Park, Huize Avenue,
Shuikou Town, Huicheng District, Huizhou City, Guangdong Province, China**

Prepared by

Shenzhen NCT Testing Technology Co., Ltd.

**A101&2F B2, Fuqiao 6th Area, Xintian Community, Fuhai Street, Baoan District, Shenzhen,
People's Republic of China**

TEL: 400-8868-419


Table of Contents

1. -6dB Bandwidth	3
2. 99% Occupied Bandwidth	5
3. Duty Cycle	7
4. Peak Output Power	9
5. Power Spectral Density	11
6. Bandedge	13
7. Spurious Emission	15

240816 FCC ID BLE FCC_BLE (Part15.247) Test Data

1. -6dB Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	-6dB BW(kHz)	limit(kHz)	Result
NVNT	ANT1	1Mbps	2402.00	517.0	500	Pass
NVNT	ANT1	1Mbps	2440.00	515.0	500	Pass
NVNT	ANT1	1Mbps	2480.00	519.3	500	Pass



-6dB Bandwidth NVNT ANT1 1Mbps 2480



2. 99% Occupied Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	99% BW (MHz)
NVNT	ANT1	1Mbps	2402.00	1.029
NVNT	ANT1	1Mbps	2440.00	1.025
NVNT	ANT1	1Mbps	2480.00	1.025





99% Occupied Bandwidth NVNT ANT1 1Mbps 2480




3. Duty Cycle

Condition	Antenna	Rate	Frequency (MHz)	Dutycycle(%)	Duty_factor
NVNT	ANT1	1Mbps	2402.00	16.13	7.92
NVNT	ANT1	1Mbps	2440.00	16.13	7.92
NVNT	ANT1	1Mbps	2480.00	12.90	8.89





Duty Cycle_NVNT_ANT1_1Mbps_2480



4. Peak Output Power

Condition	Antenna	Rate	Frequency (MHz)	Max. Conducted Power(dBm)	Max. Conducted Power(mW)	Limit(mW)	Result
NVNT	ANT1	1Mbps	2402.00	0.71	1.18	1000	Pass
NVNT	ANT1	1Mbps	2440.00	0.08	1.02	1000	Pass
NVNT	ANT1	1Mbps	2480.00	-0.42	0.91	1000	Pass





Peak_Output_Power_NVNT_ANT1_1Mbps_2480




5. Power Spectral Density

Condition	Antenna	Rate	Frequency (MHz)	Power Spectral Density(dBm)	Limit(dBm/3kHz)	Result
NVNT	ANT1	1Mbps	2402.00	-19.25	8	Pass
NVNT	ANT1	1Mbps	2440.00	-19.68	8	Pass
NVNT	ANT1	1Mbps	2480.00	-19.79	8	Pass




Power_Spectral_Density_NVNT_ANT1_1Mbps_2480




6. Bandedge


Condition	Antenna	Rate	TX_Frequency (MHz)	Max. Mark Frequency (MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	1Mbps	2402.00	2399.965	-51.922	-19.466	Pass
NVNT	ANT1	1Mbps	2480.00	2497.550	-62.136	-20.557	Pass



1_Reference_Level_NVNT_ANT1_1Mbps_2480




2_Bandedge_NVNT_ANT1_1Mbps_2480




7. Spurious Emission

Condition	Antenna	Rate	TX_Frequency(MHz)	Spurious MAX.Value(dBm)	Limit	Result
NVNT	ANT1	1Mbps	2402.00	-39.259	-19.466	Pass
NVNT	ANT1	1Mbps	2440.00	-43.171	-20.079	Pass
NVNT	ANT1	1Mbps	2480.00	-41.320	-20.557	Pass






2_Spurious_Emission_NVNT_ANT1_1Mbps_2440



1_Reference_Level_NVNT_ANT1_1Mbps_2480



2_Spurious_Emission_NVNT_ANT1_1Mbps_2480

