





Test Mode	TX 2402 MHz_2Mbps	Polarization	Horizontal
-----------	-------------------	--------------	------------



Test Mode	TX 2440 MHz_2Mbps	Polarization	Vertical
-----------	-------------------	--------------	----------



Test Mode	TX 2440 MHz_2Mbps	Polarization	Horizontal
-----------	-------------------	--------------	------------




Test Mode	TX 2480 MHz_2Mbps	Polarization	Vertical
-----------	-------------------	--------------	----------

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	4960.000	33.47	14.93	48.40	74.00	-25.60	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	2483.500	39.66	11.09	50.75	74.00	-23.25	peak		
2		2500.000	32.35	11.22	43.57	74.00	-30.43	peak		

Test Mode	TX 2480 MHz_2Mbps	Polarization	Horizontal
-----------	-------------------	--------------	------------



REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.




APPENDIX E - BANDWIDTH

DTS Bandwidth

Test Mode	Antenna	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.684	2401.652	2402.336	0.5	PASS
		2440	0.688	2439.652	2440.340	0.5	PASS
		2480	0.692	2479.644	2480.336	0.5	PASS
BLE_2M	Ant1	2402	1.136	2401.428	2402.564	0.5	PASS
		2440	1.160	2439.412	2440.572	0.5	PASS
		2480	1.148	2479.428	2480.576	0.5	PASS


Test Graphs



BLE_1M-Ant1-2402-PASS



BLE_1M-Ant1-2440-PASS




BLE_1M-Ant1-2480-PASS



BLE_2M-Ant1-2402-PASS



BLE_2M-Ant1-2440-PASS




BLE_2M-Ant1-2480-PASS


Occupied Channel Bandwidth

Test Mode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.0351	2401.4811	2402.5162	---	---
		2440	1.0390	2439.4796	2440.5186	---	---
		2480	1.0386	2479.4810	2480.5196	---	---
BLE_2M	Ant1	2402	2.0654	2400.9725	2403.0379	---	---
		2440	2.0696	2438.9713	2441.0409	---	---
		2480	2.0704	2478.9705	2481.0409	---	---


Test Graphs




BLE_1M-Ant1-2402




BLE_1M-Ant1-2440




BLE_1M-Ant1-2480



BLE_2M-Ant1-2402



BLE_2M-Ant1-2440




BLE_2M-Ant1-2480


APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	Antenna	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	Ant1	2402	-0.19	≤30	PASS
		2440	0.78	≤30	PASS
		2480	0.85	≤30	PASS
BLE_2M	Ant1	2402	-0.30	≤30	PASS
		2440	0.75	≤30	PASS
		2480	0.89	≤30	PASS


Test Graphs Peak




BLE_1M-Ant1-2402-PASS




BLE_1M-Ant1-2440-PASS




BLE_1M-Ant1-2480-PASS



BLE_2M-Ant1-2402-PASS



BLE_2M-Ant1-2440-PASS



BLE_2M-Ant1-2480-PASS




APPENDIX G - CONDUCTED SPURIOUS EMISSION


Conducted Spurious Emission



BLE_1M-Ant1-2402-0~Reference-PASS



BLE_1M-Ant1-2402-30~1000-PASS



BLE_1M-Ant1-2402-1000~26500-PASS



BLE_1M-Ant1-2440-0~Reference-PASS