

Level	Component Item PLT	Description/Remarks/Drawing Location	Qty Per UM	Net Weight
PARENT	CN6114R581-A4	M:CN6114R581US-MB@ (AVITA/MATT BLACK)	KT	
	1 1-CN6114-KB-BK	C:CN6114 AVITA/14" KEYBOARD/MATT. BLACK	1 KT	
	0.2 500-611406W200	HINGE COVER 6114-06 MOLD TRANS PC(CAV.1) w/BLACK SPRAY x 2	1 PC	9.00G
	0.2 500-611462W100	C CABINET SUPPORT 6114-62 MD BLK (ABS+PC), w/MATT BLK SPYx3	1 PC	83.00G
	0.2 509-611478W001	FOOT STAND F RIGHT 6114-78 OVERMOLD BLACK (ABS & TPE CAV.1)	1 PC	0.30G
	0.2 509-611479W001	FOOT STAND F LEFT 6114-79 OVERMOLD BLACK(ABS & TPE CAV.1)	1 PC	0.30G
	0.2 509-6114F1W001	FOOT STAND BACK 6114-105 OVERMOLD BLACK (ABS & TPE CAV.2)	2 PC	0.30G
	0.2 510-611377W204	POWER KNOB 6113-77 MOLD TRANS (ABS+PC) CAV.8, w/MATT BLACK SPRAY	1 PC	0.30G
	0.2 512-611351W101	TOUCH PAD PLATE 147x73x1.0mm, OLEOPHOBIC COATING, ANTI-SHATTER(GC60198B, BK) 3M9495	1 PC	29.50G
	0.2 600-611461W100	C CAB (AVITA)6114-61-10 1.0mm THK, M. BLACK ALUMINUM w/COOL GREY 10C PNT x2	1 PC	
	0.2 600-611467W100	D CABINET (ALUM/M. BLACK) 6114-67-10 0.8mm THK, MATT BLACK ALUMINUM	1 PC	146.34G
	0.2 607-611325W001	SPEAKER MESH 32x19xT0.1mm M:SUS304 MESH w/3M DOUBLE SIDE TAPE w/BLACK SPY	2 PC	0.52G
	0.2 723-046213W023	SCREW M2x4.0mmTORX T4(HEAD 3.0mm)W/NL RE D GUNMETAL, STAINLESS STEEL LASER TEXTURE	11 PC	0.07G
	0.2 723-046213W031	SCREW M2x3.0mmTORX T4(HEAD 3.0mm)W/NL RE D GUNMETAL, STAINLESS STEEL LASER TEXTUE	2 PC	0.05G
	1 1-CN6114-TF-BK	C: CN6114 AVITA / 14" TFT / MATT. BLACK	1 KT	
	0.2 500-611403W010	A CABINET SUPPORT 6114-03 MOLD BLACK (ABS+PC CAV.1)	1 PC	50.00G
	0.2 600-611402W100	A CABINET 6114-02-10 1.0mm THK, MATT BLACK ALU w/DIAMOND CUT	1 PC	
	0.2 650-611336W210	WIFI COVER PLATE 262.3x2.27x0.25(THK)mm PC SHEET w/BLACK PNT & 3M ADHESIVE TAPE	1 PC	0.22G
	1 1-CN6114R-P-2	C:CN6114R581/AVITA/14"/i7/8GB/512 SSD (HK/1SET/PACKAGING)	1 KT	
	0.2 801-330208W010	SPUNLACE SHEET (14") 80g BROWN S:330x208mm, w/RECYCLED MARK	1 PC	4.99G
	0.2 801-6113A8W000	EPE BAR MATERIAL:EPE FOAM (20G) S:90x90x118mm	4 PC	12.60G
	0.2 803-611499W011	SPUNLACE BAG (14") 6114-99-01R 80g BRN S:355x225+80mm, w/RECYCLED MARKw/GYx2 PNT	1 PC	13.98G
	0.2 809-000005WH00	HDMI LABEL S:27x10mm(R=0.5mm)SILVER FOIL w/BLK PNT+MATT PP+S.ADH(N#809N1000000001	1 PC	0.05G
	0.2 809-000009W660	BLANK LABEL 9-66 S:2.75"x6", R=2mm, WT LBL w/STRONG ADH. (SMALL REEL COMPUTER LABEL) 1/BROWN BOX 1/CARTON	2 PC	1.05G
	0.2 809-000INTW050	INTEL INSIDE LABEL [7TH GEN CORE i7]	1 PC	0.07G

	SIZE 3(0.709"x0.709") SKU#334256-001		
0.2 809-611394W010	POP LABEL 6113-94-01 S:101x13mm SILVER FOIL LBL w/BLK PNT +MAT PP +STRONG ADH	1 PC	0.16G
0.2 809-611394W020	FULL HD LABEL 6113-94-02 S:27x10mm(R=0.5) GOLD FOIL LBL w/BLK PNT+MAT PP +S.ADH	1 PC	0.04G
0.2 809-611394W030	WARRANTY INFO LBL 6113-94-03 S:78x32mm SIL FOIL LBL w/BLK&PUR(527C)PT + MATT PP 1/BROWN BOX	1 PC	0.23G
0.2 809-611394W041	AVITA SEAL LBL (VOID) S:60x25MM (R=1mm) WHT LBL w/PUR(527) PT+G.PP+S. ADHESIVE ON BROWN BOX	1 PC	0.15G
0.2 809-611496W011	SPEC LBL 6114-96-01R S:85x14mm (R=1) SIL FOIL w/BLK PNT +3M ADH TAPE (LASER PNT)	1 PC	0.30G
0.2 810-611395W010	QSG (HK) S:420x148mm, 80g ARTPAPER PNT GREY & PURPLE, 1C+1C, F/105x148mm	1 PC	4.97G
0.2 810-611395W020	S SH (HK) 6113-95-02 ENG/CH, S:210x148mm 80g ARTPAPER, 1C+1C GREY PNT, F:105x148mm	1 PC	2.51G
0.2 810-6113A6W020	FLYER FROM HMV 6113-106-02 4C+4C (SUPPLIED BY BUYER) CN6113/CN6114	1 PC	4.20G
0.2 812-611392W010	B. BOX K9B+250gCCNB S:395x272x76mm WT ON BROWN, PURPLE PNT +M.PP+G.PP	1 PC	355.00G
0.2 813-6113A7W010	CTN 6113-107-01 A=A, B/C FL, S:446x322x136 mm BRN PT BLK/RED (1SET)	1 PC	408.00G
0.2 814-000014W305	GUM TAPE 3"(TRANS.) (400M/ROLL)	0.0028 RL	1,243.40G
	1.12m/set		
0.2 814-000031W002	DESICCANT SILICA GEL 20 GM/PAPER BAG	1 PC	19.85G
0.2 815-6114A2W002	BROWN CORD CARD (AVITA) 6113-102 S: 538x 340.75MM A9A, E-PLY, w/DIE CUT, NO PNT	1 PC	71.20G
0.2 815-6114A3W010	B. COVER C. 6113-102-01 377x296mm, 250gCCNE +175g/120g/175g), E-PLY, PMS527 PT +M.P	1 PC	96.50G
0.2 815-6114A4W001	BROWN CUSHION CARD 6113-104 S:645x253mm A9A, E-PLY, w/DIE CUT, NO PNT	2 PC	87.30G
0.2 815-6114A5W000	BROWN ADAPTOR CARD 6114-105 S:281x144mm, KFA, F-FL, w/DIE CUT, NO PRINTING FOR HOLDING THE ADAPTOR	1 PC	18.70G
0.2 815-6114A9W001	POWER CORD CARD(HK)6114-109 S:304x128mm, KFA, F-FL, w/DIE CUT, NO PRINTING FOR POWER CORD	1 PC	20.00G
0.2 821-6113A7W010	CLEANING CLOTH (AVITA) 6113-107 BLK, S:300x160mm (F:100x160mm) w/DIE CUT 1/BROWN BOX	1 PC	8.92G
1 8-CN6114R581-1	SOFTWARE PARTS OF MODEL CN6114R581/CN6114R551	1 KT	
0.2 331-003HK1EN09	S/W-EC, ECR2WE-N6113-V29, ITE, HK, 7.4V+490C mAh, TRP:PIXART, 0x7212728D	1 PC	
0.2 332-010HK1EN03	S/W-BIOS, BSR2WEHK-14RW81-AVI-V25, EDP14, 1920X1080, NON-TP, NON-GSENSOR, 0xF909B162	1 PC	
0.2 333-010HK1EN03	S/W-OS, OSRS2ALHK-NS14A1HK-AVI-V23M, RS2, AMD64, i7-7Y75, 8GB+XXXGB, AVITA, 0x6E87E89F	1 PC	
1 C-CN6114KB-MFR	MECHANICAL PARTS OF MODEL CN6114@ (KEYBOARD PORTION)P1.1	1 KT	
0.2 153-930374W000	MAGNET KEYBOARD MATERIAL N50, MAG	2 PC	1.10G

	FORCE:3500+-100G L16xW3.5xT2.5mm		
0.2 603-611329W000	COPPER SHAFT WITH POST 6113-29 DIA5.5x2.6mm	2 PC	0.33G
0.2 603-611330W000	COPPER SHAFT WITH THREAD 6113-30	23 PC	2.34G
0.2 603-611352W000	COPPER SHAFT WITH THREAD (M1.4) 6113-52	2 PC	0.06G
0.2 605-611369W001	TP BRACKET 6113-69 151.9x82.2mm THK=0.3mm SUS 304 W/SPRAY BLACK	1 PC	16.60G
0.2 613-611374W001	HEATSINK 6113-74 112x72 THK=0.5mm COPPER (Red)W/INSULATION SHEET (ET-3300A)	1 PC	29.83G
0.2 650-611317W000	PC SHEET 6113-17 T=1.0mm 18x11mm CLEAR W/ADHESIVE TAPE 3M 300SLE	1 PC	0.25G
0.2 650-611327W000	MAGNET SHEET 6113-27 13x3.0mm THK=0.3mm BLACK W/NITTO 500	1 PC	0.02G
0.2 650-611345W000	ALUMINIUM FOIL 6113-45 284x93x0.14mm	1 PC	22.08G
	1/TO KEY CORE		
0.2 650-611388W000	COPPER FOIL 6113-88 200x100x0.15mm	1 PC	22.90G
0.2 650-611415W000	WEIGHT PLATE 6114-15 METAL COLOR ZINC PLATING 34x25x3.0mm	1 PC	19.93G
0.2 650-611416W000	WEIGHT PLATE 6114-16 METAL COLOR ZINC PLATING 28*18*3.0mm	2 PC	15.35G
0.2 650-611417W000	WEIGHT PLATE 6114-17 METAL COLOR ZINC PLATING 25x14x3.0mm	1 PC	8.19G
0.2 700-611321W000	CONDUCTIVE CLOTH 6113-21 80x40mm THK=0.15mm W/ADHESIVE TAPE	1 PC	0.39G
0.2 700-611322W000	HEAT INSULATION PLATE 6113-22 160x80mm THK=0.18mm, W/DOUBLE TAPE	1 PC	4.08G
0.2 700-611324W000	THERMAL CONDUCTIVE RUBBER 6113-24 18x15mm THK=1.0mm	1 PC	0.80G
0.2 700-611325W000	THERMAL CONDUCTIVE RUBBER 6113-25 90x50mm THK=1.0mm	1 PC	14.50G
0.2 700-611328W000	LED RUBBER 6113-28 SILICONE 40 DEGREE BLACK	1 PC	0.04G
0.2 700-611348W000	CONDUCTIVE CLOTH 6113-56 22x7mm W/THICKNESS 0.15MM GULE	9 PC	0.12G
0.2 700-611349W000	TEFLON PLATE 6113-49 BLACK 25x12mm w/ADHESIVE TAPE	4 PC	0.06G
0.2 700-611357W000	CONDUCTIVE CUSHION 6113-57 10x3.5mm THK=2.0mm w/ADHESIVE TAPE 22/MAIN PCB TO CAB C	22 PC	0.10G
0.2 700-611372W001	TOUCH PAD DOUBLE TAPE 9503-72 3M 300LSE 144.1X66.7mm THK=0.175MM	1 PC	1.45G
0.2 700-611387W000	THERMAL CONDUCTIVE RUBBER 6113-87 20x15x0.4mm 1/HEATSINK TO CPU	1 PC	0.35G
0.2 700-611418W000	TOUCH PAD RUBBER 6114-18 10*6*1.5mm, PORON BLACK	1 PC	0.04G
0.2 700-611419W000	TEFLON PLATE SCREW POST 6114-19 BLACK 11x10mm w/ADHESIVE TAPE	3 PC	0.02G
0.2 700-930348W000	CONDUCTIVE CUSHION 9203-07 11x7mm THK=1.0mm W/ADHESIVE TAPE	4 PC	0.06G

	TO USB PCB			
0.2	721-020200W041	SCREW M2x4.0mm KM (HEAD 3.0mm) BLACK BRASS BASED NYLON	2 PC	0.14G
0.2	722-060177W031	SCREW 1.7x3mm B TYPE T. T. S. BLACK (H=5.0/T=0.5)	1 PC	0.07G
		1/ASSD TO CAB. C		
0.2	723-046213W020	SCREW T1.0x2.0mm B TYPE (HEAD 2.8mm) SILVER BRASS BASED	60 PC	0.01G
		TO KEY CORE		
0.2	723-046213W021	SCREW 02 PTP 1.7x3.5 GN NI	22 PC	0.01G
		6/TO MAIN PCB		
		4/TO SPK BOX		
		7/TO BAT BOX		
		5/USB PCB		
0.2	723-046213W026	SCREW M2x2.5mm (HEAD 3.0mm) W/NL RED BLACK, ZINC	4 PC	0.02G
0.2	723-046213W027	SCREW 1.4x1.5mm (HEAD 3.0mm) NICKEL	2 PC	0.018G
0.2	723-046213W028	SCREW M2x2.0mm FLAT HEAD DIA:6xTHK0.5mm BLACK w/NL RED	3 PC	0.17G
0.2	723-046213W035	SCREW 2.0x2.7mm FLAT HEAD DIA:4.0xTHK0.6mm BLACK BRASS BASED NI w/SG2510 ORANGE	5 PC	0.08G
0.2	809-611339W000	INSULATION SHEET 25x12mm, HIGH-TEMPERATURE KAPTON FILM(ET-3300A) COLOUR AMBER	8 PC	0.07G
0.2	809-611340W000	INSULATION SHEET 70*12.5mm, HIGH-TEMPERATURE KAPTON FILM(ET-3300A) COLOUR AMBER USB	1 PC	0.13G
0.2	809-611341W000	INSULATION SHEET 125*77.5mm, HIGH-TEMPERATURE KAPTON FILM(ET-3300A) COLOUR AMBERWB	1 PC	1.31G
0.2	814-CN6114W000	PRODUCTION NECESSITY OF MODEL CN6114TFT@	1 KT	
..3	055-300000W008	SOLDER PASTE M705-GRN360-K2-V	1.52 GM	1.00G
	1 C-CN6114TFT-PP	MECHANICAL PARTS OF MODEL CN6114@ (TFT PORTION)PP	1 KT	
0.2	153-611332W000	MAGNET HALL MATERIAL NdFeB N35, MAG FORCE:2000 +- 100G L8xW2.5xT1.2mm	1 PC	0.16G
0.2	153-930374W000	MAGNET KEYBOARD MATERIAL N50, MAG FORCE:3500+-100G L16xW3.5xT2.5mm	2 PC	1.10G
0.2	603-611330W000	COPPER SHAFT WITH THREAD 6113-30	8 PC	2.34G
0.2	603-611470W003	ROTATE HINGE L 6114-70 TORQUE 4.0KG	1 PC	5.25G
0.2	603-611471W003	ROTATE HINGE R 6114-71 TORQUE 4.0KG	1 PC	5.25G
0.2	700-611319W001	TEFLON PLATE 6113-19 BLACK 15x10mm w/ADHESIVE 3M 300LSE TAPE w/ADHESIVE 3M TAPE	5 PC	
0.2	700-611320W001	TEFLON PLATE 6113-20 BLACK 25x15mm w/ADHESIVE 3M 300LSE TAPE w/ADHESIVE 3M TAPE	2 PC	0.06G
0.2	700-611335W000	MIC SLEEVE 6113-35 7.9x5.2x1.7mm SILICONE HARDNESS 30~40 BLACK	2 PC	0.10G
0.2	700-611338W001	TEFLON PLATE 6113-38 BLACK 8x8mm	3 PC	

		w/ADHESIVE 3M 300LSE TAPE		
		w/ADHESIVE TAPE		
0.2	700-611349W001	TEFLON PLATE 6113-49 BLACK 25x12mm	5 PC	
		w/ADHESIVE 3M 300LSE TAPE		
		w/ADHESIVE TAPE		
0.2	700-611353W000	TFT CUSHION 6113-53 EVA BLACK 180x100mm	1 PC	4.33G
		THK=0.8mm 50 DEGREE W/NITTO 500		
0.2	700-611359W000	CONDUCTIVE CLOTH 6113-59 20x12mm	2 PC	0.06G
		w/THICKNESS 0.15MM GULE		
		2/HINGE TO CAB A		
0.2	700-611407W000	CAMERA CUSHION 6114-07 EVA BLACK 70x7mm	1 PC	0.12G
		THK=0.5mm 60 DEGREE W/3M DOUBLE TAPE		
0.2	723-046213W026	SCREW M2x2.5mm (HEAD 3.0mm)	4 PC	0.02G
		W/NL RED BLACK, ZINC		
		4/ROTATE HINGE TO A CAB		
0.2	723-046213W029	SCREW M2.0x3.0mm w/NL RED NICKEL SWCH	4 PC	0.07G
		10-16A		
		4/ROTATE HINGE TO A CAB		
0.2	723-046213W032	SCREW 02 PTPP 1.7x6.0 GN NI	2 PC	0.08G
0.2	814-CN6114W000	PRODUCTION NECESSITY OF MODEL CN6114TFT@	1 KT	
..3	055-300000W008	SOLDER PASTE M705-GRN360-K2-V	1.52 GM	1.00G
	1 E-CN6114R581U	E. PARTS OF CN6114R581@w/UL, 4900mAh. 2-C,	1 KT	
		8GB+512GB, eDP14, WB (MP)		
0.2	038WN6113RWW83	PCBA 2-C S116KAR320-KB60C V3.2 WIN	1 PC	81.30G
		i7-7Y75 (SR2ZT) 8G DDR3 (CKDWN6113RWW83)		
0.2	130-774P49W002	REC. LI-ION BAT. 185x154x3.6mm 7.4V	1 PC	226.91G
		4900mAh PT3488127-2S-PCM4900 (POWTECH)		
0.2	173-M8S512W001	SSD FLASH MODULE 512GB 2280 NGFF M.2	1 PC	
		(X600 3D) (SANDISK) (BLANK)		
0.2	661-MB2517W001	SPK00001"0080HMO.8W R/L	1 PC	18.26G
		#MB2517NH008001-RO615N-1 (HONSON)		
0.2	ASY-CN6113E-B	ACCESSORY PORTION OF MODEL CN6113C451@	1 KT	
		SERIES (BSI VERSION)		
..3	122-005020W016	HDMI CABLE AWG30 UL20267 OD:5.5mm BLK	1 PC	17.50G
		HDMI AF TO CM L=120mm (SHE)		
..3	133-011902W107	APA-EI&&&&2100MA/SO 100-240V:19V2.1Aw/NT	1 PC	212.05G
		C ADS-45SN-19-3 19040G(3.8mm DC I) (HONOR)		
..3	134-A12211W26B	PCA-ULP-5'&&&-SP2NMG UL/CSA L:1.5M	1 PC	185.40G
		KE-02+KE-33 105C SPT2 MIG (KENIC)		
..3	727-BH1000W000	MAGIC TAPE #BH-10 L:180mmxW:12.5mm	1 PC	1.09G
0.2	DSP-CN6114E	DISPLAY PORTION OF MODEL CN6114P461@	1 KT	
..3	047-162122W138	CAMERA CMOS MODULE USB 1M+DMIC	1 PC	1.28G
		w/LED MTD7691-AG02-V1.1		
..3	132-110088W022	WIFI+BT ANT 2.4GHZ 500HM/1W L=725/L=935n	1 PC	6.69G
		m D=1.13mmTIN FPCB YJ088W.300054.W01(14"		
..3	136-AZ3039W400	LVDS 0.5mm YL20453-030T+FPC30Px0.5+IDC4F	1 PC	4.52G
		*0.8mm 32#10064 YL03717040801F/14"BOE/LG		
..3	SBT-CN6114	SUB-ASSY OF NOTEBOOK CN6114 TFT LCD	1 KT	

... 4	147-M00140W000	TFT LCD 14"16:9 IVO/SP100 P140NWF5M-R6, IPS, EDP, 1920x1080, (A+), 9S5P=100mA (N-G)	1 PC	
... 4	166-TM0140WK00	TOP COVER 14.0" (TEMPERED GLASS) KD14ONX1-30TX-B001 (ASS 147-M00140W000)	1 PC	431.36G
0.2	KEY-CN6114-KE4	KEY PORTION OF MODEL CN6114R581@ (US VERSION) (DK284W100US BL) (PP1)	1 KT	
.. 3	038-DK284WW201	KEY CORE (US/WIN) DK284W201US (LJ) (80KEYS) (284.5x106x3.7) (28P 2L L=35 3.4) (BL)	1 PC	100.36G
.. 3	038-JPTG36W010	PCBA TOUCH PAD WIN10 JPTG3601 (PCT1336) (146x72x0.4) (0035) (JZS) (CN6113F561)	1 PC	12.10G
.. 3	040-060145W100	FFC CABLE 6P L=145mm (3+139+3) P=1mm 20624 BK (HALF LIFT-UP 10mm, ST 5mm) x2 w/L+/-/60V	1 PC	0.46G
0.2	USB-CN6114E-2	USB PORTION OF MODEL CN6114F561@	1 KT	
.. 3	001-300056W016	CHIP RESISTOR 0 ohm +-5% 1/16W (0402/1005) R5 R7 R8 R11 R12 R17 R18 R19 R20	9 PC	0.0054G
.. 3	001-310156W016	CHIP RESISTOR 100 ohm +-5% 1/16W (T&W) (0402/1005) R25	1 PC	0.0006G
.. 3	001-310356W016	CHIP RESISTOR 10 Kohm +- 5% 1/16W (T&W) (0402/1005) R2	1 PC	0.0006G
.. 3	001-310456W016	CHIP RESISTOR 100 Kohm +-5% 1/16W (0402/1005) R1	1 PC	0.0006G
.. 3	001-333152W016	CHIP RESISTOR 330 ohm +-5% 1/16W (0603/1608) R6	1 PC	0.002G
.. 3	001-347256W016	CHIP RESISTOR 4.7 Kohm +-5% 1/16W (0402/1005) R3	1 PC	0.0006G
.. 3	003-510414W016	CHIP CAP 0.1 uf/16V +-10% (0402/1005) C6 C7 C8	3 PC	0.0039G
.. 3	003-510612W016	CHIP CAP 10uF/16V +-10% (0603/1608) C3	1 PC	0.001G
.. 3	003-547114W050	CHIP CAP 470 pF/50V +-10% (0402/1005) C2	1 PC	0.0013G
.. 3	006-A10105W06C	C-TAN CAP 100 MFD/6.3V M(B:3528) (TEPSLB) 20J107M(45) 8R/6TPB100MAV (G03D00029051) C14	1 PC	0.08G
.. 3	008-A03906W000	CHIP TRANSISTOR MMBT3906/MMBT3906LT1/ T3906 SOT-23 (T&W) Q3	1 PC	0.01G
.. 3	010-873551W000	IC APL3551CBI (ANPEC) SOT23-5 U1	1 PC	0.025G
.. 3	021-SKQGADW000	TACT SW SKQGADE010 4P H=1.5mm 2.55N SMD T&R (4K/REEL) (ALPS) SW2	1 PC	0.08G

..3	033-CN6113W002	PCB CN6113-01-01 163x116.5x0.8mm/6 (FR4) (USB PCB) VER:02 (SG058)	1 PC	4.34G
..3	039-012124W000	CHIP VARISTOR ESD TVU1240R1A 12V 0.1PF (0402/1005) ESD4	1 PC	0.00048G
..3	039-040530W000	CHIP VARISTOR EGS04V05A30T 5V/3pF (ME-TECH) ESD6 ESD7 ESD10 ESD11 ESD2 ESD5	6 PC	0.0024G
..3	044-320227W005	FLEX PWB 32/32PIN L=227mm P:0.5mm SINGLE BLACK #YL03717062401A/14"	1 PC	1.68G
..3	110-003528W009	LED-W-3.5x2.8-&-&-SMD FM-P3528WNS-460G -R80 (WHITE COLOR) LED2	1 PC	0.0095G
..3	118-121391W002	USB JACK CSTU-213913073F-PK (CST) HOR DIP BLK GOLD FLASH USB3.0 1.5A (0.4K/R)	1 PC	1.27G
..3	135-FT0520W320	FFC CONN 32P P=0.5mm FT-0520G-32-FRSL-TA SMT HOR LOWER w/L+FLIP (TERM:AU"FLASH)/2K CON1	1 PC	0.25G
..3	603-611342W001	COPPER SHAFT WITH PCBA M2 Roll Form 6113	1 PC	
		CRYSTAL/32.768KHZ/Y1001	1 PC	
		CRYSTAL/19.2MHZ/Y1	1 PC	

End of Report