

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

OF

Applicant:

11/F Metropole Square, 2 On Yiu Street, Sha Tin, New Territories, Hong Kong Product Name: Tablet Brand Name: Venturer, Compag CT9L03W23H1, CT101 Model No.: Model Difference: Different model no. for trading purpose. FCC ID: A2HCT101 ER/2018/80008 **Report Number:** §15.247, Cat: DSS FCC Rule Part: Sep. 18, 2018 Issue Date: Aug. 01, 2018 ~ Sep. 12, 2018 Date of Test: Date of EUT Received: Aug. 01, 2018 We hereby certify that:

Alco Electronics Ltd.

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Marcus

Tested By:

Marcus Tseng / Sr. Engineer

Approved By:

Blue Yang / Supervisor



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的玩力。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Revision History

| Report Number | Revision | Description | Effected Page | Issue Date | Revised By |
|---------------|----------|---------------------------------|------------------|---------------|-------------|
| ER/2018/80008 | Rev.00 | Initial creation of document | All | Sep. 18, 2018 | Tiffany Kao |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SGS Taiwan Ltd.</u> <u>INo.134 WuKungRoad NewTaipeinforks WukuDistrict NewTaipeicCity.Taiwan24803/新 th. 市 充 股 區 新 th. 產 業 团 區 充 工 終 134 號</u>

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Contents

| 1 | GENERAL INFORMATION | 4 |
|----|--|-----|
| 2 | SYSTEM TEST CONFIGURATION | 6 |
| 3 | UMMARY OF TEST RESULTS | 8 |
| 4 | DESCRIPTION OF TEST MODES | 9 |
| 5 | MEASUREMENT UNCERTAINTY | .11 |
| 6 | CONDUCTED EMISSION TEST | 12 |
| 7 | PEAK OUTPUT POWER MEASUREMENT | 16 |
| 8 | 20dB BANDWIDTH MEASUREMENT | 18 |
| 9 | CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT | 22 |
| 10 | RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT | 28 |
| 11 | FREQUENCY SEPARATION | 57 |
| 12 | NUMBER OF HOPPING FREQUENCY | 59 |
| 13 | TIME OF OCCUPANCY (DWELL TIME) | 61 |
| 14 | ANTENNA REQUIREMENT | 70 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SGS Taiwan Ltd.</u> <u>INo.134 WuKungRoad NewTaipeinforks WukuDistrict NewTaipeicCity.Taiwan24803/新 th. 市 充 股 區 新 th. 產 業 团 區 充 工 終 134 號</u>



GENERAL INFORMATION 1

1.1 Product description

General:

| Product Name: | Tablet | | | |
|------------------------------|--|--|--|--|
| Brand Name: | Venturer, Compaq | | | |
| Model No.: | CT9L03W23H1, CT101 | | | |
| Model Difference: | Different r | nodel no. for trading purpose. | | |
| Product SW/HW Version: | N/A / N/A | N/A / N/A | | |
| Radio SW/HW Version: | N/A / N/A | | | |
| Test SW Version: | N/A | | | |
| RF power setting in TEST SW: | N/A | | | |
| | 3.7Vdc from Rechargeable Li-ion Battery or 5V from AC/DC Adapter. | | | |
| Power Supply: | Battery: | Model No.: PT3075110-2P, Supplier: Guangdong Pow-Tech New Power Co., Ltd. | | |
| | Adapter: | Model No.: APS-H012050200W-G, Supplier: Shenzhen ACT Industrial Co., Ltd. | | |

Bluetooth BR+EDR:

| Bluetooth Version: | Bluetooth V4.1 (dual mode) |
|----------------------|-----------------------------|
| Channel Number: | 79 channels |
| Modulation Type: | GFSK + π/4DQPSK + 8DPSK |
| Transmit Power: | 6.48dBm |
| Frequency Range: | 2.402GHz – 2.480GHz |
| Antenna Designation: | Inner Antenna, Gain: 1.5dBi |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SGS Taiwan Ltd.</u> <u>INo.134 WuKungRoad NewTaipeinforks WukuDistrict NewTaipeicCity.Taiwan24803/新 th. 市 充 股 區 新 th. 產 業 团 區 充 工 終 134 號</u>



1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

KDB 558074 D01 v05 DSS Meas. Guidance

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803

(TAF code 0513)

FCC Registration Numbers are: 509634 / TW0001

1.4 Special Accessories

There is no special accessory used while test was conducted.

1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



SYSTEM TEST CONFIGURATION 2

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 **Conducted Emissions**

The EUT is a placed on as turn table which is 0.8 m above ground plan. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 **Radiated Emissions**

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated

emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的玩力。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



2.5 Configuration of Tested System

Fig. 2-1 Radiated Emission & Conducted Emission (AC Power Line) Configuration




Fig.2-2 Conducted Emission (Antenna Port) Configuration



Table 2-1 Equipment Used in Tested System

| Item | Equipment | Mfr/Brand | Model/Type No. | Series No. | Data Cable | Power Cord |
|------|----------------------------|-----------|----------------|------------|------------|------------|
| 1. | Bluetooth Test Software | N/A | N/A | N/A | N/A | N/A |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



UMMARY OF TEST RESULTS 3

| FCC Rules | Description Of Test | Result |
|-----------------------|--|-----------|
| §15.207(a) | AC Power Line Conducted Emission | Compliant |
| §15.247(b)(1) | Peak Output Power | Compliant |
| §15.247(a)(1) | 20dB & 99% Bandwidth | Compliant |
| §15.247(d) | Conducted Band Edge and Spurious Emission | Compliant |
| §15.247(d) | Radiated Band Edge and Spurious Emission | Compliant |
| §15.247(a)(1) | Frequency Separation | Compliant |
| §15.247(a)(1)(iii) | Number of hopping frequency | Compliant |
| §15.247(a)(1)(iii) | Time of Occupancy | Compliant |
| §15.203 §15.247(b) | Antenna Requirement | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SGS Taiwan Ltd.</u> <u>INo.134 WuKungRoad NewTaipeinforks WukuDistrict NewTaipeicCity.Taiwan24803/新 th. 市 充 股 區 新 th. 產 業 团 區 充 工 終 134 號</u>

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



DESCRIPTION OF TEST MODES 4

4.1 Operated in 2400 ~ 2483.5MHz Band

79 channels are provided for Bluetooth

| ITEM | FREQUENCY | ITEM | FREQUENCY | ITEM | FREQUENCY | ITEM | FREQUENCY |
|------|-----------|------|-----------|------|-----------|------|-----------|
| 1 | 2402 MHz | 21 | 2422 MHz | 41 | 2442 MHz | 71 | 2462 MHz |
| 2 | 2403 MHz | 22 | 2423 MHz | 42 | 2443 MHz | 72 | 2463 MHz |
| 3 | 2404 MHz | 23 | 2424 MHz | 43 | 2444 MHz | 73 | 2464 MHz |
| 4 | 2405 MHz | 24 | 2425 MHz | 44 | 2445 MHz | 74 | 2465 MHz |
| 5 | 2406 MHz | 25 | 2426 MHz | 45 | 2446 MHz | 75 | 2466 MHz |
| 6 | 2407 MHz | 26 | 2427 MHz | 46 | 2447 MHz | 76 | 2467 MHz |
| 7 | 2408 MHz | 27 | 2428 MHz | 47 | 2448 MHz | 77 | 2468 MHz |
| 8 | 2409 MHz | 28 | 2429 MHz | 48 | 2449 MHz | 78 | 2469 MHz |
| 9 | 2410 MHz | 29 | 2430 MHz | 49 | 2450 MHz | 79 | 2470 MHz |
| 10 | 2411 MHz | 30 | 2431 MHz | 50 | 2451 MHz | 70 | 2471 MHz |
| 11 | 2412 MHz | 31 | 2432 MHz | 51 | 2452 MHz | 71 | 2472 MHz |
| 12 | 2413 MHz | 32 | 2433 MHz | 52 | 2453 MHz | 72 | 2473 MHz |
| 13 | 2414 MHz | 33 | 2434 MHz | 53 | 2454 MHz | 73 | 2474 MHz |
| 14 | 2415 MHz | 34 | 2435 MHz | 54 | 2455 MHz | 74 | 2475 MHz |
| 15 | 2416 MHz | 35 | 2436 MHz | 55 | 2456 MHz | 75 | 2476 MHz |
| 16 | 2417 MHz | 36 | 2437 MHz | 56 | 2457 MHz | 76 | 2477 MHz |
| 17 | 2418 MHz | 37 | 2438 MHz | 57 | 2458 MHz | 77 | 2478 MHz |
| 18 | 2419 MHz | 38 | 2439 MHz | 58 | 2459 MHz | 78 | 2479 MHz |
| 19 | 2420 MHz | 39 | 2440 MHz | 59 | 2460 MHz | 79 | 2480 MHz |
| 20 | 2421 MHz | 40 | 2441 MHz | 60 | 2461 MHz | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



4.2 The Worst Test Modes and Channel Details

- 1 The EUT has been tested under operating condition.
- Test program used to control the EUT for staying in continuous transmitting and receiving 2 mode is programmed.
- Investigation has been done on all the possible configurations for searching the worst 3 case.

RADIATED EMISSION TEST:

| | RADIATED EMISSION TEST (BELOW 1 GHz) | | | | | |
|-----------|--------------------------------------|------------------------------|------------|----------------|--|--|
| MODE | AVAILABLE FREQUENCY (MHz) | TESTED FREQUENCY (MHz) | MODULATION | PACKET TYPE | | |
| Bluetooth | 2402 to 2480 | 2441 | GFSK | DH5 | | |
| | RADIATED EMISSION TEST (ABOVE 1 GHz) | | | | | |
| Bluetooth | 2402 to 2480 | 2402, 2441, 2480 | GFSK | DH5 | | |


Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for Bluetooth BR+EDR Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

ANTENNA PORT CONDUCTED MEASUREMENT:

| | CONDUCTED TEST | | | | |
|-----------|---|------------------------------|-------------------------|----------------|--|
| | | Peak Output Power, | 20dB Band Width | | |
| MODE | AVAILABLE FREQUENCY (MHz) | TESTED FREQUENCY (MHz) | MODULATION | PACKET TYPE | |
| Bluetooth | 2402 to 2480 | 2402, 2441, 2480 | GFSK, π/4-DQPSK, 8-DPSK | DH5 | |
| | Band Edge | | | | |
| Bluetooth | 2402 to 2480 | 2402, 2441, 2480 | GFSK | DH5 | |
| | Frequency Separation | | | | |
| Bluetooth | 2402 to 2480 | 2402, 2441, 2480 | GFSK | DH5 | |
| | Number of hopping frequency | | | | |
| Bluetooth | 2402 to 2480 | 2402, 2441, 2480 | GFSK | DH5 | |
| | Time of Occupancy (Dwell time) | | | | |
| Bluetooth | Bluetooth 2402 to 2480 2402, 2441, 2480 GFSK, π/4-DQPSK, 8-DPSK DH1/DH3/DH9 | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





MEASUREMENT UNCERTAINTY 5

| Test Items | Uncertainty |
|--|-----------------------------|
| AC Power Line Conducted Emission | +/- 2.586 dB |
| Peak Output Power | +/- 0.84 dB |
| 20dB Bandwidth | +/- 51.33 Hz |
| 100 KHz Bandwidth Of Frequency Band Edges | +/- 0.84 dB |
| Frequency Separation | +/- 51.33 Hz |
| Number of hopping frequency | +/- 51.33 Hz |
| Time of Occupancy | +/- 51.33 Hz |
| Temperature | +/- 0.65 °C |
| Humidity | +/- 4.6 % |
| DC / AC Power Source | DC= +/- 0.13%, AC= +/- 0.2% |

Radiated Spurious Emission:

| | 9kHz – 30MHz: +/- 2.87 dB | |
|---------------------------|----------------------------|--|
| | 30MHz - 180MHz: +/- 3.37dB | |
| Measurement uncertainty | 180MHz -417MHz: +/- 3.19dB | |
| (Polarization : Vertical) | 0.417GHz-1GHz: +/- 3.19dB | |
| | 1GHz - 18GHz: +/- 4.04dB | |
| | 18GHz - 40GHz: +/- 4.04dB | |

| | 9kHz – 30MHz: +/- 2.87 dB |
|-----------------------------|----------------------------|
| | 30MHz - 167MHz: +/- 4.22dB |
| Measurement uncertainty | 167MHz -500MHz: +/- 3.44dB |
| (Polarization : Horizontal) | 0.5GHz-1GHz: +/- 3.39dB |
| | 1GHz - 18GHz: +/- 4.08dB |
| | 18GHz - 40GHz: +/- 4.08dB |

This uncertainty represents an expanded uncertainty expressed at approximately the

95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告結果僅對测试之樣品負責, 同時此樣品僅保留的无。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is ungived and partice to the fulleet evalued to the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paragrace of this document is ungived and offenders may the prosecuted to the fulleet evaluet of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



CONDUCTED EMISSION TEST 6

6.1 Standard Applicable

Frequency within 150 kHz to 30MHz shall not exceed the limit table as below.

| Frequency range | Limits dB(uV) | | | | |
|-----------------|------------------|----------|--|--|--|
| MHz | Quasi-peak | Average | | | |
| 0.15 to 0.50 | 66 to 56 | 56 to 46 | | | |
| 0.50 to 5 | 56 | 46 | | | |
| 5 to 30 | 60 | 50 | | | |
| Nata | | | | | |

Note

1. The lower limit shall apply at the transition frequencies

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

6.2 Measurement Equipment Used

| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
|-------------------|-------------|-----------------|------------------|--------------|------------|
| EMI Test Receiver | R&S | ESCI7 | 100335 | 2018/02/02 | 2019/02/01 |
| LISN | SCHWARZBECK | NSLK 8127 | 8127-649 | 2018/05/18 | 2019/05/17 |

6.3 EUT Setup


- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

でいたいでは、 除非另有說明,此根告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



6.4 Test SET-UP (Block Diagram of Configuration)



6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plan.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all frequency measured were complete.

6.6 Measurement Result


Note: Refer to next page for measurement data and plots. Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的玩力。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



AC POWER LINE CONDUCTED EMISSION TEST DATA



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告結果僅對测试之樣品負責, 同時此樣品僅保留的无。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is ungived and partice to the fulleet evalued to the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paragrace of this document is ungived and offenders may the prosecuted to the fulleet evaluet of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

peak



Temperature: 25 °C Site Conduction Room Phase: N Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 85 % Mode: Operation Note: Adapter: APS-H012050200W-G



| No. | MK. | Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | | | |
|-----|-----|--------|------------------|-------------------|------------------|-------|--------|----------|---------|--|
| | | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment | |
| 1 | | 0.1620 | 36.08 | 0.04 | 36.12 | 65.36 | -29.24 | peak | | |
| 2 | • | 0.1740 | 36.62 | 0.04 | 36.66 | 64.77 | -28.11 | peak | | |
| 3 | 1 | 0.1860 | 35.93 | 0.04 | 35.97 | 64.21 | -28.24 | peak | | |
| 4 | 1 | 0.2340 | 32.17 | 0.04 | 32.21 | 62.31 | -30.10 | peak | | |
| 5 | | 0.2580 | 31.44 | 0.04 | 31.48 | 61.50 | -30.02 | peak | | |
| 6 | ģ. | 0.2900 | 31.60 | 0.04 | 31.64 | 60.52 | -28.88 | peak | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



PEAK OUTPUT POWER MEASUREMENT 7


7.1 Standard Applicable

For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 hopping channels, The Limit: 1Watt. For all other frequency hopping systems in the 2400 -2483.5MHz band: The Limit: 0.125 Watts. The power limit for 1Mbps is 1watt, and 2Mbps, 3Mbps and AFH mode are 0.125 watts.

7.2 Measurement Equipment Used

| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
|--------------------|-----------|-----------------|------------------|--------------|------------|
| Power Meter | Anritsu | ML2496A | 1804001 | 2018/02/01 | 2019/01/31 |
| Power Sensor | Anritsu | MA2411B | 1726104 | 2018/02/01 | 2019/01/31 |
| Bluetooth Test Set | Anritsu | MT8852B | 6k00006107 | 2018/08/10 | 2019/08/09 |
| Splitter | RF-LAMBAD | RFLT2W1G18G | 11-JSPF412-018 | 2018/01/02 | 2019/01/01 |
| Coaxial Cables | N/A | WK CE Cable | N/A | 2018/01/02 | 2019/01/01 |

7.3 Test Set-up:



7.4 Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10:2013. Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum. (Max Hold, Detector = Peak, RBW >=20dB bandwidth)
- 4. Record the max. reading.
- 5. Repeat above procedures until all default test channel is completed.

Ref 另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的玩力。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



Output

Power

(mW)

1.114

1.706

1.422

Limit

(mW)

125

125

125

7.5 Measurement Result

| 1M RD | mode (Peak) | • | | | 1M BF | R mode (Av | 0, | | |
|-------|----------------|----------------------------------|-------------------------|---------------|-------|----------------|---|-------------------------|---------------|
| CH | Freq. (MHz) | Peak Output Power (dBm) | Output Power (mW) | Limit (mW) | СН | Freq. (MHz) | Max. Output include tune up tolerance Power (dBm) | Output Power (mW) | Limit (mW) |
| 0 | 2402 | 4.60 | 2.884 | 1000 | 0 | 2402 | 3.26 | 2.118 | 1000 |
| 39 | 2441 | 6.48 | 4.446 | 1000 | 39 | 2441 | 5.12 | 3.251 | 1000 |
| 78 | 2480 | 5.63 | 3.656 | 1000 | 78 | 2480 | 4.21 | 2.636 | 1000 |
| | | | | | | | | | |
| | | | | | | | | | |

2M EDR mode (Peak):

| СН | Freq. (MHz) | Peak Output Power (dBm) | Output Power (mW) | Limit (mW) |
|----|----------------|----------------------------------|-------------------------|---------------|
| 0 | 2402 | 3.93 | 2.472 | 125 |
| 39 | 2441 | 5.79 | 3.793 | 125 |
| 78 | 2480 | 4.91 | 3.097 | 125 |

3M EDR mode (Peak):

| СН | Freq. (MHz) | Peak Output Power (dBm) | Output Power (mW) | Limit (mW) |
|----|----------------|----------------------------------|-------------------------|---------------|
| 0 | 2402 | 3.97 | 2.495 | 125 |
| 39 | 2441 | 5.87 | 3.864 | 125 |
| 78 | 2480 | 4.98 | 3.148 | 125 |

3M EDR mode (Average):

2M EDR mode (Average):

Freq.

(MHz)

2402

2441

2480

CH

0 39

78

| СН | Freq. (MHz) | Max. Avg.Output include tune up tolerance Power (dBm) | Output Power (mW) | Limit (mW) |
|----|----------------|--|-------------------------|---------------|
| 0 | 2402 | 0.50 | 1.122 | 125 |
| 39 | 2441 | 2.36 | 1.722 | 125 |
| 78 | 2480 | 1.47 | 1.403 | 125 |

Max. Avg.Output

include

tune up

tolerance Power (dBm) 0.47

2.32

1.53

NOTE: cable loss as 5.1dB that offsets in the spectrum

*Note: Max. Output include tune up tolerance Power measured by using average detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contention is stated the results shown in this test report refer only to the sample(s) tested and store sample(s) are relative to 190 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



20dB BANDWIDTH MEASUREMENT 8


8.1 Standard Applicable

For frequency hopping systems operating in the 2400MHz-2483.5 MHz no limit for 20dB bandwidth.

8.2 Measurement Equipment Used

| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
|--------------------------|------------------|-----------------|------------------|--------------|------------|
| EXA Spectrum Analyzer | Agilent | N9010A | MY50420195 | 2018/05/03 | 2019/05/02 |
| Bluetooth Test Set | Anritsu | MT8852B | 6k00006107 | 2018/08/10 | 2019/08/09 |
| Splitter | RF-LAMBAD | RFLT2W1G18G | 11-JSPF412-018 | 2018/01/02 | 2019/01/01 |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 2018/01/02 | 2019/01/01 |
| Coaxial Cables | N/A | WK CE Cable | N/A | 2018/01/02 | 2019/01/01 |

8.3 Test Set-up



8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10:2013.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set the spectrum analyzer as RBW=10 kHz (1 % of 20 dB Bandwidth.), VBW = 30 kHz, Span= 3MHz, Sweep=auto, Detector = Peak, and Max hold for 20dB Bandwidth test.
- 5. Mark the peak frequency and -20dB (upper and lower) frequency
- 6. Repeat above procedures until all test default channel is completed

Ref 另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的玩力。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



8.5 Measurement Result

GFSK

π/4-DQPSK

| 8-DPSK |
|--------|
|--------|

| | 20 dB | 2/3 | | 20 dB | 2/3 |
|------|-------|-------|------|-------|-------|
| СН | BW | BW | СН | BW | BW |
| | (MHz) | (MHz) | | (MHz) | (MHz) |
| Low | 0.925 | 0.62 | Low | 1.210 | 0.81 |
| Mid | 0.926 | 0.62 | Mid | 1.225 | 0.82 |
| High | 0.926 | 0.62 | High | 1.226 | 0.82 |

| | 20 dB | 2/3 |
|------|-------|-------|
| СН | BW | BW |
| | (MHz) | (MHz) |
| Low | 1.264 | 0.84 |
| Mid | 1.266 | 0.84 |
| High | 1.264 | 0.84 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SGS Taiwan Ltd.</u> <u>INo.134 WuKungRoad NewTaipeinforks WukuDistrict NewTaipeicCity.Taiwan24803/新 th. 市 充 股 區 新 th. 產 業 团 區 充 工 終 134 號</u>

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



OBW 20dB GFSK 1M DH5 2402MHz



OBW 20dB GFSK_1M_DH5_2441MHz



OBW 20dB GFSK 1M DH5 2480MHz



OBW 20dB π4DQPSK 2M DH5 2402MHz



OBW 20dB π4DQPSK 2M DH5 2441MHz



OBW 20dB π4DQPSK 2M DH5 2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Contension of the stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488

```
www.tw.sas.com
```

Member of SGS Group




OBW 20dB 8DPSK 3M DH5 2402MHz



OBW 20dB 8DPSK 3M DH5 2441MHz



OBW 20dB 8DPSK 3M DH5 2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,可時此樣品僅保留90天。本報告未經本公司書面許可,不可能份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be respectively the fulle extent of the law. may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路134號

| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | - | www.tw.sgs.com | |
|--------------|---------------------|---------------------|---|----------------|--|
| | | | | | |



9 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT


9.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

9.2 Measurement Equipment Used

| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
|--------------------------|------------------|-----------------|------------------|--------------|------------|
| EXA Spectrum Analyzer | Agilent | N9010A | MY50420195 | 2018/05/03 | 2019/05/02 |
| Bluetooth Test Set | Anritsu | MT8852B | 6k00006107 | 2018/08/10 | 2019/08/09 |
| Splitter | RF-LAMBAD | RFLT2W1G18G | 11-JSPF412-018 | 2018/01/02 | 2019/01/01 |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 2018/01/02 | 2019/01/01 |
| Coaxial Cables | N/A | WK CE Cable | N/A | 2018/01/02 | 2019/01/01 |

9.3 Test SET-UP



9.4 Measurement Procedure

Conducted Band Edge:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10:2013. Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = operating frequency.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Sweep = auto
- 6. Mark Peak, 2.3999GHz and 2.4836GHz and record the max. level.
- 7. Repeat above procedures until all frequency measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Conducted Spurious Emission:

- 1. To connect Antenna Port of EUT to Spectrum.
- The testing follows ANSI C63.10:2013. Measurement Guidelines.
- 3. Set RBW = 100 kHz & VBW = 300 kHz, Detector = Peak, Sweep = Auto
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

| Where | FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
|-------|------------------------|---|
| | RA = Reading Amplitude | AG = Amplifier Gain |
| | AF = Antenna Factor | |

9.5 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Chiefs otherwise stated the results shown in this test report reterion your as an party is the sample (s) are retained to so days only. 除非另有說明,此根告結果僅對測试之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Band Edge_GFSK_1M_DH5_2402MHz




Band Edge GFSK 1M DH5 2480MHz



Band Edge 8DPSK 3M DH5 2402MHz



Band Edge 8DPSK 3M DH5 2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiers otherwise stated the results and the results and the result of the state o pany's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Hopping Band Edge_GFSK_1M_DH5_2402MHz



Hopping Band Edge GFSK 1M DH5 2480MHz



Hopping Band Edge 8DPSK 3M DH5 2402MHz



Hopping Band Edge 8DPSK 3M DH5 2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiers otherwise stated the results and the results and the result of the state o pany's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488

www.tw.sgs.com



Spurious Emission GFSK 1M DH5 2402MHz



Spurious Emission GFSK 1M DH5 2441MHz



Spurious Emission_GFSK_1M_DH5_2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,可時此樣品僅保留90天。本報告未經本公司書面許可,不可能的複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Com-pany's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents is unlawful and offenders may be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-extended to the full-ex prosecuted to the fullest extent of the law.

|No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sas.com

Member of SGS Group

Spurious Emission m4DQPSK 2M DH5 2402MHz



Spurious Emission m4DQPSK 2M DH5 2441MHz



Spurious Emission_m4DQPSK_2M_DH5_2480MHz






Spurious Emission_8DPSK_3M_DH5_2402MHz



Spurious Emission 8DPSK 3M DH5 2441MHz



Spurious Emission_8DPSK_3M_DH5_2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Com-pany's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.

. SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



10 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

10.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

| Frequency (MHz) | Field strength (microvolts/meter) | Distance (meters) |
|--------------------|--------------------------------------|----------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30 | 30 | 30 |
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| Above 960 | 500 | 3 |

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level ($dB\mu V/m$) = 20 log Emission level ($dB\mu V/m$)

Ref 另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的玩力。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



10.2Measurement Equipment Used


| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
|--------------------------|--------------------|-----------------|------------------|--------------|------------|
| Bi-log Antenna | SCHWAZBECK | VULB9168 | 378 | 2017/12/29 | 2018/12/28 |
| Horn Antenna | Schwarzbeck | BBHA9120D | 1441 | 2018/08/16 | 2019/08/15 |
| Horn Antenna | Schwarzbeck | BBHA9170 | 184 | 2017/12/12 | 2018/12/11 |
| Loop Antenna | ETS.LINDGREN | 6502 | 148045 | 2017/09/26 | 2018/09/25 |
| 3m Site NSA | SGS | 966 chamber | N/A | 2018/01/02 | 2019/01/01 |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 2018/05/15 | 2019/05/14 |
| EMI Test Receiver | R&S | ESCI7 | 100335 | 2018/02/02 | 2019/02/01 |
| Pre-Amplifier | HP | 8449B | 3008A00578 | 2018/01/02 | 2019/01/01 |
| Pre-Amplifier | HP | 8447D | 2944A07676 | 2018/01/02 | 2019/01/01 |
| Pre-Amplifier | EMC Instruments | EMC184045B | 980135 | 2017/10/27 | 2018/10/26 |
| Attenuator | Mini-Circuit | BW-S10W2+ | 2 | 2018/01/02 | 2019/01/01 |
| 2GHz High Pass Filter | Micro-Tronics | HPM50110 | 36 | 2018/01/02 | 2019/01/01 |
| Filter 5150-5350 MHz | Micro-Tronics | BRM50703 | 1 | 2018/01/02 | 2019/01/01 |
| Low Loss Cable | Huber Suhner | 966_RX | 9 | 2018/01/02 | 2019/01/01 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SGS Taiwan Ltd.</u> <u>INo.134 WuKungRoad NewTaipeinforks WukuDistrict NewTaipeicCity.Taiwan24803/新 th. 市 充 股 區 新 th. 產 業 团 區 充 工 終 134 號</u>




10.3Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



10.4Measurement Procedure

Radiated Emission

- 1. The testing follows ANSI C63.10:2013. Measurement Guidelines.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 0.8m for frequency> 1GHz above ground plan.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. Use the follow spectrum analyzer setting:
 - (1) Span = wide enough to fully capture the emission being measured
 - (2) RBW = 1 MHz for $f \ge 1$ GHz, 100 kHz for f < 1 GHz, VBW \ge RBW, Sweep = auto, Detector function = peak, Trace = max hold
 - (3) For average measurement: use duty cycle correction factor method per 15.35(c)

Duty Cycle = On time/100 milliseconds

On time = N1*L1=N2*L2+...+N(n-1)*LN(n-1)+N(n)*L(n)

Where N1 is number of type 1 pulses, L1 is length of type 1 pulses, etc.

Average Emission Level = Peak Emission Level + 20*log (duty Cycle)

- 6. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 7. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 8. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 9. Repeat above procedures until all frequency of the interest measured were complete.

10.5Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

| Where FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
|---------------------------|--|
| RA = Reading Amplitude | AG = Amplifier Gain |
| AF = Antenna Factor | |

The limit of the emission level is expressed in dBuV/m, which converts 20*log(uV/m)

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



10.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

10.7Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contention is stated the results shown in this test report refer only to the sample(s) tested and store sample(s) are relative to 190 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-


pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Radiated Band Edge Measurement Result:

Operation Band :BR(1M) Fundamental Frequency :2402 MHz **Operation Mode** :Bandedge CH LOW EUT Pol. :E2 Plane

Test Date :2018-08-31 Temp./Humi. :23 deg_C / 62 RH Engineer :Tin :VERTICAL Measurement Antenna Pol.



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Average | 29.06 | 0.20 | 29.26 | 54.00 | -24.74 |
| 2390.00 | Peak | 41.24 | 0.20 | 41.44 | 74.00 | -32.56 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 34 of 70




Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:BR(1M) :2402 MHz :Bandedge CH LOW :E2 Plane

Test Date Temp./Humi. Engineer :Tin Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH :HORIZONTAL



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Average | 29.90 | 0.20 | 30.10 | 54.00 | -23.90 |
| 2390.00 | Peak | 41.32 | 0.20 | 41.52 | 74.00 | -32.48 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 35 of 70



Operation Band :BR(1M) Fundamental Frequency :2480 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-08-31 Temp./Humi. :23 deg_C / 62 RH Engineer :Tin :VERTICAL Measurement Antenna Pol.



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Average | 29.60 | 0.53 | 30.13 | 54.00 | -23.87 |
| 2483.50 | Peak | 54.31 | 0.53 | 54.84 | 74.00 | -19.16 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.: ER/2018/80008 Page 36 of 70



Operation Band :BR(1M) Fundamental Frequency :2480 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH :Tin :HORIZONTAL



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Average | 31.01 | 0.53 | 31.54 | 54.00 | -22.46 |
| 2483.50 | Peak | 58.43 | 0.53 | 58.96 | 74.00 | -15.04 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 37 of 70




Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:EDR(3M) :2402 MHz :Bandedge CH LOW :E2 Plane

Test Date Temp./Humi. Engineer :Tin :VERTICAL Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH



| Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|-----------------------------|---|---|--|---|
| Mode | Reading Level | | FS | @3m | |
| PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| Average | 29.36 | 0.20 | 29.56 | 54.00 | -24.44 |
| Peak | 41.13 | 0.20 | 41.33 | 74.00 | -32.67 |
| | Mode PK/QP/AV Average | ModeReading LevelPK/QP/AVdBµVAverage29.36 | ModeReading LevelPK/QP/AVdBµVdBAverage29.360.20 | ModeReading LevelFSPK/QP/AVdBµVdBdBµV/mAverage29.360.2029.56 | Mode Reading Level FS @3m PK/QP/AV dBμV dB dBμV/m dBμV/m Average 29.36 0.20 29.56 54.00 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 38 of 70




Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:EDR(3M) :2402 MHz :Bandedge CH LOW :E2 Plane

Test Date Temp./Humi. Engineer :Tin Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH :HORIZONTAL



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Average | 29.63 | 0.20 | 29.83 | 54.00 | -24.17 |
| 2390.00 | Peak | 41.15 | 0.20 | 41.35 | 74.00 | -32.65 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 39 of 70



Operation Band :EDR(3M) Fundamental Frequency :2480 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-08-31 Temp./Humi. :23 deg_C / 62 RH Engineer :Tin :VERTICAL Measurement Antenna Pol.



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2483.50 | Average | 29.12 | 0.53 | 29.65 | 54.00 | -24.35 |
| 2483.50 | Peak | 54.25 | 0.53 | 54.78 | 74.00 | -19.22 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.: ER/2018/80008 Page 40 of 70



Operation Band :EDR(3M) Fundamental Frequency :2480 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date Temp./Humi. Engineer :Tin Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH :HORIZONTAL



| etector Spectrum | Factor | Actual | Limit | Margin |
|-------------------|--|---|---|--|
| Vode Reading Leve | el | FS | @3m | |
| /QP/AV dBµV | dB | dBµV/m | dBµV/m | dB |
| verage 32.69 | 0.53 | 33.22 | 54.00 | -20.78 |
| Peak 59.34 | 0.53 | 59.87 | 74.00 | -14.13 |
| | Mode Reading Leve /QP/AV dBµV verage 32.69 | Mode Reading Level /QP/AV dBµV dB verage 32.69 0.53 | ModeReading LevelFS/QP/AVdBµVdBdBµV/mverage32.690.5333.22 | Mode Reading Level FS @3m /QP/AV dBµV dB dBµV/m dBµV/m /erage 32.69 0.53 33.22 54.00 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 41 of 70




Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:BR Hopping :2402 MHz :Bandedge CH LOW :E2 Plane

Test Date Temp./Humi. Engineer :Tin Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH :VERTICAL



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Average | 29.40 | 0.20 | 29.60 | 54.00 | -24.40 |
| 2390.00 | Peak | 40.30 | 0.20 | 40.50 | 74.00 | -33.50 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 42 of 70




Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:BR Hopping :2402 MHz :Bandedge CH LOW :E2 Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH :Tin :HORIZONTAL



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Average | 29.82 | 0.20 | 30.02 | 54.00 | -23.98 |
| 2390.00 | Peak | 40.60 | 0.20 | 40.80 | 74.00 | -33.20 |
| | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 43 of 70




Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:BR Hopping :2480 MHz :Bandedge CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer :Tin Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH :VERTICAL



| Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|-----------------------------|---|---|--|---|
| Mode | Reading Level | | FS | @3m | |
| PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| Average | 29.02 | 0.53 | 29.55 | 54.00 | -24.45 |
| Peak | 38.89 | 0.53 | 39.42 | 74.00 | -34.58 |
| | Mode PK/QP/AV Average | ModeReading LevelPK/QP/AVdBµVAverage29.02 | ModeReading LevelPK/QP/AVdBµVdBAverage29.020.53 | ModeReading LevelFSPK/QP/AVdBµVdBdBµV/mAverage29.020.5329.55 | Mode Reading Level FS @3m PK/QP/AV dBμV dB dBμV/m dBμV/m Average 29.02 0.53 29.55 54.00 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 44 of 70




Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:BR Hopping :2480 MHz :Bandedge CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH :Tin :HORIZONTAL



| | Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| _ | MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | 2483.50 | Average | 29.47 | 0.53 | 30.00 | 54.00 | -24.00 |
| | 2483.50 | Peak | 40.87 | 0.53 | 41.40 | 74.00 | -32.60 |
| | | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 45 of 70




Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:EDR Hopping :2402 MHz :Bandedge CH LOW :E2 Plane

Test Date Temp./Humi. Engineer :Tin Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH :VERTICAL



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Average | 29.38 | 0.20 | 29.58 | 54.00 | -24.42 |
| 2390.00 | Peak | 41.31 | 0.20 | 41.51 | 74.00 | -32.49 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 46 of 70




Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:EDR Hopping :2402 MHz :Bandedge CH LOW :E2 Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH :Tin :HORIZONTAL



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 2390.00 | Average | 29.13 | 0.20 | 29.33 | 54.00 | -24.67 |
| 2390.00 | Peak | 41.05 | 0.20 | 41.25 | 74.00 | -32.75 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 47 of 70




Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:EDR Hopping :2480 MHz :Bandedge CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer :Tin Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH :VERTICAL



| Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|-----------------------------|---|---|--|---|
| Mode | Reading Level | | FS | @3m | |
| PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| Average | 29.01 | 0.53 | 29.54 | 54.00 | -24.46 |
| Peak | 39.66 | 0.53 | 40.19 | 74.00 | -33.81 |
| | Mode PK/QP/AV Average | ModeReading LevelPK/QP/AVdBµVAverage29.01 | ModeReading LevelPK/QP/AVdBµVdBAverage29.010.53 | ModeReading LevelFSPK/QP/AVdBμVdBdBμV/mAverage29.010.5329.54 | Mode Reading Level FS @3m PK/QP/AV dBμV dB dBμV/m dBμV/m Average 29.01 0.53 29.54 54.00 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 48 of 70




Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:EDR Hopping :2480 MHz :Bandedge CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-08-31 :23 deg_C / 62 RH :Tin :HORIZONTAL



| | Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| _ | MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| | 2483.50 | Average | 29.32 | 0.53 | 29.85 | 54.00 | -24.15 |
| | 2483.50 | Peak | 39.42 | 0.53 | 39.95 | 74.00 | -34.05 |
| | | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Radiated Spurious Emission Measurement Result:

Frequency form 30MHz to 1000MHz

| Operation Band | :BR(1M) |
|-----------------------|------------|
| Fundamental Frequency | :2441 MHz |
| Operation Mode | :Tx CH MID |
| EUT Pol. | :E2 Plane |

| Test Date | :2018-08-14 |
|--------------------------|-------------------|
| Temp./Humi. | :23 deg_C / 62 RH |
| Engineer | :Tin |
| Measurement Antenna Pol. | :VERTICAL |




| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 47.46 | Peak | 44.35 | -7.64 | 36.71 | 40.00 | -3.29 |
| 199.75 | Peak | 39.73 | -9.26 | 30.47 | 43.50 | -13.03 |
| 279.29 | Peak | 31.65 | -6.17 | 25.48 | 46.00 | -20.52 |
| 410.24 | Peak | 27.02 | -2.97 | 24.05 | 46.00 | -21.95 |
| 529.55 | Peak | 26.95 | -1.18 | 25.77 | 46.00 | -20.23 |
| 699.30 | Peak | 26.65 | 1.74 | 28.39 | 46.00 | -17.61 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 50 of 70



| Test Date | :2018-08-14 |
|--------------------------|-------------------------|
| Temp./Humi. | :23 deg C / 62 RH |
| Engineer | :Tin |
| Measurement Antenna Pol. | :HORIZONTAL |
| | |
| | Temp./Humi. Engineer |



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 30.00 | Peak | 33.81 | -8.96 | 24.85 | 40.00 | -15.15 |
| 183.26 | Peak | 35.87 | -8.47 | 27.40 | 43.50 | -16.10 |
| 279.29 | Peak | 30.12 | -6.17 | 23.95 | 46.00 | -22.05 |
| 415.09 | Peak | 26.91 | -2.95 | 23.96 | 46.00 | -22.04 |
| 536.34 | Peak | 27.77 | -1.83 | 25.94 | 46.00 | -20.06 |
| 687.66 | Peak | 26.98 | 1.76 | 28.74 | 46.00 | -17.26 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2018/80008 Page 51 of 70

Frequency above 1 GHz

| Operation Band | :BR(1M) |
|-----------------------|------------|
| Fundamental Frequency | :2402 MHz |
| Operation Mode | :Tx CH LOW |
| EUT Pol. | :E2 Plane |

Test Date :2018-08-08 Temp./Humi. :23 deg_C / 62 RH Engineer :Tin :VERTICAL Measurement Antenna Pol.



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | _ |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 4804.00 | Average | 25.09 | 5.65 | 30.74 | 54.00 | -23.26 |
| 4804.00 | Peak | 35.63 | 5.65 | 41.28 | 74.00 | -32.72 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 52 of 70



| EUT Pol. :E2 Plane Measurement Antenna Po | Operation Band | :BR(1M) | Test Date |
|---|-----------------------|------------|--------------------------|
| | Fundamental Frequency | :2402 MHz | Temp./Humi. |
| | Operation Mode | :Tx CH LOW | Engineer |
| | EUT Pol. | :E2 Plane | Measurement Antenna Pol. |

:2018-08-08 :23 deg_C / 62 RH :Tin :HORIZONTAL




| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 4804.00 | Average | 25.21 | 5.65 | 30.86 | 54.00 | -23.14 |
| 4804.00 | Peak | 34.97 | 5.65 | 40.62 | 74.00 | -33.38 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 53 of 70






| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 4882.00 | Average | 25.08 | 5.90 | 30.98 | 54.00 | -23.02 |
| 4882.00 | Peak | 36.49 | 5.90 | 42.39 | 74.00 | -31.61 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 54 of 70



| EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL | Operation Band | :BR(1M) | Test Date | :2018-08-08 |
|---|-----------------------|------------|--------------------------|-------------------|
| | Fundamental Frequency | :2441 MHz | Temp./Humi. | :23 deg_C / 62 RH |
| | Operation Mode | :Tx CH MID | Engineer | :Tin |
| | EUT Pol. | :E2 Plane | Measurement Antenna Pol. | :HORIZONTAL |




| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 4882.00 | Average | 25.18 | 5.90 | 31.08 | 54.00 | -22.92 |
| 4882.00 | Peak | 34.87 | 5.90 | 40.77 | 74.00 | -33.23 |
| 1002100 | i our | 0 | 0.00 | | 1 1100 | 00.20 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: ER/2018/80008 Page 55 of 70



| Operation Mode:Tx CH HIGHEngineer:TinEUT Pol.:E2 PlaneMeasurement Antenna Pol.:VERTICAL | 1 | :Tx CH HIGH | 0 | |
|---|---|-------------|---|--|
|---|---|-------------|---|--|



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| 4960.00 | Average | 24.86 | 6.05 | 30.91 | 54.00 | -23.09 |
| 4960.00 | Peak | 34.64 | 6.05 | 40.69 | 74.00 | -33.31 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Report No.: ER/2018/80008 Page 56 of 70



Operation Band :BR(1M) Fundamental Frequency :2480 MHz **Operation Mode** :Tx CH HIGH EUT Pol. :E2 Plane

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-08-08 :23 deg_C / 62 RH :Tin :HORIZONTAL



| ctor Spectrum | Factor | Actual | Limit | Margin |
|------------------|---|---|---|--|
| de Reading Level | | FS | @3m | |
| P/AV dBµV | dB | dBµV/m | dBµV/m | dB |
| age 25.17 | 6.05 | 31.22 | 54.00 | -22.78 |
| ak 35.13 | 6.05 | 41.18 | 74.00 | -32.82 |
| | de Reading Level P/AV dBµV rage 25.17 | de Reading Level P/AV dBµV dB rage 25.17 6.05 | deReading LevelFSP/AVdBµVdBdBµV/mrage25.176.0531.22 | de Reading Level FS @3m P/AV dBμV dB dBμV/m dBμV/m rage 25.17 6.05 31.22 54.00 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



11 FREQUENCY SEPARATION


11.1 Standard Applicable

Frequency hopping systems shall have hopping channel carrier frequencies separated by minimum of 25 kHz or the 2/3*20dB bandwidth of the hopping channel, whichever is greater.

11.2Measurement Equipment Used

| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
|--------------------------|---------------|-----------------|------------------|--------------|------------|
| EXA Spectrum Analyzer | Agilent | N9010A | MY50420195 | 2018/05/03 | 2019/05/02 |
| Bluetooth Test Set | Anritsu | MT8852B | 6k00006107 | 2018/08/10 | 2019/08/09 |
| Splitter | RF-LAMBAD | RFLT2W1G18G | 11-JSPF412-018 | 2018/01/02 | 2019/01/01 |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 2018/01/02 | 2019/01/01 |
| Coaxial Cables | N/A | WK CE Cable | N/A | 2018/01/02 | 2019/01/01 |

11.3Test Set-up



11.4Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10:2013. Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = middle of hopping channel.
- 5. Set the spectrum analyzer as RBW, VBW=100 kHz, Adjust Span to 5MHz, Sweep = auto.
- 6. Max hold. Mark 3 Peaks of hopping channel and record the 3 peaks frequency.

11.5Measurement Result

| Channel separation (MHz) | Limit | Result |
|-----------------------------|---|--------|
| 1 | >=25 kHz or 2/3 times 20dB bandwidth | PASS |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



| RL | 1000 | 11 | | | 100 | SEN | SE:INT | Avg Type: I | IONAUTO | 07:35:02 PM | Aug 16, 2018 | Frequency |
|-----------------------|------|------|---------------|-----------|------------------------------|------------|-----------|-------------|-----------|-------------|----------------------|-----------------------------------|
| enter | Fre | pd 7 | 2.40300 | | IZ IO: Wide ~ Sain:Low | #Atten: 20 | Run dB | neg type. | Log-r mr | TYP | P IL IL IL IL IL IL | |
| 0 dB/div | , | | Offset 5. | 1 dB | | | | | AM | | 00 MHz | Auto Tune |
| 6.10 4.90 | | | | N | 10mg | www. | 142 | North Carl | 3D4 My | N | man | Center Freq 2.40300000 GHz |
| 24.9 34.9 44.9 | | N | V | | | | | | | | | Start Fred 2.400500000 GH: |
| 54.59 54.9 | od. | | | | | | | | | | | Stop Free 2.405500000 GH |
| enter Res B | | | 00 GHz kHz | | #VB | N 100 kHz | | Sv | weep 1.0 | | 000 MHz 1001 pts) | CF Step 500.000 kH Auto Mar |
| 1 Δ2 | 1100 | 100 | (Δ) | 1.00 | ο MHz (Δ | 0.01 | FUNC | TION FUNCT | ION WIDTH | PUNCTIC | N VALUE | Auto Mar |
| 2 F 3 44 | 111 | | (Δ) | 2,402 000 | GHz MHz (Δ | 3.25 dE | lm 1B | | | | | Freq Offset 0 Hz |
| 4 F 6 7 9 10 | | | | | | | | | | | | |
| | | | | | | | | | | | | |

Frequency Separation_GFSK_1M_DH5_CH0CH1CH2



12 NUMBER OF HOPPING FREQUENCY


12.1 Standard Applicable

Frequency hopping systems operating in the 2400MHz-2483.5 MHz bands shall use at least 15 hopping frequencies.

12.2Measurement Equipment Used

| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
|--------------------------|------------------|-----------------|------------------|--------------|------------|
| EXA Spectrum Analyzer | Agilent | N9010A | MY50420195 | 2018/05/03 | 2019/05/02 |
| Bluetooth Test Set | Anritsu | MT8852B | 6k00006107 | 2018/08/10 | 2019/08/09 |
| Splitter | RF-LAMBAD | RFLT2W1G18G | 11-JSPF412-018 | 2018/01/02 | 2019/01/01 |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 2018/01/02 | 2019/01/01 |
| Coaxial Cables | N/A | WK CE Cable | N/A | 2018/01/02 | 2019/01/01 |

12.3Test Set-up



12.4Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10:2013. Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set spectrum analyzer Start=2400MHz, Stop = 2483.5MHz, Sweep = auto.
- 5. Set the spectrum analyzer as RBW=430 kHz, VBW=1.5MHz., Detector = Peak
- 6. Max hold, view and count how many channel in the band.

12.5Measurement Result

Tabular Data of Total Channel Number

| | Channel Number | Limit |
|-----------------------|----------------|-------|
| 2.4 GHz – 2.441GHz | 40 | |
| 2.441 GHz – 2.4835GHz | 39 | >15 |
| 2.4GHz ~2.4835GHz | (40+39) = 79 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Ref 另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的玩力。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Channel Number

| | | | | J. | | | | 0_2+00 | | - |
|--------------|--|----------------------|-----------------|-----------|-----|---|------------|----------------------|---|----------------------------------|
| RL | rum Analyzer - Swept № 50 Ω req 2.420500 | AC 1000 GH2 PN | Z 0: Fast ++ | | | | ALION AUTO | r TRAC | Aug 16, 2018 E 1 2 3 4 5 6 E NNNNN T P NNNNN | Frequency |
| 10 dB/div | Ref Offset 5.1 d Ref 15.10 dE | | | | | | Mkr | 1 2.402 0 4. | 00 GHz 16 dBm | Auto Tun |
| 5.10 | | YVY | | m | nnn | m | MM | WW | γw | Center Fre 2.420500000 GH |
| 4.90 | | | | | | | | | | Start Fre 2.40000000 GH |
| 34.9 | | | | | | | | | | Stop Fre 2.441000000 GF |
| 44.9 54.9 | | | | | | | | | | CF Ste 4.100000 MH Auto Ma |
| 64.9 | | | | | | | | | | Freq Offs 01 |
| Center 2.4 | 42050 GHz | | #VBW | 1.5 MHz | | | Sween | Span 4 1.000 ms (| 1.00 MHz | |
| ISG | 437 KHZ | | #1011 | 1.5 10112 | | | SWEED | | ioor pisj | |

Hopping Frequency GFSK 1M DH5 2400-2441

Hopping Frequency_GFSK_1M_DH5_2441-2480



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



13 TIME OF OCCUPANCY (DWELL TIME)

13.1 Standard Applicable

Frequency hopping systems operating in the 2400MHz-2483.5MHz. The average time of occupancy on any frequency shall not greater than 0.4 s within period of 0.4 seconds multiplied by the number of hopping channel employed.

13.2Measurement Equipment Used

| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
|--------------------------|---------------|-----------------|------------------|--------------|------------|
| EXA Spectrum Analyzer | Agilent | N9010A | MY50420195 | 2018/05/03 | 2019/05/02 |
| Bluetooth Test Set | Anritsu | MT8852B | 6k00006107 | 2018/08/10 | 2019/08/09 |
| Splitter | RF-LAMBAD | RFLT2W1G18G | 11-JSPF412-018 | 2018/01/02 | 2019/01/01 |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 2018/01/02 | 2019/01/01 |
| Coaxial Cables | N/A | WK CE Cable | N/A | 2018/01/02 | 2019/01/01 |

13.3Test Set-up



13.4Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10:2013. Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = operating frequency.
- 5. Set the spectrum analyzer as RBW, VBW=1MHz, 3MHz, Span = 0Hz , Detector = Peak, Adjust Sweep = 2~8ms.

6. Repeat above procedures until all frequency of the interest measured were complete.

Formula Deduced: time occupancy of one time slot X Hopping rate / total slot in one channel / total channel that hops X period of working channels.

Where, standard hopping rate is 1600 hops/s, slot in one channel for DH1, DH3, and DH5 is 2, 4, and 6, respectively.

DH1 consists of single time slot of the uplink, and one slot of the downlink Total Slot: 2 DH3 consists of three time slot of the uplink, and one slot of the downlink. Total Slot: 4 DH5 consists of five time slot of the uplink, and one slot of the downlink. Total Slot: 6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



In AFH mode, hopping rate is 800 hop/s with 6 slots in 20 hopping channels with channel hopping rate (800 / 6 / 20) in Occupancy Time Limit (0.4 * 20) (S), Hop Over Occupancy Time comes to (800 / 6 / 20)*(0.4 *20) =53.33

Note: the result of the complete test default channel at 1Mbps is recorded on the test report, 2Mbps, and 3Mbps only records the measurement result at middle channel that reveals no much deviation.

13.5Tabular Result of the Measurement

GFSK (1Mbps)

| Channel | PACKET TYPE | Measurement Result (ms) | Limit (ms) | 1/T (kHz) | VBW setting (kHz) |
|---------|-------------|----------------------------|---------------|-----------|-------------------------|
| | DH1 | 121.60 | 400ms | 2.63 | 3.00 |
| 0 | DH3 | 262.40 | 400ms | 0.61 | 1.00 |
| | DH5 | 307.20 | 400ms | 0.35 | 1.00 |
| | DH1 | 121.60 | 400ms | 2.63 | 3.00 |
| 39 | DH3 | 262.40 | 400ms | 0.61 | 1.00 |
| | DH5 | 307.20 | 400ms | 0.35 | 1.00 |
| | DH1 | 120.00 | 400ms | 2.67 | 3.00 |
| 78 | DH3 | 260.80 | 400ms | 0.61 | 1.00 |
| | DH5 | 308.80 | 400ms | 0.00 | 1.00 |

π/4 DQPSK (2Mbps)

| Channel | PACKET TYPE | Measurement Result (ms) | Limit (ms) | 1/T (kHz) | VBW setting (kHz) |
|---------|-------------|----------------------------|---------------|-----------|-------------------------|
| | 2DH1 | 123.20 | 400ms | 2.60 | 3.00 |
| 39 | 2DH3 | 262.40 | 400ms | 0.61 | 1.00 |
| | 2DH5 | 308.80 | 400ms | 0.35 | 1.00 |

8-DPSK (3Mbps)

| Channel | PACKET TYPE | Measurement Result (ms) | Limit (ms) | 1/T (kHz) | VBW setting (kHz) |
|---------|-------------|----------------------------|---------------|-----------|-------------------------|
| | 3DH1 | 123.20 | 400ms | 2.60 | 3.00 |
| 39 | 3DH3 | 262.40 | 400ms | 0.61 | 1.00 |
| | 3DH5 | 308.80 | 400ms | 0.35 | 1.00 |

A period time = 0.4 (s) * 79 = 31.6 (s)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



GFSK (1Mbps):

| CH Low | DH1 time slot DH3 time slot DH5 time slot | = | 0.380 * 1.640 * 2.880 * | (1600/2/79) * (1600/4/79) * (1600/6/79) * | 31.6 = 31.6 = 31.6 = | 121.60 (ms) 262.40 (ms) 307.20 (ms) |
|-----------|--|---|-------------------------------|---|----------------------------|---|
| CH Mid | DH1 time slot DH3 time slot DH5 time slot | = | 0.380 * 1.640 * 2.880 * | (1600/2/79) * (1600/4/79) * (1600/6/79) * | 31.6 = 31.6 = 31.6 = | 121.60 (ms) 262.40 (ms) 307.20 (ms) |
| CH High | DH1 time slot DH3 time slot DH5 time slot | = | 0.375 * 1.630 * 2.895 * | (1600/2/79) * (1600/4/79) * (1600/6/79) * | 31.6 = 31.6 = 31.6 = | 120.00 (ms) 260.80 (ms) 308.80 (ms) |
| π/4 -DQPS | K (2Mbps): | | | | | |
| CH Mid | 2DH1 time slot 2DH3 time slot 2DH5 time slot | = | 0.385 * 1.640 * 2.895 * | (1600/2/79) * (1600/4/79) * (1600/6/79) * | 31.6 = 31.6 = 31.6 = | 123.20 (ms) 262.40 (ms) 308.80 (ms) |

8-DPSK (3Mbps):

| CH Mid | 3DH1 time slot = | 0.385 * | (1600/2/79) * | 31.6 = | 123.20 (ms) |
|--------|------------------|---------|---------------|--------|-------------|
| | 3DH3 time slot = | 1.640 * | (1600/4/79) * | 31.6 = | 262.40 (ms) |
| | 3DH5 time slot = | 2.895 * | (1600/6/79) * | 31.6 = | 308.80 (ms) |



| GFSK (1Mbps) for AFH Mode | | | | | | | |
|--------------------------------|-------------|-------------|-------|--|--|--|--|
| Hopping Channel | ΡΑСΚΕΤ ΤΥΡΕ | Measurement | Limit | | | | |
| Number | PACKETTIPE | Result (ms) | (ms) | | | | |
| 20 | DH5 | 154.40 | 400ms | | | | |
| π/4 DQPSK (2Mbps) for AFH Mode | | | | | | | |
| Hopping Channel | PACKET TYPE | Measurement | Limit | | | | |
| Number | PACKETTTPE | Result (ms) | (ms) | | | | |
| 20 | 2DH5 | 154.40 | 400ms | | | | |
| 8-DPSK (3Mbps) for AFH Mode | | | | | | | |
| Hopping Channel | PACKET TYPE | Measurement | Limit | | | | |
| Number | FAUNLITIPE | Result (ms) | (ms) | | | | |
| 20 | 3DH5 | 154.40 | 400ms | | | | |

GFSK (1Mbps):


| DH5 time s = | 2.895 | (ms) | * | (800/6/20) * 8 = | 154.40 | (ms) |
|-------------------|-------|------|---|------------------|--------|------|
| π/4 -DQPSK (2Mbps | | | | | | |
| 2DH5 time = | 2.895 | (ms) | * | (800/6/20) * 8 = | 154.40 | (ms) |
| 8-DPSK (3Mbps): | | | | | | |
| 3DH5 time = | 2.895 | (ms) | * | (800/6/20) * 8 = | 154.40 | (ms) |

13.6Measurement Result


Note: Refer to next page for plots.




Dwell Time GFSK 1M DH1 2402MHz



Dwell Time GFSK 1M DH1 2441MHz



Dwell Time GFSK 1M DH1 2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Contension of the state of the results shown in this test report refer only to the sample(s) tested and such sample(s) are related to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


Dwell Time GFSK 1M DH3 2402MHz



Dwell Time GFSK 1M DH3 2441MHz



Dwell Time_GFSK_1M_DH3_2480MHz






Dwell Time GFSK 1M DH5 2402MHz



Dwell Time GFSK 1M DH5 2441MHz



Dwell Time GFSK 1M DH5 2480MHz



台灣檢驗科技股份有限公司


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Contension of the state of the results shown in this test report refer only to the sample(s) tested and such sample(s) are related to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488


Dwell Time π4DQPSK_2M_DH1_2402MHz



Dwell Time π4DQPSK 2M DH1 2441MHz



Dwell Time_π4DQPSK_2M DH1 2480MHz



Member of SGS Group

www.tw.sgs.com

Avg Type Log-Pr

٠

Span 0 Hz Sweep 15.00 ms (1001 pts)

Auto Ti

Center Fre

StartFr

Stop Fre

CF Ster

1 000000 M

Freq Offs

0.9

20000000 (

2 402000000 0

Dwell Time π4DQPSK_2M_DH5_2402MHz

0143

er Freq 2.402000000 GHz

X

VBW 3.0 MHz

Ref 20.00 dBn

Center 2.402000 bes BW 1.0 MHz


in




Dwell Time π4DQPSK 2M DH3 2402MHz



Dwell Time π4DQPSK 2M DH3 2441MHz



Dwell Time π4DQPSK 2M DH3 2480MHz



台灣檢驗科技股份有限公司


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Contension of the state of the results shown in this test report refer only to the sample(s) tested and such sample(s) are related to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

Dwell Time π4DQPSK 2M DH5 2441MHz




Dwell Time π4DQPSK 2M DH5 2480MHz



www.tw.sgs.com Member of SGS Group




Dwell Time 8DPSK 3M DH1 2402MHz



Dwell Time 8DPSK 3M DH1 2441MHz




Dwell Time 8DPSK 3M DH1 2480MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Contension of the state of the results shown in this test report refer only to the sample(s) tested and such sample(s) are related to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


Dwell Time 8DPSK_3M_DH3_2402MHz



Dwell Time 8DPSK 3M DH3 2441MHz



Dwell Time 8DPSK 3M DH3 2480MHz




Member of SGS Group

www.tw.sgs.com


台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488



Dwell Time 8DPSK 3M DH5 2402MHz



Dwell Time 8DPSK 3M DH5 2441MHz



Dwell Time_8DPSK_3M_DH5_2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Com-pany's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

| 台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | www.tw.sgs.com | |
|--------------|---------------------|---------------------|---------------------|--|
| | 1 | | Member of SGS Group | |



14 ANTENNA REQUIREMENT

14.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device. If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

14.2Antenna Connected Construction

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有就明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號