


# FCC ID SAMPLE LABEL & LOCATION




## LABELLING REQUIREMENTS PER §§ 2.925

The Label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time of purchase.







TYPE 1

1. 제품명(모델명) : ND-3530A 2. 인증번호 : E-H900-04-0000(B)	3. 인증발원자 : NEC Corporation 4. 제조년월일 : 별도표기 5. 제조자 : NEC THK Limited
---	---




CAUTION VORSICHT VARNING VARO! 注意	● CLASS 3B VISIBLE AND INVISIBLE LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO THE BEAM. ● SICHTBARE UND UNSICHTBARE LASERSTRAHLUNG DER KLASSE 3B, WENN ABDECKUNG GEÖFFNET. ● SYNLIG OCH OSYNLIG LASERSTRÅLNING AV KLASSE 3B FÖREKOMMER NÄR DENNA DEL ÄR ÖPPEN. UNDVIK STRÅLEN. ● LUOKAN 3 NÄKYVÄÄ JA NÄKYMÄTÖNTÄ LASERSÄTEILYÄ AVATTUNA VÄLTÄ ALTISTUMISTA SÄTEELLE. ● ここを開くとクラス3Bの可視レーザー光及び不可視レーザー光が出ます。ビームに身をさらさないでください。	CLASS 1 LASER PRODUCT LASER KLASSE 1 LUOKAN 1 LASERLAITE KLASSE 1 LASERAPPARAT クラス1レーザー製品
---	--	---

<p>NEC Corporation 7-1, Shiba Go-chome, Mihato-ku Tokyo 108-8001, JAPAN</p> <p>MADE IN MALAYSIA DVD R/RW &amp; CD-R/RW DRIVE POWER SUPPLY 5V / 12V ---</p> <p style="text-align: right;">MODEL ND-3530A</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">FCC ID : A3DND-3530A</td> <td style="width: 50%;">GEN</td> </tr> <tr> <td>SERIAL No. 0000000000</td> <td></td> </tr> <tr> <td>MANUFACTURED 00000000 2004</td> <td></td> </tr> </table> <p style="text-align: right;">US pat. 4, 615, 023</p>	FCC ID : A3DND-3530A	GEN	SERIAL No. 0000000000		MANUFACTURED 00000000 2004		<p>This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Complies with 21 CFR, Chapter 1, Subchapter J. This Class B digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.</p> <div style="text-align: center;">         D33105     </div>
FCC ID : A3DND-3530A	GEN						
SERIAL No. 0000000000							
MANUFACTURED 00000000 2004							

  
  
  
 720S E151483 st3


EAN CODE

  
 5 0 2 8 6 9 5 1 3 7 0 0 0 0 >

DIGITAL OUT	LINE OUT	SLAVE CSEL	MASTER	I/O BUS	GND	+5V	+12V
D G	R G G L	1 2 3	39 40	1 2	5 G G 12		

TYPE 2

EAN CODE



5 0 2 8 6 9 5 3 7 0 0 0 >

CAUTION	<ul style="list-style-type: none"> <li>CLASS 3B VISIBLE AND INVISIBLE LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.</li> <li>SICHTBARE UND UNSICHTBARE LASERSTRAHLUNG DER KLASSE 3B, WENN ABDECKUNG GEÖFFNET. NICHT DEM STRAHLE AUSSETZEN.</li> </ul>	CLASS 1 LASER PRODUCT LASER KLASSE 1
VORSICHT	<ul style="list-style-type: none"> <li>SYNLIG OCH OSYNLIG LASERSTRÅLNING AV KLASSE 3B FÖREKOMMER NÄR DENNA DEL ÄR ÖPPEN. UNDVIK STRÅLEN.</li> <li>LUOKAN 3 NÄKYVÄÄ JA NÄKYMÄTÖNTÄ LASERSÄTEILYÄ AVATTUNA. VÄLTÄ ALTISTUMISTA SÄTEELLE.</li> </ul>	LUOKAN 1 LASERLAITE KLASS 1 LASERAPPARAT
VARO	<ul style="list-style-type: none"> <li>注意</li> <li>ここを開くとクラス3Bの可視レーザー光及び不可視レーザー光が出ます。ビームに身をさらさないでください。</li> </ul>	クラス1レーザー製品

NEC Corporation 7-1, Shiba Go-chome, Minato-ku Tokyo 108-8001, JAPAN

DVD R/RW & CD-R/RW DRIVE

MODEL ND-3530A

POWER SUPPLY 5V / 12V

GEN FCC ID: A3DND-3530A

SERIAL No. 0000000000

MANUFACTURED 0000000 2004

US pat. 4,615,023

\*03822430\*000000000000\*

CE, FCC, RoHS, UL 720S

DIGITAL OUT LINE OUT CSEL MASTER I/O BUS +5V GND +12V


D G	R G G L	1 2 3	39 40	2	5 G G 12	st3
-----	---------	-------	-------	---	----------	-----

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:  
 (1) This device may not cause harmful interference, and  
 (2) this device must accept any interference received, including interference that may cause undesired operation. Complies with 21 CFR, Chapter 1, Subchapter J.

This Class B digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

인증번호 E-H900-04-0000(B)

인증받은자 NEC Corporation  
 제조사 NEC THK Limited



TYPE 3 with ampere

<p>1. 제품명(모델명) : ND-3530A                  2. 인증번호 : E-H900-04-0000(B)</p>	<p>3. 인증발원자 : NEC Corporation                  4. 제조년월일 : 별도표기                  5. 제조자 : NEC THK Limited</p>
--	--

<p><b>CAUTION</b></p> <ul style="list-style-type: none"> <li>• CLASS 3B VISIBLE AND INVISIBLE LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.</li> </ul>	<p><b>VORSICHT</b></p> <ul style="list-style-type: none"> <li>• SICHTBARE UND UNSICHTBARE LASERSTRAHLUNG DER KLASSE 3B. WENN ABDECKUNG GEÖFFNET, NICHT DEM STRAHL AUSSETZEN.</li> </ul>	<p><b>CLASS 1 LASER PRODUCT</b>                  LASER KLASSE 1                  LUOKAN 1 LASERLAITE                  KLAS 1 LASERAPPARAT                  クラス1レーザー製品</p>
<p><b>VARNING</b></p> <ul style="list-style-type: none"> <li>• SYNLIG OCH OSYNLIG LASERSTRÅLNING AV KLAS 3B FÖREKOMMER NÄR DENNA DEL ÄR ÖPPEN UNDER STRÅLEN.</li> </ul>	<p><b>VARO!</b></p> <ul style="list-style-type: none"> <li>• LUOKAN 3 NÄKYVÄÄ JA NÄKYMÄTÖNTÄ LASERSÄTEILYÄ AVATTUNA. VÄLTÄ ALTISTUMISTA SÄTEELLE.</li> </ul>	
<p><b>注意</b></p> <ul style="list-style-type: none"> <li>• ここを開くとクラス3Bの可視レーザー光及び不可視レーザー光が出ます。ビームに身をさらさないでください。</li> </ul>		

NEC Corporation  
 7-1, Shiba Go-chome, Nhato-ku Tokyo 108-8001, JAPAN

MADE IN MALAYSIA  
 DVD R/RW & CD-R/RW DRIVE MODEL ND-3530A  
 POWER SUPPLY 5V ≐ 1.3A / 12V ≐ 1.5A

FCC ID : A3DND-3530A	GEN
SERIAL No. 0000000000	
MANUFACTURED 00000000 2004	

US pat. 4,615,023

D33105

CE N56

CE

UL US

720S E151483 st3





\*03822430\*0000000000\*

EAN CODE

5 0 2 8 6 9 5 1 3 7 0 0 0 0 >

DIGITAL OUT	LINE OUT	SLAVE CSEL	MASTER	I/O BUS	GND	+5V	+12V
D G	R G G L	1 2 3	39 40	1 2	5 G G 12		

TYPE 4 with ampere

<b>CAUTION</b> <b>VORSICHT</b> <b>VARNING</b> <b>VARO!</b> <b>注意</b>	• CLASS 3B VISIBLE AND INVISIBLE LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO THE BEAM. • SICHTBARE UND UNSICHTBARE LASERSTRAHLUNG DER KLASSE 3B, WENN ABDECKUNG GEÖFFNET. • SYNLIG OCH OSYNLIG LASERSTRÅLNING AV KLASSE 3B FÖREKOMMER NÄR DENNA DEL ÄR ÖPPEN UNDVIK STRÅLEN. • LUOKAN 3 NÄKYVÄÄ JA NÄKYMÄTÖNTÄ LASERSÄTEILYÄ AVATTUNA VÄLTÄ ALTISTUMISTA SÄTEELLE. • ここを開くとクラス3Bの可視レーザー光及び不可視レーザー光が出ます。ビームに身をさらさないでください。	CLASS 1 LASER PRODUCT LASER KLASSE 1 LUOKAN 1 LASERLAITE KLASSE 1 LASERAPPARAT クラス1レーザー製品																		
NEC Corporation 7-1, Shiba Go-chome, Minato-ku Tokyo 108-8001, JAPAN																				
DVD R/RW & CD-R/RW DRIVE MODEL <b>ND-3530A</b>		<table border="1"> <tr> <td>GEN</td> <td>FCC ID: A3DND-3530A</td> </tr> <tr> <td>SERIAL No.</td> <td>0000000000</td> </tr> <tr> <td>MANUFACTURED</td> <td>000000 2004</td> </tr> </table>	GEN	FCC ID: A3DND-3530A	SERIAL No.	0000000000	MANUFACTURED	000000 2004												
GEN	FCC ID: A3DND-3530A																			
SERIAL No.	0000000000																			
MANUFACTURED	000000 2004																			
POWER SUPPLY 5V ≐ 1.3A / 12V ≐ 1.5A US pat. 4,615,023		This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Complies with 21 CFR, Chapter 1, Subchapter J. This Class B digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.																		
*03822430*000000000000*		인증번호 E-H900-04-0000(B) 인품발은자 NEC Corporation 제조자 NEC THK Limited 																		
<table border="1"> <tr> <td>DIGITAL OUT</td> <td>LINE OUT</td> <td>CSEL</td> <td>SLAVE</td> <td>MASTER</td> <td>IO BUS</td> <td>+5V</td> <td>GND</td> <td>+12V</td> </tr> <tr> <td>D G</td> <td>R G G L</td> <td>1 2 3</td> <td>39 40</td> <td>2</td> <td>5 G G 12</td> <td></td> <td></td> <td></td> </tr> </table>		DIGITAL OUT	LINE OUT	CSEL	SLAVE	MASTER	IO BUS	+5V	GND	+12V	D G	R G G L	1 2 3	39 40	2	5 G G 12				 720S D33105 N56 E151483 st3 
DIGITAL OUT	LINE OUT	CSEL	SLAVE	MASTER	IO BUS	+5V	GND	+12V												
D G	R G G L	1 2 3	39 40	2	5 G G 12															
DHHS No.: 0000000-00																				
EAN CODE  5 0 2 8 6 9 5 1 3 7 0 0 0 0 >																				