

5. PHOTOGRAPHS

5.1. Photos of Conducted Emission Measurement

Test Mode: D-Sub, DVI Input (“H” Pattern)



FRONT VIEW OF CONDUCTED MEASUREMENT

Test Mode: A/V, S-Video Input (Image “Color Bar”)



FRONT VIEW OF CONDUCTED MEASUREMENT

Test Mode: Component Input (Image “DVD Movie”)



FRONT VIEW OF CONDUCTED MEASUREMENT

Test Mode: DVI+A/V Input (PIP, “H” Pattern + Image “Color Bar”)



FRONT VIEW OF CONDUCTED MEASUREMENT



BACK VIEW OF CONDUCTED MEASUREMENT

5.2. Photos of Radiated Measurement at Semi-Anechoic Chamber (30-1000MHz)
Test Mode: D-Sub, DVI Input (“H” Pattern)



FRONT VIEW OF RADIATED MEASUREMENT

Test Mode: A/V, S-Video Input (Image “Color Bar”)




FRONT VIEW OF RADIATED MEASUREMENT

Test Mode: Component Input (Image “DVD Movie”)




FRONT VIEW OF RADIATED MEASUREMENT

Test Mode: DVI+A/V Input (PIP, “H” Pattern + Image “Color Bar”)



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

5.3. Photos of Radiated Measurement at Open Field Test Site (30-1000MHz)
Test Mode: 1920*1200/60Hz, 75kHz, DVI Input ("H" Pattern)



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION




SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

5.4. Photos of Radiated Measurement at Open Field Test Site (1-2GHz)



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT