

## 5. PHOTOGRAPHS

### 5.1. Photos of Powerline Conducted Measurement

Test Mode: DVI Input (“H” Pattern)



FRONT VIEW OF CONDUCTED MEASUREMENT



BACK VIEW OF CONDUCTED MEASUREMENT

Test Mode: DVI + RF Input (PIP Mode, “H” Pattern + “Color Bar” image)



FRONT VIEW OF CONDUCTED MEASUREMENT




BACK VIEW OF CONDUCTED MEASUREMENT



## 5.2. Photos of Radiated Measurement at Open Area Test Site

Test Mode: DVI Input ("H" Pattern)




FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

Test Mode: DVI + RF Input (PIP Mode, “H” Pattern + “Color Bar” image)



FRONT VIEW OF RADIATED MEASUREMENT




BACK VIEW OF RADIATED MEASUREMENT



Test Mode: DVI Input, 800\*600/60Hz, 38kHz; H Pattern



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION