

5. PHOTOGRAPHS

5.1. Photos of Conducted Emission Measurement

Test Mode: D-Sub or DVI Input, Panel Position: 0°/Horizontal



FRONT VIEW OF CONDUCTED MEASUREMENT



BACK VIEW OF CONDUCTED MEASUREMENT

Test Mode: DVI Input, Panel Position: 90°/Vertical




FRONT VIEW OF CONDUCTED MEASUREMENT



BACK VIEW OF CONDUCTED MEASUREMENT

5.2. Photos of Radiated Emission Measurement at Simple Anechoic Chamber (30-1000MHz)

Test Mode: D-Sub or DVI Input, Panel Position: 0°/Horizontal



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

Test Mode: D-Sub Input, Panel Position: 90°/Vertical



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

5.3. Photos of Radiated Measurement at Open Area Test Site (30-1000MHz)

Test Mode: 1280*1024/75Hz, 80kHz, DVI Input, Panel Position: 0°/Horizontal



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

5.4. Photos of Radiated Measurement at Open Area Test Site (1-2GHz)



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

