

**MEASUREMENT REPORT**  
**FCC Part 30 5G mmWave**

**Applicant Name:**  
Samsung Electronics Co., Ltd.  
129, Samsimg-ro,  
Yeongtong-gu, Suwon-si  
Gyeonggi-do, 16677, Korea

**Date of Testing:**  
01/18/2021 – 02/05/2021  
**Test Site/Location:**  
PCTEST KOREA Lab. Yongin-si, Gyeonggi-do,  
Korea  
**Test Report Serial No.:**  
8K21011301-R1.A3L

<b>FCC ID:</b>	<b>A3LAT1K06-A00</b>
<b>APPLICANT:</b>	<b>Samsung Electronics Co., Ltd.</b>

**Application Type:** Certification  
**Model:** AT1K06-A00  
**EUT Type:** AU(AT1K06)  
**FCC Classification:** Part 30 Fixed Transmitter (5GB)  
**FCC Rule Part:** 30  
**Test Procedure(s):** ANSI C63.26-2015, KDB 971168 D01 v03r01,  
KDB 842590 D01 v01r01

This revised Test Report (S/N: 8K21011301-R1.A3L) supersedes and replaces the previously issued test report (S/N: 8K21011301.A3L) on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose of it accordingly.

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



Prepared by



Reviewed by

<b>FCC ID:</b> A3LAT1K06-A00		<b>MEASUREMENT REPORT</b> <b>(CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)	Page 1 of 159	



## TABLE OF CONTENTS

1.0	INTRODUCTION .....	5
1.1	Scope .....	5
1.2	PCTEST KOREA Test Location .....	5
1.3	Test Facility / Accreditations.....	5
2.0	PRODUCT INFORMATION.....	6
2.1	Equipment Description .....	6
2.2	Device Capabilities.....	6
2.3	Test Configuration .....	6
2.4	EMI Suppression Device(s)/Modifications .....	6
3.0	DESCRIPTION OF TESTS .....	7
3.1	Measurement Procedure.....	7
3.2	Radiated Power and Radiated Spurious Emissions .....	7
4.0	MEASUREMENT UNCERTAINTY .....	10
5.0	TEST EQUIPMENT CALIBRATION DATA .....	11
6.0	SAMPLE CALCULATIONS .....	12
7.0	TEST RESULTS .....	13
7.1	Summary .....	13
7.2	Occupied Bandwidth .....	14
7.3	Equivalent Isotropic Radiated Power (EIRP) Density .....	31
7.4	RF Conducted Output Power .....	95
7.5	Radiated Spurious and Harmonic Emissions .....	101
7.6	Band Edge Emissions .....	134
7.7	Frequency Stability / Temperature Variation .....	152
8.0	CONCLUSION.....	155
9.0	APPENDIX A .....	156
9.1	HARMONIC MIXER Verification Certificate.....	156

<b>FCC ID:</b> A3LAT1K06-A00	 <b>MEASUREMENT REPORT</b> <b>(CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)	Page 2 of 159

# MEASUREMENT REPORT

## FCC Part 30



Antenna	Bandwidth (MHz)	CCs Active	Band	FCC Rule Part	Tx Frequency (MHz)	EIRP Density		Emission Designator	Modulation
						Max. Power (W/100MHz)	Max. Power (dBm/100MHz)		
A	100	1	n260	30	37000 - 40000	117.17	50.69	94M5G7D	QPSK
A	100	1	n260	30	37000 - 40000	115.88	50.64	94M4W7D	16QAM
A	100	1	n260	30	37000 - 40000	119.14	50.76	94M5W7D	64QAM
A	100	8	n260	30	37000 - 40000	33.78	45.29	788MG7D	QPSK
A	100	8	n260	30	37000 - 40000	34.85	45.42	789MW7D	16QAM
A	100	8	n260	30	37000 - 40000	35.01	45.44	788MW7D	64QAM
B	100	1	n260	30	37000 - 40000	121.92	50.86	94M5G7D	QPSK
B	100	1	n260	30	37000 - 40000	123.98	50.93	94M4W7D	16QAM
B	100	1	n260	30	37000 - 40000	120.43	50.81	94M5W7D	64QAM
B	100	8	n260	30	37000 - 40000	37.08	45.69	788MG7D	QPSK
B	100	8	n260	30	37000 - 40000	36.43	45.61	789MW7D	16QAM
B	100	8	n260	30	37000 - 40000	35.31	45.48	788MW7D	64QAM
C	100	1	n260	30	37000 - 40000	110.29	50.43	94M4G7D	QPSK
C	100	1	n260	30	37000 - 40000	106.77	50.28	94M4W7D	16QAM
C	100	1	n260	30	37000 - 40000	112.94	50.53	94M5W7D	64QAM
C	100	8	n260	30	37000 - 40000	34.30	45.35	788MG7D	QPSK
C	100	8	n260	30	37000 - 40000	36.09	45.57	788MW7D	16QAM
C	100	8	n260	30	37000 - 40000	35.01	45.44	788MW7D	64QAM
D	100	1	n260	30	37000 - 40000	122.90	50.90	94M5G7D	QPSK
D	100	1	n260	30	37000 - 40000	128.91	51.10	94M4W7D	16QAM
D	100	1	n260	30	37000 - 40000	116.94	50.68	94M6W7D	64QAM
D	100	8	n260	30	37000 - 40000	36.98	45.68	788MG7D	QPSK
D	100	8	n260	30	37000 - 40000	36.60	45.63	789MW7D	16QAM
D	100	8	n260	30	37000 - 40000	35.57	45.51	788MW7D	64QAM

### EUT Overview for Antenna A, B, C, and D

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 3 of 159	

Antenna	Bandwidth (MHz)	CCs Active	Band	FCC Rule Part	Tx Frequency (MHz)	EIRP Density		Emission Designator	Modulation
						Max. Power (W/100MHz)	Max. Power (dBm/100MHz)		
A+C	100	1	n260	30	37000 - 40000	227.47	53.57	94M5G7D	QPSK
A+C	100	1	n260	30	37000 - 40000	222.65	53.48	94M4W7D	16QAM
A+C	100	1	n260	30	37000 - 40000	232.08	53.66	94M5W7D	64QAM
A+C	100	8	n260	30	37000 - 40000	67.48	48.29	788MG7D	QPSK
A+C	100	8	n260	30	37000 - 40000	70.28	48.47	789MW7D	16QAM
A+C	100	8	n260	30	37000 - 40000	68.14	48.33	788MW7D	64QAM
B+D	100	1	n260	30	37000 - 40000	244.82	53.89	94M5G7D	QPSK
B+D	100	1	n260	30	37000 - 40000	252.89	54.03	94M4W7D	16QAM
B+D	100	1	n260	30	37000 - 40000	237.37	53.75	94M6W7D	64QAM
B+D	100	8	n260	30	37000 - 40000	74.06	48.70	788MG7D	QPSK
B+D	100	8	n260	30	37000 - 40000	73.03	48.64	789MW7D	16QAM
B+D	100	8	n260	30	37000 - 40000	70.88	48.51	788MW7D	64QAM

### EUT Overview for Antenna A + C and B + D

Antenna	Bandwidth (MHz)	CCs Active	Band	FCC Rule Part	Tx Frequency (MHz)	EIRP Density		Emission Designator	Modulation
						Max. Power (W/100MHz)	Max. Power (dBm/100MHz)		
A+B+C+D	100	1	n260	30	37000 - 40000	472.29	56.74	94M5G7D	QPSK
A+B+C+D	100	1	n260	30	37000 - 40000	475.54	56.77	94M4W7D	16QAM
A+B+C+D	100	1	n260	30	37000 - 40000	469.45	56.72	94M5W7D	64QAM
A+B+C+D	100	8	n260	30	37000 - 40000	140.54	51.48	788MG7D	QPSK
A+B+C+D	100	8	n260	30	37000 - 40000	140.82	51.49	789MW7D	16QAM
A+B+C+D	100	8	n260	30	37000 - 40000	139.02	51.43	788MW7D	64QAM

### EUT Overview for Antenna A + B + C + D

<b>FCC ID:</b> A3LAT1K06-A00		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)	Page 4 of 159	

## 1.0 INTRODUCTION

### 1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

### 1.2 PCTEST KOREA Test Location

These measurement tests were conducted at the PCTEST KOREA CO., LTD. facility located at (#1407) 13, Heungdeok 1-ro, Giheung-gu, Yongin-si, Gyeonggi-do 16954, Korea.

### 1.3 Test Facility / Accreditations

Measurements were performed at PCTEST KOREA Lab located in Yongin-si, Gyeonggi, Korea.

- PCTEST KOREA is an ISO 17025:2005 accredited test facility under the National Institute of Standards and Technology (NIST) with Certificate number 600143-0 for Specific Absorption Rate (SAR), where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST KOREA facility is accredited and designated in accordance with the provision of Radio Wave Act and International Standard ISO/IEC 17025:2017 under the National Radio Research Agency.
  - Designation Number: KR0169
  - Test Firm Registration Number: 417945

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 5 of 159	

## 2.0 PRODUCT INFORMATION

### 2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung 5G Access Unit FCC ID: A3LAT1K06-A00**. The test data contained in this report pertains only to the emissions due to the EUT's 5G mmWave function.

The EUT supports 100 MHz bandwidth. The EUT supports multiple component carrier configuration which also supports for contiguous and non-contiguous transmit condition.

The EUT operates as a 4X4 MIMO system that consists of four antenna arrays (denoted herein as "Antenna A", "Antenna B", "Antenna C" and "Antenna D". Each of the four antenna arrays has 256 antenna elements for a total of 1024 antenna elements. Of the 4 antenna arrays, Antenna A and Antenna C have the same polarization (135 degrees from horizontal) and Antenna B and Antenna D have the same polarization (45 degrees from horizontal). Beamforming is used with Antenna A and Antenna C and it is also used with Antenna B and Antenna D. Signal correlation is possible between the outputs of all four antenna arrays.

The unit is powered by a nominal AC voltage source.

See Section 3.2 for the antenna polarization of the 5G Access Unit and the measurement antenna.

**Test Device Serial No.:** EP96-05810A

### 2.2 Device Capabilities

This device contains the following capabilities:

5G NR (n260) with multiple configurations of operation as below:

100 MHz bandwidth with single component carrier

100 MHz bandwidth with up to 8 contiguous component carrier

100 MHz bandwidth with up to 8 Non-contiguous component carrier

The device is supports QPSK, 16QAM, and 64QAM of CP-OFDM.

### 2.3 Test Configuration

The EUT was tested per the guidance of KDB 842590 D01 v01r01 and ANSI C63.26-2015. See Section 7.0 of this test report for a description of the radiated tests.

### 2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 6 of 159	

## 3.0 DESCRIPTION OF TESTS

### 3.1 Measurement Procedure

The measurement procedures described in the document titled “American National Standard for Compliance Testing of Transmitter Used in Licensed Radio Service” (ANSI C63.26-2015) and the guidance provided in KDB 842590 D01 v01r01 were used in the measurement of the EUT.

### 3.2 Radiated Power and Radiated Spurious Emissions

#### §30.202, §30.203

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for Final measurement and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 8.5 m(L) x 6.1 m(W) x 5.6 m(H) elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1 GHz. For measurements below 1 GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80 cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5 m.

Made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5 m for measurements above 1 GHz.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable. The measurement antenna is in the far field of the EUT per formula  $2D^2/\lambda$  where D is the larger between the dimension of the measurement antenna and the transmitting antenna of the EUT. In this case, “D” is the largest dimension of the measurement antenna. The EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.



Frequency Range [GHz]	Wavelength [cm]	Far Field Distance [m]	Measurements Distance [m]
18 to 40	0.749	2.61	2.61
40 to 60	0.500	1.39	2.61
60 to 90	0.333	0.91	2.61
90 to 140	0.214	0.58	1.00
140 to 220	0.150	0.39	1.00

**Table 3-1. Far-Field Distance & Measurement Distance per Frequency Range**


Radiated power levels are investigated with the receive antenna horizontally and vertically polarized. Additionally, the receive antenna was rotated on various angles to investigate worst case emissions on each EUT antenna array. The EUT antenna array polarization and horn antennas angle are denoted as follows:

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 7 of 159	


**Horn antenna at 135 degrees**



**Horn antenna at 45 degrees**



**5G Access Unit Antenna Array Polarization**



The maximized power level is recorded using the spectrum analyzer “Channel Power” function with the integration band set to the emissions’ occupied bandwidth. The EIRP is calculated from the raw power level measured with the spectrum analyzer using the formulas shown below.

**Effective Isotropic Radiated Power Sample Calculation**

The measured e.i.r.p is converted to E-field in V/m. Then the distance correction is applied before converted back to calculated e.i.r.p.as explained in KDB 971168 D01.

**Field Strength [dBμV/m]** = Measured Value (dBm) + AFCL (dB/m) + 107  
 = -16.01 dBm + (42.91 dB/m + 13.26 dB) + 107 = 147.16 dBuV/m  
 = 10^(147.16/20)/1000000  
 = 22.80 V/m

**e.i.r.p. (dBm)** = 10\*log(E-Field\*D<sub>m</sub>)^2/30) + 30 dB  
 = 10\*log(22.80 V/m \* 2.61 m)^2/30) + 30 dB  
 = 50.72 dBm e.i.r.p.

<b>FCC ID:</b> A3LAT1K06-A00		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)	Page 8 of 159	



### Sample MIMO e.i.r.p. Calculation:

The e.i.r.p at Antenna A, Antenna B, Antenna C and Antenna D were first measured individually. The measured values were then summed in linear power units then converted back to dBm for the co-polarized antennas.

$$\text{Conversion to linear value} = 10^{(e.i.r.p./10)} = 10^{(50.69/10)} = 118032 \text{ mW}$$

$$\begin{aligned} \text{MIMO e.i.r.p.} &= e.i.r.p._A + e.i.r.p._c \\ &= 118032 \text{ mW} + 110407 \text{ mW} \\ &= 10 \cdot \log(228439 \text{ mW}) \\ &= 53.59 \text{ dBm} \end{aligned}$$

For summation across all antennas,

$$\begin{aligned} \text{MIMO e.i.r.p.} &= e.i.r.p._A + e.i.r.p._B + e.i.r.p._c + e.i.r.p._D \\ &= 118032 \text{ mW} + 121898 \text{ mW} + 110407 \text{ mW} + 123026 \text{ mW} \\ &= 10 \cdot \log(473363 \text{ mW}) \\ &= 56.75 \text{ dBm} \end{aligned}$$

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 9 of 159	

## 4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of  $k = 2$  to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the  $U_{\text{CISPR}}$  measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ( $\pm$ dB)
Conducted Bench Top Measurements	2.51
Radiated Disturbance (<1 GHz)	3.29
Radiated Disturbance (>1 GHz)	4.94

FCC ID: A3LAT1K06-A00	 PCTEST® Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 10 of 159

## 5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacture	Model	Description	Cal Date	Cal interval	Cal Due	Serial Number
Rohde & Schwarz	FSW	Signal & Spectrum Analyzer	09/17/2020	Annual	09/16/2021	101250
KIKISUI	PWR1201ML	DC POWER SUPPLY	05/20/2020	Annual	05/19/2021	ZL000973
SUKSAN TECHNOLOGY	SE-CT-10	Temperature Chamber	09/17/2020	Annual	09/16/2021	191021
Schwarzbeck	VULB9162	Broadband TRILOG Antenna	07/09/2019	Biennial	07/08/2021	9162-217
Sunol sciences	DRH-118	Horn Antenna	08/09/2019	Biennial	08/08/2021	A102416-1
Schwarzbeck	BBHA 9170	Horn Antenna	09/02/2020	Biennial	09/01/2022	1037
MIWV	261F-25/387	Horn Antenna	06/10/2020	Annual	06/09/2021	2019
MIWV	261U-25/383	Horn Antenna	06/10/2020	Annual	05/31/2021	2019
MIWV	261G-25/387	Horn Antenna	06/10/2020	Annual	06/09/2021	-
MIWV	261E-25/387	Horn Antenna	06/10/2020	Annual	06/09/2021	2019
Radiometer Physics	FS-Z220	Harmonic Mixer	10/21/2020	Annual	10/20/2021	101015
Radiometer Physics	FS-Z140	Harmonic Mixer	03/13/2020	Annual	03/12/2021	101135
Radiometer Physics	FS-Z60	Harmonic Mixer	03/13/2020	Annual	03/12/2021	100981
Rohde & Schwarz	FS-Z90	Harmonic Mixer	10/21/2020	Annual	10/20/2021	101860

Table 5-1. Test Equipment

### Notes:

For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 11 of 159	

## 6.0 SAMPLE CALCULATIONS

### Emission Designator

#### QPSK Modulation

**Emission Designator = 800MG7D**

BW = 800 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

#### QAM Modulation

**Emission Designator = 802MW7D**

BW = 802 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

<b>FCC ID:</b> A3LAT1K06-A00	 <small>Proud to be part of </small>	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)	Page 12 of 159	

## 7.0 TEST RESULTS

### 7.1 Summary

Company Name: Samsung Electronics Co., Ltd.  
 FCC ID: A3LAT1K06-A00  
 FCC Classification: Part 30 Fixed Transmitter (5GB)  
 Mode(s): TDD

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
2.1049	Occupied Bandwidth	N/A	RADIATED	PASS	Section 7.2
30.202	Equivalent Isotropic Radiated Power Density	75 dBm/100 MHz		PASS	Section 7.3
2.1046	RF Output Power	N/A		PASS	Section 7.4
2.1051 30.203	Out-of-Band Spurious Emissions	-13 dBm/MHz for all out-of-band emissions		PASS	Section 7.5
2.1051 30.203	Out-of-Band Emissions at the Band Edge	-13 dBm/MHz for all out-of-band emissions, -5 dBm/MHz from the band edge up to 10 % of the channel BW		PASS	Section 7.6
2.1055	Frequency Stability	Fundamental emissions stay within authorized frequency block		PASS	Section 7.7

**Table 7-1. Summary of Radiated Test Results**

**Notes:**

- 1) All modes of operation and modulations were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) Per 2.1057(a)(3), spurious emissions were investigated up to 100 GHz for n261 and up to 200 GHz for n260.
- 3) All radiated emission measurements at the band edge are converted to an equivalent conductive power by subtracting the known antenna gain from the EIRP measured at each frequency of interest. These emissions are compared to the 30.203 spurious emission limits as conductive power levels.
- 4) The radiated RF output power and all out-of-band emissions in the spurious domain are evaluated to the EIRP limits.
- 5) The fundamental band consists of 1 – 8 component carriers, referred as “CC” in this report.
- 6) In the following tables, the term “CCs Active” refers to which component carrier is transmitting for a particular test.
- 7) CCs active 1, 8 = 1 Components Carriers Active Channel, 8 = 8 Component Carriers Active. 8(NC) = 8 Non-contiguous Component Carriers Active. Each component carrier is 100 MHz bandwidth.

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 13 of 159	

## 7.2 Occupied Bandwidth

### \$2.1049

#### Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 % of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

#### Test Procedure Used

ANSI C63.25-2015 Section 5.4.3  
KDB 842590 D01 v01r01 Section 4.3

#### Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99 % occupied bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5 % of the expected OBW
3. VBW  $\geq$  3 x RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5 % of the 99 % occupied bandwidth observed in Step 7

#### Test Notes


None.

FCC ID: A3LAT1K06-A00	 PCTEST® Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 14 of 159	

## 7.2.1 Antenna A Occupied Bandwidth

Bandwidth [MHz]	Channel	Antenna	CCs active	Modulation	OBW [MHz]
100	Mid	A	1	QPSK	94.46
				16QAM	94.39
				64QAM	94.48
			8	QPSK	788.95
				16QAM	789.57
				64QAM	788.56

Table 7-2. Antenna A Occupied Bandwidth Summary Data



Plot 7-1. Occupied Bandwidth Plot (100 MHz BW 1CC QPSK Mid Channel)

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 15 of 159




Plot 7-2. Occupied Bandwidth Plot (100 MHz 1CC BW 16QAM Mid Channel)




Plot 7-3. Occupied Bandwidth Plot (100 MHz 1CC BW 64QAM Mid Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 16 of 159






Plot 7-4. Occupied Bandwidth Plot (100 MHz BW 8CC QPSK Mid Channel)



Plot 7-5. Occupied Bandwidth Plot (100 MHz BW 8CC 16QAM Mid Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 17 of 159




**Plot 7-6. Occupied Bandwidth Plot (100 MHz BW 8CC 64QAM Mid Channel)**

FCC ID: A3LAT1K06-A00	Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 18 of 159

## 7.2.2 Antenna B Occupied Bandwidth


Bandwidth [MHz]	Channel	Antenna	CCs active	Modulation	OBW [MHz]
100	Mid	B	1	QPSK	94.54
				16QAM	94.42
				64QAM	94.50
			8	QPSK	788.62
				16QAM	789.03
				64QAM	788.06

Table 7-3. Antenna B Occupied Bandwidth Summary Data




Plot 7-7. Occupied Bandwidth Plot (100 MHz BW 1CC QPSK Mid Channel)

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 19 of 159




Plot 7-8. Occupied Bandwidth Plot (100 MHz 1CC BW 16QAM Mid Channel)




Plot 7-9. Occupied Bandwidth Plot (100 MHz 1CC BW 64QAM Mid Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 20 of 159




Plot 7-10. Occupied Bandwidth Plot (100 MHz BW 8CC QPSK Mid Channel)



Plot 7-11. Occupied Bandwidth Plot (100 MHz BW 8CC 16QAM Mid Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 21 of 159




**Plot 7-12. Occupied Bandwidth Plot (100 MHz BW 8CC 64QAM Mid Channel)**

FCC ID: A3LAT1K06-A00	Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)		Page 22 of 159

### 7.2.3 Antenna C Occupied Bandwidth


Bandwidth [MHz]	Channel	Antenna	CCs active	Modulation	OBW [MHz]
100	Mid	C	1	QPSK	94.44
				16QAM	94.40
				64QAM	94.46
			8	QPSK	788.28
				16QAM	788.72
				64QAM	788.01

Table 7-4. Antenna C Occupied Bandwidth Summary Data



Plot 7-13. Occupied Bandwidth Plot (100 MHz BW 1CC QPSK Mid Channel)

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 23 of 159




Plot 7-14. Occupied Bandwidth Plot (100 MHz 1CC BW 16QAM Mid Channel)




Plot 7-15. Occupied Bandwidth Plot (100 MHz 1CC BW 64QAM Mid Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 24 of 159






Plot 7-16. Occupied Bandwidth Plot (100 MHz BW 8CC QPSK Mid Channel)



Plot 7-17. Occupied Bandwidth Plot (100 MHz BW 8CC 16QAM Mid Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 25 of 159




**Plot 7-18. Occupied Bandwidth Plot (100 MHz BW 8CC 64QAM Mid Channel)**

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)		Page 26 of 159

## 7.2.4 Antenna D Occupied Bandwidth

Bandwidth [MHz]	Channel	Antenna	CCs active	Modulation	OBW [MHz]
100	Mid	D	1	QPSK	94.53
				16QAM	94.44
				64QAM	94.55
			8	QPSK	788.72
				16QAM	789.19
				64QAM	788.34

Table 7-5. Antenna D Occupied Bandwidth Summary Data




Plot 7-19. Occupied Bandwidth Plot (100 MHz BW 1CC QPSK Mid Channel)

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 27 of 159




Plot 7-20. Occupied Bandwidth Plot (100 MHz 1CC BW 16QAM Mid Channel)




Plot 7-21. Occupied Bandwidth Plot (100 MHz 1CC BW 64QAM Mid Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 28 of 159




Plot 7-22. Occupied Bandwidth Plot (100 MHz BW 8CC QPSK Mid Channel)



Plot 7-23. Occupied Bandwidth Plot (100 MHz BW 8CC 16QAM Mid Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 29 of 159



**Plot 7-24. Occupied Bandwidth Plot (100 MHz BW 8CC 64QAM Mid Channel)**

FCC ID: A3LAT1K06-A00	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 30 of 159

## 7.3 Equivalent Isotropic Radiated Power (EIRP) Density

§2.1046 §30.202

### Test Overview

Equivalent Isotropic Radiated Power (EIRP) measurements are performed using broadband horn antennas. All measurements are performed as RMS average measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.

***The average power of the sum of all antenna elements is limited to an equivalent isotopically radiated power (EIRP) density of +75 dBm / 100 MHz.***

### Test Procedures Used

ANSI C63.26-2015 Section 5.2.4.4.1  
ANSI C63.26-2015 Section 6.4  
KDB 842590 D01 v01r01 Section 4.2

### Test Settings

1. Radiated power measurements are performed using the signal analyzer's "channel power" measurement capability for signals with continuous operation.
2. RBW = 1 – 5 % of the expected OBW, not to exceed 1 MHz
3. VBW  $\geq 3 \times$  RBW
4. Span = 2x to 3x the OBW
5. No. of sweep points  $\geq 2 \times$  span / RBW
6. Detector = RMS
7. The integration bandwidth was roughly set equal to the measured (EIRP) Density of the signal for signals with continuous operation. For signals with burst transmission, the "gating" function was enabled to ensure that measurements are performed during times in which the transmitter is operating at its maximum power
8. Trace mode = trace averaging (RMS) over 100 sweeps
9. The trace was allowed to stabilize

FCC ID: A3LAT1K06-A00	 PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 31 of 159	

## Test Notes

- 1) The EUT was tested while positioned upright and mounted on a mast at 1.5 m height. The worst case emissions are reported with the EUT in this fixed position and with the modulations and active component carriers shown in the tables below.
- 2) The EIRP measurements of the co-polarized antenna arrays (Antenna A/C and Antenna B/D) were added together to address MIMO concerns referenced in ANSI C63.26-2015 Section 6.4.
- 3) Elements within the same antenna array are correlated to produce beamforming array gain. During testing, only one antenna array was active.
- 4) Measurements were taken in the far field of the mmWave signal based on the formula:  $R \geq 2D^2/\text{wavelength}$ .
- 5) The test case with from 1CC to 8CC active, was selected for the worst case emission testing as it created the highest EIRP within 100 MHz bandwidth carrier configurations.
- 6) The average EIRP reported below is calculate per section 5.2.7 of ANSI C63.26-2015 which states:  
EIRP (dBm) = E (dBuV/m) + 20log(D) – 104.8; where D is the measurement distance (in the far field region) in m. For this section, all EIRP density measurements were performed at a distance of 2.61 m, so, the effective correction is:

$$\text{EIRP (dBm)} = \text{E (dBuV/m)} - 96.46 \text{ dB}$$

$$= \text{Analyzer Level (dBm)} + \text{AFCL (dB/m)} + 107 - 96.46 \text{ dB}$$

$$= \text{Analyzer Level (dBm)} + \text{AFCL (dB/m)} + 10.53$$

\*AFCL (dB/m) contains measurement antenna factor(dB/m) and cable loss(dB) as below:

Frequency [GHz]	Antenna Factor (dB/m)	Cable loss [dB]	Distance factor [dB]	AFCL (dB/m)
37.05	42.91	13.26	10.53	66.70
38.50	43.70	13.48	10.53	67.71
39.95	44.43	14.21	10.53	69.17

**Table 7-6. Adopted AFCL value in the calculation**

- 7) The angle of the horn antenna was rotated to maximize and find the worst case emissions. Worst case EIRP is reported below.

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 32 of 159	




### 7.3.1 Antenna A EIRP Density


Antenna	Bandwidth	Configuration	Chan.	Frequency	Modulation	Analyzer Level	AFCL	Average e.i.r.p. PSD	PSD Limit	Margin
	[MHz]			[GHz]		[dBm]		[dBm/100MHz]		
A	100	1CC	Low	37.050	QPSK	-16.01	66.70	50.69	75.00	24.31
	100		Low	37.050	16QAM	-16.06	66.70	50.64	75.00	24.36
	100		Low	37.050	64QAM	-15.94	66.70	50.76	75.00	24.24
	100	8CC	Low	37.050	QPSK	-21.42	66.70	45.29	75.00	29.71
	100		Low	37.050	16QAM	-21.28	66.70	45.42	75.00	29.58
	100		Low	37.050	64QAM	-21.26	66.70	45.44	75.00	29.56
	100	8NC	Low	37.050	QPSK	-22.08	66.70	44.62	75.00	30.38
	100		Low	37.050	16QAM	-22.17	66.70	44.53	75.00	30.47
	100		Low	37.050	64QAM	-22.20	66.70	44.50	75.00	30.50
	100	1CC	Mid	38.500	QPSK	-17.51	67.71	50.20	75.00	24.80
	100		Mid	38.500	16QAM	-17.60	67.71	50.11	75.00	24.89
	100		Mid	38.500	64QAM	-17.53	67.71	50.19	75.00	24.81
	100	8CC	Mid	38.500	QPSK	-22.50	67.71	45.21	75.00	29.79
	100		Mid	38.500	16QAM	-22.37	67.71	45.34	75.00	29.66
	100		Mid	38.500	64QAM	-22.54	67.71	45.17	75.00	29.83
	100	8NC	Mid	38.500	QPSK	-22.09	67.71	45.63	75.00	29.37
	100		Mid	38.500	16QAM	-22.17	67.71	45.54	75.00	29.46
	100		Mid	38.500	64QAM	-22.05	67.71	45.67	75.00	29.33
	100	1CC	High	39.950	QPSK	-18.97	69.17	50.20	75.00	24.80
	100		High	39.950	16QAM	-19.10	69.17	50.07	75.00	24.93
	100		High	39.950	64QAM	-18.98	69.17	50.19	75.00	24.81
	100	8CC	High	39.950	QPSK	-24.35	69.17	44.82	75.00	30.18
	100		High	39.950	16QAM	-24.54	69.17	44.63	75.00	30.37
	100		High	39.950	64QAM	-24.35	69.17	44.83	75.00	30.17
	100	8NC	High	39.950	QPSK	-22.69	69.17	46.49	75.00	28.51
	100		High	39.950	16QAM	-22.64	69.17	46.53	75.00	28.47
	100		High	39.950	64QAM	-22.63	69.17	46.54	75.00	28.46

Table 7-7. Antenna A EIRP Density Summary Data

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 33 of 159	




Plot 7-25. Antenna A EIRP Density Plot (100 MHz BW 1CC QPSK Low Channel)




Plot 7-26. Antenna A EIRP Density Plot (100 MHz 1CC BW 16QAM Low Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 34 of 159




Plot 7-27. Antenna A EIRP Density Plot (100 MHz 1CC BW 64QAM Low Channel)




Plot 7-28. Antenna A EIRP Density Plot (100 MHz BW 8CC QPSK Low Channel)

FCC ID: A3LAT1K06-A00	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 35 of 159




Plot 7-29. Antenna A EIRP Density Plot (100 MHz BW 8CC 16QAM Low Channel)




Plot 7-30. Antenna A EIRP Density Plot (100 MHz BW 8CC 64QAM Low Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 36 of 159




Plot 7-31. Antenna A EIRP Density Plot (100 MHz BW 8CC NC QPSK Low Channel)




Plot 7-32. Antenna A EIRP Density Plot (100 MHz BW 8CC NC 16QAM Low Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 37 of 159




Plot 7-33. Antenna A EIRP Density Plot (100 MHz BW 8CC NC 64QAM Low Channel)




Plot 7-34. Antenna A EIRP Density Plot (100 MHz BW 1CC QPSK Mid Channel)

FCC ID: A3LAT1K06-A00		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 38 of 159




**Plot 7-35. Antenna A EIRP Density Plot (100 MHz 1CC BW 16QAM Mid Channel)**




**Plot 7-36. Antenna A EIRP Density Plot (100 MHz 1CC BW 64QAM Mid Channel)**

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 39 of 159




**Plot 7-37. Antenna A EIRP Density Plot (100 MHz BW 8CC QPSK Mid Channel)**




**Plot 7-38. Antenna A EIRP Density Plot (100 MHz BW 8CC 16QAM Mid Channel)**

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 40 of 159






Plot 7-39. Antenna A EIRP Density Plot (100 MHz BW 8CC 64QAM Mid Channel)




Plot 7-40. Antenna A EIRP Density Plot (100 MHz BW 8CC NC QPSK Mid Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 41 of 159




Plot 7-41. Antenna A EIRP Density Plot (100 MHz BW 8CC NC 16QAM Mid Channel)




Plot 7-42. Antenna A EIRP Density Plot (100 MHz BW 8CC NC 64QAM Mid Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 42 of 159




**Plot 7-43. Antenna A EIRP Density Plot (100 MHz BW 1CC QPSK High Channel)**




**Plot 7-44. Antenna A EIRP Density Plot (100 MHz BW 1CC 16QAM High Channel)**

FCC ID: A3LAT1K06-A00	Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)		Page 43 of 159




Plot 7-45. Antenna A EIRP Density Plot (100 MHz 1CC BW 64QAM High Channel)




Plot 7-46. Antenna A EIRP Density Plot (100 MHz BW 8CC QPSK High Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 44 of 159




Plot 7-47. Antenna A EIRP Density Plot (100 MHz BW 8CC 16QAM High Channel)




Plot 7-48. Antenna A EIRP Density Plot (100 MHz BW 8CC 64QAM High Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 45 of 159




**Plot 7-49. Antenna A EIRP Density Plot (100 MHz BW 8CC NC QPSK High Channel)**



**Plot 7-50. Antenna A EIRP Density Plot (100 MHz BW 8CC NC 16QAM High Channel)**

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 46 of 159



**Plot 7-51. Antenna A EIRP Density Plot (100 MHz BW 8CC NC 64QAM High Channel)**

FCC ID: A3LAT1K06-A00	Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)	Page 47 of 159	


### 7.3.2 Antenna B EIRP Density

Antenna	Bandwidth	Configuration	Chan.	Frequency	Modulation	Analyzer Level	AFCL	Average e.i.r.p. PSD	PSD Limit	Margin
	[MHz]			[GHz]		[dBm]		[dBm/100MHz]		
B	100	1CC	Low	37.050	QPSK	-15.84	66.70	50.86	75.00	24.14
	100		Low	37.050	16QAM	-15.77	66.70	50.93	75.00	24.07
	100		Low	37.050	64QAM	-15.90	66.70	50.81	75.00	24.19
	100	8CC	Low	37.050	QPSK	-21.01	66.70	45.69	75.00	29.31
	100		Low	37.050	16QAM	-21.09	66.70	45.61	75.00	29.39
	100		Low	37.050	64QAM	-21.22	66.70	45.48	75.00	29.52
	100	8NC	Low	37.050	QPSK	-21.37	66.70	45.33	75.00	29.67
	100		Low	37.050	16QAM	-21.38	66.70	45.32	75.00	29.68
	100		Low	37.050	64QAM	-21.35	66.70	45.35	75.00	29.65
	100	1CC	Mid	38.500	QPSK	-17.35	67.71	50.36	75.00	24.64
	100		Mid	38.500	16QAM	-17.43	67.71	50.28	75.00	24.72
	100		Mid	38.500	64QAM	-17.50	67.71	50.21	75.00	24.79
	100	8CC	Mid	38.500	QPSK	-22.33	67.71	45.38	75.00	29.62
	100		Mid	38.500	16QAM	-22.28	67.71	45.43	75.00	29.57
	100		Mid	38.500	64QAM	-22.45	67.71	45.27	75.00	29.73
	100	8NC	Mid	38.500	QPSK	-21.36	67.71	46.35	75.00	28.65
	100		Mid	38.500	16QAM	-21.33	67.71	46.38	75.00	28.62
	100		Mid	38.500	64QAM	-21.34	67.71	46.37	75.00	28.63
	100	1CC	High	39.950	QPSK	-18.77	69.17	50.40	75.00	24.60
	100		High	39.950	16QAM	-18.82	69.17	50.35	75.00	24.65
	100		High	39.950	64QAM	-18.75	69.17	50.42	75.00	24.58
	100	8CC	High	39.950	QPSK	-24.00	69.17	45.18	75.00	29.82
	100		High	39.950	16QAM	-24.00	69.17	45.17	75.00	29.83
	100		High	39.950	64QAM	-24.07	69.17	45.10	75.00	29.90
100	8NC	High	39.950	QPSK	-22.54	69.17	46.64	75.00	28.36	
100		High	39.950	16QAM	-22.54	69.17	46.63	75.00	28.37	
100		High	39.950	64QAM	-22.61	69.17	46.56	75.00	28.44	


Table 7-8. Antenna B EIRP Density Summary Data

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 48 of 159	






Plot 7-52. Antenna B EIRP Density Plot (100 MHz BW 1CC QPSK Low Channel)




Plot 7-53. Antenna B EIRP Density Plot (100 MHz 1CC BW 16QAM Low Channel)

FCC ID: A3LAT1K06-A00	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 49 of 159




Plot 7-54. Antenna B EIRP Density Plot (100 MHz 1CC BW 64QAM Low Channel)




Plot 7-55. Antenna B EIRP Density Plot (100 MHz BW 8CC QPSK Low Channel)

FCC ID: A3LAT1K06-A00	Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 50 of 159




Plot 7-56. Antenna B EIRP Density Plot (100 MHz BW 8CC 16QAM Low Channel)




Plot 7-57. Antenna B EIRP Density Plot (100 MHz BW 8CC 64QAM Low Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 51 of 159




Plot 7-58. Antenna B EIRP Density Plot (100 MHz BW 8CC NC QPSK Low Channel)




Plot 7-59. Antenna B EIRP Density Plot (100 MHz BW 8CC NC 16QAM Low Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 52 of 159




Plot 7-60. Antenna B EIRP Density Plot (100 MHz BW 8CC NC 64QAM Low Channel)




Plot 7-61. Antenna B EIRP Density Plot (100 MHz BW 1CC QPSK Mid Channel)

FCC ID: A3LAT1K06-A00	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 53 of 159




**Plot 7-62. Antenna B EIRP Density Plot (100 MHz 1CC BW 16QAM Mid Channel)**




**Plot 7-63. Antenna B EIRP Density Plot (100 MHz 1CC BW 64QAM Mid Channel)**

FCC ID: A3LAT1K06-A00	Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)		Page 54 of 159




**Plot 7-64. Antenna B EIRP Density Plot (100 MHz BW 8CC QPSK Mid Channel)**




**Plot 7-65. Antenna B EIRP Density Plot (100 MHz BW 8CC 16QAM Mid Channel)**

FCC ID: A3LAT1K06-A00		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 55 of 159




Plot 7-66. Antenna B EIRP Density Plot (100 MHz BW 8CC 64QAM Mid Channel)




Plot 7-67. Antenna B EIRP Density Plot (100 MHz BW 8CC NC QPSK Mid Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 56 of 159






Plot 7-68. Antenna B EIRP Density Plot (100 MHz BW 8CC NC 16QAM Mid Channel)




Plot 7-69. Antenna B EIRP Density Plot (100 MHz BW 8CC NC 64QAM Mid Channel)

FCC ID: A3LAT1K06-A00	Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 57 of 159




**Plot 7-70. Antenna B EIRP Density Plot (100 MHz BW 1CC QPSK High Channel)**




**Plot 7-71. Antenna B EIRP Density Plot (100 MHz 1CC BW 16QAM High Channel)**

FCC ID: A3LAT1K06-A00	Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)		Page 58 of 159




Plot 7-72. Antenna B EIRP Density Plot (100 MHz 1CC BW 64QAM High Channel)




Plot 7-73. Antenna B EIRP Density Plot (100 MHz BW 8CC QPSK High Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 59 of 159




Plot 7-74. Antenna B EIRP Density Plot (100 MHz BW 8CC 16QAM High Channel)




Plot 7-75. Antenna B EIRP Density Plot (100 MHz BW 8CC 64QAM High Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 60 of 159



Plot 7-76. Antenna B EIRP Density Plot (100 MHz BW 8CC NC QPSK High Channel)



Plot 7-77. Antenna B EIRP Density Plot (100 MHz BW 8CC NC 16QAM High Channel)

FCC ID: A3LAT1K06-A00	PCTEST Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 61 of 159



**Plot 7-78. Antenna B EIRP Density Plot (100 MHz BW 8CC NC 64QAM High Channel)**


FCC ID: A3LAT1K06-A00	Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)		Page 62 of 159

### 7.3.3 Antenna C EIRP Density


Antenna	Bandwidth	Configuration	Chan.	Frequency	Modulation	Analyzer Level	AFCL	Average e.i.r.p. PSD	PSD Limit	Margin
	[MHz]			[GHz]		[dBm]		[dBm/100MHz]		
C	100	1CC	Low	37.050	QPSK	-16.28	66.70	50.43	75.00	24.57
	100		Low	37.050	16QAM	-16.42	66.70	50.28	75.00	24.72
	100		Low	37.050	64QAM	-16.17	66.70	50.53	75.00	24.47
	100	8CC	Low	37.050	QPSK	-21.56	66.70	45.15	75.00	29.85
	100		Low	37.050	16QAM	-21.52	66.70	45.18	75.00	29.82
	100		Low	37.050	64QAM	-21.50	66.70	45.20	75.00	29.80
	100	8NC	Low	37.050	QPSK	-21.84	66.70	44.86	75.00	30.14
	100		Low	37.050	16QAM	-22.00	66.70	44.70	75.00	30.30
	100		Low	37.050	64QAM	-21.95	66.70	44.75	75.00	30.25
	100	1CC	Mid	38.500	QPSK	-17.72	67.71	49.99	75.00	25.01
	100		Mid	38.500	16QAM	-17.80	67.71	49.91	75.00	25.09
	100		Mid	38.500	64QAM	-17.90	67.71	49.81	75.00	25.19
	100	8CC	Mid	38.500	QPSK	-22.36	67.71	45.35	75.00	29.65
	100		Mid	38.500	16QAM	-22.14	67.71	45.57	75.00	29.43
	100		Mid	38.500	64QAM	-22.27	67.71	45.44	75.00	29.56
	100	8NC	Mid	38.500	QPSK	-21.84	67.71	45.87	75.00	29.13
	100		Mid	38.500	16QAM	-21.92	67.71	45.80	75.00	29.20
	100		Mid	38.500	64QAM	-21.79	67.71	45.93	75.00	29.07
	100	1CC	High	39.950	QPSK	-20.01	69.17	49.16	75.00	25.84
	100		High	39.950	16QAM	-20.05	69.17	49.12	75.00	25.88
	100		High	39.950	64QAM	-20.02	69.17	49.15	75.00	25.85
	100	8CC	High	39.950	QPSK	-24.87	69.17	44.30	75.00	30.70
	100		High	39.950	16QAM	-25.16	69.17	44.01	75.00	30.99
	100		High	39.950	64QAM	-24.89	69.17	44.28	75.00	30.72
	100	8NC	High	39.950	QPSK	-22.93	69.17	46.24	75.00	28.76
	100		High	39.950	16QAM	-23.00	69.17	46.17	75.00	28.83
	100		High	39.950	64QAM	-22.90	69.17	46.27	75.00	28.73

Table 7-9. Antenna C EIRP Density Summary Data

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 63 of 159	




**Plot 7-79. Antenna C EIRP Density Plot (100 MHz BW 1CC QPSK Low Channel)**




**Plot 7-80. Antenna C EIRP Density Plot (100 MHz 1CC BW 16QAM Low Channel)**

FCC ID: A3LAT1K06-A00	Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)		Page 64 of 159






Plot 7-81. Antenna C EIRP Density Plot (100 MHz 1CC BW 64QAM Low Channel)




Plot 7-82. Antenna C EIRP Density Plot (100 MHz BW 8CC QPSK Low Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 65 of 159




Plot 7-83. Antenna C EIRP Density Plot (100 MHz BW 8CC 16QAM Low Channel)




Plot 7-84. Antenna C EIRP Density Plot (100 MHz BW 8CC 64QAM Low Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 66 of 159




Plot 7-85. Antenna C EIRP Density Plot (100 MHz BW 8CC NC QPSK Low Channel)




Plot 7-86. Antenna C EIRP Density Plot (100 MHz BW 8CC NC 16QAM Low Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 67 of 159




Plot 7-87. Antenna C EIRP Density Plot (100 MHz BW 8CC NC 64QAM Low Channel)




Plot 7-88. Antenna C EIRP Density Plot (100 MHz BW 1CC QPSK Mid Channel)

FCC ID: A3LAT1K06-A00	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 68 of 159




**Plot 7-89. Antenna C EIRP Density Plot (100 MHz 1CC BW 16QAM Mid Channel)**




**Plot 7-90. Antenna C EIRP Density Plot (100 MHz 1CC BW 64QAM Mid Channel)**

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)		Page 69 of 159




**Plot 7-91. Antenna C EIRP Density Plot (100 MHz BW 8CC QPSK Mid Channel)**




**Plot 7-92. Antenna C EIRP Density Plot (100 MHz BW 8CC 16QAM Mid Channel)**

FCC ID: A3LAT1K06-A00	Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 70 of 159




Plot 7-93. Antenna C EIRP Density Plot (100 MHz BW 8CC 64QAM Mid Channel)




Plot 7-94. Antenna C EIRP Density Plot (100 MHz BW 8CC NC QPSK Mid Channel)

FCC ID: A3LAT1K06-A00	Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 71 of 159




Plot 7-95. Antenna C EIRP Density Plot (100 MHz BW 8CC NC 16QAM Mid Channel)




Plot 7-96. Antenna C EIRP Density Plot (100 MHz BW 8CC NC 64QAM Mid Channel)

FCC ID: A3LAT1K06-A00	Proud to be part of  element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 72 of 159






**Plot 7-97. Antenna C EIRP Density Plot (100 MHz BW 1CC QPSK High Channel)**




**Plot 7-98. Antenna C EIRP Density Plot (100 MHz BW 1CC 16QAM High Channel)**

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)		Page 73 of 159




Plot 7-99. Antenna C EIRP Density Plot (100 MHz 1CC BW 64QAM High Channel)




Plot 7-100. Antenna C EIRP Density Plot (100 MHz BW 8CC QPSK High Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 74 of 159




**Plot 7-101. Antenna C EIRP Density Plot (100 MHz BW 8CC 16QAM High Channel)**




**Plot 7-102. Antenna C EIRP Density Plot (100 MHz BW 8CC 64QAM High Channel)**

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 75 of 159




Plot 7-103. Antenna C EIRP Density Plot (100 MHz BW 8CC NC QPSK High Channel)



Plot 7-104. Antenna C EIRP Density Plot (100 MHz BW 8CC NC 16QAM High Channel)

FCC ID: A3LAT1K06-A00	Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 76 of 159



**Plot 7-105. Antenna C EIRP Density Plot (100 MHz BW 8CC NC 64QAM High Channel)**


FCC ID: A3LAT1K06-A00	Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		<b>Approved by:</b> Quality Manager
<b>Test Report S/N:</b> 8K21011301-R1.A3L	<b>Test Dates:</b> 01/18/2021-02/05/2021	<b>EUT Type:</b> AU(AT1K06)	Page 77 of 159	

### 7.3.4 Antenna D EIRP Density


Antenna	Bandwidth	Configuration	Chan.	Frequency	Modulation	Analyzer Level	AFCL	Average e.i.r.p. PSD	PSD Limit	Margin
	[MHz]			[GHz]		[dBm]	[dB/m]	[dBm/100MHz]	[dBm/100MHz]	[dB]
D	100	1CC	Low	37.050	QPSK	-15.81	66.70	50.90	75.00	24.10
	100		Low	37.050	16QAM	-15.60	66.70	51.10	75.00	23.90
	100		Low	37.050	64QAM	-16.02	66.70	50.68	75.00	24.32
	100	8CC	Low	37.050	QPSK	-21.02	66.70	45.68	75.00	29.32
	100		Low	37.050	16QAM	-21.07	66.70	45.63	75.00	29.37
	100		Low	37.050	64QAM	-21.19	66.70	45.51	75.00	29.49
	100	8NC	Low	37.050	QPSK	-21.48	66.70	45.23	75.00	29.77
	100		Low	37.050	16QAM	-21.32	66.70	45.38	75.00	29.62
	100		Low	37.050	64QAM	-21.44	66.70	45.26	75.00	29.74
	100	1CC	Mid	38.500	QPSK	-17.81	67.71	49.90	75.00	25.10
	100		Mid	38.500	16QAM	-17.80	67.71	49.91	75.00	25.09
	100		Mid	38.500	64QAM	-17.74	67.71	49.98	75.00	25.02
	100	8CC	Mid	38.500	QPSK	-22.29	67.71	45.42	75.00	29.58
	100		Mid	38.500	16QAM	-22.31	67.71	45.41	75.00	29.59
	100		Mid	38.500	64QAM	-22.47	67.71	45.25	75.00	29.75
	100	8NC	Mid	38.500	QPSK	-21.60	67.71	46.11	75.00	28.89
	100		Mid	38.500	16QAM	-21.55	67.71	46.16	75.00	28.84
	100		Mid	38.500	64QAM	-21.63	67.71	46.08	75.00	28.92
	100	1CC	High	39.950	QPSK	-19.99	69.17	49.19	75.00	25.81
	100		High	39.950	16QAM	-20.08	69.17	49.09	75.00	25.91
	100		High	39.950	64QAM	-20.16	69.17	49.02	75.00	25.98
	100	8CC	High	39.950	QPSK	-24.75	69.17	44.42	75.00	30.58
	100		High	39.950	16QAM	-24.88	69.17	44.29	75.00	30.71
	100		High	39.950	64QAM	-24.83	69.17	44.34	75.00	30.66
	100	8NC	High	39.950	QPSK	-22.82	69.17	46.35	75.00	28.65
	100		High	39.950	16QAM	-22.73	69.17	46.45	75.00	28.55
	100		High	39.950	64QAM	-22.77	69.17	46.40	75.00	28.60

Table 7-10. Antenna D EIRP Density Summary Data

FCC ID: A3LAT1K06-A00		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)	Page 78 of 159	




Plot 7-106. Antenna D EIRP Density Plot (100 MHz BW 1CC QPSK Low Channel)




Plot 7-107. Antenna D EIRP Density Plot (100 MHz 1CC BW 16QAM Low Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 79 of 159




Plot 7-108. Antenna D EIRP Density Plot (100 MHz 1CC BW 64QAM Low Channel)




Plot 7-109. Antenna D EIRP Density Plot (100 MHz BW 8CC QPSK Low Channel)

FCC ID: A3LAT1K06-A00	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 80 of 159






Plot 7-110. Antenna D EIRP Density Plot (100 MHz BW 8CC 16QAM Low Channel)




Plot 7-111. Antenna D EIRP Density Plot (100 MHz BW 8CC 64QAM Low Channel)

FCC ID: A3LAT1K06-A00	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 81 of 159




Plot 7-112. Antenna D EIRP Density Plot (100 MHz BW 8CC NC QPSK Low Channel)




Plot 7-113. Antenna D EIRP Density Plot (100 MHz BW 8CC NC 16QAM Low Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 82 of 159




Plot 7-114. Antenna D EIRP Density Plot (100 MHz BW 8CC NC 64QAM Low Channel)




Plot 7-115. Antenna D EIRP Density Plot (100 MHz BW 1CC QPSK Mid Channel)

FCC ID: A3LAT1K06-A00		<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 83 of 159




Plot 7-116. Antenna D EIRP Density Plot (100 MHz 1CC BW 16QAM Mid Channel)




Plot 7-117. Antenna D EIRP Density Plot (100 MHz 1CC BW 64QAM Mid Channel)

FCC ID: A3LAT1K06-A00	Proud to be part of  element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>		Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 84 of 159



Plot 7-118. Antenna D EIRP Density Plot (100 MHz BW 8CC QPSK Mid Channel)



Plot 7-119. Antenna D EIRP Density Plot (100 MHz BW 8CC 16QAM Mid Channel)

FCC ID: A3LAT1K06-A00	<b>PCTEST</b> Proud to be part of element	<b>MEASUREMENT REPORT (CERTIFICATION)</b>	<b>SAMSUNG</b>	Approved by: Quality Manager
Test Report S/N: 8K21011301-R1.A3L	Test Dates: 01/18/2021-02/05/2021	EUT Type: AU(AT1K06)		Page 85 of 159