


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face Veiw of Laptop Mode when LCD Angle is 180° >




Tx Antenna	To Baseline	To Bottom Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WLAN/BT Ant 1	130.00	70.00	5.00	352.70
WLAN Ant 2	130.00	70.00	352.70	5.00

<Right Side Veiw of Laptop Mode when LCD Angle is 90° >




Tx Antenna	Bottom of Laptop
	(mm)
WLAN/BT Ant 1	5.00
WLAN Ant 2	5.00

<Front Face View of Tablet Mode when LCD Angle is 360° (Fully Open)>



Tx Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WLAN/BT Ant 1	130.00	70.00	5.00	352.70
WLAN Ant 2	130.00	70.00	352.70	5.00

<Right Side Veiw of Tablet Mode when LCD Angle is 360° (Fully Open)>



Tx Antenna	To Front Side	To Rear Side
	(mm)	(mm)
WLAN/BT Ant 1	6.90	5.00
WLAN Ant 2	6.90	5.00

<Photographs of Tablet Body SAR Test Setup>



Rear Face of EUT Tested at 0 mm



Left Side of EUT Tested at 0 mm



Right Side of EUT Tested at 0 mm



Top Side of EUT Tested at 0 mm



Bottom Side of EUT Tested at 0 mm

<Photographs of Laptop Body SAR Test Setup>




Bottom of EUT Tested at 0 mm



Bottom of EUT Tested at 6 mm

<Photographs of Power Density Test Setup>



Bottom of EUT Tested