


802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170722
 EUT_Y_4TX
 Setting 80
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00024G	39.98	54.00	-14.02	12.92	3	V	0	2.17	-
PK	10.99696G	53.07	74.00	-20.93	12.92	3	V	0	2.17	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170722
 EUT_Y_4TX
 Setting 80
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99824G	40.16	54.00	-13.84	12.92	3	H	288	1.50	-
PK	11.00084G	52.89	74.00	-21.11	12.92	3	H	288	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4432G	49.25	54.00	-4.75	6.02	3	V	347	1.47	-
AV	5.468G	51.87	54.00	-2.13	6.08	3	V	347	1.47	-
AV	5.5848G	112.57	Inf	-Inf	6.23	3	V	347	1.47	-
AV	5.728G	48.50	54.00	-5.50	6.25	3	V	347	1.47	-
PK	5.4184G	62.45	74.00	-11.55	5.96	3	V	347	1.47	-
PK	5.4688G	64.89	74.00	-9.11	6.08	3	V	347	1.47	-
PK	5.5856G	122.86	Inf	-Inf	6.23	3	V	347	1.47	-
PK	5.736G	60.62	74.00	-13.38	6.25	3	V	347	1.47	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.428G	47.33	54.00	-6.67	5.98	3	H	51	1.48	-
AV	5.4656G	47.88	54.00	-6.12	6.07	3	H	51	1.48	-
AV	5.5784G	105.79	Inf	-Inf	6.22	3	H	51	1.48	-
AV	5.7568G	46.44	54.00	-7.56	6.25	3	H	51	1.48	-
PK	5.4512G	60.85	74.00	-13.15	6.04	3	H	51	1.48	-
PK	5.4696G	59.80	74.00	-14.20	6.08	3	H	51	1.48	-
PK	5.5736G	115.83	Inf	-Inf	6.22	3	H	51	1.48	-
PK	5.7384G	59.16	74.00	-14.84	6.25	3	H	51	1.48	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15836G	42.35	54.00	-11.65	13.08	3	V	229	1.06	-
PK	11.16316G	55.77	74.00	-18.23	13.09	3	V	229	1.06	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16092G	41.79	54.00	-12.21	13.08	3	H	215	1.62	-
PK	11.1558G	55.11	74.00	-18.89	13.08	3	H	215	1.62	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170722
 EUT_Y_4TX
 Setting 76
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6976G	105.27	Inf	-Inf	6.25	3	V	359	1.50	-
AV	5.7276G	53.54	54.00	-0.46	6.25	3	V	359	1.50	-
PK	5.6976G	115.14	Inf	-Inf	6.25	3	V	359	1.50	-
PK	5.727G	69.12	74.00	-4.88	6.25	3	V	359	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170722
 EUT_Y_4TX
 Setting 76
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6988G	99.37	Inf	-Inf	6.25	3	H	51	1.91	-
AV	5.7288G	48.37	54.00	-5.63	6.25	3	H	51	1.91	-
PK	5.6988G	110.28	Inf	-Inf	6.25	3	H	51	1.91	-
PK	5.7288G	61.58	74.00	-12.42	6.25	3	H	51	1.91	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170722
 EUT_Y_4TX
 Setting 76
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40716G	40.35	54.00	-13.65	13.34	3	V	136	1.50	-
PK	11.40652G	53.41	74.00	-20.59	13.33	3	V	136	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170722
 EUT_Y_4TX
 Setting 76
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3982G	41.62	54.00	-12.38	13.33	3	H	265	2.19	-
PK	11.40764G	55.02	74.00	-18.98	13.34	3	H	265	2.19	-

802.11ac VHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



20170722
 EUT_Y_4TX
 Setting 100
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	48.32	54.00	-5.68	6.05	3	V	346	1.50	-
AV	5.726G	111.20	Inf	-Inf	6.25	3	V	346	1.50	-
PK	5.438G	60.89	74.00	-13.11	6.01	3	V	346	1.50	-
PK	5.466G	60.58	68.20	-7.62	6.08	3	V	346	1.50	-
PK	5.726G	120.48	Inf	-Inf	6.25	3	V	346	1.50	-
PK	5.982G	59.69	68.20	-8.51	6.16	3	V	346	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	46.89	54.00	-7.11	6.05	3	H	50	1.50	-
AV	5.718G	104.50	Inf	-Inf	6.25	3	H	50	1.50	-
PK	5.426G	59.60	74.00	-14.40	5.98	3	H	50	1.50	-
PK	5.468G	58.61	68.20	-9.59	6.08	3	H	50	1.50	-
PK	5.724G	114.36	Inf	-Inf	6.25	3	H	50	1.50	-
PK	5.946G	59.36	68.20	-8.84	6.18	3	H	50	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4412G	43.08	54.00	-10.92	13.37	3	V	182	1.72	-
PK	11.441G	56.19	74.00	-17.81	13.37	3	V	182	1.72	-
PK	17.16752G	63.76	68.20	-4.44	19.63	3	V	168	2.98	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170722
EUT_Y_4TX
Setting 100
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4414G	46.05	54.00	-7.95	13.37	3	H	265	2.17	-
PK	11.44136G	59.61	74.00	-14.39	13.37	3	H	265	2.17	-
PK	17.163G	63.55	68.20	-4.65	19.60	3	H	291	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7408G	111.18	Inf	-Inf	6.25	3	V	347	1.50	-
PK	5.6428G	63.12	68.20	-5.08	6.24	3	V	347	1.50	-
PK	5.7394G	121.27	Inf	-Inf	6.25	3	V	347	1.50	-
PK	5.9326G	59.96	68.20	-8.24	6.18	3	V	347	1.50	-
PK	5.4188G	61.05	74.00	-12.95	5.96	3	V	347	1.50	-
AV	5.4244G	47.87	54.00	-6.13	5.97	3	V	347	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7436G	105.29	Inf	-Inf	6.25	3	H	51	1.50	-
PK	5.479G	60.91	68.20	-7.29	6.11	3	H	51	1.50	-
PK	5.7394G	115.10	Inf	-Inf	6.25	3	H	51	1.50	-
PK	5.9242G	59.58	68.79	-9.21	6.19	3	H	51	1.50	-
PK	5.4146G	59.27	74.00	-14.73	5.95	3	H	51	1.50	-
AV	5.4314G	46.61	54.00	-7.39	5.99	3	H	51	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49128G	42.56	54.00	-11.44	13.42	3	V	189	1.80	-
PK	11.49108G	55.58	74.00	-18.42	13.42	3	V	189	1.80	-
PK	17.2318G	63.18	68.20	-5.02	19.99	3	V	172	2.92	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4862G	43.94	54.00	-10.06	13.42	3	H	261	1.60	-
PK	11.49124G	57.66	74.00	-16.34	13.42	3	H	261	1.60	-
PK	17.23116G	63.09	68.20	-5.11	19.98	3	H	207	1.61	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7808G	110.79	Inf	-Inf	6.25	3	V	351	1.50	-
PK	5.547G	61.62	68.20	-6.58	6.20	3	V	351	1.50	-
PK	5.7878G	120.76	Inf	-Inf	6.25	3	V	351	1.50	-
PK	5.9894G	60.56	68.20	-7.64	6.16	3	V	351	1.50	-
PK	5.4504G	59.70	74.00	-14.30	6.04	3	V	351	1.50	-
AV	5.449G	48.07	54.00	-5.93	6.03	3	V	351	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7892G	104.99	Inf	-Inf	6.25	3	H	51	1.50	-
PK	5.5722G	59.64	68.20	-8.56	6.22	3	H	51	1.50	-
PK	5.7794G	114.77	Inf	-Inf	6.25	3	H	51	1.50	-
PK	5.932G	59.26	68.20	-8.94	6.18	3	H	51	1.50	-
PK	5.4504G	58.99	74.00	-15.01	6.04	3	H	51	1.50	-
AV	5.449G	46.77	54.00	-7.23	6.03	3	H	51	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56876G	43.97	54.00	-10.03	13.50	3	V	197	2.48	-
PK	11.56808G	57.20	74.00	-16.80	13.50	3	V	197	2.48	-
PK	17.35896G	65.64	68.20	-2.56	20.70	3	V	173	2.91	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5684G	45.35	54.00	-8.65	13.50	3	H	258	1.56	-
PK	11.5684G	58.64	74.00	-15.36	13.50	3	H	258	1.56	-
PK	17.35796G	67.96	68.20	-0.24	20.69	3	H	170	2.46	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170722
 EUT_Y_4TX
 Setting 93
 03-P-2-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8306G	109.41	Inf	-Inf	6.23	3	V	302	2.21	-
PK	5.573G	61.03	68.20	-7.17	6.22	3	V	66	1.57	-
PK	5.8306G	119.53	Inf	-Inf	6.23	3	V	302	2.21	-
PK	5.9328G	61.67	68.20	-6.53	6.18	3	V	49	1.47	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170722
EUT_Y_4TX
Setting 93
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8292G	104.10	Inf	-Inf	6.24	3	H	251	1.43	-
PK	5.6066G	59.05	68.20	-9.15	6.24	3	H	115	2.13	-
PK	5.8292G	114.08	Inf	-Inf	6.24	3	H	251	1.43	-
PK	5.9286G	59.50	68.20	-8.70	6.19	3	H	323	2.05	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170722
EUT_Y_4TX
Setting 93
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6484G	44.78	54.00	-9.22	13.58	3	V	196	2.38	-
PK	11.64842G	58.92	74.00	-15.08	13.58	3	V	196	2.38	-
PK	17.47256G	66.38	68.20	-1.82	21.34	3	V	185	2.48	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170722
EUT_Y_4TX
Setting 93
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64848G	44.86	54.00	-9.14	13.58	3	H	220	2.41	-
PK	11.65384G	58.46	74.00	-15.54	13.59	3	H	220	2.41	-
PK	17.4676G	67.96	68.20	-0.24	21.31	3	H	178	2.45	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170722
EUT_Y_4TX
Setting 64
03-M-1-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.80	54.00	-0.20	5.44	3	V	351	1.00	-
AV	5.1948G	102.93	Inf	-Inf	5.54	3	V	351	1.00	-
PK	5.149995G	69.12	74.00	-4.88	5.44	3	V	351	1.00	-
PK	5.1942G	112.29	Inf	-Inf	5.54	3	V	351	1.00	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170722
EUT_Y_4TX
Setting 64
03-M-1-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	49.05	54.00	-4.95	5.44	3	H	46	1.06	-
AV	5.1852G	94.37	Inf	-Inf	5.52	3	H	46	1.06	-
PK	5.149995G	61.16	74.00	-12.84	5.44	3	H	46	1.06	-
PK	5.1852G	103.67	Inf	-Inf	5.52	3	H	46	1.06	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170722
 EUT_Y_4TX
 Setting 64
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.56528G	46.49	54.00	-7.51	16.22	3	V	190	1.57	-
PK	15.56516G	59.41	74.00	-14.59	16.22	3	V	190	1.57	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170722
 EUT_Y_4TX
 Setting 64
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57314G	46.44	54.00	-7.56	16.20	3	H	214	1.70	-
PK	15.56674G	59.03	74.00	-14.97	16.22	3	H	214	1.70	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170722
EUT_Y_4TX
Setting 90
03-M-1-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	53.57	54.00	-0.43	5.44	3	V	0	1.48	-
AV	5.236G	107.99	Inf	-Inf	5.62	3	V	0	1.48	-
AV	5.355G	51.54	54.00	-2.46	5.83	3	V	0	1.48	-
PK	5.147G	66.48	74.00	-7.52	5.44	3	V	0	1.48	-
PK	5.221G	117.42	Inf	-Inf	5.59	3	V	0	1.48	-
PK	5.474G	60.75	68.20	-7.45	6.09	3	V	0	1.48	-
PK	5.356G	63.54	74.00	-10.46	5.84	3	V	0	1.48	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170722
 EUT_Y_4TX
 Setting 90
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.50	54.00	-5.50	5.44	3	H	84	1.04	-
AV	5.226G	99.71	Inf	-Inf	5.60	3	H	84	1.04	-
AV	5.373G	47.85	54.00	-6.15	5.86	3	H	84	1.04	-
PK	5.146G	60.43	74.00	-13.57	5.44	3	H	84	1.04	-
PK	5.226G	108.66	Inf	-Inf	5.60	3	H	84	1.04	-
PK	5.472G	60.33	68.20	-7.87	6.09	3	H	84	1.04	-
PK	5.359G	59.28	74.00	-14.72	5.84	3	H	84	1.04	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170722
 EUT_Y_4TX
 Setting 90
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.68664G	46.62	54.00	-7.38	15.83	3	V	2	1.50	-
PK	15.69364G	60.05	74.00	-13.95	15.81	3	V	2	1.50	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170722
EUT_Y_4TX
Setting 90
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.68994G	47.39	54.00	-6.61	15.82	3	H	219	1.84	-
PK	15.693G	60.33	74.00	-13.67	15.81	3	H	219	1.84	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170722
EUT_Y_4TX
Setting 88
03-M-1-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.146G	49.55	54.00	-4.45	5.44	3	V	353	1.06	-
AV	5.275G	108.71	Inf	-Inf	5.69	3	V	353	1.06	-
AV	5.362G	53.92	54.00	-0.08	5.85	3	V	353	1.06	-
PK	5.149995G	60.88	74.00	-13.12	5.44	3	V	353	1.06	-
PK	5.284G	118.26	Inf	-Inf	5.71	3	V	353	1.06	-
PK	5.472G	62.26	68.20	-5.94	6.09	3	V	353	1.06	-
PK	5.355G	66.12	74.00	-7.88	5.83	3	V	353	1.06	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170722
EUT_Y_4TX
Setting 88
03-M-1-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.086G	46.50	54.00	-7.50	5.30	3	H	48	1.00	-
AV	5.276G	100.16	Inf	-Inf	5.69	3	H	48	1.00	-
AV	5.356G	48.63	54.00	-5.37	5.84	3	H	48	1.00	-
PK	5.149G	58.16	74.00	-15.84	5.44	3	H	48	1.00	-
PK	5.276G	109.49	Inf	-Inf	5.69	3	H	48	1.00	-
PK	5.465G	59.69	68.20	-8.51	6.07	3	H	48	1.00	-
PK	5.367G	61.00	74.00	-13.00	5.85	3	H	48	1.00	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170722
EUT_Y_4TX
Setting 88
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.92566G	47.22	54.00	-6.78	15.05	3	V	173	1.96	-
PK	15.92908G	59.92	74.00	-14.08	15.04	3	V	173	1.96	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170722
 EUT_Y_4TX
 Setting 88
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.92578G	47.29	54.00	-6.71	15.05	3	H	225	1.50	-
PK	15.93448G	59.86	74.00	-14.14	15.02	3	H	225	1.50	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170722
EUT_Y_4TX
Setting 63
03-M-1-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3058G	101.76	Inf	-Inf	5.75	3	V	0	1.87	-
AV	5.3508G	53.74	54.00	-0.26	5.83	3	V	0	1.87	-
PK	5.3058G	112.25	Inf	-Inf	5.75	3	V	0	1.87	-
PK	5.3556G	69.93	74.00	-4.07	5.83	3	V	0	1.87	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170722
EUT_Y_4TX
Setting 63
03-M-1-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3154G	94.46	Inf	-Inf	5.77	3	H	86	1.36	-
AV	5.3508G	49.57	54.00	-4.43	5.83	3	H	86	1.36	-
PK	5.3256G	103.55	Inf	-Inf	5.78	3	H	86	1.36	-
PK	5.3508G	63.55	74.00	-10.45	5.83	3	H	86	1.36	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170722
EUT_Y_4TX
Setting 63
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6215G	40.72	54.00	-13.28	12.56	3	V	290	2.39	-
AV	15.92684G	46.98	54.00	-7.02	15.05	3	V	328	1.13	-
PK	10.625G	53.35	74.00	-20.65	12.57	3	V	290	2.39	-
PK	15.9251G	60.37	74.00	-13.63	15.05	3	V	328	1.13	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170722
EUT_Y_4TX
Setting 63
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.61812G	40.59	54.00	-13.41	12.56	3	H	32	1.49	-
AV	15.9286G	47.15	54.00	-6.85	15.04	3	H	272	2.47	-
PK	10.62G	53.40	74.00	-20.60	12.56	3	H	32	1.49	-
PK	15.92706G	59.35	74.00	-14.65	15.05	3	H	272	2.47	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170722
 EUT_Y_4TX
 Setting 65
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	50.99	54.00	-3.01	6.06	3	V	317	1.00	-
AV	5.4686G	53.85	54.00	-0.15	6.08	3	V	317	1.00	-
AV	5.5124G	102.45	Inf	-Inf	6.17	3	V	317	1.00	-
PK	5.4572G	63.57	74.00	-10.43	6.05	3	V	317	1.00	-
PK	5.4668G	69.02	74.00	-4.98	6.08	3	V	317	1.00	-
PK	5.5016G	111.74	Inf	-Inf	6.16	3	V	317	1.00	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170722
 EUT_Y_4TX
 Setting 65
 03-M-1-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	47.83	54.00	-6.17	6.06	3	H	92	1.34	-
AV	5.4662G	49.14	54.00	-4.86	6.08	3	H	92	1.34	-
AV	5.5064G	95.53	Inf	-Inf	6.17	3	H	92	1.34	-
PK	5.3984G	59.52	74.00	-14.48	5.91	3	H	92	1.34	-
PK	5.4662G	61.31	74.00	-12.69	6.08	3	H	92	1.34	-
PK	5.5214G	104.89	Inf	-Inf	6.18	3	H	92	1.34	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170722
 EUT_Y_4TX
 Setting 65
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01642G	40.82	54.00	-13.18	12.94	3	V	125	1.03	-
PK	11.0223G	52.78	74.00	-21.22	12.94	3	V	125	1.03	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170722
EUT_Y_4TX
Setting 65
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01872G	40.44	54.00	-13.56	12.94	3	H	8	1.83	-
PK	11.01884G	53.21	74.00	-20.79	12.94	3	H	8	1.83	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170722
 EUT_Y_4TX
 Setting 90
 03-P-2-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	53.79	54.00	-0.21	6.06	3	V	317	1.02	-
AV	5.552G	108.18	Inf	-Inf	6.20	3	V	317	1.02	-
PK	5.445G	66.46	74.00	-7.54	6.02	3	V	317	1.02	-
PK	5.466G	67.73	68.20	-0.47	6.08	3	V	317	1.02	-
PK	5.552G	117.90	Inf	-Inf	6.20	3	V	317	1.02	-
PK	5.788G	60.09	68.20	-8.11	6.25	3	V	317	1.02	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170722
EUT_Y_4TX
Setting 90
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	48.23	54.00	-5.77	6.05	3	H	49	1.44	-
AV	5.549G	100.35	Inf	-Inf	6.20	3	H	49	1.44	-
PK	5.46G	61.62	74.00	-12.38	6.06	3	H	49	1.44	-
PK	5.460005G	61.62	68.20	-6.58	6.06	3	H	49	1.44	-
PK	5.559G	110.04	Inf	-Inf	6.21	3	H	49	1.44	-
PK	5.748G	58.92	68.20	-9.28	6.25	3	H	49	1.44	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170722
 EUT_Y_4TX
 Setting 90
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1005G	40.61	54.00	-13.39	13.02	3	V	313	1.22	-
PK	11.10132G	52.96	74.00	-21.04	13.02	3	V	313	1.22	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170722
 EUT_Y_4TX
 Setting 90
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.10096G	41.10	54.00	-12.90	13.02	3	H	286	2.19	-
PK	11.10152G	53.28	74.00	-20.72	13.02	3	H	286	2.19	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170722
EUT_Y_4TX
Setting 83
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.665G	104.93	Inf	-Inf	6.25	3	V	349	1.50	-
PK	5.675G	114.43	Inf	-Inf	6.25	3	V	349	1.50	-
PK	5.729G	67.95	68.20	-0.25	6.25	3	V	349	1.50	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170722
EUT_Y_4TX
Setting 83
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.659G	98.10	Inf	-Inf	6.25	3	H	49	1.43	-
PK	5.664G	108.44	Inf	-Inf	6.25	3	H	49	1.43	-
PK	5.727G	60.93	68.20	-7.27	6.25	3	H	49	1.43	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170722
 EUT_Y_4TX
 Setting 83
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3409G	41.69	54.00	-12.31	13.27	3	V	231	1.50	-
PK	11.34066G	53.52	74.00	-20.48	13.27	3	V	231	1.50	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170722
 EUT_Y_4TX
 Setting 83
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3362G	41.66	54.00	-12.34	13.26	3	H	240	1.63	-
PK	11.34086G	54.56	74.00	-19.44	13.27	3	H	240	1.63	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170722
EUT_Y_4TX
Setting 100
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.07	54.00	-3.93	6.06	3	V	348	1.47	-
AV	5.716G	108.76	Inf	-Inf	6.25	3	V	348	1.47	-
PK	5.454G	61.66	74.00	-12.34	6.05	3	V	348	1.47	-
PK	5.466G	63.88	68.20	-4.32	6.08	3	V	348	1.47	-
PK	5.726G	118.12	Inf	-Inf	6.25	3	V	348	1.47	-
PK	5.926G	61.77	68.20	-6.43	6.19	3	V	348	1.47	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-P-2-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	47.64	54.00	-6.36	6.06	3	H	51	1.57	-
AV	5.704G	102.02	Inf	-Inf	6.25	3	H	51	1.57	-
PK	5.434G	59.12	74.00	-14.88	6.00	3	H	51	1.57	-
PK	5.462G	59.87	68.20	-8.33	6.06	3	H	51	1.57	-
PK	5.698G	111.18	Inf	-Inf	6.25	3	H	51	1.57	-
PK	6.13G	59.71	68.20	-8.49	6.51	3	H	51	1.57	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170722
EUT_Y_4TX
Setting 100
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42132G	43.74	54.00	-10.26	13.35	3	V	192	1.91	-
PK	11.42152G	55.92	74.00	-18.08	13.35	3	V	192	1.91	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT_Y_4TX
 Setting 100
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42142G	45.35	54.00	-8.65	13.35	3	H	269	2.18	-
PK	11.42146G	59.03	74.00	-14.97	13.35	3	H	269	2.18	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170722
EUT_Y_4TX
Setting 96
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.761G	108.86	Inf	-Inf	6.25	3	V	348	1.50	-
PK	5.641G	67.98	68.20	-0.22	6.24	3	V	348	1.50	-
PK	5.771G	117.95	Inf	-Inf	6.25	3	V	348	1.50	-
PK	5.941G	60.38	68.20	-7.82	6.18	3	V	348	1.50	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170722
 EUT_Y_4TX
 Setting 96
 03-P-2-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.759G	102.24	Inf	-Inf	6.25	3	H	53	2.09	-
PK	5.643G	64.03	68.20	-4.17	6.24	3	H	53	2.09	-
PK	5.755G	112.39	Inf	-Inf	6.25	3	H	53	2.09	-
PK	5.937G	59.21	68.20	-8.99	6.18	3	H	53	2.09	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170722
 EUT_Y_4TX
 Setting 96
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51148G	41.73	54.00	-12.27	13.44	3	V	182	2.89	-
PK	11.5114G	53.94	74.00	-20.06	13.44	3	V	182	2.89	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170722
 EUT_Y_4TX
 Setting 96
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5112G	43.33	54.00	-10.67	13.44	3	H	260	1.50	-
PK	11.51072G	55.81	74.00	-18.19	13.44	3	H	260	1.50	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170722
EUT_Y_4TX
Setting 95
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.801G	108.90	Inf	-Inf	6.25	3	V	350	1.36	-
PK	5.647G	65.57	68.20	-2.63	6.24	3	V	350	1.36	-
PK	5.805G	118.04	Inf	-Inf	6.25	3	V	350	1.36	-
PK	5.927G	67.97	68.20	-0.23	6.19	3	V	350	1.36	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170722
EUT_Y_4TX
Setting 95
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.805G	102.48	Inf	-Inf	6.25	3	H	50	1.48	-
PK	5.635G	60.29	68.20	-7.91	6.24	3	H	50	1.48	-
PK	5.799G	112.02	Inf	-Inf	6.25	3	H	50	1.48	-
PK	5.951G	60.22	68.20	-7.98	6.17	3	H	50	1.48	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170722
 EUT_Y_4TX
 Setting 95
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5881G	43.44	54.00	-10.56	13.52	3	V	199	2.42	-
PK	11.59308G	55.63	74.00	-18.37	13.52	3	V	199	2.42	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170722
 EUT_Y_4TX
 Setting 95
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58636G	43.74	54.00	-10.26	13.52	3	H	261	1.57	-
PK	11.5936G	55.94	74.00	-18.06	13.53	3	H	261	1.57	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170722
 EUT_Y_4TX
 Setting 61
 03-P-2-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	53.82	54.00	-0.18	5.44	3	V	320	1.02	-
AV	5.199G	98.63	Inf	-Inf	5.55	3	V	320	1.02	-
AV	5.352G	49.43	54.00	-4.57	5.83	3	V	320	1.02	-
PK	5.149995G	65.21	74.00	-8.79	5.44	3	V	320	1.02	-
PK	5.219G	108.01	Inf	-Inf	5.59	3	V	320	1.02	-
PK	5.350005G	61.58	74.00	-12.42	5.83	3	V	320	1.02	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170722
EUT_Y_4TX
Setting 61
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.52	54.00	-5.48	5.44	3	H	46	1.02	-
AV	5.201G	89.93	Inf	-Inf	5.55	3	H	46	1.02	-
AV	5.386G	47.17	54.00	-6.83	5.89	3	H	46	1.02	-
PK	5.145G	59.80	74.00	-14.20	5.43	3	H	46	1.02	-
PK	5.225G	98.99	Inf	-Inf	5.60	3	H	46	1.02	-
PK	5.423G	59.46	74.00	-14.54	5.97	3	H	46	1.02	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170722
EUT_Y_4TX
Setting 61
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8742G	47.33	54.00	-6.67	15.22	3	V	215	1.84	-
PK	15.87G	60.13	74.00	-13.87	15.23	3	V	215	1.84	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170722
EUT_Y_4TX
Setting 61
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8681G	47.27	54.00	-6.73	15.24	3	H	344	1.49	-
PK	15.86692G	60.23	74.00	-13.77	15.24	3	H	344	1.49	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170722
 EUT_Y_4TX
 Setting 61
 03-P-2-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	46.98	54.00	-7.02	5.43	3	V	2	1.50	-
AV	5.301G	97.80	Inf	-Inf	5.74	3	V	2	1.50	-
AV	5.357G	53.85	54.00	-0.15	5.84	3	V	2	1.50	-
PK	5.118G	58.68	74.00	-15.32	5.38	3	V	2	1.50	-
PK	5.296G	107.22	Inf	-Inf	5.73	3	V	2	1.50	-
PK	5.356G	65.71	74.00	-8.29	5.84	3	V	2	1.50	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170722
EUT_Y_4TX
Setting 61
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.145G	46.02	54.00	-7.98	5.43	3	H	87	1.36	-
AV	5.301G	90.85	Inf	-Inf	5.74	3	H	87	1.36	-
AV	5.355G	49.03	54.00	-4.97	5.83	3	H	87	1.36	-
PK	5.128G	58.12	74.00	-15.88	5.40	3	H	87	1.36	-
PK	5.301G	99.91	Inf	-Inf	5.74	3	H	87	1.36	-
PK	5.361G	60.10	74.00	-13.90	5.84	3	H	87	1.36	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170722
EUT_Y_4TX
Setting 61
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86648G	47.28	54.00	-6.72	15.24	3	V	110	1.40	-
PK	15.86952G	59.61	74.00	-14.39	15.23	3	V	110	1.40	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170722
 EUT_Y_4TX
 Setting 61
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87G	47.22	54.00	-6.78	15.23	3	H	142	1.50	-
PK	15.87342G	60.11	74.00	-13.89	15.22	3	H	142	1.50	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170722
 EUT_Y_4TX
 Setting 61
 03-P-2-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	53.84	54.00	-0.16	6.05	3	V	2	1.03	-
AV	5.543G	97.62	Inf	-Inf	6.19	3	V	2	1.03	-
PK	5.453G	64.37	74.00	-9.63	6.04	3	V	2	1.03	-
PK	5.463G	64.69	68.20	-3.51	6.07	3	V	2	1.03	-
PK	5.517G	106.85	Inf	-Inf	6.17	3	V	2	1.03	-
PK	5.762G	58.86	68.20	-9.34	6.25	3	V	2	1.03	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170722
EUT_Y_4TX
Setting 61
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.45	54.00	-4.55	6.06	3	H	90	1.40	-
AV	5.516G	91.16	Inf	-Inf	6.17	3	H	90	1.40	-
PK	5.456G	62.05	74.00	-11.95	6.05	3	H	90	1.40	-
PK	5.466G	62.16	68.20	-6.04	6.08	3	H	90	1.40	-
PK	5.546G	100.78	Inf	-Inf	6.20	3	H	90	1.40	-
PK	5.778G	58.50	68.20	-9.70	6.25	3	H	90	1.40	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170722
EUT_Y_4TX
Setting 61
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06344G	40.79	54.00	-13.21	12.98	3	V	74	2.35	-
PK	11.0638G	53.48	74.00	-20.52	12.99	3	V	74	2.35	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170722
EUT_Y_4TX
Setting 61
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06132G	40.86	54.00	-13.14	12.98	3	H	210	1.01	-
PK	11.0583G	53.27	74.00	-20.73	12.98	3	H	210	1.01	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170722
 EUT_Y_4TX
 Setting 84
 03-P-2-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	53.77	54.00	-0.23	6.06	3	V	327	1.12	-
AV	5.625G	102.75	Inf	-Inf	6.24	3	V	327	1.12	-
PK	5.454G	65.15	74.00	-8.85	6.05	3	V	327	1.12	-
PK	5.469G	67.33	68.20	-0.87	6.08	3	V	327	1.12	-
PK	5.621G	111.61	Inf	-Inf	6.24	3	V	327	1.12	-
PK	5.73G	66.16	68.20	-2.04	6.25	3	V	327	1.12	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170722
EUT_Y_4TX
Setting 84
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	48.14	54.00	-5.86	6.06	3	H	50	1.46	-
AV	5.604G	95.53	Inf	-Inf	6.24	3	H	50	1.46	-
PK	5.457G	60.10	74.00	-13.90	6.05	3	H	50	1.46	-
PK	5.468G	59.55	68.20	-8.65	6.08	3	H	50	1.46	-
PK	5.599G	105.70	Inf	-Inf	6.24	3	H	50	1.46	-
PK	5.729G	60.09	68.20	-8.11	6.25	3	H	50	1.46	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170722
EUT_Y_4TX
Setting 84
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22254G	40.65	54.00	-13.35	13.15	3	V	358	1.84	-
PK	11.22144G	53.21	74.00	-20.79	13.15	3	V	358	1.84	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170722
 EUT_Y_4TX
 Setting 84
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22422G	41.24	54.00	-12.76	13.15	3	H	272	1.50	-
PK	11.22464G	53.50	74.00	-20.50	13.15	3	H	272	1.50	-

802.11ac VHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



20170722
EUT_Y_4TX
Setting 95
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.35	54.00	-0.65	6.06	3	V	348	1.50	-
AV	5.462G	53.79	54.00	-0.21	6.06	3	V	348	1.50	-
AV	5.72G	104.18	Inf	-Inf	6.25	3	V	348	1.50	-
PK	5.454G	66.26	74.00	-7.74	6.05	3	V	348	1.50	-
PK	5.466G	68.46	74.00	-5.54	6.08	3	V	348	1.50	-
PK	5.696G	113.20	Inf	-Inf	6.25	3	V	348	1.50	-
PK	5.932G	62.13	68.20	-6.07	6.18	3	V	348	1.50	-

802.11ac VHT80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT_Y_4TX
 Setting 95
 03-P-2-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	48.80	54.00	-5.20	6.06	3	H	51	1.44	-
AV	5.468G	48.97	54.00	-5.03	6.08	3	H	51	1.44	-
AV	5.7G	97.71	Inf	-Inf	6.25	3	H	51	1.44	-
PK	5.46G	60.12	74.00	-13.88	6.06	3	H	51	1.44	-
PK	5.466G	63.93	74.00	-10.07	6.08	3	H	51	1.44	-
PK	5.698G	107.63	Inf	-Inf	6.25	3	H	51	1.44	-
PK	5.926G	60.05	68.20	-8.15	6.19	3	H	51	1.44	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170722
EUT_Y_4TX
Setting 95
03-P-2
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38404G	41.38	54.00	-12.62	13.31	3	V	91	1.06	-
PK	11.37746G	53.86	74.00	-20.14	13.31	3	V	91	1.06	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170722
 EUT_Y_4TX
 Setting 95
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38194G	41.99	54.00	-12.01	13.31	3	H	270	2.17	-
PK	11.38444G	54.48	74.00	-19.52	13.31	3	H	270	2.17	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170722
 EUT_Y_4TX
 Setting 85
 03-P-2-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.785G	103.05	Inf	-Inf	6.25	3	V	349	1.49	-
PK	5.641G	68.07	68.20	-0.13	6.24	3	V	349	1.49	-
PK	5.771G	112.33	Inf	-Inf	6.25	3	V	349	1.49	-
PK	5.925G	64.60	68.20	-3.60	6.19	3	V	349	1.49	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170722
EUT_Y_4TX
Setting 85
03-P-2-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.789G	96.87	Inf	-Inf	6.25	3	H	53	1.95	-
PK	5.649G	63.49	68.20	-4.71	6.24	3	H	53	1.95	-
PK	5.789G	107.12	Inf	-Inf	6.25	3	H	53	1.95	-
PK	5.927G	61.29	68.20	-6.91	6.19	3	H	53	1.95	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170722
 EUT_Y_4TX
 Setting 85
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55352G	41.60	54.00	-12.40	13.48	3	V	67	2.53	-
PK	11.55174G	54.50	74.00	-19.50	13.48	3	V	67	2.53	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170722
 EUT_Y_4TX
 Setting 85
 03-P-2
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54656G	42.46	54.00	-11.54	13.48	3	H	266	2.14	-
PK	11.55146G	55.24	74.00	-18.76	13.48	3	H	266	2.14	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170907
 EUT_Y_4TX
 Setting 80
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1494G	53.64	54.00	-0.36	5.31	3	V	13	1.50	-
AV	5.1734G	107.67	Inf	-Inf	5.40	3	V	13	1.50	-
PK	5.149995G	70.16	74.00	-3.84	5.31	3	V	13	1.50	-
PK	5.1728G	117.11	Inf	-Inf	5.39	3	V	13	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170907
EUT_Y_4TX
Setting 80
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.17	54.00	-5.83	5.31	3	H	275	1.50	-
AV	5.1728G	100.67	Inf	-Inf	5.39	3	H	275	1.50	-
PK	5.149995G	64.59	74.00	-9.41	5.31	3	H	275	1.50	-
PK	5.1728G	109.75	Inf	-Inf	5.39	3	H	275	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170907
EUT_Y_4TX
Setting 80
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.53208G	47.53	54.00	-6.47	17.79	3	V	40	2.31	-
PK	15.528G	61.89	74.00	-12.11	17.79	3	V	40	2.31	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170907
 EUT_Y_4TX
 Setting 80
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5304G	47.61	54.00	-6.39	17.79	3	H	339	1.94	-
PK	15.52674G	60.97	74.00	-13.03	17.79	3	H	339	1.94	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170907
 EUT_Y_4TX
 Setting 96
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	53.65	54.00	-0.35	5.31	3	V	0	1.46	-
AV	5.2018G	110.47	Inf	-Inf	5.49	3	V	0	1.46	-
PK	5.1496G	69.08	74.00	-4.92	5.31	3	V	0	1.46	-
PK	5.2024G	121.03	Inf	-Inf	5.49	3	V	0	1.46	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170907
EUT_Y_4TX
Setting 96
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.49	54.00	-6.51	5.31	3	H	288	2.35	-
AV	5.2078G	105.28	Inf	-Inf	5.50	3	H	288	2.35	-
PK	5.1496G	63.01	74.00	-10.99	5.31	3	H	288	2.35	-
PK	5.2054G	115.19	Inf	-Inf	5.50	3	H	288	2.35	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170907
EUT_Y_4TX
Setting 96
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.61332G	47.31	54.00	-6.69	17.86	3	V	308	1.04	-
PK	15.61176G	61.38	74.00	-12.62	17.86	3	V	308	1.04	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170907
EUT_Y_4TX
Setting 96
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.585G	47.37	54.00	-6.63	17.83	3	H	317	1.95	-
PK	15.60888G	60.48	74.00	-13.52	17.85	3	H	317	1.95	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1392G	50.70	54.00	-3.30	5.28	3	V	184	1.50	-
AV	5.2382G	109.54	Inf	-Inf	5.53	3	V	184	1.50	-
AV	5.3504G	50.54	54.00	-3.46	5.65	3	V	184	1.50	-
PK	5.1368G	62.53	74.00	-11.47	5.27	3	V	184	1.50	-
PK	5.2376G	121.08	Inf	-Inf	5.53	3	V	184	1.50	-
PK	5.3516G	63.32	74.00	-10.68	5.65	3	V	184	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1368G	45.86	54.00	-8.14	5.27	3	H	296	1.42	-
AV	5.2454G	102.52	Inf	-Inf	5.54	3	H	296	1.42	-
AV	5.3534G	45.37	54.00	-8.63	5.65	3	H	296	1.42	-
PK	5.1374G	58.85	74.00	-15.15	5.27	3	H	296	1.42	-
PK	5.2424G	113.84	Inf	-Inf	5.54	3	H	296	1.42	-
PK	5.354G	57.74	74.00	-16.26	5.65	3	H	296	1.42	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7191G	48.57	54.00	-5.43	17.94	3	V	161	2.03	-
PK	15.72762G	62.81	74.00	-11.19	17.95	3	V	161	2.03	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72924G	48.61	54.00	-5.39	17.95	3	H	332	2.19	-
PK	15.73038G	62.20	74.00	-11.80	17.95	3	H	332	2.19	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1472G	49.94	54.00	-4.06	5.31	3	V	184	1.74	-
AV	5.2642G	109.53	Inf	-Inf	5.56	3	V	184	1.74	-
AV	5.3716G	50.15	54.00	-3.85	5.67	3	V	184	1.74	-
PK	5.1466G	61.34	74.00	-12.66	5.30	3	V	184	1.74	-
PK	5.2654G	119.93	Inf	-Inf	5.56	3	V	184	1.74	-
PK	5.3638G	61.90	74.00	-12.10	5.66	3	V	184	1.74	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1454G	45.99	54.00	-8.01	5.30	3	H	274	2.34	-
AV	5.2636G	104.67	Inf	-Inf	5.56	3	H	274	2.34	-
AV	5.3746G	47.07	54.00	-6.93	5.67	3	H	274	2.34	-
PK	5.143G	57.68	74.00	-16.32	5.29	3	H	274	2.34	-
PK	5.263G	115.01	Inf	-Inf	5.56	3	H	274	2.34	-
PK	5.3752G	59.49	74.00	-14.51	5.68	3	H	274	2.34	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7887G	47.78	54.00	-6.22	18.00	3	V	118	1.40	-
PK	15.78924G	61.16	74.00	-12.84	18.00	3	V	118	1.40	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78558G	47.81	54.00	-6.19	18.00	3	H	293	1.83	-
PK	15.78714G	61.35	74.00	-12.65	18.00	3	H	293	1.83	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2922G	107.01	Inf	-Inf	5.59	3	V	4	1.50	-
AV	5.350005G	49.61	54.00	-4.39	5.65	3	V	4	1.50	-
PK	5.2964G	117.67	Inf	-Inf	5.60	3	V	4	1.50	-
PK	5.405G	61.57	74.00	-12.43	5.72	3	V	4	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2922G	97.56	Inf	-Inf	5.59	3	H	288	1.50	-
AV	5.351G	45.87	54.00	-8.13	5.65	3	H	288	1.50	-
PK	5.3012G	112.71	Inf	-Inf	5.60	3	H	288	1.50	-
PK	5.350005G	62.89	74.00	-11.11	5.65	3	H	288	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88518G	48.08	54.00	-5.92	18.08	3	V	192	1.42	-
PK	15.88998G	61.69	74.00	-12.31	18.08	3	V	192	1.42	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.888G	47.85	54.00	-6.15	18.08	3	H	248	2.18	-
PK	15.89418G	61.05	74.00	-12.95	18.08	3	H	248	2.18	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170907
EUT_Y_4TX
Setting 89
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3272G	107.38	Inf	-Inf	5.63	3	V	176	1.50	-
AV	5.350005G	53.57	54.00	-0.43	5.65	3	V	176	1.50	-
PK	5.3176G	117.37	Inf	-Inf	5.62	3	V	176	1.50	-
PK	5.350005G	73.04	74.00	-0.96	5.65	3	V	176	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170907
EUT_Y_4TX
Setting 89
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3128G	100.13	Inf	-Inf	5.61	3	H	275	1.28	-
AV	5.3506G	50.01	54.00	-3.99	5.65	3	H	275	1.28	-
PK	5.3134G	110.26	Inf	-Inf	5.61	3	H	275	1.28	-
PK	5.3506G	68.50	74.00	-5.50	5.65	3	H	275	1.28	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170907
 EUT_Y_4TX
 Setting 89
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.634G	40.66	54.00	-13.34	15.24	3	V	234	1.78	-
PK	10.63394G	53.78	74.00	-20.22	15.24	3	V	234	1.78	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170907
EUT_Y_4TX
Setting 89
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63664G	40.60	54.00	-13.40	15.25	3	H	217	1.55	-
PK	10.65494G	54.06	74.00	-19.94	15.28	3	H	217	1.55	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170907
EUT_Y_4TX
Setting 88
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3986G	49.53	54.00	-4.47	5.70	3	V	176	1.50	-
AV	5.4694G	53.69	54.00	-0.31	6.02	3	V	176	1.50	-
AV	5.5048G	108.24	Inf	-Inf	6.19	3	V	176	1.50	-
PK	5.4592G	63.05	74.00	-10.95	5.97	3	V	176	1.50	-
PK	5.4694G	73.46	74.00	-0.54	6.02	3	V	176	1.50	-
PK	5.5054G	118.79	Inf	-Inf	6.19	3	V	176	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170907
EUT_Y_4TX
Setting 88
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	46.38	54.00	-7.62	5.98	3	H	275	1.50	-
AV	5.4664G	48.11	54.00	-5.89	6.01	3	H	275	1.50	-
AV	5.5078G	101.47	Inf	-Inf	6.21	3	H	275	1.50	-
PK	5.4538G	60.60	74.00	-13.40	5.95	3	H	275	1.50	-
PK	5.4628G	61.89	74.00	-12.11	5.99	3	H	275	1.50	-
PK	5.5072G	110.98	Inf	-Inf	6.20	3	H	275	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170907
 EUT_Y_4TX
 Setting 88
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01494G	42.94	54.00	-11.06	15.81	3	V	289	2.13	-
PK	11.01152G	55.89	74.00	-18.11	15.81	3	V	289	2.13	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170907
EUT_Y_4TX
Setting 88
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01452G	42.97	54.00	-11.03	15.81	3	H	140	2.18	-
PK	11.01182G	55.93	74.00	-18.07	15.81	3	H	140	2.18	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4464G	46.36	54.00	-7.64	5.91	3	V	177	1.50	-
AV	5.4648G	51.06	54.00	-2.94	6.00	3	V	177	1.50	-
AV	5.5736G	110.80	Inf	-Inf	6.62	3	V	177	1.50	-
AV	5.74G	47.28	54.00	-6.72	7.05	3	V	177	1.50	-
PK	5.456G	59.62	74.00	-14.38	5.96	3	V	177	1.50	-
PK	5.4656G	61.92	74.00	-12.08	6.00	3	V	177	1.50	-
PK	5.5776G	121.06	Inf	-Inf	6.64	3	V	177	1.50	-
PK	5.7408G	60.00	74.00	-14.00	7.06	3	V	177	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4592G	44.93	54.00	-9.07	5.97	3	H	80	2.02	-
AV	5.4696G	45.44	54.00	-8.56	6.02	3	H	80	2.02	-
AV	5.5872G	104.21	Inf	-Inf	6.70	3	H	80	2.02	-
AV	5.78G	46.07	54.00	-7.93	7.14	3	H	80	2.02	-
PK	5.4552G	57.29	74.00	-16.71	5.95	3	H	80	2.02	-
PK	5.4648G	57.67	74.00	-16.33	6.00	3	H	80	2.02	-
PK	5.5864G	113.83	Inf	-Inf	6.70	3	H	80	2.02	-
PK	5.7352G	58.59	74.00	-15.41	7.04	3	H	80	2.02	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.145G	42.62	54.00	-11.38	15.90	3	V	153	2.22	-
PK	11.16462G	56.39	74.00	-17.61	15.91	3	V	153	2.22	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.14752G	42.53	54.00	-11.47	15.90	3	H	356	2.04	-
PK	11.1495G	55.86	74.00	-18.14	15.90	3	H	356	2.04	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170907
EUT_Y_4TX
Setting 71
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6922G	104.76	Inf	-Inf	6.96	3	V	182	1.64	-
AV	5.7252G	53.54	54.00	-0.46	7.02	3	V	182	1.64	-
PK	5.6976G	114.53	Inf	-Inf	6.97	3	V	182	1.64	-
PK	5.7252G	70.54	74.00	-3.46	7.02	3	V	182	1.64	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170907
EUT_Y_4TX
Setting 71
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6922G	99.88	Inf	-Inf	6.96	3	H	274	2.26	-
AV	5.7906G	53.26	54.00	-0.74	7.16	3	H	274	2.26	-
PK	5.694G	109.29	Inf	-Inf	6.96	3	H	274	2.26	-
PK	5.7822G	64.45	74.00	-9.55	7.14	3	H	274	2.26	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170907
 EUT_Y_4TX
 Setting 71
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41098G	42.94	54.00	-11.06	16.07	3	V	202	1.82	-
PK	11.41062G	56.37	74.00	-17.63	16.07	3	V	202	1.82	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170907
 EUT_Y_4TX
 Setting 71
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41338G	42.82	54.00	-11.18	16.07	3	H	27	1.46	-
PK	11.40732G	56.46	74.00	-17.54	16.07	3	H	27	1.46	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4528G	45.92	54.00	-8.08	5.94	3	V	9	1.50	-
AV	5.728G	111.61	Inf	-Inf	7.03	3	V	9	1.50	-
PK	5.4304G	57.85	74.00	-16.15	5.84	3	V	9	1.50	-
PK	5.4656G	57.53	68.20	-10.67	6.00	3	V	9	1.50	-
PK	5.7264G	121.80	Inf	-Inf	7.03	3	V	9	1.50	-
PK	5.9824G	60.66	68.20	-7.54	8.37	3	V	9	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4416G	44.97	54.00	-9.03	5.89	3	H	72	1.50	-
AV	5.7168G	104.00	Inf	-Inf	7.01	3	H	72	1.50	-
PK	5.448G	57.18	74.00	-16.82	5.92	3	H	72	1.50	-
PK	5.4624G	57.23	68.20	-10.97	5.99	3	H	72	1.50	-
PK	5.72G	114.51	Inf	-Inf	7.01	3	H	72	1.50	-
PK	5.9792G	60.33	68.20	-7.87	8.34	3	H	72	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.45134G	43.01	54.00	-10.99	16.10	3	V	110	2.21	-
PK	11.45254G	56.47	74.00	-17.53	16.10	3	V	110	2.21	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4529G	43.16	54.00	-10.84	16.10	3	H	246	1.31	-
PK	11.44996G	57.11	74.00	-16.89	16.10	3	H	246	1.31	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.749G	111.40	Inf	-Inf	7.07	3	V	184	1.61	-
PK	5.636G	64.56	68.20	-3.64	6.85	3	V	184	1.61	-
PK	5.751G	121.93	Inf	-Inf	7.08	3	V	184	1.61	-
PK	5.983G	60.37	68.20	-7.83	8.37	3	V	184	1.61	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.737G	102.46	Inf	-Inf	7.05	3	H	294	1.72	-
PK	5.631G	59.93	68.20	-8.27	6.84	3	H	294	1.72	-
PK	5.738G	111.92	Inf	-Inf	7.05	3	H	294	1.72	-
PK	5.987G	59.75	68.20	-8.45	8.40	3	H	294	1.72	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.47596G	43.76	54.00	-10.24	16.11	3	V	231	1.91	-
PK	11.47872G	57.02	74.00	-16.98	16.12	3	V	231	1.91	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.47596G	43.72	54.00	-10.28	16.11	3	H	1	2.35	-
PK	11.49072G	56.70	74.00	-17.30	16.12	3	H	1	2.35	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.793G	111.07	Inf	-Inf	7.17	3	V	14	1.46	-
PK	5.604G	60.35	68.20	-7.85	6.79	3	V	14	1.46	-
PK	5.792G	120.95	Inf	-Inf	7.16	3	V	14	1.46	-
PK	5.956G	60.19	68.20	-8.01	8.19	3	V	14	1.46	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.784G	103.80	Inf	-Inf	7.15	3	H	77	1.51	-
PK	5.618G	59.58	68.20	-8.62	6.81	3	H	77	1.51	-
PK	5.787G	114.05	Inf	-Inf	7.15	3	H	77	1.51	-
PK	5.981G	59.55	68.20	-8.65	8.36	3	H	77	1.51	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56958G	43.92	54.00	-10.08	16.18	3	V	161	1.21	-
PK	11.56676G	58.28	74.00	-15.72	16.17	3	V	161	1.21	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56958G	43.72	54.00	-10.28	16.18	3	H	106	1.50	-
PK	11.56394G	57.15	74.00	-16.85	16.17	3	H	106	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.83G	109.64	Inf	-Inf	7.37	3	V	6	1.50	-
PK	5.631G	60.07	68.20	-8.13	6.84	3	V	6	1.50	-
PK	5.827G	119.92	Inf	-Inf	7.36	3	V	6	1.50	-
PK	5.941G	63.07	68.20	-5.13	8.10	3	V	6	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.817G	102.02	Inf	-Inf	7.29	3	H	91	1.40	-
PK	5.578G	58.74	68.20	-9.46	6.64	3	H	91	1.40	-
PK	5.827G	112.24	Inf	-Inf	7.36	3	H	91	1.40	-
PK	5.937G	60.35	68.20	-7.85	8.07	3	H	91	1.40	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170907
EUT_Y_4TX
Setting 100
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64934G	44.29	54.00	-9.71	16.23	3	V	228	2.04	-
PK	11.64562G	57.95	74.00	-16.05	16.23	3	V	228	2.04	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65474G	43.91	54.00	-10.09	16.23	3	H	221	1.59	-
PK	11.65252G	57.88	74.00	-16.12	16.23	3	H	221	1.59	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170907
EUT_Y_4TX
Setting 60
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	53.60	54.00	-0.40	5.31	3	V	6	1.49	-
AV	5.1724G	99.14	Inf	-Inf	5.39	3	V	6	1.49	-
PK	5.1472G	73.53	74.00	-0.47	5.31	3	V	6	1.49	-
PK	5.1752G	109.69	Inf	-Inf	5.40	3	V	6	1.49	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170907
EUT_Y_4TX
Setting 60
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1472G	46.71	54.00	-7.29	5.31	3	H	287	2.15	-
AV	5.2076G	94.59	Inf	-Inf	5.50	3	H	287	2.15	-
PK	5.1488G	63.54	74.00	-10.46	5.31	3	H	287	2.15	-
PK	5.2048G	104.15	Inf	-Inf	5.50	3	H	287	2.15	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170907
EUT_Y_4TX
Setting 60
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57678G	47.59	54.00	-6.41	17.83	3	V	28	1.94	-
PK	15.56922G	61.51	74.00	-12.49	17.82	3	V	28	1.94	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170907
EUT_Y_4TX
Setting 60
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57156G	47.57	54.00	-6.43	17.82	3	H	301	1.85	-
PK	15.57336G	61.31	74.00	-12.69	17.82	3	H	301	1.85	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170907
EUT_Y_4TX
Setting 91
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.59	54.00	-0.41	5.31	3	V	177	1.50	-
AV	5.2462G	106.66	Inf	-Inf	5.54	3	V	177	1.50	-
AV	5.3554G	49.94	54.00	-4.06	5.66	3	V	177	1.50	-
PK	5.1406G	70.48	74.00	-3.52	5.28	3	V	177	1.50	-
PK	5.242G	117.28	Inf	-Inf	5.54	3	V	177	1.50	-
PK	5.356G	62.38	74.00	-11.62	5.66	3	V	177	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170907
 EUT_Y_4TX
 Setting 91
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	48.14	54.00	-5.86	5.31	3	H	228	1.50	-
AV	5.2462G	96.11	Inf	-Inf	5.54	3	H	228	1.50	-
AV	5.3524G	44.56	54.00	-9.44	5.65	3	H	228	1.50	-
PK	5.1466G	63.00	74.00	-11.00	5.30	3	H	228	1.50	-
PK	5.242G	106.93	Inf	-Inf	5.54	3	H	228	1.50	-
PK	5.3542G	57.37	74.00	-16.63	5.65	3	H	228	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170907
 EUT_Y_4TX
 Setting 91
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.67656G	47.32	54.00	-6.68	17.91	3	V	295	1.17	-
PK	15.67584G	60.90	74.00	-13.10	17.91	3	V	295	1.17	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170907
EUT_Y_4TX
Setting 91
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6786G	47.26	54.00	-6.74	17.91	3	H	252	1.55	-
PK	15.70362G	61.10	74.00	-12.90	17.93	3	H	252	1.55	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170907
EUT_Y_4TX
Setting 95
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1476G	50.45	54.00	-3.55	5.31	3	V	184	1.74	-
AV	5.264G	106.69	Inf	-Inf	5.56	3	V	184	1.74	-
AV	5.350005G	53.98	54.00	-0.02	5.65	3	V	184	1.74	-
PK	5.1488G	64.05	74.00	-9.95	5.31	3	V	184	1.74	-
PK	5.2658G	118.26	Inf	-Inf	5.56	3	V	184	1.74	-
PK	5.3516G	71.29	74.00	-2.71	5.65	3	V	184	1.74	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170907
EUT_Y_4TX
Setting 95
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1476G	46.43	54.00	-7.57	5.31	3	H	279	2.23	-
AV	5.2562G	101.25	Inf	-Inf	5.55	3	H	279	2.23	-
AV	5.350005G	49.39	54.00	-4.61	5.65	3	H	279	2.23	-
PK	5.149995G	58.80	74.00	-15.20	5.31	3	H	279	2.23	-
PK	5.2658G	112.54	Inf	-Inf	5.56	3	H	279	2.23	-
PK	5.3516G	69.36	74.00	-4.64	5.65	3	H	279	2.23	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170907
EUT_Y_4TX
Setting 95
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80508G	47.65	54.00	-6.35	18.01	3	V	295	2.38	-
PK	15.79602G	61.50	74.00	-12.50	18.00	3	V	295	2.38	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170907
EUT_Y_4TX
Setting 95
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80568G	47.68	54.00	-6.32	18.01	3	H	47	1.30	-
PK	15.81822G	60.78	74.00	-13.22	18.02	3	H	47	1.30	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170907
EUT_Y_4TX
Setting 62
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3226G	98.34	Inf	-Inf	5.62	3	V	178	1.50	-
AV	5.3514G	53.90	54.00	-0.10	5.65	3	V	178	1.50	-
PK	5.3232G	109.41	Inf	-Inf	5.62	3	V	178	1.50	-
PK	5.3514G	71.93	74.00	-2.07	5.65	3	V	178	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170907
 EUT_Y_4TX
 Setting 62
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2926G	88.60	Inf	-Inf	5.59	3	H	289	1.50	-
AV	5.3508G	45.32	54.00	-8.68	5.65	3	H	289	1.50	-
PK	5.3124G	100.43	Inf	-Inf	5.61	3	H	289	1.50	-
PK	5.3568G	58.53	74.00	-15.47	5.66	3	H	289	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170907
 EUT_Y_4TX
 Setting 62
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6056G	42.12	54.00	-11.88	15.20	3	V	360	1.44	-
PK	10.60566G	54.62	74.00	-19.38	15.20	3	V	360	1.44	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170907
 EUT_Y_4TX
 Setting 62
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.605G	42.66	54.00	-11.34	15.20	3	H	115	2.34	-
PK	10.6053G	55.52	74.00	-18.48	15.20	3	H	115	2.34	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170907
EUT_Y_4TX
Setting 67
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	49.25	54.00	-4.75	5.97	3	V	173	1.79	-
AV	5.4698G	53.59	54.00	-0.41	6.02	3	V	173	1.79	-
AV	5.5232G	102.53	Inf	-Inf	6.30	3	V	173	1.79	-
PK	5.4584G	64.06	74.00	-9.94	5.97	3	V	173	1.79	-
PK	5.468G	69.28	74.00	-4.72	6.01	3	V	173	1.79	-
PK	5.522G	113.61	Inf	-Inf	6.30	3	V	173	1.79	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170907
EUT_Y_4TX
Setting 67
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	46.23	54.00	-7.77	5.98	3	H	278	2.04	-
AV	5.4668G	47.36	54.00	-6.64	6.01	3	H	278	2.04	-
AV	5.5214G	96.93	Inf	-Inf	6.29	3	H	278	2.04	-
PK	5.4578G	59.78	74.00	-14.22	5.97	3	H	278	2.04	-
PK	5.4698G	63.09	74.00	-10.91	6.02	3	H	278	2.04	-
PK	5.522G	106.65	Inf	-Inf	6.30	3	H	278	2.04	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170907
EUT_Y_4TX
Setting 67
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02756G	43.34	54.00	-10.66	15.82	3	V	121	1.76	-
PK	11.0326G	56.77	74.00	-17.23	15.82	3	V	121	1.76	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170907
EUT_Y_4TX
Setting 67
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.03122G	43.49	54.00	-10.51	15.82	3	H	239	1.39	-
PK	11.0332G	56.87	74.00	-17.13	15.82	3	H	239	1.39	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170907
EUT_Y_4TX
Setting 97
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	51.67	54.00	-2.33	5.96	3	V	7	1.50	-
AV	5.4696G	53.56	54.00	-0.44	6.02	3	V	7	1.50	-
AV	5.5476G	108.23	Inf	-Inf	6.46	3	V	7	1.50	-
PK	5.457G	67.96	74.00	-6.04	5.96	3	V	7	1.50	-
PK	5.466G	68.82	74.00	-5.18	6.00	3	V	7	1.50	-
PK	5.5548G	119.12	Inf	-Inf	6.50	3	V	7	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170907
EUT_Y_4TX
Setting 97
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4582G	49.43	54.00	-4.57	5.97	3	H	294	1.32	-
AV	5.469G	51.00	54.00	-3.00	6.02	3	H	294	1.32	-
AV	5.532G	101.20	Inf	-Inf	6.36	3	H	294	1.32	-
PK	5.4486G	63.70	74.00	-10.30	5.92	3	H	294	1.32	-
PK	5.4684G	71.94	74.00	-2.06	6.01	3	H	294	1.32	-
PK	5.5332G	111.16	Inf	-Inf	6.37	3	H	294	1.32	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170907
 EUT_Y_4TX
 Setting 97
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.10714G	42.60	54.00	-11.40	15.87	3	V	100	1.84	-
PK	11.10672G	56.75	74.00	-17.25	15.87	3	V	100	1.84	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170907
 EUT_Y_4TX
 Setting 97
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.106G	42.59	54.00	-11.41	15.87	3	H	75	2.41	-
PK	11.09274G	56.25	74.00	-17.75	15.86	3	H	75	2.41	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170907
 EUT_Y_4TX
 Setting 83
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6658G	106.29	Inf	-Inf	6.91	3	V	7	1.50	-
AV	5.7288G	53.54	54.00	-0.46	7.03	3	V	7	1.50	-
PK	5.6652G	116.29	Inf	-Inf	6.90	3	V	7	1.50	-
PK	5.7318G	72.16	74.00	-1.84	7.04	3	V	7	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170907
 EUT_Y_4TX
 Setting 83
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6688G	100.30	Inf	-Inf	6.91	3	H	68	2.98	-
AV	5.784G	49.49	54.00	-4.51	7.15	3	H	68	2.98	-
PK	5.673G	110.60	Inf	-Inf	6.92	3	H	68	2.98	-
PK	5.7282G	69.22	74.00	-4.78	7.03	3	H	68	2.98	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170907
 EUT_Y_4TX
 Setting 83
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34054G	42.90	54.00	-11.10	16.02	3	V	87	2.46	-
PK	11.3541G	56.27	74.00	-17.73	16.03	3	V	87	2.46	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170907
EUT_Y_4TX
Setting 83
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34738G	42.83	54.00	-11.17	16.03	3	H	243	1.40	-
PK	11.33856G	56.42	74.00	-17.58	16.02	3	H	243	1.40	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4556G	46.79	54.00	-7.21	5.96	3	V	226	2.99	-
AV	5.694G	109.75	Inf	-Inf	6.96	3	V	226	2.99	-
PK	5.4476G	59.77	74.00	-14.23	5.92	3	V	226	2.99	-
PK	5.4668G	59.29	68.20	-8.91	6.01	3	V	226	2.99	-
PK	5.6972G	119.98	Inf	-Inf	6.96	3	V	226	2.99	-
PK	5.9852G	61.12	68.20	-7.08	8.38	3	V	226	2.99	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	45.87	54.00	-8.13	5.96	3	H	66	1.50	-
AV	5.7148G	99.59	Inf	-Inf	7.00	3	H	66	1.50	-
PK	5.4508G	58.27	74.00	-15.73	5.93	3	H	66	1.50	-
PK	5.4604G	58.00	68.20	-10.20	5.98	3	H	66	1.50	-
PK	5.718G	110.03	Inf	-Inf	7.01	3	H	66	1.50	-
PK	5.9484G	60.30	68.20	-7.90	8.14	3	H	66	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40884G	42.87	54.00	-11.13	16.07	3	V	169	2.32	-
PK	11.4071G	56.22	74.00	-17.78	16.07	3	V	169	2.32	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40542G	42.88	54.00	-11.12	16.07	3	H	199	1.30	-
PK	11.40974G	56.32	74.00	-17.68	16.07	3	H	199	1.30	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170907
EUT_Y_4TX
Setting 92
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.742G	108.65	Inf	-Inf	7.06	3	V	181	1.72	-
PK	5.645G	67.88	68.20	-0.32	6.87	3	V	181	1.72	-
PK	5.747G	118.75	Inf	-Inf	7.07	3	V	181	1.72	-
PK	5.952G	60.53	68.20	-7.67	8.17	3	V	181	1.72	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170907
EUT_Y_4TX
Setting 92
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.75G	101.58	Inf	-Inf	7.08	3	H	241	2.18	-
PK	5.65G	60.45	68.20	-7.75	6.87	3	H	241	2.18	-
PK	5.751G	112.01	Inf	-Inf	7.08	3	H	241	2.18	-
PK	5.989G	59.82	68.20	-8.38	8.41	3	H	241	2.18	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170907
 EUT_Y_4TX
 Setting 92
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49632G	42.72	54.00	-11.28	16.13	3	V	229	2.10	-
PK	11.4968G	55.91	74.00	-18.09	16.13	3	V	229	2.10	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170907
EUT_Y_4TX
Setting 92
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49596G	42.70	54.00	-11.30	16.13	3	H	199	2.48	-
PK	11.49872G	55.93	74.00	-18.07	16.13	3	H	199	2.48	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.792G	108.66	Inf	-Inf	7.16	3	V	11	1.50	-
PK	5.627G	66.96	68.20	-1.24	6.83	3	V	11	1.50	-
PK	5.793G	119.80	Inf	-Inf	7.17	3	V	11	1.50	-
PK	5.924G	67.06	68.94	-1.88	7.99	3	V	11	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8G	103.13	Inf	-Inf	7.18	3	H	84	1.87	-
PK	5.628G	62.01	68.20	-6.19	6.83	3	H	84	1.87	-
PK	5.8G	112.94	Inf	-Inf	7.18	3	H	84	1.87	-
PK	5.933G	61.03	68.20	-7.17	8.04	3	H	84	1.87	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58388G	43.35	54.00	-10.65	16.19	3	V	121	1.15	-
PK	11.58862G	56.61	74.00	-17.39	16.19	3	V	121	1.15	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170907
 EUT_Y_4TX
 Setting 100
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57614G	43.40	54.00	-10.60	16.18	3	H	252	2.03	-
PK	11.59378G	57.12	74.00	-16.88	16.19	3	H	252	2.03	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170907
 EUT_Y_4TX
 Setting 62
 04-J-4-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.147G	53.66	54.00	-0.34	5.30	3	V	185	1.50	-
AV	5.237G	97.16	Inf	-Inf	5.53	3	V	185	1.50	-
AV	5.350005G	46.89	54.00	-7.11	5.65	3	V	185	1.50	-
PK	5.128G	69.11	74.00	-4.89	5.24	3	V	185	1.50	-
PK	5.243G	108.50	Inf	-Inf	5.54	3	V	185	1.50	-
PK	5.354G	59.60	74.00	-14.40	5.65	3	V	185	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170907
EUT_Y_4TX
Setting 62
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.147G	48.97	54.00	-5.03	5.30	3	H	272	2.31	-
AV	5.246G	91.13	Inf	-Inf	5.54	3	H	272	2.31	-
AV	5.452G	45.58	54.00	-8.42	5.94	3	H	272	2.31	-
PK	5.144G	64.72	74.00	-9.28	5.29	3	H	272	2.31	-
PK	5.245G	100.66	Inf	-Inf	5.54	3	H	272	2.31	-
PK	5.43G	58.24	74.00	-15.76	5.84	3	H	272	2.31	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170907
 EUT_Y_4TX
 Setting 62
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.636G	47.72	54.00	-6.28	17.88	3	V	153	1.63	-
PK	15.6327G	61.74	74.00	-12.26	17.87	3	V	153	1.63	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170907
EUT_Y_4TX
Setting 62
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.64326G	47.92	54.00	-6.08	17.88	3	H	221	1.20	-
PK	15.63582G	61.51	74.00	-12.49	17.88	3	H	221	1.20	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170907
EUT_Y_4TX
Setting 61
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.144G	44.74	54.00	-9.26	5.29	3	V	179	1.50	-
AV	5.318G	95.78	Inf	-Inf	5.62	3	V	179	1.50	-
AV	5.351G	53.67	54.00	-0.33	5.65	3	V	179	1.50	-
PK	5.144G	56.92	74.00	-17.08	5.29	3	V	179	1.50	-
PK	5.316G	105.94	Inf	-Inf	5.62	3	V	179	1.50	-
PK	5.364G	70.86	74.00	-3.14	5.66	3	V	179	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170907
EUT_Y_4TX
Setting 61
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	43.74	54.00	-10.26	5.31	3	H	80	1.49	-
AV	5.299G	89.09	Inf	-Inf	5.60	3	H	80	1.49	-
AV	5.351G	45.86	54.00	-8.14	5.65	3	H	80	1.49	-
PK	5.062G	56.27	74.00	-17.73	4.98	3	H	80	1.49	-
PK	5.299G	99.39	Inf	-Inf	5.60	3	H	80	1.49	-
PK	5.361G	61.82	74.00	-12.18	5.66	3	H	80	1.49	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170907
EUT_Y_4TX
Setting 61
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88284G	48.06	54.00	-5.94	18.08	3	V	236	2.33	-
PK	15.87168G	61.31	74.00	-12.69	18.07	3	V	236	2.33	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170907
EUT_Y_4TX
Setting 61
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88062G	48.08	54.00	-5.92	18.07	3	H	150	2.06	-
PK	15.873G	61.03	74.00	-12.97	18.07	3	H	150	2.06	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170907
EUT_Y_4TX
Setting 60
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.30	54.00	-0.70	5.98	3	V	177	1.48	-
AV	5.469G	53.87	54.00	-0.13	6.02	3	V	177	1.48	-
AV	5.52G	98.30	Inf	-Inf	6.28	3	V	177	1.48	-
AV	5.737G	46.95	54.00	-7.05	7.05	3	V	177	1.48	-
PK	5.452G	67.24	74.00	-6.76	5.94	3	V	177	1.48	-
PK	5.465G	71.68	74.00	-2.32	6.00	3	V	177	1.48	-
PK	5.52G	108.67	Inf	-Inf	6.28	3	V	177	1.48	-
PK	5.76G	59.45	74.00	-14.55	7.10	3	V	177	1.48	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170907
EUT_Y_4TX
Setting 60
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	47.20	54.00	-6.80	5.98	3	H	273	1.91	-
AV	5.463G	47.63	54.00	-6.37	5.99	3	H	273	1.91	-
AV	5.52G	94.58	Inf	-Inf	6.28	3	H	273	1.91	-
AV	5.746G	46.47	54.00	-7.53	7.07	3	H	273	1.91	-
PK	5.456G	58.66	74.00	-15.34	5.96	3	H	273	1.91	-
PK	5.465G	59.91	74.00	-14.09	6.00	3	H	273	1.91	-
PK	5.519G	104.96	Inf	-Inf	6.28	3	H	273	1.91	-
PK	5.765G	58.97	74.00	-15.03	7.11	3	H	273	1.91	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170907
 EUT_Y_4TX
 Setting 60
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.04566G	42.94	54.00	-11.06	15.83	3	V	92	1.21	-
PK	11.0633G	56.65	74.00	-17.35	15.84	3	V	92	1.21	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170907
 EUT_Y_4TX
 Setting 60
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.04512G	43.00	54.00	-11.00	15.83	3	H	343	1.13	-
PK	11.04896G	56.16	74.00	-17.84	15.83	3	H	343	1.13	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170907
EUT_Y_4TX
Setting 84
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	50.60	54.00	-3.40	5.97	3	V	177	1.49	-
AV	5.469G	51.92	54.00	-2.08	6.02	3	V	177	1.49	-
AV	5.626G	103.89	Inf	-Inf	6.83	3	V	177	1.49	-
AV	5.744G	53.60	54.00	-0.40	7.06	3	V	177	1.49	-
PK	5.451G	64.45	74.00	-9.55	5.93	3	V	177	1.49	-
PK	5.466G	65.00	74.00	-9.00	6.00	3	V	177	1.49	-
PK	5.63G	113.99	Inf	-Inf	6.84	3	V	177	1.49	-
PK	5.738G	68.97	74.00	-5.03	7.05	3	V	177	1.49	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170907
EUT_Y_4TX
Setting 84
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	46.19	54.00	-7.81	5.96	3	H	78	1.62	-
AV	5.468G	46.36	54.00	-7.64	6.01	3	H	78	1.62	-
AV	5.616G	96.33	Inf	-Inf	6.81	3	H	78	1.62	-
AV	5.783G	51.16	54.00	-2.84	7.14	3	H	78	1.62	-
PK	5.45G	58.71	74.00	-15.29	5.93	3	H	78	1.62	-
PK	5.460005G	58.41	74.00	-15.59	5.98	3	H	78	1.62	-
PK	5.616G	105.82	Inf	-Inf	6.81	3	H	78	1.62	-
PK	5.737G	61.49	74.00	-12.51	7.05	3	H	78	1.62	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170907
EUT_Y_4TX
Setting 84
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22624G	42.11	54.00	-11.89	15.95	3	V	292	1.20	-
PK	11.2341G	55.19	74.00	-18.81	15.95	3	V	292	1.20	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170907
EUT_Y_4TX
Setting 84
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22696G	42.14	54.00	-11.86	15.95	3	H	62	2.32	-
PK	11.22564G	55.27	74.00	-18.73	15.95	3	H	62	2.32	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170907
EUT_Y_4TX
Setting 98
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4564G	53.17	54.00	-0.83	5.96	3	V	221	1.63	-
AV	5.6948G	105.76	Inf	-Inf	6.96	3	V	221	1.63	-
PK	5.4292G	68.31	74.00	-5.69	5.83	3	V	221	1.63	-
PK	5.4692G	67.71	68.20	-0.49	6.02	3	V	221	1.63	-
PK	5.6964G	116.11	Inf	-Inf	6.96	3	V	221	1.63	-
PK	5.9284G	65.89	68.20	-2.31	8.01	3	V	221	1.63	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170907
EUT_Y_4TX
Setting 98
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	47.29	54.00	-6.71	5.97	3	H	70	1.41	-
AV	5.674G	99.10	Inf	-Inf	6.92	3	H	70	1.41	-
PK	5.458G	63.86	74.00	-10.14	5.97	3	H	70	1.41	-
PK	5.4612G	61.83	68.20	-6.37	5.98	3	H	70	1.41	-
PK	5.6724G	108.89	Inf	-Inf	6.92	3	H	70	1.41	-
PK	5.9812G	60.01	68.20	-8.19	8.36	3	H	70	1.41	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170907
EUT_Y_4TX
Setting 98
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3875G	42.90	54.00	-11.10	16.06	3	V	185	1.19	-
PK	11.37982G	55.65	74.00	-18.35	16.05	3	V	185	1.19	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170907
EUT_Y_4TX
Setting 98
04-J-4
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38834G	42.75	54.00	-11.25	16.06	3	H	322	1.45	-
PK	11.38594G	57.09	74.00	-16.91	16.05	3	H	322	1.45	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170907
EUT_Y_4TX
Setting 80
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.75G	102.63	Inf	-Inf	7.08	3	V	183	1.61	-
PK	5.645G	68.19	68.20	-0.01	6.87	3	V	183	1.61	-
PK	5.752G	112.69	Inf	-Inf	7.08	3	V	183	1.61	-
PK	5.963G	61.70	68.20	-6.50	8.24	3	V	183	1.61	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170907
EUT_Y_4TX
Setting 80
04-J-4-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.802G	96.47	Inf	-Inf	7.19	3	H	85	1.79	-
PK	5.628G	62.74	68.20	-5.46	6.83	3	H	85	1.79	-
PK	5.801G	107.05	Inf	-Inf	7.19	3	H	85	1.79	-
PK	5.945G	60.26	68.20	-7.94	8.12	3	H	85	1.79	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170907
 EUT_Y_4TX
 Setting 80
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55936G	43.42	54.00	-10.58	16.17	3	V	270	1.77	-
PK	11.5392G	56.95	74.00	-17.05	16.16	3	V	270	1.77	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



20170907
 EUT_Y_4TX
 Setting 80
 04-J-4
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5602G	43.33	54.00	-10.67	16.17	3	H	185	1.85	-
PK	11.55564G	56.85	74.00	-17.15	16.17	3	H	185	1.85	-



Mode: 20 MHz / Port 2

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5200 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5199.9725	5199.9723	5199.9721	5199.9717
110.00	5199.9716	5199.9711	5199.9706	5199.9703
93.50	5199.9708	5199.9698	5199.9693	5199.9689
Max. Deviation (MHz)	0.0292	0.0302	0.0307	0.0311
Max. Deviation (ppm)	5.62	5.81	5.90	5.98
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5200 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5199.9728	5199.9726	5199.9724	5199.9716
10	5199.9725	5199.9717	5199.9707	5199.9697
20	5199.9716	5199.9715	5199.9707	5199.9703
30	5199.9712	5199.9708	5199.9701	5199.9699
40	5199.9711	5199.9702	5199.9693	5199.9689
50	5199.9702	5199.9694	5199.9692	5199.9688
Max. Deviation (MHz)	0.0298	0.0306	0.0308	0.0312
Max. Deviation (ppm)	5.73	5.88	5.92	6.00
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5299.9726	5299.9723	5299.9713	5299.9710
110.00	5299.9716	5299.9712	5299.9711	5299.9704
93.50	5299.9712	5299.9710	5299.9701	5299.9696
Max. Deviation (MHz)	0.0288	0.0290	0.0299	0.0304
Max. Deviation (ppm)	5.43	5.47	5.64	5.74
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5299.9743	5299.9735	5299.9734	5299.9726
10	5299.9726	5299.9721	5299.9713	5299.9708
20	5299.9716	5299.9710	5299.9706	5299.9698
30	5299.9712	5299.9711	5299.9708	5299.9704
40	5299.9695	5299.9687	5299.9682	5299.9673
50	5299.9707	5299.9704	5299.9694	5299.9687
Max. Deviation (MHz)	0.0305	0.0313	0.0318	0.0327
Max. Deviation (ppm)	5.75	5.91	6.00	6.17
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5579.9719	5579.9710	5579.9709	5579.9701
110.00	5579.9716	5579.9706	5579.9698	5579.9690
93.50	5579.9712	5579.9710	5579.9700	5579.9693
Max. Deviation (MHz)	0.0288	0.0294	0.0302	0.0310
Max. Deviation (ppm)	5.16	5.27	5.41	5.56
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5579.9733	5579.9732	5579.9723	5579.9721
10	5579.9722	5579.9720	5579.9716	5579.9708
20	5579.9716	5579.9713	5579.9703	5579.9698
30	5579.9712	5579.9706	5579.9699	5579.9696
40	5579.9708	5579.9698	5579.9697	5579.9694
50	5579.9683	5579.9675	5579.9672	5579.9664
Max. Deviation (MHz)	0.0317	0.0325	0.0328	0.0336
Max. Deviation (ppm)	5.68	5.82	5.88	6.02
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5785 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5784.9723	5784.9722	5784.9717	5784.9714
110.00	5784.9716	5784.9706	5784.9700	5784.9697
93.50	5784.9710	5784.9708	5784.9699	5784.9695
Max. Deviation (MHz)	0.0290	0.0294	0.0301	0.0305
Max. Deviation (ppm)	5.01	5.08	5.20	5.27
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5785 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5784.9738	5784.9728	5784.9721	5784.9719
10	5784.9723	5784.9722	5784.9721	5784.9718
20	5784.9716	5784.9715	5784.9705	5784.9695
30	5784.9712	5784.9705	5784.9697	5784.9694
40	5784.9701	5784.9697	5784.9690	5784.9689
50	5784.9692	5784.9685	5784.9678	5784.9676
Max. Deviation (MHz)	0.0308	0.0315	0.0322	0.0324
Max. Deviation (ppm)	5.32	5.45	5.57	5.60
Result	Pass			



Mode: 40 MHz / Port 2
Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5190 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5189.9719	5189.9709	5189.9708	5189.9706
110.00	5189.9716	5189.9706	5189.9700	5189.9693
93.50	5189.9714	5189.9706	5189.9696	5189.9690
Max. Deviation (MHz)	0.0286	0.0294	0.0304	0.0310
Max. Deviation (ppm)	5.51	5.66	5.86	5.97
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5190 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5189.9721	5189.9713	5189.9707	5189.9700
10	5189.9718	5189.9717	5189.9713	5189.9709
20	5189.9716	5189.9709	5189.9703	5189.9699
30	5189.9712	5189.9704	5189.9697	5189.9695
40	5189.9698	5189.9696	5189.9689	5189.9687
50	5189.9677	5189.9673	5189.9664	5189.9663
Max. Deviation (MHz)	0.0323	0.0327	0.0336	0.0337
Max. Deviation (ppm)	6.22	6.30	6.47	6.49
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5309.9726	5309.9720	5309.9718	5309.9717
110.00	5309.9716	5309.9708	5309.9705	5309.9703
93.50	5309.9711	5309.9703	5309.9699	5309.9690
Max. Deviation (MHz)	0.0289	0.0297	0.0301	0.0310
Max. Deviation (ppm)	5.44	5.59	5.67	5.84
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5309.9728	5309.9724	5309.9715	5309.9713
10	5309.9723	5309.9716	5309.9711	5309.9709
20	5309.9716	5309.9709	5309.9707	5309.9700
30	5309.9712	5309.9703	5309.9702	5309.9692
40	5309.9707	5309.9697	5309.9692	5309.9686
50	5309.9699	5309.9694	5309.9690	5309.9683
Max. Deviation (MHz)	0.0301	0.0306	0.0310	0.0317
Max. Deviation (ppm)	5.67	5.76	5.84	5.97
Result	Pass			



Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5549.9721	5549.9717	5549.9707	5549.9698
110.00	5549.9716	5549.9707	5549.9700	5549.9690
93.50	5549.9708	5549.9706	5549.9702	5549.9697
Max. Deviation (MHz)	0.0292	0.0294	0.0300	0.0310
Max. Deviation (ppm)	5.26	5.30	5.41	5.59
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5549.9731	5549.9725	5549.9719	5549.9713
10	5549.9729	5549.9722	5549.9721	5549.9715
20	5549.9716	5549.9708	5549.9704	5549.9698
30	5549.9712	5549.9703	5549.9697	5549.9689
40	5549.9702	5549.9695	5549.9690	5549.9680
50	5549.9698	5549.9697	5549.9688	5549.9682
Max. Deviation (MHz)	0.0302	0.0305	0.0312	0.0320
Max. Deviation (ppm)	5.44	5.50	5.62	5.77
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5755 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5754.9726	5754.9722	5754.9721	5754.9717
110.00	5754.9716	5754.9706	5754.9705	5754.9702
93.50	5754.9713	5754.9704	5754.9698	5754.9694
Max. Deviation (MHz)	0.0287	0.0296	0.0302	0.0306
Max. Deviation (ppm)	4.99	5.14	5.25	5.32
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5755 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5754.9742	5754.9735	5754.9728	5754.9724
10	5754.9735	5754.9725	5754.9716	5754.9706
20	5754.9716	5754.9715	5754.9706	5754.9696
30	5754.9712	5754.9707	5754.9705	5754.9697
40	5754.9700	5754.9690	5754.9681	5754.9679
50	5754.9696	5754.9693	5754.9690	5754.9686
Max. Deviation (MHz)	0.0304	0.0310	0.0319	0.0321
Max. Deviation (ppm)	5.28	5.39	5.54	5.58
Result	Pass			



Mode: 80 MHz / Port 2
Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5210 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5209.9725	5209.9716	5209.9714	5209.9712
110.00	5209.9716	5209.9707	5209.9704	5209.9699
93.50	5209.9713	5209.9712	5209.9710	5209.9706
Max. Deviation (MHz)	0.0287	0.0293	0.0296	0.0301
Max. Deviation (ppm)	5.51	5.62	5.68	5.78
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5210 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5209.9723	5209.9718	5209.9717	5209.9711
10	5209.9717	5209.9710	5209.9703	5209.9698
20	5209.9716	5209.9712	5209.9702	5209.9693
30	5209.9712	5209.9709	5209.9701	5209.9694
40	5209.9708	5209.9705	5209.9703	5209.9697
50	5209.9688	5209.9686	5209.9685	5209.9676
Max. Deviation (MHz)	0.0312	0.0314	0.0315	0.0324
Max. Deviation (ppm)	5.99	6.03	6.05	6.22
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5289.9724	5289.9720	5289.9717	5289.9711
110.00	5289.9716	5289.9706	5289.9702	5289.9695
93.50	5289.9708	5289.9701	5289.9692	5289.9685
Max. Deviation (MHz)	0.0292	0.0299	0.0308	0.0315
Max. Deviation (ppm)	5.52	5.65	5.82	5.95
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5289.9738	5289.9733	5289.9728	5289.9718
10	5289.9718	5289.9710	5289.9703	5289.9701
20	5289.9716	5289.9708	5289.9706	5289.9697
30	5289.9712	5289.9708	5289.9705	5289.9702
40	5289.9695	5289.9688	5289.9685	5289.9678
50	5289.9704	5289.9703	5289.9695	5289.9687
Max. Deviation (MHz)	0.0305	0.0312	0.0315	0.0322
Max. Deviation (ppm)	5.77	5.90	5.95	6.09
Result	Pass			



Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5529.9724	5529.9723	5529.9715	5529.9709
110.00	5529.9716	5529.9711	5529.9704	5529.9701
93.50	5529.9708	5529.9703	5529.9695	5529.9692
Max. Deviation (MHz)	0.0292	0.0297	0.0305	0.0308
Max. Deviation (ppm)	5.28	5.37	5.52	5.57
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5529.9730	5529.9726	5529.9721	5529.9717
10	5529.9719	5529.9717	5529.9707	5529.9706
20	5529.9716	5529.9708	5529.9703	5529.9695
30	5529.9712	5529.9706	5529.9697	5529.9691
40	5529.9708	5529.9701	5529.9700	5529.9699
50	5529.9701	5529.9691	5529.9687	5529.9685
Max. Deviation (MHz)	0.0299	0.0309	0.0313	0.0315
Max. Deviation (ppm)	5.41	5.59	5.66	5.70
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5775 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5774.9724	5774.9718	5774.9708	5774.9707
110.00	5774.9716	5774.9710	5774.9709	5774.9702
93.50	5774.9714	5774.9709	5774.9704	5774.9703
Max. Deviation (MHz)	0.0286	0.0291	0.0296	0.0298
Max. Deviation (ppm)	4.95	5.04	5.13	5.16
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5775 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5774.9738	5774.9729	5774.9720	5774.9716
10	5774.9722	5774.9717	5774.9714	5774.9709
20	5774.9716	5774.9714	5774.9710	5774.9706
30	5774.9712	5774.9709	5774.9704	5774.9696
40	5774.9702	5774.9701	5774.9695	5774.9692
50	5774.9693	5774.9685	5774.9681	5774.9679
Max. Deviation (MHz)	0.0307	0.0315	0.0319	0.0321
Max. Deviation (ppm)	5.32	5.45	5.52	5.56
Result	Pass			