



802.11n HT20_2 467 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.53 ¹⁾	H	59.69	32.07	-29.21	-	62.55	74.00	11.45
4 938.22 ¹⁾	V	62.30	33.98	-55.05	-	41.23	74.00	32.77
9 867.77	V	63.18	36.79	-53.15	-	46.82	74.00	27.18
Average Data								
2 483.53 ¹⁾	H	46.62	32.07	-29.21	0.12	49.60	54.00	4.40


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 472 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.53 ¹⁾	H	60.51	32.07	-29.21	-	63.37	74.00	10.63
4 942.75 ¹⁾	H	61.40	33.98	-54.97	-	40.41	74.00	33.59
16 760.25	H	56.49	41.76	-46.39	-	51.86	74.00	22.14
Average Data								
2 483.53 ¹⁾	H	47.72	32.07	-29.21	0.12	50.70	54.00	3.30


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT40_2 422 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.98 ¹⁾	H	60.92	31.88	-29.04	-	63.76	74.00	10.24
4 842.61 ¹⁾	H	61.68	33.94	-54.11	-	41.51	74.00	32.49
9 688.33	V	64.58	36.65	-53.54	-	47.69	74.00	26.31
Average Data								
2 389.98 ¹⁾	H	48.82	31.88	-29.04	0.23	51.89	54.00	2.11


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT40_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 874.33 ¹⁾	H	63.49	33.95	-55.01	-	42.43	74.00	31.57
16 549.55	V	54.83	41.55	-45.67	-	50.71	74.00	23.29
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT40_2 452 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.55 ¹⁾	H	61.73	32.07	-29.21	-	64.59	74.00	9.41
4 905.14 ¹⁾	V	61.03	33.96	-55.64	-	39.35	74.00	34.65
9 808.41	V	61.66	36.75	-53.28	-	45.13	74.00	28.87
Average Data								
2 483.55 ¹⁾	H	48.43	32.07	-29.21	0.23	51.52	54.00	2.48


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11n HT40_2 457 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.60 ¹⁾	H	62.25	32.07	-29.21	-	65.11	74.00	8.89
4 912.39 ¹⁾	H	60.63	33.96	-55.51	-	39.08	74.00	34.92
9 827.89	V	64.37	36.76	-53.24	-	47.89	74.00	26.11
Average Data								
2 483.60 ¹⁾	H	47.97	32.07	-29.21	0.23	51.06	54.00	2.94

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11n HT40_2 462 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.50 ¹⁾	H	57.99	32.07	-29.21	-	60.85	74.00	13.15
4 936.86 ¹⁾	H	61.77	33.97	-55.08	-	40.66	74.00	33.34
9 848.28	V	63.05	36.78	-53.19	-	46.64	74.00	27.36
15 104.08	V	57.50	39.96	-46.66	-	50.80	74.00	23.20
Average Data								
2 483.50 ¹⁾	H	48.10	32.07	-29.21	0.23	51.19	54.00	2.81

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




SISO ANT 2**802.11b_2 412 MHz**


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
2 382.59 ¹⁾	H	41.31	31.87	-29.08	-	44.10	74.00	29.90
4 824.03 ¹⁾	V	64.11	33.93	-53.58	-	44.46	74.00	29.54
9 648.45	V	65.43	36.62	-53.63	-	48.42	74.00	25.58
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for Band-edge

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11b_2 437 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 873.92 ¹⁾	H	76.60	33.95	-55.00	-	55.55	74.00	18.45
5 116.30 ¹⁾	V	66.27	34.19	-54.85	-	45.61	74.00	28.39
9 748.14	V	65.94	36.70	-53.41	-	49.23	74.00	24.77
Average Data								
4 873.92 ¹⁾	H	71.50	33.95	-55.00	-	50.45	54.00	3.55

Average data




Blank

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11b_2 462 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 484.10 ¹⁾	H	48.79	32.07	-29.22	-	51.64	74.00	22.36
4 923.72 ¹⁾	H	70.58	33.97	-55.31	-	49.24	74.00	24.76
9 847.83	V	65.23	36.78	-53.19	-	48.82	74.00	25.18
Average Data								
2 484.10 ¹⁾	H	37.66	32.07	-29.22	-	40.51	54.00	13.49

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11b_2 467 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.89 ¹⁾	H	49.54	32.07	-29.21	-	52.40	74.00	21.60
4 933.69 ¹⁾	V	68.54	33.97	-55.13	-	47.38	74.00	26.62
9 868.22	V	62.39	36.79	-53.15	-	46.03	74.00	27.97
Average Data								
2 483.89 ¹⁾	H	42.45	32.07	-29.21	-	45.31	54.00	8.69


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11b_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.89 ¹⁾	H	48.88	32.07	-29.21	-	51.74	74.00	22.26
4 943.66 ¹⁾	H	63.50	33.98	-54.96	-	42.52	74.00	31.48
9 888.16	V	60.78	36.81	-53.11	-	44.48	74.00	29.52
Average Data								
2 483.89 ¹⁾	H	44.16	32.07	-29.21	-	47.02	54.00	6.98

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 412 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.95 ¹⁾	H	58.93	31.88	-29.04	-	61.77	74.00	12.23
4 581.61 ¹⁾	V	65.74	33.83	-55.11	-	44.46	74.00	29.54
4 825.90 ¹⁾	V	79.03	33.93	-53.63	-	59.33	74.00	14.67
5 062.83 ¹⁾	V	69.54	34.10	-54.48	-	49.16	74.00	24.84
9 648.00	V	65.39	36.62	-53.63	-	48.38	74.00	25.62
Average Data								
2 389.95 ¹⁾	H	47.45	31.88	-29.04	0.11	50.40	54.00	3.60
4 825.90 ¹⁾	V	70.00	33.93	-53.63	0.11	50.41	54.00	3.59


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
4 626.47 ¹⁾	V	65.83	33.85	-54.80	-	44.88	74.00	29.12
4 869.34 ¹⁾	H	73.21	33.95	-54.87	-	52.29	74.00	21.71
5 117.66 ¹⁾	V	68.72	34.19	-54.85	-	48.06	74.00	25.94
9 747.69	V	65.56	36.70	-53.41	-	48.85	74.00	25.15
Average Data								
4 869.64 ¹⁾	H	64.09	33.95	-54.87	0.11	43.28	54.00	10.72


Average data

Blank

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11g_2 462 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.51 ¹⁾	H	55.94	32.07	-29.21		58.80	74.00	15.20
4 920.55 ¹⁾	H	70.69	33.97	-55.37		49.29	74.00	24.71
9 847.83	V	63.97	36.78	-53.19		47.56	74.00	26.44
Average Data								
2 483.51 ¹⁾	H	42.46	32.07	-29.21	0.11	45.43	54.00	8.57

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 467 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
2 484.64 ¹⁾	H	47.19	32.07	-29.22	-	50.04	74.00	23.96
4 937.77 ¹⁾	V	62.84	33.98	-55.06	-	41.76	74.00	32.24
9 868.22	V	63.62	36.79	-53.15	-	47.26	74.00	26.74
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for Band-edge

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11g_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.50 ¹⁾	H	49.04	32.07	-29.21	-	51.90	74.00	22.10
4 945.92 ¹⁾	H	62.75	33.98	-54.92	-	41.81	74.00	32.19
9 887.70	V	60.12	36.81	-53.11	-	43.82	74.00	30.18
Average Data								
2 483.50 ¹⁾	H	38.62	32.07	-29.21	0.11	41.59	54.00	12.41

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 412 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.84 ¹⁾	H	59.85	31.88	-29.04	-	62.69	74.00	11.31
3 697.56 ¹⁾	V	68.39	32.76	-57.09	-	44.06	74.00	29.94
4 577.53 ¹⁾	V	65.23	33.83	-55.14	-	43.92	74.00	30.08
4 824.29 ¹⁾	V	74.42	33.93	-53.59	-	54.76	74.00	19.24
5 064.19 ¹⁾	V	67.75	34.10	-54.50	-	47.35	74.00	26.65
9 648.00	V	65.47	36.62	-53.63	-	48.46	74.00	25.54
Average Data								
2 389.84 ¹⁾	H	47.43	31.88	-29.04	0.12	50.39	54.00	3.61
4 824.29 ¹⁾	V	65.25	33.93	-53.59	0.12	45.71	54.00	8.29


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
3 602.41 ¹⁾	V	71.58	32.68	-56.27	-	47.99	74.00	26.01
4 871.18 ¹⁾	H	75.28	33.95	-54.85	-	54.38	74.00	19.62
5 118.11 ¹⁾	V	68.81	34.19	-54.85	-	48.15	74.00	25.85
9 748.14	V	65.81	36.70	-53.41	-	49.10	74.00	24.90
Average Data								
4 871.18 ¹⁾	H	64.39	33.95	-54.92	0.12	43.54	54.00	10.46


Average data



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 462 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.51 ¹⁾	H	58.52	32.07	-29.21	-	61.38	74.00	12.62
4 927.34 ¹⁾	H	67.09	33.97	-55.25	-	45.81	74.00	28.19
9 848.28	V	64.75	36.78	-53.19	-	48.34	74.00	25.66
Average Data								
2 483.51 ¹⁾	H	47.80	32.07	-29.21	0.12	50.78	54.00	3.22


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 467 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.53 ¹⁾	H	51.80	32.07	-29.21	-	54.66	74.00	19.34
4 936.41 ¹⁾	H	62.25	33.97	-55.09	-	41.13	74.00	32.87
9 868.22	V	61.96	36.79	-53.15	-	45.60	74.00	28.40
Average Data								
2 483.53 ¹⁾	H	36.15	32.07	-29.21	0.12	39.13	54.00	14.87


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 472 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.51 ¹⁾	H	54.27	32.07	-29.21	-	57.13	74.00	16.87
4 940.94 ¹⁾	V	62.72	33.98	-55.00	-	41.70	74.00	32.30
9 888.16	V	60.25	36.81	-53.11	-	43.95	74.00	30.05
Average Data								
2 483.51 ¹⁾	H	39.74	32.07	-29.21	0.12	42.72	54.00	11.28


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11n HT40_2 422 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.73 ¹⁾	H	63.74	31.88	-29.04	-	66.58	74.00	7.42
3 698.47 ¹⁾	H	67.37	32.76	-57.10	-	43.03	74.00	30.97
4 842.61 ¹⁾	H	68.03	33.94	-54.11	-	47.86	74.00	26.14
9 688.33	V	65.82	36.65	-53.54	-	48.93	74.00	25.07
14 913.31	V	57.85	40.10	-46.28	-	51.67	74.00	22.33
16 775.20	H	56.90	41.78	-46.44	-	52.24	74.00	21.76
Average Data								
2 389.73 ¹⁾	H	48.26	31.88	-29.04	0.23	51.33	54.00	2.67

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT40_2 437 MHz

Frequency (MHz)	Pol. (V/H)	Reading (dB(μV))	Ant. Factor (dB)	Amp. + Cable (dB)	DCF (dB)	Result (dB(μV/m))	Limit (dB(μV/m))	Margin (dB)
Peak data								
4 872.06 ¹⁾	V	68.65	33.95	-54.94	-	47.66	74.00	26.34
9 747.69	V	65.14	36.70	-53.41	-	48.43	74.00	25.57
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT40_2 452 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.52 ¹⁾	H	62.22	32.07	-29.21	-	65.08	74.00	8.92
4 904.69 ¹⁾	H	61.59	33.96	-55.65	-	39.90	74.00	34.10
9 808.41	V	63.37	36.75	-53.28	-	46.84	74.00	27.16
Average Data								
2 483.52 ¹⁾	H	47.96	32.07	-29.21	0.23	51.05	54.00	2.95


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT40_2 457 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 488.78 ¹⁾	H	63.36	32.08	-29.23	-	66.21	74.00	7.79
4 913.30 ¹⁾	V	61.43	33.97	-55.50	-	39.90	74.00	34.10
9 828.34	V	65.16	36.76	-53.24	-	48.68	74.00	25.32
Average Data								
2 488.78 ¹⁾	H	48.71	32.08	-29.23	0.23	51.79	54.00	2.21


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT40_2 462 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.50 ¹⁾	H	62.12	32.07	-29.21	-	64.98	74.00	9.02
4 940.48 ¹⁾	H	61.73	33.98	-55.01	-	40.70	74.00	33.30
5 656.42	H	62.49	34.99	-54.32	-	43.16	74.00	30.84
7 966.91	V	62.91	35.77	-50.05	-	48.63	74.00	25.37
9 848.28	V	64.36	36.78	-53.19	-	47.95	74.00	26.05
15 089.13	H	58.27	39.95	-46.55	-	51.67	74.00	22.33
Average Data								
2 483.50 ¹⁾	H	48.26	32.07	-29.21	0.23	51.35	54.00	2.65


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz




MIMO


802.11g_2 412 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.89 ¹⁾	H	58.61	31.88	-29.04	-	61.45	74.00	12.55
4 582.52 ¹⁾	V	66.55	33.83	-55.10	-	45.28	74.00	28.72
4 824.18 ¹⁾	H	77.78	33.93	-53.59	-	58.12	74.00	15.88
5 066.00 ¹⁾	V	71.06	34.11	-54.51	-	50.66	74.00	23.34
9 648.00	V	66.91	36.62	-53.63	-	49.90	74.00	24.10
Average Data								
2 389.89 ¹⁾	H	45.91	31.88	-29.04	0.11	48.86	54.00	5.14
4 824.18 ¹⁾	H	69.22	33.93	-53.59	0.11	49.67	54.00	4.33


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 638.25 ¹⁾	V	69.58	33.86	-54.73	-	48.71	74.00	25.29
4 873.76 ¹⁾	V	80.25	33.95	-55.00	-	59.20	74.00	14.80
5 107.69 ¹⁾	V	74.33	34.17	-54.82	-	53.68	74.00	20.32
9 748.14	V	67.67	36.70	-53.41	-	50.96	74.00	23.04
Average Data								
4 873.76 ¹⁾	H	71.52	33.95	-55.00	0.11	50.58	54.00	3.42


Average data



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11g_2 462 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.52 ¹⁾	H	60.64	32.07	-29.21	-	63.50	74.00	10.50
4 927.34 ¹⁾	H	66.81	33.97	-55.25	-	45.53	74.00	28.47
9 848.28	V	64.26	36.78	-53.19	-	47.85	74.00	26.15
15 143.50	H	59.73	39.99	-46.95	-	52.77	74.00	21.23
Average Data								
2 483.52 ¹⁾	H	47.32	32.07	-29.21	0.11	50.29	54.00	3.71

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11g_2 467 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.70 ¹⁾	H	55.34	32.07	-29.21	-	58.20	74.00	15.80
4 936.86 ¹⁾	V	62.49	33.97	-55.08	-	41.38	74.00	32.62
9 867.77	V	63.91	36.79	-53.15	-	47.55	74.00	26.45
15 011.19	V	57.19	39.91	-45.98	-	51.12	74.00	22.88
Average Data								
2 483.70 ¹⁾	H	41.14	32.07	-29.21	0.11	44.11	54.00	9.89

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz



802.11g_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 484.43 ¹⁾	H	56.46	32.07	-29.22	-	59.31	74.00	14.69
4 944.56 ¹⁾	V	61.95	33.98	-54.94	-	40.99	74.00	33.01
11 827.98 ¹⁾	V	61.72	38.39	-50.15	-	49.96	74.00	24.04
Average Data								
2 484.43 ¹⁾	H	46.29	32.07	-29.22	0.11	49.25	54.00	4.75

Average data




Blank


Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 412 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
2 388.84 ¹⁾	H	61.14	31.88	-29.04	-	63.98	74.00	10.02
4 825.99 ¹⁾	H	75.46	33.93	-53.64	-	55.75	74.00	18.25
5 054.22 ¹⁾	V	68.88	34.09	-54.41	-	48.56	74.00	25.44
9 647.55	V	67.61	36.62	-53.63	-	50.60	74.00	23.40
Average Data								
2 388.84 ¹⁾	H	47.79	31.88	-29.04	0.12	50.75	54.00	3.25
4 825.99 ¹⁾	H	66.63	33.93	-53.64	0.12	47.04	54.00	6.96


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 633.27 ¹⁾	V	69.30	33.85	-54.76	-	48.39	74.00	25.61
4 873.80 ¹⁾	V	76.98	33.95	-54.99	-	55.94	74.00	18.06
5 110.04 ¹⁾	H	72.63	34.18	-54.83	-	51.98	74.00	22.02
9 748.14	V	69.05	36.70	-53.41	-	52.34	74.00	21.66
Average Data								
4 873.80 ¹⁾	V	68.51	33.95	-54.99	0.12	47.59	54.00	6.41
5 110.04 ¹⁾	H	57.48	34.18	-54.83	0.12	36.95	54.00	17.05


Average data



Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 462 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.78 ¹⁾	H	57.52	32.07	-29.21	-	60.38	74.00	13.62
3 696.20 ¹⁾	V	68.66	32.76	-57.08	-	44.34	74.00	29.66
4 926.89 ¹⁾	H	68.70	33.97	-55.26	-	47.41	74.00	26.59
9 848.28	V	64.23	36.78	-53.19	-	47.82	74.00	26.18
15 084.59	H	59.73	39.95	-46.52	-	53.16	74.00	20.84
Average Data								
2 483.78 ¹⁾	H	47.66	32.07	-29.21	0.12	50.64	54.00	3.36


Average data



Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz

