



19. Antenna Locations & Separation Distances


* Distance between Main Ant, WiFi/BT Ant, Sensor Location and EDGE




20. Setup Photos

20.1. Head Setup Photos for WWAN


Left Hand Side Touch




Left Hand Side Tilt (15°)



Right Hand Side Touch



Right Hand Side Tilt (15°)



20.1. Body Setup Photos for WWAN

Rear w/ 8 mm separation (w/ full power)



Rear w/ 0 mm separation distance (w/ power back-off)




Rear w/ 8 mm separation w/ Headset (w/ full power)



Rear w/ 0 mm separation w/ Headset (w/ power back-off)




Top-edge (Edge 1) w/ 5 mm separation (w/ full power)



Top-edge (Edge 1) w/ 0 mm separation (w/ power back-off)



Edge 1/Edge 4 at 45°/Vertex (w/ full power)




Left-edge (Edge 4) w/ 0 mm separation (w/ full power)




20.2. Head SAR Setup Photos for Wi-Fi under TWIN SAM Phantom

Left Hand Side Touch (Most Conservative separation distance)



Right Hand Side Touch



Head SAR Setup Photo in Mouth and Jaw Regions of the SAM Phantom

SAR tests under flat phantom with head tissue simulating liquid



Note(s):


1. This test setup configuration is based on KDB 648474 D01 SAR Handsets Multi Xmitter and Ant, v01r05
2. This test setup configuration is based on the most conservative Left touch position.
3. The Left and Right Tilt configuration has a greater separation distance from the antenna to the phantom than the Touch configuration.

20.3. Body SAR Setup Photos for WiFi


Rear w/ 0 mm separation distance



Left-edge (Edge 4) w/ 0 mm separation



Left Edge (Edge 4) at 45°



21. External Photos

Front



Rear/Base



END OF REPORT