


## **Annex I. SAR to Peak Location Separation Ratio Analysis.**


The result of analysis are shown as below.

WWAN + WLAN 2.4G\_Ant 1 + BT\_Ant 2




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
WCDMA II_RMC12.2K_Ch9538_Ant 1	Body	Rear Face	0.693	36.4	140	2.06	213.1	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
WCDMA II_RMC12.2K_Ch9538_Ant 1	Body	Rear Face	0.693	36.4	140	2.06	254.2	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WCDMA IV_RMC12.2K_Ch1513_Ant 1	Body	Rear Face	0.675	33.6	131.6	-2.91	204.7	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
WCDMA IV_RMC12.2K_Ch1513_Ant 1	Body	Rear Face	0.675	33.6	131.6	-2.91	245.6	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WCDMA V_RMC12.2K_Ch4132_Ant 2	Body	Rear Face	0.558	78.4	-138	-4.29	196.8	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
WCDMA V_RMC12.2K_Ch4132_Ant 2	Body	Rear Face	0.558	78.4	-138	-4.29	189.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	185.3	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	174.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		

WWAN + WLAN 2.4G\_Ant 1 + BT\_Ant 2




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	201.5	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	243.4	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	193.7	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	182.1	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	170.9	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	183.7	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	172.7	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		


啟用 Windows  
移至 [設定] 以啟用 Windows。




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 25_QPSK20M_Ch26590_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	218.8	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 25_QPSK20M_Ch26590_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	259.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 41_QPSK20M_Ch40185_Ant 1	Body	Rear Face	0.498	17	139	2.35	201.5	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 41_QPSK20M_Ch40185_Ant 1	Body	Rear Face	0.498	17	139	2.35	243.4	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	193.5	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	234.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	193.8	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	184.1	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
WCDMA II_RMC12.2K_Ch9538_Ant 1	Body	Rear Face	0.693	36.4	140	2.06	208.4	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
WCDMA II_RMC12.2K_Ch9538_Ant 1	Body	Rear Face	0.693	36.4	140	2.06	254.2	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WCDMA IV_RMC12.2K_Ch1513_Ant 1	Body	Rear Face	0.675	33.6	131.6	-2.91	199.8	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
WCDMA IV_RMC12.2K_Ch1513_Ant 1	Body	Rear Face	0.675	33.6	131.6	-2.91	245.6	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WCDMA V_RMC12.2K_Ch4132_Ant 2	Body	Rear Face	0.558	78.4	-138	-4.29	190.2	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
WCDMA V_RMC12.2K_Ch4132_Ant 2	Body	Rear Face	0.558	78.4	-138	-4.29	189.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	179.1	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	174.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		



Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	197.3	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	243.4	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	187.2	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	176.0	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	170.9	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	177.5	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	172.7	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 25_QPSK20M_Ch26590_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	213.8	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 25_QPSK20M_Ch26590_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	259.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 41_QPSK20M_Ch40185_Ant 1	Body	Rear Face	0.498	17	139	2.35	197.3	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 41_QPSK20M_Ch40185_Ant 1	Body	Rear Face	0.498	17	139	2.35	243.4	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	188.7	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	234.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	187.5	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	184.1	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
WCDMA II_RMC12.2K_Ch9538_Ant 1	Body	Rear Face	0.693	36.4	140	2.06	224.1	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
WCDMA II_RMC12.2K_Ch9538_Ant 1	Body	Rear Face	0.693	36.4	140	2.06	254.2	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WCDMA IV_RMC12.2K_Ch1513_Ant 1	Body	Rear Face	0.675	33.6	131.6	-2.91	215.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
WCDMA IV_RMC12.2K_Ch1513_Ant 1	Body	Rear Face	0.675	33.6	131.6	-2.91	245.6	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WCDMA V_RMC12.2K_Ch4132_Ant 2	Body	Rear Face	0.558	78.4	-138	-4.29	166.5	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
WCDMA V_RMC12.2K_Ch4132_Ant 2	Body	Rear Face	0.558	78.4	-138	-4.29	189.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	154.1	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	174.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		







Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	214.9	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	243.4	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	163.2	0.02
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	150.8	0.02
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	170.9	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	152.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	172.7	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 25_QPSK20M_Ch26590_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	228.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 25_QPSK20M_Ch26590_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	259.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 41_QPSK20M_Ch40185_Ant 1	Body	Rear Face	0.498	17	139	2.35	214.9	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 41_QPSK20M_Ch40185_Ant 1	Body	Rear Face	0.498	17	139	2.35	243.4	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	204.0	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	234.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	162.9	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	184.1	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	283.5	0.00
NR 2_DFT-SQPSK20M_Ch376000_Ant 1			0.350	50	138.9	-4.77		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	185.3	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	174.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.350	50	138.9	-4.77	220.5	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.350	50	138.9	-4.77	260.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	279.2	0.00
NR 2_DFT-SQPSK20M_Ch376000_Ant 1			0.350	50	138.9	-4.77		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	193.7	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.350	50	138.9	-4.77	220.5	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.350	50	138.9	-4.77	260.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	283.4	0.00
NR 2_DFT-SQPSK20M_Ch376000_Ant 1			0.350	50	138.9	-4.77		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	182.1	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	170.9	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.350	50	138.9	-4.77	220.5	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.350	50	138.9	-4.77	260.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	283.4	0.00
NR 2_DFT-SQPSK20M_Ch376000_Ant 1			0.350	50	138.9	-4.77		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	183.7	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	172.7	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.350	50	138.9	-4.77	220.5	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.350	50	138.9	-4.77	260.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	278.4	0.00
NR 5_DFT-SQPSK20M_Ch167300_Ant 2			0.359	46	-140	-1.61		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	218.8	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	259.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 5_DFT-SQPSK20M_Ch167300_Ant 2	Body	Rear Face	0.359	46	-140	-1.61	171.5	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 5_DFT-SQPSK20M_Ch167300_Ant 2	Body	Rear Face	0.359	46	-140	-1.61	159.9	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 4_QPSK20M_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	23.6	0.04
NR 41_DFT-SQPSK100M_Ch513900_Ant 1			0.407	20.2	141.4	-4.96		
LTE 4_QPSK20M_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	193.5	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 4_QPSK20M_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	234.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 41_DFT-SQPSK100M_Ch513900_Ant 1	Body	Rear Face	0.407	20.2	141.4	-4.96	205.3	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 41_DFT-SQPSK100M_Ch513900_Ant 1	Body	Rear Face	0.407	20.2	141.4	-4.96	247.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		



Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	285.8	0.00
NR 41_DFT-SQPSK100M_Ch513900_Ant 1			0.407	20.2	141.4	-4.96		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	193.7	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 41_DFT-SQPSK100M_Ch513900_Ant 1	Body	Rear Face	0.407	20.2	141.4	-4.96	205.3	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 41_DFT-SQPSK100M_Ch513900_Ant 1	Body	Rear Face	0.407	20.2	141.4	-4.96	247.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	278.7	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.420	29.6	132.6	-4.97		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	185.3	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	174.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.420	29.6	132.6	-4.97	203.2	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.420	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	275.5	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.420	29.6	132.6	-4.97		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	193.7	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.420	29.6	132.6	-4.97	203.2	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.420	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	278.3	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.420	29.6	132.6	-4.97		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	182.1	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	170.9	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.420	29.6	132.6	-4.97	203.2	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.420	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	278.5	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.420	29.6	132.6	-4.97		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	183.7	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	172.7	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.420	29.6	132.6	-4.97	203.2	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.420	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	280.8	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.420	29.6	132.6	-4.97		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	193.8	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	184.1	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.420	29.6	132.6	-4.97	203.2	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.420	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		






Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	281.0	0.01
NR 71_DFT-SQPSK20M_Ch136100_Ant 2			0.557	70.4	-141.6	-4.34		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	218.8	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	259.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	192.1	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	183.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	285.7	0.00
NR 71_DFT-SQPSK20M_Ch136100_Ant 2			0.557	70.4	-141.6	-4.34		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	201.5	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	243.4	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	192.1	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	183.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	265.9	0.00
NR 71_DFT-SQPSK20M_Ch136100_Ant 2			0.557	70.4	-141.6	-4.34		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	193.5	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	234.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	192.1	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	183.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	299.5	0.00
NR 77_DFT-SQPSK100M_Ch_Ant 3			0.554	-29	142	-4.66		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	193.7	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 77_DFT-SQPSK100M_Ch_Ant 3	Body	Rear Face	0.554	-29	142	-4.66	184.7	0.01
WLAN2.4G_802.11b_Ch12 Ant 1			1.174	-88	-33	0.24		
NR 77_DFT-SQPSK100M_Ch_Ant 3	Body	Rear Face	0.554	-29	142	-4.66	227.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN2.4G_802.11b_Ch12 Ant 1	Body	Rear Face	1.174	-88	-33	0.24	43.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		

WWAN + WLAN 5G\_Ant 1 + WLAN 5G\_Ant 2 + BT\_Ant 2(EN-DC)




Conditions	Condition	Position	Power (W/kg)	Position (mm)			Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	283.5	0.00
NR 2_DFT-SQPSK20M_Ch376000_Ant 1			0.35	50	138.9	-4.77		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	179.1	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	174.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	215.4	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	260.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	279.2	0.00
NR 2_DFT-SQPSK20M_Ch376000_Ant 1			0.35	50	138.9	-4.77		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	187.2	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	215.4	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	260.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		

WWAN + WLAN 5G\_Ant 1 + WLAN 5G\_Ant 2 + BT\_Ant 2(EN-DC)




Conditions	Condition	Position	Power (W/kg)	Position (mm)			Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	283.4	0.00
NR 2_DFT-SQPSK20M_Ch376000_Ant 1			0.35	50	138.9	-4.77		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	176.0	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	170.9	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	215.4	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	260.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	283.4	0.00
NR 2_DFT-SQPSK20M_Ch376000_Ant 1			0.35	50	138.9	-4.77		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	177.5	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	172.7	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	215.4	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	260.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		

WWAN + WLAN 5G\_Ant 1 + WLAN 5G\_Ant 2 + BT\_Ant 2(EN-DC)




Conditions	Condition	Position	Power (W/kg)	Position (mm)			Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	278.4	0.00
NR 5_DFT-SQPSK20M_Ch167300_Ant 2			0.359	46	-140	-1.61		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	213.8	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50_Ant 1			1.185	-80	-32.8	-0.77		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	259.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 5_DFT-SQPSK20M_Ch167300_Ant 2	Body	Rear Face	0.359	46	-140	-1.61	165.4	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50_Ant 1			1.185	-80	-32.8	-0.77		
NR 5_DFT-SQPSK20M_Ch167300_Ant 2	Body	Rear Face	0.359	46	-140	-1.61	159.9	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50_Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 4_QPSK20M_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	23.6	0.04
NR 41_DFT-SQPSK100M_Ch513900_Ant 1			0.407	20.2	141.4	-4.96		
LTE 4_QPSK20M_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	188.7	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50_Ant 1			1.185	-80	-32.8	-0.77		
LTE 4_QPSK20M_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	234.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 41_DFT-SQPSK100M_Ch513900_Ant 1	Body	Rear Face	0.407	20.2	141.4	-4.96	201.0	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50_Ant 1			1.185	-80	-32.8	-0.77		
NR 41_DFT-SQPSK100M_Ch513900_Ant 1	Body	Rear Face	0.407	20.2	141.4	-4.96	247.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50_Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		

WWAN + WLAN 5G\_Ant 1 + WLAN 5G\_Ant 2 + BT\_Ant 2(EN-DC)




Conditions	Condition	Position	Power (W/kg)	Position (mm)			Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	285.8	0.00
NR 41_DFT-SQPSK100M_Ch513900_Ant 1			0.407	20.2	141.4	-4.96		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	187.2	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 41_DFT-SQPSK100M_Ch513900_Ant 1	Body	Rear Face	0.407	20.2	141.4	-4.96	201.0	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 41_DFT-SQPSK100M_Ch513900_Ant 1	Body	Rear Face	0.407	20.2	141.4	-4.96	247.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	278.7	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.42	29.6	132.6	-4.97		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	179.1	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	174.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	198.5	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		

WWAN + WLAN 5G\_Ant 1 + WLAN 5G\_Ant 2 + BT\_Ant 2(EN-DC)



Conditions	Condition	Position	Power (W/kg)	Position (mm)			Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	275.5	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.42	29.6	132.6	-4.97		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	187.2	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	198.5	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	278.3	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.42	29.6	132.6	-4.97		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	176.0	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	170.9	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	198.5	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		

WWAN + WLAN 5G\_Ant 1 + WLAN 5G\_Ant 2 + BT\_Ant 2(EN-DC)




啟用 Windows  
移至 [設定] 以啟用 Windows

Conditions	Condition	Position	Power (W/kg)	Position (mm)			Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	278.5	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.42	29.6	132.6	-4.97		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	177.5	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	172.7	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	198.5	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	280.8	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.42	29.6	132.6	-4.97		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	187.5	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	184.1	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	198.5	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




WWAN + WLAN 5G\_Ant 1 + WLAN 5G\_Ant 2 + BT\_Ant 2(EN-DC)




Conditions	Condition	Position	Power (W/kg)	Position (mm)			Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	281.0	0.01
NR 71_DFT-SQPSK20M_Ch136100_Ant 2			0.557	70.4	-141.6	-4.34		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	213.8	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	259.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	185.7	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	183.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	285.7	0.00
NR 71_DFT-SQPSK20M_Ch136100_Ant 2			0.557	70.4	-141.6	-4.34		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	197.3	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	243.4	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	185.7	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	183.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		


WWAN + WLAN 5G\_Ant 1 + WLAN 5G\_Ant 2 + BT\_Ant 2(EN-DC)




Conditions	Condition	Position	Power (W/kg)	Position (mm)			Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	265.9	0.00
NR 71_DFT-SQPSK20M_Ch136100_Ant 2			0.557	70.4	-141.6	-4.34		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	188.7	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	234.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	185.7	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	183.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	299.5	0.00
NR 77_DFT-SQPSK100M_Ch_Ant 3			0.554	-29	142	-4.66		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	187.2	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 77_DFT-SQPSK100M_Ch_Ant 3	Body	Rear Face	0.554	-29	142	-4.66	182.1	0.01
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1			1.185	-80	-32.8	-0.77		
NR 77_DFT-SQPSK100M_Ch_Ant 3	Body	Rear Face	0.554	-29	142	-4.66	227.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
WLAN5G Ant 1_802.11ac VHT160_Ch50 Ant 1	Body	Rear Face	1.185	-80	-32.8	-0.77	46.2	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	283.5	0.00
NR 2_DFT-SQPSK20M_Ch376000_Ant 1			0.35	50	138.9	-4.77		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	154.1	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	174.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	229.8	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	260.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	279.2	0.00
NR 2_DFT-SQPSK20M_Ch376000_Ant 1			0.35	50	138.9	-4.77		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	163.2	0.02
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	229.8	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	260.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	283.4	0.00
NR 2_DFT-SQPSK20M_Ch376000_Ant 1			0.35	50	138.9	-4.77		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	150.8	0.02
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	170.9	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	229.8	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	260.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	283.4	0.00
NR 2_DFT-SQPSK20M_Ch376000_Ant 1			0.35	50	138.9	-4.77		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	152.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	172.7	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	229.8	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 2_DFT-SQPSK20M_Ch376000_Ant 1	Body	Rear Face	0.35	50	138.9	-4.77	260.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	278.4	0.00
NR 5_DFT-SQPSK20M_Ch167300_Ant 2			0.359	46	-140	-1.61		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	228.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	259.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 5_DFT-SQPSK20M_Ch167300_Ant 2	Body	Rear Face	0.359	46	-140	-1.61	140.0	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 5_DFT-SQPSK20M_Ch167300_Ant 2	Body	Rear Face	0.359	46	-140	-1.61	159.9	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 4_QPSK20M_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	23.6	0.04
NR 41_DFT-SQPSK100M_Ch513900_Ant 1			0.407	20.2	141.4	-4.96		
LTE 4_QPSK20M_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	204.0	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 4_QPSK20M_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	234.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 41_DFT-SQPSK100M_Ch513900_Ant 1	Body	Rear Face	0.407	20.2	141.4	-4.96	218.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 41_DFT-SQPSK100M_Ch513900_Ant 1	Body	Rear Face	0.407	20.2	141.4	-4.96	247.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		



Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	285.8	0.00
NR 41_DFT-SQPSK100M_Ch513900_Ant 1			0.407	20.2	141.4	-4.96		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	163.2	0.02
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 41_DFT-SQPSK100M_Ch513900_Ant 1	Body	Rear Face	0.407	20.2	141.4	-4.96	218.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 41_DFT-SQPSK100M_Ch513900_Ant 1	Body	Rear Face	0.407	20.2	141.4	-4.96	247.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	278.7	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.42	29.6	132.6	-4.97		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	154.1	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 5_QPSK10M_Ch20450_Ant 2	Body	Rear Face	0.622	60	-144.4	-4.73	174.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	214.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	275.5	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.42	29.6	132.6	-4.97		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	163.2	0.02
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	214.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	278.3	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.42	29.6	132.6	-4.97		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	150.8	0.02
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 13_QPSK10M_Ch23230_Ant 2	Body	Rear Face	0.675	56	-144.4	-4.81	170.9	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	214.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	278.5	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.42	29.6	132.6	-4.97		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	152.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 14_QPSK10M_Ch23330_Ant 2	Body	Rear Face	0.629	58	-144.4	-4.74	172.7	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	214.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	280.8	0.00
NR 66_DFT-SQPSK40M_Ch349000_Ant 1			0.42	29.6	132.6	-4.97		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	162.9	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 71_QPSK20M_Ch133222_Ant 2	Body	Rear Face	0.674	70	-145.2	3.13	184.1	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	214.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 66_DFT-SQPSK40M_Ch349000_Ant 1	Body	Rear Face	0.42	29.6	132.6	-4.97	244.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		





Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	281.0	0.01
NR 71_DFT-SQPSK20M_Ch136100_Ant 2			0.557	70.4	-141.6	-4.34		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	228.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 2_QPSK20M_Ant 1	Body	Rear Face	0.712	48	138.4	2.76	259.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	161.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	183.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	285.7	0.00
NR 71_DFT-SQPSK20M_Ch136100_Ant 2			0.557	70.4	-141.6	-4.34		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	214.9	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 7_QPSK20M_Ch20850_Ant 1	Body	Rear Face	0.537	17	139	2.36	243.4	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	161.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	183.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		



Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	265.9	0.00
NR 71_DFT-SQPSK20M_Ch136100_Ant 2			0.557	70.4	-141.6	-4.34		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	204.0	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 66_QPSK20M_Ch132072_Ant 1	Body	Rear Face	0.629	29.2	121	2.74	234.3	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	161.4	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 71_DFT-SQPSK20M_Ch136100_Ant 2	Body	Rear Face	0.557	70.4	-141.6	-4.34	183.1	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	299.5	0.00
NR 77_DFT-SQPSK100M_Ch_Ant 3			0.554	-29	142	-4.66		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	163.2	0.02
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
LTE 12_QPSK10M_Ch23095_Ant 2	Body	Rear Face	0.753	74	-139.2	2.05	185.6	0.01
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
NR 77_DFT-SQPSK100M_Ch_Ant 3	Body	Rear Face	0.554	-29	142	-4.66	204.2	0.01
UNII-8_802.11ax HE160_Ch207_Ant2			1.071	-67.8	-58.4	-0.48		
NR 77_DFT-SQPSK100M_Ch_Ant 3	Body	Rear Face	0.554	-29	142	-4.66	227.8	0.00
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		
UNII-8_802.11ax HE160_Ch207_Ant2	Body	Rear Face	1.071	-67.8	-58.4	-0.48	35.9	0.04
BT_BR_Ch0 Ant 2			0.294	-99.9	-74.5	-0.89		