

Annex E. Measured Conducted Power Result

The measuring conducted power (Unit: dBm) are shown as below.

WCDMA Conducted Power (DS1 0 For Full Power)									
Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	23.2	23.3	23.3	23.2	23.2	23.3	23.3	23.3	23.2
HSDPA Subtest-1	22.2	22.2	22.3	21.8	21.8	21.8	22.0	22.0	22.0
HSDPA Subtest-2	22.2	22.2	22.3	21.7	21.8	21.8	22.0	22.0	22.0
HSDPA Subtest-3	21.7	21.7	21.8	21.3	21.4	21.4	21.5	21.6	21.5
HSDPA Subtest-4	21.7	21.7	21.8	21.3	21.3	21.4	21.5	21.5	21.5
DC-HSDPA Subtest-1	22.2	22.2	22.2	21.7	21.8	21.8	22.0	22.0	22.0
DC-HSDPA Subtest-2	22.2	22.2	22.3	21.7	21.7	21.8	21.5	21.5	21.5
DC-HSDPA Subtest-3	21.7	21.7	21.8	21.3	21.3	21.4	21.5	21.5	21.4
DC-HSDPA Subtest-4	21.6	21.7	21.7	21.3	21.3	21.3	22.0	22.0	21.9
HSUPA Subtest-1	21.7	21.7	21.8	21.8	21.8	21.9	21.6	21.6	21.6
HSUPA Subtest-2	21.2	21.2	21.3	21.2	21.2	21.3	21.2	21.2	21.2
HSUPA Subtest-3	22.1	22.2	22.2	22.2	22.3	22.3	22.3	22.3	22.2
HSUPA Subtest-4	21.2	21.3	21.3	21.1	21.1	21.1	21.0	21.1	21.0
HSUPA Subtest-5	22.7	22.8	22.8	22.5	22.5	22.5	22.7	22.7	22.6

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	23.7	23.8	23.7	0
		1	50	23.7	23.8	23.7	0
		1	99	23.7	23.8	23.7	0
		50	0	22.7	22.8	22.7	1
		50	25	22.7	22.8	22.7	1
		50	50	22.7	22.7	22.6	1
		100	0	22.7	22.7	22.7	1
20M	16QAM	1	0	22.7	22.8	22.7	1
		1	50	22.7	22.7	22.6	1
		1	99	22.7	22.7	22.6	1
		50	0	21.7	21.8	21.7	2
		50	25	21.7	21.7	21.7	2
		50	50	21.7	21.7	21.6	2
		100	0	21.7	21.8	21.7	2
20M	64QAM	1	0	21.7	21.8	21.7	2
		1	50	21.7	21.8	21.7	2
		1	99	21.7	21.7	21.6	2
		50	0	20.7	20.8	20.7	3
		50	25	20.7	20.8	20.7	3
		50	50	20.7	20.7	20.6	3
		100	0	20.7	20.8	20.7	3
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	23.7	23.8	23.7	0
		1	37	23.7	23.8	23.6	0
		1	74	23.6	23.7	23.7	0
		36	0	22.6	22.8	22.7	1
		36	19	22.7	22.7	22.6	1
		36	39	22.6	22.6	22.6	1
		75	0	22.6	22.7	22.7	1
15M	16QAM	1	0	22.6	22.7	22.6	1
		1	37	22.6	22.7	22.6	1
		1	74	22.6	22.7	22.6	1
		36	0	21.7	21.7	21.6	2
		36	19	21.6	21.7	21.6	2
		36	39	21.6	21.7	21.6	2
		75	0	21.7	21.7	21.7	2
15M	64QAM	1	0	21.6	21.7	21.7	2
		1	37	21.6	21.7	21.6	2
		1	74	21.6	21.6	21.6	2
		36	0	20.7	20.7	20.6	3
		36	19	20.7	20.7	20.7	3
		36	39	20.6	20.7	20.6	3
		75	0	20.6	20.7	20.6	3

LTE Conducted Power (DSI 0 For Full Power)									
LTE Band 2									
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR		
		Frequency (MHz)		1855	1880	1905			
10M	QPSK	1	0	23.6	23.7	23.5	0		
		1	24	23.6	23.6	23.6	0		
		1	49	23.6	23.7	23.5	0		
		25	0	22.6	22.7	22.6	1		
		25	12	22.5	22.7	22.5	1		
		25	25	22.6	22.7	22.5	1		
10M	16QAM	50	0	22.6	22.6	22.5	1		
		1	0	22.6	22.7	22.5	1		
		1	24	22.4	22.6	22.4	1		
		1	49	22.5	22.6	22.5	1		
		25	0	21.6	21.6	21.5	2		
		25	12	21.6	21.7	21.5	2		
10M	64QAM	25	25	21.5	21.5	21.5	2		
		50	0	21.6	21.5	21.6	2		
		1	0	21.6	21.7	21.6	2		
		1	24	21.5	21.6	21.5	2		
		1	49	21.6	21.6	21.5	2		
		25	0	20.6	20.7	20.5	3		
10M	64QAM	25	12	20.5	20.6	20.5	3		
		25	25	20.5	20.5	20.4	3		
		50	0	20.6	20.5	20.6	3		
		BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
				Frequency (MHz)		1852.5	1880	1907.5	
		5M	QPSK	1	0	23.6	23.7	23.5	0
1	12			23.5	23.6	23.6	0		
1	24			23.6	23.5	23.5	0		
12	0			22.5	22.6	22.6	1		
12	6			22.6	22.7	22.3	1		
12	13			22.5	22.6	22.3	1		
5M	16QAM	25	0	22.5	22.7	22.5	1		
		1	0	22.5	22.6	22.6	1		
		1	12	22.6	22.6	22.5	1		
		1	24	22.6	22.6	22.5	1		
		12	0	21.7	21.7	21.6	2		
		12	6	21.7	21.6	21.5	2		
5M	64QAM	12	13	21.6	21.5	21.4	2		
		25	0	21.5	21.6	21.6	2		
		1	0	21.7	21.6	21.6	2		
		1	12	21.5	21.7	21.6	2		
		1	24	21.5	21.6	21.4	2		
		12	0	20.5	20.8	20.6	3		
5M	64QAM	12	6	20.6	20.7	20.6	3		
		12	13	20.6	20.5	20.4	3		
		25	0	20.6	20.6	20.6	3		

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	23.7	23.7	23.5	0
		1	7	23.7	23.6	23.5	0
		1	14	23.6	23.6	23.6	0
		8	0	22.7	22.6	22.5	1
		8	3	22.5	22.7	22.5	1
		8	7	22.5	22.5	22.6	1
		15	0	22.5	22.6	22.6	1
3M	16QAM	1	0	22.5	22.6	22.6	1
		1	7	22.5	22.6	22.4	1
		1	14	22.6	22.6	22.6	1
		8	0	21.6	21.7	21.5	2
		8	3	21.6	21.5	21.5	2
		8	7	21.6	21.6	21.5	2
		15	0	21.6	21.7	21.5	2
3M	64QAM	1	0	21.6	21.7	21.6	2
		1	7	21.6	21.7	21.5	2
		1	14	21.5	21.6	21.6	2
		8	0	20.6	20.5	20.6	3
		8	3	20.7	20.7	20.6	3
		8	7	20.6	20.6	20.4	3
		15	0	20.6	20.6	20.6	3
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	23.6	23.7	23.5	0
		1	2	23.5	23.6	23.7	0
		1	5	23.6	23.5	23.6	0
		3	0	23.6	23.6	23.5	0
		3	1	23.6	23.6	23.5	0
		3	3	23.6	23.7	23.4	0
		6	0	22.6	22.5	22.5	1
1.4M	16QAM	1	0	22.6	22.7	22.7	1
		1	2	22.6	22.7	22.6	1
		1	5	22.5	22.6	22.5	1
		3	0	22.6	22.8	22.6	1
		3	1	22.5	22.6	22.5	1
		3	3	22.6	22.6	22.4	1
		6	0	21.6	21.6	21.5	2
1.4M	64QAM	1	0	21.6	21.6	21.5	2
		1	2	21.5	21.6	21.5	2
		1	5	21.6	21.6	21.6	2
		3	0	21.7	21.7	21.5	2
		3	1	21.5	21.6	21.7	2
		3	3	21.6	21.6	21.6	2
		6	0	20.7	20.7	20.5	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 4							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	23.5	23.4	23.5	0
		1	50	23.5	23.4	23.4	0
		1	99	23.4	23.3	23.3	0
		50	0	22.6	22.4	22.5	1
		50	25	22.5	22.4	22.4	1
		50	50	22.5	22.4	22.4	1
		100	0	22.5	22.4	22.5	1
20M	16QAM	1	0	22.8	22.7	22.7	1
		1	50	22.8	22.6	22.7	1
		1	99	22.7	22.6	22.7	1
		50	0	21.5	21.4	21.5	2
		50	25	21.5	21.4	21.4	2
		50	50	21.5	21.4	21.4	2
		100	0	21.5	21.4	21.4	2
20M	64QAM	1	0	21.8	21.7	21.7	2
		1	50	21.7	21.6	21.7	2
		1	99	21.6	21.5	21.6	2
		50	0	20.7	20.5	20.6	3
		50	25	20.6	20.5	20.5	3
		50	50	20.6	20.4	20.5	3
		100	0	20.6	20.5	20.5	3
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	23.5	23.4	23.4	0
		1	37	23.4	23.4	23.4	0
		1	74	23.4	23.2	23.2	0
		36	0	22.5	22.4	22.4	1
		36	19	22.5	22.3	22.4	1
		36	39	22.4	22.3	22.4	1
		75	0	22.5	22.4	22.4	1
15M	16QAM	1	0	22.7	22.6	22.7	1
		1	37	22.7	22.6	22.6	1
		1	74	22.6	22.6	22.6	1
		36	0	21.5	21.3	21.4	2
		36	19	21.5	21.4	21.4	2
		36	39	21.5	21.4	21.4	2
		75	0	21.4	21.3	21.3	2
15M	64QAM	1	0	21.8	21.6	21.7	2
		1	37	21.6	21.6	21.6	2
		1	74	21.6	21.5	21.6	2
		36	0	20.6	20.5	20.5	3
		36	19	20.6	20.4	20.5	3
		36	39	20.6	20.4	20.5	3
		75	0	20.6	20.4	20.4	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 4							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	23.3	23.3	23.4	0
		1	24	23.3	23.1	23.2	0
		1	49	23.2	23.2	23.3	0
		25	0	22.4	22.3	22.3	1
		25	12	22.4	22.3	22.3	1
		25	25	22.4	22.2	22.2	1
		50	0	22.3	22.3	22.4	1
10M	16QAM	1	0	22.6	22.5	22.6	1
		1	24	22.6	22.5	22.5	1
		1	49	22.6	22.5	22.5	1
		25	0	21.4	21.3	21.3	2
		25	12	21.4	21.3	21.4	2
		25	25	21.4	21.3	21.3	2
		50	0	21.5	21.2	21.3	2
10M	64QAM	1	0	21.6	21.6	21.6	2
		1	24	21.5	21.4	21.4	2
		1	49	21.5	21.3	21.5	2
		25	0	20.5	20.4	20.5	3
		25	12	20.4	20.4	20.4	3
		25	25	20.5	20.3	20.4	3
		50	0	20.4	20.4	20.5	3
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	23.4	23.3	23.2	0
		1	12	23.4	23.3	23.3	0
		1	24	23.4	23.2	23.2	0
		12	0	22.5	22.4	22.3	1
		12	6	22.3	22.4	22.3	1
		12	13	22.4	22.3	22.3	1
		25	0	22.4	22.2	22.4	1
5M	16QAM	1	0	22.6	22.6	22.6	1
		1	12	22.6	22.6	22.6	1
		1	24	22.7	22.5	22.5	1
		12	0	21.5	21.2	21.3	2
		12	6	21.5	21.2	21.4	2
		12	13	21.2	21.3	21.2	2
		25	0	21.4	21.2	21.4	2
5M	64QAM	1	0	21.6	21.6	21.5	2
		1	12	21.6	21.5	21.4	2
		1	24	21.6	21.4	21.4	2
		12	0	20.6	20.4	20.5	3
		12	6	20.6	20.3	20.5	3
		12	13	20.4	20.3	20.3	3
		25	0	20.4	20.4	20.3	3

LTE Conducted Power (DSI 0 For Full Power)									
LTE Band 4									
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR		
		Frequency (MHz)		1711.5	1732.5	1753.5			
3M	QPSK	1	0	23.4	23.3	23.4	0		
		1	7	23.3	23.2	23.4	0		
		1	14	23.2	23.1	23.3	0		
		8	0	22.4	22.4	22.4	1		
		8	3	22.4	22.2	22.2	1		
		8	7	22.4	22.2	22.3	1		
3M	16QAM	15	0	22.4	22.3	22.3	1		
		1	0	22.7	22.5	22.6	1		
		1	7	22.7	22.6	22.5	1		
		1	14	22.6	22.5	22.5	1		
		8	0	21.4	21.4	21.3	2		
		8	3	21.5	21.2	21.4	2		
3M	64QAM	8	7	21.4	21.2	21.3	2		
		15	0	21.3	21.3	21.2	2		
		1	0	21.7	21.5	21.6	2		
		1	7	21.6	21.5	21.5	2		
		1	14	21.6	21.4	21.4	2		
		8	0	20.6	20.4	20.4	3		
3M	64QAM	8	3	20.6	20.4	20.3	3		
		8	7	20.4	20.3	20.4	3		
		15	0	20.4	20.4	20.3	3		
		BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
				Frequency (MHz)		1710.7	1732.5	1754.3	
		1.4M	QPSK	1	0	23.4	23.3	23.3	0
1	2			23.4	23.3	23.4	0		
1	5			23.3	23.3	23.3	0		
3	0			23.5	23.2	23.3	0		
3	1			23.4	23.3	23.4	0		
3	3			23.4	23.2	23.4	0		
1.4M	16QAM	6	0	22.5	22.4	22.4	1		
		1	0	22.8	22.6	22.6	1		
		1	2	22.6	22.4	22.6	1		
		1	5	22.6	22.6	22.6	1		
		3	0	22.4	22.2	22.3	1		
		3	1	22.3	22.3	22.4	1		
1.4M	64QAM	3	3	22.3	22.3	22.3	1		
		6	0	21.2	21.2	21.4	2		
		1	0	21.6	21.5	21.7	2		
		1	2	21.7	21.5	21.4	2		
		1	5	21.5	21.4	21.4	2		
		3	0	21.5	21.3	21.4	2		
1.4M	64QAM	3	1	21.5	21.4	21.4	2		
		3	3	21.5	21.4	21.4	2		
		6	0	20.3	20.3	20.3	3		

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	23.9	24.0	24.0	0
		1	24	23.9	24.0	23.9	0
		1	49	23.9	23.9	23.9	0
		25	0	22.9	23.0	23.0	1
		25	12	22.9	22.9	22.9	1
		25	25	22.9	22.9	22.9	1
		50	0	22.9	22.9	22.9	1
10M	16QAM	1	0	22.9	23.0	23.0	1
		1	24	22.9	23.0	23.0	1
		1	49	22.9	22.9	22.9	1
		25	0	21.9	22.0	22.0	2
		25	12	21.9	21.9	21.9	2
		25	25	21.9	21.9	21.9	2
		50	0	21.9	21.9	21.9	2
10M	64QAM	1	0	21.9	22.0	22.0	2
		1	24	21.9	22.0	22.0	2
		1	49	21.9	21.9	21.9	2
		25	0	20.9	20.97	21.0	3
		25	12	20.9	20.9	20.9	3
		25	25	20.8	20.9	20.9	3
		50	0	20.9	20.9	20.9	3
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	QPSK	1	0	23.9	23.9	23.9	0
		1	12	23.9	23.9	23.9	0
		1	24	23.8	23.8	23.8	0
		12	0	22.9	22.9	22.9	1
		12	6	22.8	22.8	22.9	1
		12	13	22.8	22.8	22.9	1
		25	0	22.8	22.8	22.9	1
5M	16QAM	1	0	22.9	22.9	22.9	1
		1	12	22.9	22.9	22.9	1
		1	24	22.8	22.9	22.9	1
		12	0	21.8	21.9	21.9	2
		12	6	21.8	21.9	21.9	2
		12	13	21.8	21.9	21.8	2
		25	0	21.9	21.9	21.8	2
5M	64QAM	1	0	21.9	21.9	21.9	2
		1	12	21.9	21.9	21.9	2
		1	24	21.8	21.9	21.8	2
		12	0	20.9	20.9	20.9	3
		12	6	20.8	20.9	20.8	3
		12	13	20.8	20.9	20.9	3
		25	0	20.8	20.9	20.9	3

LTE Conducted Power (DSI 0 For Full Power)									
LTE Band 5									
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR		
		Frequency (MHz)		825.5	836.5	847.5			
3M	QPSK	1	0	23.9	23.9	23.9	0		
		1	7	23.7	23.9	23.8	0		
		1	14	23.7	23.9	23.9	0		
		8	0	22.7	22.8	22.9	1		
		8	3	22.9	22.8	22.8	1		
		8	7	22.6	22.8	22.9	1		
3M	16QAM	15	0	22.8	22.8	22.8	1		
		1	0	22.7	22.9	22.9	1		
		1	7	22.9	22.9	22.8	1		
		1	14	22.7	22.8	22.8	1		
		8	0	21.8	21.8	21.8	2		
		8	3	21.7	21.8	21.9	2		
3M	64QAM	8	7	21.7	21.8	21.7	2		
		15	0	21.8	21.8	21.8	2		
		1	0	21.9	21.8	21.9	2		
		1	7	21.8	21.9	21.8	2		
		1	14	21.9	21.8	21.8	2		
		8	0	20.8	20.8	20.9	3		
3M	64QAM	8	3	20.8	20.7	20.8	3		
		8	7	20.8	20.8	20.8	3		
		15	0	20.7	20.8	20.9	3		
		BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
				Frequency (MHz)		824.7	836.5	848.3	
		1.4M	QPSK	1	0	23.9	23.8	23.9	0
1	2			23.8	23.8	23.6	0		
1	5			23.8	23.8	23.7	0		
3	0			22.8	22.9	22.6	0		
3	1			22.9	22.8	22.8	0		
3	3			22.8	22.8	22.7	0		
1.4M	16QAM	6	0	22.7	22.8	22.6	1		
		1	0	22.8	22.8	23.0	1		
		1	2	22.8	22.8	22.8	1		
		1	5	22.7	22.8	22.8	1		
		3	0	21.9	21.8	21.8	1		
		3	1	21.7	21.9	21.9	1		
1.4M	64QAM	3	3	21.9	21.8	21.8	1		
		6	0	21.7	21.8	21.8	2		
		1	0	21.9	21.9	21.8	2		
		1	2	21.8	21.9	21.8	2		
		1	5	21.7	21.9	21.8	2		
		3	0	20.8	20.9	20.9	2		
1.4M	64QAM	3	1	20.7	20.9	20.8	2		
		3	3	20.8	20.7	20.7	2		
		6	0	20.8	20.9	20.9	3		

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	23.7	23.6	23.6	0
		1	50	23.7	23.5	23.6	0
		1	99	23.6	23.5	23.5	0
		50	0	22.7	22.6	22.7	1
		50	25	22.7	22.6	22.6	1
		50	50	22.7	22.6	22.6	1
		100	0	22.7	22.6	22.6	1
20M	16QAM	1	0	22.7	22.6	22.7	1
		1	50	22.7	22.5	22.6	1
		1	99	22.6	22.5	22.5	1
		50	0	21.8	21.7	21.7	2
		50	25	21.7	21.6	21.7	2
		50	50	21.7	21.6	21.6	2
		100	0	21.7	21.6	21.6	2
20M	64QAM	1	0	21.8	21.6	21.7	2
		1	50	21.7	21.6	21.7	2
		1	99	21.7	21.6	21.6	2
		50	0	20.8	20.6	20.7	3
		50	25	20.7	20.6	20.7	3
		50	50	20.7	20.6	20.6	3
		100	0	20.7	20.6	20.7	3
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	23.6	23.5	23.6	0
		1	37	23.7	23.4	23.6	0
		1	74	23.6	23.5	23.5	0
		36	0	22.7	22.5	22.6	1
		36	19	22.7	22.6	22.6	1
		36	39	22.6	22.5	22.5	1
		75	0	22.7	22.6	22.6	1
15M	16QAM	1	0	22.6	22.5	22.6	1
		1	37	22.6	22.5	22.5	1
		1	74	22.6	22.4	22.4	1
		36	0	21.7	21.6	21.7	2
		36	19	21.7	21.6	21.6	2
		36	39	21.7	21.6	21.5	2
		75	0	21.7	21.5	21.5	2
15M	64QAM	1	0	21.7	21.6	21.6	2
		1	37	21.7	21.6	21.6	2
		1	74	21.6	21.5	21.6	2
		36	0	20.7	20.6	20.6	3
		36	19	20.7	20.6	20.6	3
		36	39	20.6	20.5	20.6	3
		75	0	20.7	20.6	20.6	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	23.6	23.4	23.4	0
		1	24	23.5	23.4	23.4	0
		1	49	23.5	23.4	23.4	0
		25	0	22.5	22.6	22.5	1
		25	12	22.6	22.6	22.6	1
		25	25	22.6	22.4	22.4	1
		50	0	22.6	22.5	22.4	1
10M	16QAM	1	0	22.5	22.5	22.4	1
		1	24	22.6	22.5	22.5	1
		1	49	22.4	22.5	22.5	1
		25	0	21.7	21.6	21.6	2
		25	12	21.6	21.6	21.6	2
		25	25	21.6	21.5	21.5	2
		50	0	21.6	21.5	21.6	2
10M	64QAM	1	0	21.7	21.6	21.5	2
		1	24	21.5	21.5	21.6	2
		1	49	21.5	21.4	21.4	2
		25	0	20.6	20.5	20.6	3
		25	12	20.6	20.4	20.4	3
		25	25	20.6	20.4	20.5	3
		50	0	20.7	20.5	20.6	3
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	23.7	23.5	23.4	0
		1	12	23.5	23.5	23.4	0
		1	24	23.5	23.3	23.2	0
		12	0	22.5	22.5	22.4	1
		12	6	22.6	22.5	22.5	1
		12	13	22.5	22.5	22.5	1
		25	0	22.5	22.5	22.4	1
5M	16QAM	1	0	22.6	22.4	22.5	1
		1	12	22.4	22.4	22.4	1
		1	24	22.5	22.4	22.4	1
		12	0	21.7	21.5	21.7	2
		12	6	21.7	21.5	21.5	2
		12	13	21.6	21.4	21.5	2
		25	0	21.5	21.5	21.6	2
5M	64QAM	1	0	21.7	21.5	21.6	2
		1	12	21.6	21.5	21.6	2
		1	24	21.5	21.4	21.4	2
		12	0	20.6	20.5	20.6	3
		12	6	20.6	20.5	20.5	3
		12	13	20.6	20.4	20.4	3
		25	0	20.6	20.5	20.5	3

LTE Conducted Power (DSI 0 For Full Power)									
LTE Band 12									
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)		
		Channel		23060	23095	23130			
		Frequency (MHz)		704	707.5	711			
10M	QPSK	1	0	23.9	23.8	23.9	0		
		1	24	23.8	23.8	23.9	0		
		1	49	23.8	23.7	23.8	0		
		25	0	22.8	22.8	22.9	1		
		25	12	22.8	22.8	22.8	1		
		25	25	22.8	22.7	22.8	1		
10M	16QAM	50	0	22.8	22.8	22.8	1		
		1	0	22.9	22.9	23.0	1		
		1	24	22.9	22.9	22.9	1		
		1	49	22.9	22.8	22.9	1		
		25	0	21.9	21.9	21.9	2		
		25	12	21.8	21.8	21.9	2		
10M	64QAM	25	25	21.8	21.8	21.9	2		
		50	0	21.8	21.8	21.9	2		
		1	0	21.9	21.9	21.9	2		
		1	24	21.9	21.8	21.9	2		
		1	49	21.8	21.8	21.9	2		
		25	0	20.8	20.8	20.9	3		
10M	64QAM	25	12	20.8	20.8	20.9	3		
		25	25	20.7	20.7	20.8	3		
		50	0	20.8	20.8	20.8	3		
		BW	MCS Index	Channel		23035	23095	23155	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5			
		5M	QPSK	1	0	23.9	23.8	23.9	0
1	12			23.8	23.8	23.8	0		
1	24			23.7	23.7	23.7	0		
12	0			22.8	22.7	22.8	1		
12	6			22.7	22.7	22.8	1		
12	13			22.7	22.7	22.8	1		
5M	16QAM	25	0	22.7	22.7	22.7	1		
		1	0	22.9	22.9	22.9	1		
		1	12	22.8	22.9	22.9	1		
		1	24	22.8	22.8	22.9	1		
		12	0	21.8	21.8	21.9	2		
		12	6	21.8	21.8	21.9	2		
5M	64QAM	12	13	21.8	21.7	21.8	2		
		25	0	21.8	21.8	21.8	2		
		1	0	21.8	21.8	21.9	2		
		1	12	21.9	21.8	21.8	2		
		1	24	21.7	21.8	21.9	2		
		12	0	20.8	20.7	20.8	3		
5M	64QAM	12	6	20.8	20.7	20.8	3		
		12	13	20.7	20.6	20.7	3		
		25	0	20.7	20.7	20.8	3		

LTE Conducted Power (DSI 0 For Full Power)									
LTE Band 12									
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR		
		Frequency (MHz)		700.5	707.5	714.5			
3M	QPSK	1	0	23.7	23.7	23.8	0		
		1	7	23.8	23.6	23.8	0		
		1	14	23.7	23.6	23.7	0		
		8	0	22.7	22.7	22.7	1		
		8	3	22.8	22.6	22.8	1		
		8	7	22.5	22.6	22.7	1		
3M	16QAM	15	0	22.6	22.7	22.7	1		
		1	0	22.8	22.7	22.8	1		
		1	7	22.8	22.7	22.9	1		
		1	14	22.7	22.8	22.7	1		
		8	0	21.7	21.7	21.8	2		
		8	3	21.7	21.6	21.7	2		
3M	64QAM	8	7	21.7	21.6	21.7	2		
		15	0	21.7	21.7	21.8	2		
		1	0	21.8	21.8	21.9	2		
		1	7	21.8	21.8	21.8	2		
		1	14	21.7	21.6	21.7	2		
		8	0	20.8	20.8	20.7	3		
3M	64QAM	8	3	20.6	20.7	20.7	3		
		8	7	20.6	20.6	20.6	3		
		15	0	20.6	20.6	20.8	3		
		BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
				Frequency (MHz)		699.7	707.5	715.3	
		1.4M	QPSK	1	0	23.8	23.8	23.8	0
1	2			23.8	23.6	23.7	0		
1	5			23.7	23.6	23.7	0		
3	0			22.6	22.7	22.8	0		
3	1			22.6	22.7	22.7	0		
3	3			22.7	22.6	22.6	0		
1.4M	16QAM	6	0	22.6	22.6	22.7	1		
		1	0	22.7	22.7	22.8	1		
		1	2	22.7	22.7	22.8	1		
		1	5	22.7	22.6	22.9	1		
		3	0	21.6	21.8	21.8	1		
		3	1	21.7	21.7	21.7	1		
1.4M	64QAM	3	3	21.7	21.7	21.8	1		
		6	0	21.6	21.8	21.7	2		
		1	0	21.7	21.7	21.8	2		
		1	2	21.8	21.7	21.7	2		
		1	5	21.8	21.7	21.8	2		
		3	0	20.8	20.7	20.8	2		
1.4M	64QAM	3	1	20.7	20.7	20.7	2		
		3	3	20.6	20.6	20.7	2		
		6	0	20.7	20.6	20.6	3		

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 13							
BW	MCS Index	RB Size	RB Offset	Channel		Mid	3GPP MPR (dB)
		Channel		23230			
		Frequency (MHz)		782			
10M	QPSK	1	0		23.4		0
		1	24		23.4		0
		1	49		23.4		0
		25	0		22.4		1
		25	12		22.4		1
		25	25		22.3		1
		50	0		22.3		1
10M	16QAM	1	0		22.5		1
		1	24		22.4		1
		1	49		22.4		1
		25	0		21.4		2
		25	12		21.4		2
		25	25		21.4		2
		50	0		21.4		2
10M	64QAM	1	0		21.5		2
		1	24		21.4		2
		1	49		21.4		2
		25	0		20.4		3
		25	12		20.4		3
		25	25		20.4		3
		50	0		20.4		3
BW	MCS Index	Channel		23205	23230	23255	3GPP MPR
		Frequency (MHz)		779.5	782	784.5	
5M	QPSK	1	0	23.3	23.4	23.3	0
		1	12	23.2	23.4	23.1	0
		1	24	23.2	23.3	23.1	0
		12	0	22.1	22.4	22.1	1
		12	6	22.1	22.4	22.1	1
		12	13	22.2	22.3	22.2	1
		25	0	22.3	22.3	22.2	1
5M	16QAM	1	0	22.1	22.4	22.3	1
		1	12	22.2	22.4	22.3	1
		1	24	22.0	22.4	22.3	1
		12	0	21.3	21.4	21.2	2
		12	6	21.3	21.3	21.1	2
		12	13	21.1	21.3	21.2	2
		25	0	21.3	21.3	21.0	2
5M	64QAM	1	0	21.0	21.4	21.2	2
		1	12	21.2	21.4	21.3	2
		1	24	21.0	21.3	21.0	2
		12	0	20.1	20.3	20.2	3
		12	6	20.3	20.3	20.0	3
		12	13	20.3	20.4	20.3	3
		25	0	20.2	20.3	20.2	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 14							
BW	MCS Index	RB Size	RB Offset			Mid	3GPP MPR (dB)
		Channel			23330		
		Frequency (MHz)			793		
10M	QPSK	1	0			24.0	0
		1	24			23.9	0
		1	49			23.9	0
		25	0			22.9	1
		25	12			22.9	1
		25	25			22.9	1
		50	0			22.9	1
10M	16QAM	1	0			23.0	1
		1	24			22.9	1
		1	49			22.9	1
		25	0			22.0	2
		25	12			21.9	2
		25	25			21.9	2
		50	0			21.9	2
10M	64QAM	1	0			22.0	2
		1	24			21.9	2
		1	49			21.9	2
		25	0			21.0	3
		25	12			20.9	3
		25	25			20.9	3
		50	0			20.9	3
BW	MCS Index	Channel		23305	23330	23355	3GPP MPR
		Frequency (MHz)		790.5	793	795.5	
5M	QPSK	1	0	23.6	23.9	23.7	0
		1	12	23.7	23.9	23.7	0
		1	24	23.8	23.9	23.7	0
		12	0	22.8	22.9	22.6	1
		12	6	22.5	22.8	22.6	1
		12	13	22.6	22.8	22.5	1
		25	0	22.7	22.9	22.8	1
5M	16QAM	1	0	22.8	22.9	22.6	1
		1	12	22.8	22.9	22.8	1
		1	24	22.7	22.9	22.7	1
		12	0	21.7	22.0	21.8	2
		12	6	21.7	21.9	21.6	2
		12	13	21.6	21.8	21.6	2
		25	0	21.8	21.9	21.8	2
5M	64QAM	1	0	21.7	21.9	21.8	2
		1	12	21.5	21.8	21.6	2
		1	24	21.6	21.8	21.6	2
		12	0	20.8	21.0	20.7	3
		12	6	20.7	20.9	20.8	3
		12	13	20.7	20.8	20.5	3
		25	0	20.6	20.8	20.5	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 17							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequency (MHz)		709	710	711	
10M	QPSK	1	0	23.8	23.9	23.8	0
		1	24	23.8	23.8	23.8	0
		1	49	23.8	23.8	23.8	0
		25	0	22.8	22.9	22.8	1
		25	12	22.7	22.8	22.8	1
		25	25	22.7	22.8	22.8	1
10M	16QAM	50	0	22.7	22.8	22.8	1
		1	0	22.9	23.0	22.9	1
		1	24	22.8	22.9	22.9	1
		1	49	22.8	22.9	22.9	1
		25	0	21.9	21.9	21.9	2
		25	12	21.8	21.9	21.9	2
10M	64QAM	25	25	21.8	21.8	21.8	2
		50	0	21.8	21.9	21.8	2
		1	0	21.9	22.0	21.9	2
		1	24	21.8	21.9	21.9	2
		1	49	21.8	21.9	21.9	2
		25	0	20.9	21.0	20.9	3
BW	MCS Index	Channel		23755	23790	23825	3GPP MPR
		Frequency (MHz)		706.5	710	713.5	
5M	QPSK	1	0	23.8	23.8	23.9	0
		1	12	23.7	23.9	23.8	0
		1	24	23.7	23.8	23.7	0
		12	0	22.7	22.8	22.8	1
		12	6	22.7	22.8	22.8	1
		12	13	22.6	22.8	22.8	1
5M	16QAM	25	0	22.7	22.8	22.8	1
		1	0	22.8	22.9	22.9	1
		1	12	22.8	22.9	22.9	1
		1	24	22.7	22.8	22.8	1
		12	0	21.8	21.9	21.9	2
		12	6	21.8	21.9	21.9	2
5M	64QAM	12	13	21.7	21.8	21.7	2
		25	0	21.8	21.8	21.8	2
		1	0	21.8	21.9	21.8	2
		1	12	21.7	21.9	21.8	2
		1	24	21.8	21.8	21.8	2
		12	0	20.8	20.9	20.8	3
5M	64QAM	12	6	20.8	20.9	20.8	3
		12	13	20.7	20.8	20.8	3
		25	0	20.8	20.8	20.7	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	23.6	23.8	23.7	0
		1	50	23.6	23.7	23.6	0
		1	99	23.6	23.7	23.6	0
		50	0	22.6	22.8	22.7	1
		50	25	22.6	22.7	22.7	1
		50	50	22.6	22.7	22.6	1
		100	0	22.6	22.8	22.7	1
20M	16QAM	1	0	22.7	22.8	22.7	1
		1	50	22.6	22.8	22.7	1
		1	99	22.6	22.7	22.6	1
		50	0	21.7	21.8	21.7	2
		50	25	21.6	21.8	21.7	2
		50	50	21.6	21.7	21.6	2
		100	0	21.6	21.7	21.7	2
20M	64QAM	1	0	21.6	21.8	21.7	2
		1	50	21.6	21.7	21.7	2
		1	99	21.6	21.7	21.6	2
		50	0	20.7	20.8	20.7	3
		50	25	20.6	20.8	20.7	3
		50	50	20.6	20.7	20.6	3
		100	0	20.6	20.7	20.7	3
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
		Frequency (MHz)		1857.5	1882.5	1907.5	
15M	QPSK	1	0	23.5	23.7	23.6	0
		1	37	23.6	23.6	23.6	0
		1	74	23.5	23.6	23.5	0
		36	0	22.5	22.7	22.6	1
		36	19	22.5	22.7	22.7	1
		36	39	22.6	22.6	22.6	1
		75	0	22.6	22.7	22.7	1
15M	16QAM	1	0	22.7	22.8	22.6	1
		1	37	22.6	22.7	22.6	1
		1	74	22.5	22.7	22.5	1
		36	0	21.7	21.7	21.6	2
		36	19	21.6	21.8	21.6	2
		36	39	21.6	21.7	21.6	2
		75	0	21.5	21.7	21.7	2
15M	64QAM	1	0	21.6	21.7	21.7	2
		1	37	21.6	21.7	21.6	2
		1	74	21.5	21.7	21.6	2
		36	0	20.6	20.8	20.7	3
		36	19	20.6	20.7	20.7	3
		36	39	20.5	20.7	20.6	3
		75	0	20.6	20.7	20.6	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 25							
BW	MCS Index	Channel		26090	26365	26640	3GPP MPR
		Frequency (MHz)		1855	1882.5	1910	
10M	QPSK	1	0	23.5	23.6	23.6	0
		1	24	23.5	23.6	23.5	0
		1	49	23.3	23.5	23.5	0
		25	0	22.5	22.6	22.5	1
		25	12	22.4	22.6	22.6	1
		25	25	22.4	22.6	22.6	1
		50	0	22.5	22.7	22.5	1
10M	16QAM	1	0	22.6	22.6	22.6	1
		1	24	22.5	22.7	22.6	1
		1	49	22.4	22.6	22.6	1
		25	0	21.6	21.7	21.6	2
		25	12	21.6	21.7	21.5	2
		25	25	21.5	21.6	21.5	2
		50	0	21.6	21.7	21.5	2
10M	64QAM	1	0	21.5	21.7	21.6	2
		1	24	21.4	21.6	21.6	2
		1	49	21.4	21.6	21.6	2
		25	0	20.5	20.6	20.6	3
		25	12	20.4	20.7	20.4	3
		25	25	20.4	20.6	20.5	3
		50	0	20.4	20.6	20.6	3
BW	MCS Index	Channel		26065	26365	26665	3GPP MPR
		Frequency (MHz)		1852.5	1882.5	1912.5	
5M	QPSK	1	0	23.4	23.6	23.4	0
		1	12	23.6	23.5	23.6	0
		1	24	23.5	23.5	23.3	0
		12	0	22.5	22.6	22.5	1
		12	6	22.5	22.6	22.4	1
		12	13	22.5	22.6	22.3	1
		25	0	22.5	22.6	22.5	1
5M	16QAM	1	0	22.6	22.8	22.7	1
		1	12	22.5	22.7	22.7	1
		1	24	22.5	22.6	22.5	1
		12	0	21.5	21.7	21.5	2
		12	6	21.5	21.6	21.5	2
		12	13	21.5	21.6	21.5	2
		25	0	21.4	21.7	21.6	2
5M	64QAM	1	0	21.6	21.7	21.6	2
		1	12	21.5	21.6	21.7	2
		1	24	21.5	21.5	21.6	2
		12	0	20.4	20.6	20.7	3
		12	6	20.4	20.5	20.6	3
		12	13	20.5	20.6	20.6	3
		25	0	20.5	20.6	20.4	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 25							
BW	MCS Index	Channel		26055	26365	26675	3GPP MPR
		Frequency (MHz)		1851.5	1882.5	1913.5	
3M	QPSK	1	0	23.5	23.6	23.5	0
		1	7	23.4	23.6	23.5	0
		1	14	23.5	23.5	23.5	0
		8	0	22.6	22.5	22.5	1
		8	3	22.5	22.6	22.6	1
		8	7	22.5	22.6	22.6	1
		15	0	22.5	22.7	22.6	1
3M	16QAM	1	0	22.5	22.7	22.5	1
		1	7	22.5	22.6	22.5	1
		1	14	22.4	22.6	22.5	1
		8	0	21.5	21.7	21.6	2
		8	3	21.5	21.7	21.7	2
		8	7	21.4	21.5	21.6	2
		15	0	21.5	21.6	21.5	2
3M	64QAM	1	0	21.6	21.8	21.5	2
		1	7	21.5	21.6	21.6	2
		1	14	21.4	21.5	21.5	2
		8	0	20.6	20.6	20.6	3
		8	3	20.4	20.7	20.5	3
		8	7	20.4	20.6	20.4	3
		15	0	20.5	20.6	20.5	3
BW	MCS Index	Channel		26047	26365	26683	3GPP MPR
		Frequency (MHz)		1850.7	1882.5	1914.3	
1.4M	QPSK	1	0	23.5	23.5	23.5	0
		1	2	23.4	23.6	23.5	0
		1	5	23.5	23.5	23.6	0
		3	0	23.6	23.6	23.5	0
		3	1	23.5	23.6	23.5	0
		3	3	23.4	23.7	23.5	0
		6	0	22.4	22.6	22.6	1
1.4M	16QAM	1	0	22.4	22.6	22.6	1
		1	2	22.5	22.6	22.5	1
		1	5	22.4	22.6	22.5	1
		3	0	22.6	22.6	22.6	1
		3	1	22.5	22.7	22.5	1
		3	3	22.5	22.7	22.6	1
		6	0	21.5	21.6	21.4	2
1.4M	64QAM	1	0	21.6	21.6	21.6	2
		1	2	21.6	21.6	21.6	2
		1	5	21.5	21.6	21.5	2
		3	0	21.6	21.7	21.5	2
		3	1	21.6	21.7	21.6	2
		3	3	21.6	21.6	21.6	2
		6	0	20.4	20.6	20.6	3

LTE Conducted Power (DSI 0 For Full Power)									
LTE Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	23.3	23.3	23.4	23.3	23.2	0
		1	50	23.4	23.3	23.4	23.4	23.3	0
		1	99	23.2	23.2	23.3	23.3	23.2	0
		50	0	22.3	22.3	22.4	22.3	22.2	1
		50	25	22.3	22.3	22.4	22.4	22.3	1
		50	50	22.2	22.2	22.3	22.3	22.2	1
		100	0	22.2	22.2	22.3	22.3	22.2	1
20M	16QAM	1	0	22.3	22.2	22.3	22.3	22.2	1
		1	50	22.3	22.3	22.4	22.4	22.3	1
		1	99	22.2	22.2	22.3	22.3	22.2	1
		50	0	21.3	21.3	21.4	21.3	21.2	2
		50	25	21.4	21.3	21.4	21.4	21.3	2
		50	50	21.3	21.2	21.3	21.3	21.2	2
		100	0	21.3	21.3	21.4	21.3	21.2	2
20M	64QAM	1	0	21.3	21.3	21.4	21.4	21.3	2
		1	50	21.4	21.4	21.5	21.4	21.3	2
		1	99	21.3	21.3	21.4	21.3	21.2	2
		50	0	20.3	20.3	20.4	20.4	20.2	3
		50	25	20.4	20.3	20.4	20.4	20.3	3
		50	50	20.3	20.2	20.3	20.3	20.2	3
		100	0	20.3	20.3	20.4	20.3	20.2	3
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	23.2	23.3	23.3	23.3	23.1	0
		1	37	23.3	23.3	23.4	23.4	23.3	0
		1	74	23.2	23.2	23.3	23.3	23.2	0
		36	0	22.2	22.2	22.3	22.3	22.2	1
		36	19	22.2	22.2	22.3	22.4	22.2	1
		36	39	22.2	22.1	22.2	22.3	22.1	1
		75	0	22.2	22.2	22.2	22.2	22.1	1
15M	16QAM	1	0	22.2	22.3	22.3	22.2	22.2	1
		1	37	22.3	22.3	22.4	22.3	22.3	1
		1	74	22.2	22.1	22.2	22.3	22.1	1
		36	0	21.2	21.2	21.3	21.3	21.2	2
		36	19	21.3	21.3	21.3	21.3	21.3	2
		36	39	21.2	21.1	21.2	21.3	21.1	2
		75	0	21.2	21.2	21.3	21.2	21.1	2
15M	64QAM	1	0	21.3	21.2	21.3	21.3	21.2	2
		1	37	21.4	21.2	21.4	21.4	21.3	2
		1	74	21.2	21.1	21.2	21.2	21.1	2
		36	0	20.2	20.2	20.4	20.3	20.1	3
		36	19	20.3	20.2	20.4	20.3	20.3	3
		36	39	20.2	20.1	20.2	20.2	20.1	3
		75	0	20.2	20.2	20.2	20.3	20.1	3

LTE Conducted Power (DSI 0 For Full Power)											
LTE Band 41											
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR		
		Frequency (MHz)		2501	2547	2593	2639	2685			
10M	QPSK	1	0	23.2	23.1	23.2	23.2	23.1	0		
		1	24	23.3	23.2	23.3	23.3	23.2	0		
		1	49	23.2	23.2	23.2	23.2	23.1	0		
		25	0	22.2	22.2	22.3	22.2	22.1	1		
		25	12	22.3	22.2	22.3	22.3	22.1	1		
		25	25	22.2	22.1	22.2	22.2	22.0	1		
10M	16QAM	50	0	22.2	22.1	22.2	22.1	22.0	1		
		1	0	22.2	22.2	22.2	22.2	22.2	1		
		1	24	22.2	22.2	22.4	22.3	22.2	1		
		1	49	22.2	22.1	22.3	22.1	22.0	1		
		25	0	21.1	21.2	21.2	21.2	21.2	2		
		25	12	21.2	21.2	21.3	21.3	21.1	2		
10M	64QAM	25	25	21.2	21.1	21.2	21.1	21.0	2		
		50	0	21.2	21.1	21.3	21.2	21.1	2		
		1	0	21.2	21.1	21.3	21.1	21.2	2		
		1	24	21.2	21.2	21.3	21.3	21.2	2		
		1	49	21.1	21.2	21.3	21.2	21.0	2		
		25	0	20.1	20.2	20.2	20.2	20.2	3		
5M	QPSK	25	12	20.3	20.2	20.3	20.3	20.1	3		
		25	25	20.1	20.1	20.2	20.1	20.0	3		
		50	0	20.2	20.1	20.2	20.2	20.0	3		
		BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
				Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
		5M	QPSK	1	0	23.2	23.1	23.2	23.1	23.1	0
1	12			23.2	23.3	23.3	23.3	23.2	0		
1	24			23.2	23.1	23.2	23.2	23.1	0		
12	0			22.1	22.2	22.2	22.2	22.0	1		
12	6			22.3	22.2	22.3	22.3	22.2	1		
12	13			22.1	22.1	22.2	22.1	22.1	1		
5M	16QAM	25	0	22.1	22.2	22.2	22.1	22.1	1		
		1	0	22.1	22.1	22.3	22.2	22.1	1		
		1	12	22.3	22.3	22.4	22.4	22.2	1		
		1	24	22.2	22.2	22.3	22.2	22.1	1		
		12	0	21.1	21.1	21.2	21.2	21.1	2		
		12	6	21.3	21.2	21.3	21.3	21.1	2		
5M	64QAM	12	13	21.1	21.1	21.2	21.1	21.0	2		
		25	0	21.1	21.1	21.2	21.2	21.1	2		
		1	0	21.1	21.2	21.2	21.2	21.1	2		
		1	12	21.3	21.3	21.4	21.4	21.1	2		
		1	24	21.2	21.2	21.3	21.2	21.1	2		
		12	0	20.2	20.1	20.3	20.2	20.1	3		
5M	64QAM	12	6	20.2	20.2	20.3	20.3	20.2	3		
		12	13	20.1	20.1	20.2	20.2	20.1	3		
		25	0	20.1	20.2	20.2	20.1	20.1	3		

LTE Conducted Power (DSI 0 For Full Power)									
LTE Band 41 HPUE									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	25.2	24.9	25.4	25.3	25.0	0
		1	50	25.3	25.0	25.5	25.4	25.1	0
		1	99	25.2	24.9	25.3	25.3	24.9	0
		50	0	24.3	24.0	24.4	24.4	24.0	1
		50	25	24.3	24.0	24.5	24.4	24.1	1
		50	50	24.2	23.9	24.4	24.3	24.0	1
		100	0	24.2	24.0	24.4	24.4	24.0	1
20M	16QAM	1	0	24.2	24.0	24.4	24.4	24.0	1
		1	50	24.3	24.0	24.5	24.4	24.1	1
		1	99	24.2	23.9	24.4	24.3	24.0	1
		50	0	23.2	22.9	23.4	23.3	23.0	2
		50	25	23.3	23.0	23.5	23.4	23.0	2
		50	50	23.2	22.9	23.3	23.3	22.9	2
		100	0	23.2	22.9	23.3	23.3	22.9	2
20M	64QAM	1	0	23.2	22.9	23.4	23.3	22.9	2
		1	50	23.3	23.0	23.4	23.4	23.0	2
		1	99	23.1	22.9	23.3	23.3	22.9	2
		50	0	22.2	21.9	22.4	22.3	21.9	3
		50	25	22.3	22.0	22.4	22.4	22.0	3
		50	50	22.1	21.9	22.3	22.3	21.9	3
		100	0	22.2	21.9	22.3	22.3	21.9	3
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	25.2	24.9	25.4	25.3	25.0	0
		1	37	25.3	25.0	25.4	25.4	25.1	0
		1	74	25.1	24.9	25.3	25.2	24.9	0
		36	0	24.2	24.0	24.3	24.3	24.0	1
		36	19	24.3	24.0	24.4	24.4	24.0	1
		36	39	24.2	23.9	24.3	24.3	24.0	1
		75	0	24.2	23.9	24.3	24.3	24.0	1
15M	16QAM	1	0	24.2	23.9	24.3	24.3	23.9	1
		1	37	24.3	24.0	24.4	24.4	24.0	1
		1	74	24.2	23.9	24.3	24.2	23.9	1
		36	0	23.2	22.9	23.4	23.4	22.9	2
		36	19	23.3	23.0	23.4	23.4	23.0	2
		36	39	23.2	22.9	23.3	23.2	22.9	2
		75	0	23.2	22.9	23.3	23.3	22.9	2
15M	64QAM	1	0	23.1	22.9	23.3	23.3	22.9	2
		1	37	23.2	23.0	23.5	23.3	23.1	2
		1	74	23.1	22.9	23.2	23.2	22.8	2
		36	0	22.2	21.9	22.4	22.4	21.9	3
		36	19	22.2	22.0	22.4	22.3	22.0	3
		36	39	22.2	21.9	22.3	22.3	21.9	3
		75	0	22.2	21.9	22.4	22.3	21.9	3

LTE Conducted Power (DSI 0 For Full Power)									
LTE Band 41 HPUE									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	25.1	24.9	25.4	25.2	24.9	0
		1	24	25.2	24.9	25.4	25.4	25.0	0
		1	49	25.1	24.8	25.2	25.1	24.7	0
		25	0	24.1	23.9	24.4	24.3	23.8	1
		25	12	24.2	24.0	24.4	24.3	24.0	1
		25	25	24.2	23.8	24.3	24.2	23.9	1
10M	16QAM	50	0	24.2	23.8	24.3	24.3	23.9	1
		1	0	24.1	23.9	24.3	24.2	23.9	1
		1	24	24.2	23.9	24.3	24.4	23.9	1
		1	49	24.1	23.8	24.2	24.1	23.8	1
		25	0	23.2	22.9	23.4	23.3	22.9	2
		25	12	23.3	23.0	23.4	23.4	23.0	2
10M	64QAM	25	25	23.1	22.8	23.3	23.3	22.8	2
		50	0	23.1	22.9	23.3	23.2	22.9	2
		1	0	23.1	22.9	23.3	23.2	22.8	2
		1	24	23.2	22.9	23.4	23.4	23.0	2
		1	49	23.1	22.7	23.2	23.1	22.8	2
		25	0	22.2	21.9	22.4	22.3	21.8	3
5M	QPSK	25	12	22.2	21.9	22.3	22.4	22.0	3
		25	25	22.1	21.8	22.2	22.3	21.8	3
		50	0	22.2	21.8	22.2	22.2	21.9	3
		39675		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
		5M	QPSK	1	0	25.1	24.9	25.2	25.3
1	12			25.2	24.9	25.4	25.4	25.0	0
1	24			25.1	24.8	25.2	25.3	24.8	0
12	0			24.1	23.9	24.4	24.3	24.0	1
12	6			24.3	23.9	24.4	24.3	24.0	1
12	13			24.1	23.9	24.2	24.2	23.9	1
5M	16QAM	25	0	24.2	23.8	24.4	24.2	24.0	1
		1	0	24.1	23.8	24.3	24.2	23.8	1
		1	12	24.2	23.9	24.4	24.3	24.0	1
		1	24	24.1	23.8	24.2	24.2	23.8	1
		12	0	23.1	22.9	23.4	23.2	23.0	2
		12	6	23.2	22.9	23.4	23.3	23.0	2
5M	64QAM	12	13	23.1	22.8	23.2	23.2	22.9	2
		25	0	23.2	22.9	23.3	23.2	23.0	2
		1	0	23.1	22.8	23.2	23.3	22.9	2
		1	12	23.3	22.9	23.4	23.4	23.0	2
		1	24	23.1	22.8	23.2	23.2	22.8	2
		12	0	22.2	21.9	22.4	22.2	22.0	3
5M	64QAM	12	6	22.2	21.9	22.3	22.3	21.9	3
		12	13	22.1	21.9	22.2	22.2	22.0	3
		25	0	22.2	21.9	22.3	22.3	21.9	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	23.5	23.5	23.4	0
		1	50	23.5	23.5	23.4	0
		1	99	23.5	23.5	23.4	0
		50	0	22.6	22.6	22.5	1
		50	25	22.5	22.5	22.4	1
		50	50	22.5	22.5	22.4	1
		100	0	22.5	22.5	22.4	1
20M	16QAM	1	0	22.6	22.6	22.5	1
		1	50	22.6	22.6	22.5	1
		1	99	22.5	22.5	22.4	1
		50	0	21.6	21.6	21.5	2
		50	25	21.5	21.5	21.4	2
		50	50	21.5	21.5	21.4	2
		100	0	21.6	21.6	21.5	2
20M	64QAM	1	0	21.6	21.6	21.5	2
		1	50	21.6	21.6	21.5	2
		1	99	21.5	21.5	21.4	2
		50	0	20.5	20.5	20.4	3
		50	25	20.5	20.5	20.4	3
		50	50	20.4	20.4	20.4	3
		100	0	20.5	20.5	20.4	3
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	23.5	23.5	23.4	0
		1	37	23.5	23.5	23.4	0
		1	74	23.4	23.4	23.3	0
		36	0	22.5	22.5	22.4	1
		36	19	22.5	22.5	22.3	1
		36	39	22.4	22.4	22.4	1
		75	0	22.5	22.5	22.4	1
15M	16QAM	1	0	22.5	22.5	22.4	1
		1	37	22.6	22.6	22.4	1
		1	74	22.5	22.5	22.4	1
		36	0	21.6	21.6	21.5	2
		36	19	21.5	21.5	21.4	2
		36	39	21.4	21.4	21.3	2
		75	0	21.5	21.5	21.4	2
15M	64QAM	1	0	21.5	21.5	21.5	2
		1	37	21.5	21.5	21.4	2
		1	74	21.5	21.5	21.4	2
		36	0	20.5	20.5	20.4	3
		36	19	20.4	20.4	20.3	3
		36	39	20.4	20.4	20.3	3
		75	0	20.5	20.5	20.4	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	23.5	23.5	23.3	0
		1	24	23.5	23.5	23.3	0
		1	49	23.3	23.3	23.3	0
		25	0	22.4	22.4	22.4	1
		25	12	22.3	22.3	22.3	1
		25	25	22.4	22.4	22.2	1
		50	0	22.5	22.5	22.3	1
10M	16QAM	1	0	22.4	22.4	22.3	1
		1	24	22.4	22.4	22.3	1
		1	49	22.3	22.3	22.3	1
		25	0	21.5	21.5	21.4	2
		25	12	21.4	21.4	21.2	2
		25	25	21.4	21.4	21.2	2
		50	0	21.4	21.4	21.3	2
10M	64QAM	1	0	21.4	21.4	21.5	2
		1	24	21.5	21.5	21.3	2
		1	49	21.5	21.5	21.3	2
		25	0	20.5	20.5	20.4	3
		25	12	20.4	20.4	20.3	3
		25	25	20.3	20.3	20.2	3
		50	0	20.3	20.3	20.3	3
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	23.5	23.5	23.2	0
		1	12	23.4	23.4	23.3	0
		1	24	23.3	23.3	23.1	0
		12	0	22.5	22.5	22.3	1
		12	6	22.5	22.5	22.1	1
		12	13	22.3	22.3	22.2	1
		25	0	22.3	22.3	22.2	1
5M	16QAM	1	0	22.4	22.4	22.4	1
		1	12	22.4	22.4	22.4	1
		1	24	22.4	22.4	22.3	1
		12	0	21.5	21.5	21.4	2
		12	6	21.4	21.4	21.3	2
		12	13	21.3	21.3	21.3	2
		25	0	21.3	21.3	21.4	2
5M	64QAM	1	0	21.4	21.4	21.4	2
		1	12	21.5	21.5	21.4	2
		1	24	21.4	21.4	21.2	2
		12	0	20.4	20.4	20.4	3
		12	6	20.4	20.4	20.2	3
		12	13	20.3	20.3	20.2	3
		25	0	20.4	20.4	20.3	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	23.5	23.5	23.3	0
		1	7	23.4	23.4	23.2	0
		1	14	23.3	23.3	23.2	0
		8	0	22.5	22.5	22.3	1
		8	3	22.4	22.4	22.3	1
		8	7	22.3	22.3	22.2	1
		15	0	22.3	22.3	22.3	1
3M	16QAM	1	0	22.6	22.6	22.4	1
		1	7	22.4	22.4	22.4	1
		1	14	22.4	22.4	22.3	1
		8	0	21.5	21.5	21.4	2
		8	3	21.4	21.4	21.3	2
		8	7	21.3	21.3	21.2	2
		15	0	21.4	21.4	21.3	2
3M	64QAM	1	0	21.6	21.6	21.4	2
		1	7	21.5	21.5	21.3	2
		1	14	21.5	21.5	21.3	2
		8	0	20.5	20.5	20.3	3
		8	3	20.3	20.3	20.2	3
		8	7	20.3	20.3	20.3	3
		15	0	20.5	20.5	20.3	3
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	23.5	23.5	23.3	0
		1	2	23.3	23.3	23.3	0
		1	5	23.3	23.3	23.2	0
		3	0	23.4	23.4	23.3	0
		3	1	23.4	23.4	23.4	0
		3	3	23.3	23.3	23.3	0
		6	0	22.4	22.4	22.2	1
1.4M	16QAM	1	0	22.5	22.5	22.4	1
		1	2	22.4	22.4	22.4	1
		1	5	22.4	22.4	22.3	1
		3	0	22.5	22.5	22.4	1
		3	1	22.4	22.4	22.4	1
		3	3	22.2	22.2	22.3	1
		6	0	21.4	21.4	21.3	2
1.4M	64QAM	1	0	21.5	21.5	21.4	2
		1	2	21.4	21.4	21.3	2
		1	5	21.4	21.4	21.3	2
		3	0	21.4	21.4	21.3	2
		3	1	21.4	21.4	21.2	2
		3	3	21.2	21.2	21.3	2
		6	0	20.4	20.4	20.4	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 71							
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	3GPP MPR (dB)
		Channel		133222	133297	133372	
		Frequency (MHz)		673	680.5	688	
20M	QPSK	1	0	23.8	23.8	23.8	0
		1	50	23.8	23.8	23.7	0
		1	99	23.8	23.7	23.7	0
		50	0	22.9	22.8	22.8	1
		50	25	22.8	22.8	22.7	1
		50	50	22.8	22.7	22.7	1
		100	0	22.8	22.8	22.7	1
20M	16QAM	1	0	22.9	22.9	22.9	1
		1	50	22.9	22.9	22.8	1
		1	99	22.9	22.8	22.8	1
		50	0	22.0	21.9	21.9	2
		50	25	21.9	21.8	21.8	2
		50	50	21.9	21.8	21.8	2
		100	0	21.9	21.9	21.8	2
20M	64QAM	1	0	21.9	21.9	21.9	2
		1	50	21.9	21.8	21.8	2
		1	99	21.9	21.8	21.8	2
		50	0	20.9	20.9	20.8	3
		50	25	20.9	20.8	20.8	3
		50	50	20.8	20.8	20.8	3
		100	0	20.8	20.8	20.8	3
BW	MCS Index	Channel		133197	133297	133397	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	QPSK	1	0	23.8	23.8	23.7	0
		1	37	23.7	23.7	23.7	0
		1	74	23.7	23.6	23.7	0
		36	0	22.8	22.8	22.8	1
		36	19	22.8	22.7	22.7	1
		36	39	22.7	22.7	22.6	1
		75	0	22.7	22.7	22.7	1
15M	16QAM	1	0	22.9	22.9	22.8	1
		1	37	22.8	22.9	22.8	1
		1	74	22.8	22.7	22.8	1
		36	0	22.0	21.9	21.9	2
		36	19	21.8	21.8	21.8	2
		36	39	21.8	21.7	21.7	2
		75	0	21.9	21.8	21.8	2
15M	64QAM	1	0	21.9	21.8	21.8	2
		1	37	21.8	21.8	21.8	2
		1	74	21.9	21.7	21.8	2
		36	0	20.9	20.8	20.8	3
		36	19	20.8	20.8	20.7	3
		36	39	20.8	20.7	20.8	3
		75	0	20.8	20.7	20.7	3

LTE Conducted Power (DSI 0 For Full Power)							
LTE Band 71							
BW	MCS Index	Channel		133172	133297	133422	3GPP MPR
		Frequency (MHz)		668	680.5	693	
10M	QPSK	1	0	23.7	23.6	23.7	0
		1	24	23.8	23.6	23.7	0
		1	49	23.7	23.6	23.5	0
		25	0	22.8	22.8	22.7	1
		25	12	22.7	22.6	22.7	1
		25	25	22.7	22.6	22.6	1
		50	0	22.6	22.7	22.6	1
10M	16QAM	1	0	22.8	22.7	22.7	1
		1	24	22.7	22.7	22.7	1
		1	49	22.8	22.7	22.7	1
		25	0	21.8	21.8	21.7	2
		25	12	21.8	21.7	21.7	2
		25	25	21.8	21.7	21.7	2
		50	0	21.8	21.7	21.7	2
10M	64QAM	1	0	21.8	21.9	21.8	2
		1	24	21.7	21.6	21.7	2
		1	49	21.8	21.7	21.7	2
		25	0	20.8	20.7	20.8	3
		25	12	20.7	20.8	20.8	3
		25	25	20.7	20.5	20.5	3
		50	0	20.7	20.7	20.6	3
BW	MCS Index	Channel		133147	133297	133447	3GPP MPR
		Frequency (MHz)		665.5	680.5	695.5	
5M	QPSK	1	0	23.6	23.6	23.6	0
		1	12	23.7	23.7	23.5	0
		1	24	23.6	23.5	23.6	0
		12	0	22.8	22.6	22.6	1
		12	6	22.7	22.6	22.6	1
		12	13	22.8	22.5	22.4	1
		25	0	22.7	22.7	22.5	1
5M	16QAM	1	0	22.9	22.8	22.7	1
		1	12	22.8	22.7	22.7	1
		1	24	22.8	22.8	22.8	1
		12	0	21.8	21.8	21.8	2
		12	6	21.8	21.7	21.6	2
		12	13	21.7	21.7	21.8	2
		25	0	21.8	21.7	21.7	2
5M	64QAM	1	0	21.8	21.8	21.7	2
		1	12	21.8	21.8	21.7	2
		1	24	21.7	21.7	21.6	2
		12	0	20.8	20.7	20.8	3
		12	6	20.9	20.7	20.7	3
		12	13	20.6	20.7	20.6	3
		25	0	20.8	20.8	20.7	3

NR Conducted Power (DSI 0 For Full Power)							
NR Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	24.1	24.4	24.3	0
20M	DFT-S QPSK	1	1	24.3	24.5	24.4	0
		1	53	24.1	24.4	24.4	0
		1	104	24.0	24.3	24.2	0
		50	0	23.1	23.3	23.2	1
		50	28	24.2	24.4	24.3	0
		50	56	23.1	23.3	23.2	1
		100	0	23.1	23.4	23.3	1
20M	DFT-S 16QAM	1	1	23.1	23.4	23.2	1
20M	DFT-S 64QAM	1	1	21.6	21.8	21.7	2.5
20M	DFT-S 256QAM	1	1	19.4	19.7	19.6	4.5
20M	CP QPSK	1	1	22.6	22.8	22.7	1.5
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	24.0	24.4	24.2	0
15M	DFT-S QPSK	1	1	24.2	24.3	24.3	0
		1	40	23.9	24.2	24.3	0
		1	77	23.9	24.2	24.1	0
		36	0	23.0	23.1	23.2	1
		36	22	24.0	24.2	24.2	0
		36	43	22.9	23.2	23.1	1
		75	0	23.0	23.2	23.1	1
15M	DFT-S 16QAM	1	1	22.9	23.2	23.1	1
15M	DFT-S 64QAM	1	1	21.5	21.7	21.6	2.5
15M	DFT-S 256QAM	1	1	19.3	19.6	19.5	4.5
15M	CP QPSK	1	1	22.5	22.7	22.6	1.5

NR Conducted Power (DSI 0 For Full Power)							
NR Band 2							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	24.0	24.3	24.1	0
10M	DFT-S QPSK	1	1	24.1	24.4	24.2	0
		1	26	24.0	24.3	24.3	0
		1	50	23.9	24.1	24.0	0
		25	0	23.0	23.2	23.0	1
		25	14	24.0	24.3	24.1	0
		25	27	23.0	23.2	23.2	1
10M	DFT-S 16QAM	1	1	23.0	23.2	23.0	1
10M	DFT-S 64QAM	1	1	21.5	21.7	21.6	2.5
10M	DFT-S 256QAM	1	1	19.2	19.5	19.5	4.5
10M	CP QPSK	1	1	22.5	22.7	22.6	1.5
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	23.9	24.3	24.2	0
5M	DFT-S QPSK	1	1	24.3	24.4	24.2	0
		1	13	23.9	24.3	24.3	0
		1	23	23.9	24.2	24.1	0
		12	0	23.0	23.1	23.1	1
		12	7	24.1	24.3	24.2	0
		12	13	23.0	23.2	23.1	1
5M	DFT-S 16QAM	1	1	23.1	23.3	23.1	1
5M	DFT-S 64QAM	1	1	21.4	21.8	21.6	2.5
5M	DFT-S 256QAM	1	1	19.2	19.6	19.4	4.5
5M	CP QPSK	1	1	22.5	22.7	22.6	1.5

NR Conducted Power (DSI 0 For Full Power)							
NR Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequency (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	22.9	23.0	23.3	0
20M	DFT-S QPSK	1	1	23.1	23.2	23.5	0
		1	53	23.0	23.1	23.4	0
		1	104	22.8	22.9	23.2	0
		50	0	22.1	22.2	22.5	1
		50	28	23.0	23.1	23.4	0
		50	56	21.8	21.9	22.2	1
		100	0	22.0	22.1	22.4	1
20M	DFT-S 16QAM	1	1	22.0	22.1	22.4	1
20M	DFT-S 64QAM	1	1	20.5	20.6	20.9	2.5
20M	DFT-S 256QAM	1	1	18.7	18.8	19.1	4.5
20M	CP QPSK	1	1	21.7	21.8	22.1	1.5
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequency (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	22.7	22.9	23.2	0
15M	DFT-S QPSK	1	1	22.9	23.1	23.4	0
		1	40	22.9	22.9	23.3	0
		1	77	22.7	22.7	23.2	0
		36	0	22.0	22.1	22.4	1
		36	22	22.9	23.0	23.3	0
		36	43	21.6	21.7	22.0	1
		75	0	21.9	22.0	22.3	1
15M	DFT-S 16QAM	1	1	21.9	22.1	22.3	1
15M	DFT-S 64QAM	1	1	20.4	20.5	20.8	2.5
15M	DFT-S 256QAM	1	1	18.5	18.7	19.0	4.5
15M	CP QPSK	1	1	21.6	21.6	22.0	1.5

NR Conducted Power (DSI 0 For Full Power)							
NR Band 5							
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequency (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	22.8	22.9	23.2	0
10M	DFT-S QPSK	1	1	23.0	23.0	23.4	0
		1	26	22.9	23.0	23.2	0
		1	50	22.6	22.8	23.0	0
		25	0	22.0	22.1	22.3	1
		25	14	22.9	22.9	23.3	0
		25	27	21.8	21.8	22.0	1
10M	DFT-S 16QAM	1	1	21.8	22.0	22.3	1
10M	DFT-S 64QAM	1	1	20.5	20.6	20.7	2.5
10M	DFT-S 256QAM	1	1	18.5	18.6	18.9	4.5
10M	CP QPSK	1	1	21.5	21.7	22.0	1.5
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	22.8	22.9	23.2	0
5M	DFT-S QPSK	1	1	22.9	23.0	23.3	0
		1	13	22.8	23.0	23.3	0
		1	23	22.7	22.9	23.0	0
		12	0	22.1	22.2	22.5	1
		12	7	23.0	23.0	23.3	0
		12	13	21.7	21.8	22.0	1
5M	DFT-S 16QAM	1	1	21.8	22.0	22.2	1
5M	DFT-S 64QAM	1	1	20.4	20.5	20.8	2.5
5M	DFT-S 256QAM	1	1	18.5	18.7	19.0	4.5
5M	CP QPSK	1	1	21.6	21.7	22.1	1.5

NR Conducted Power (DSI 0 For Full Power)									
NR Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523302	528000	
		Frequency (MHz)		2546.01	2569.5	2592.99	2616.51	2640	
100M	DFT-S PI/2 BPSK	1	1	23.8	23.6	23.7	23.8	24.0	0
100M	DFT-S QPSK	1	1	23.3	23.1	23.2	23.3	23.5	0
		1	137	24.3	24.3	24.2	24.3	24.4	0
		1	271	24.3	24.1	24.2	24.3	24.3	0
		135	0	23.0	22.8	22.9	23.0	23.2	1
		135	69	24.4	24.2	24.3	24.3	24.3	0
		135	138	23.3	23.1	23.2	23.3	23.5	1
270	0	23.3	23.1	23.2	23.3	23.5	1		
100M	DFT-S 16QAM	1	1	23.0	22.8	22.9	23.0	23.2	1
100M	DFT-S 64QAM	1	1	21.8	21.6	21.7	21.8	22.0	2.5
100M	DFT-S 256QAM	1	1	19.7	19.5	19.6	19.7	19.9	4.5
100M	CP QPSK	1	1	22.7	22.5	22.6	22.7	22.9	1.5
BW	MCS Index	Channel		508200	513402	518598	523800	528996	3GPP MPR
		Frequency (MHz)		2541	2567.01	2592.99	2619	2644.98	
90M	DFT-S PI/2 BPSK	1	1	23.7	23.6	23.6	23.7	24.0	0
90M	DFT-S QPSK	1	1	23.2	23.1	23.1	23.2	23.4	0
		1	123	24.2	24.2	24.1	24.3	24.3	0
		1	243	24.2	24.0	24.1	24.2	24.3	0
		120	0	22.9	22.8	22.8	22.9	23.1	1
		120	63	24.3	24.1	24.2	24.3	24.2	0
		120	125	23.2	23.0	23.1	23.3	23.5	1
243	0	23.3	23.0	23.1	23.2	23.4	1		
90M	DFT-S 16QAM	1	1	22.9	22.7	22.8	22.9	23.2	1
90M	CP QPSK	1	1	22.7	22.4	22.5	22.6	22.9	1.5

NR Conducted Power (DSI 0 For Full Power)									
NR Band 41									
BW	MCS Index	Channel		507204	509304	518598	500298	529998	3GPP MPR
		Frequency (MHz)		2536.02	2546.52	2592.99	2621.49	2649.99	
80M	DFT-S PI/2 BPSK	1	1	23.7	23.6	23.6	23.7	23.9	0
80M	DFT-S QPSK	1	1	23.2	23.1	23.1	23.3	23.5	0
		1	109	24.2	24.2	24.2	24.2	24.3	0
		1	215	24.2	24.1	24.2	24.3	24.2	0
		108	0	23.0	22.8	22.8	22.9	23.1	1
		108	55	24.4	24.1	24.2	24.3	24.3	0
		108	109	23.3	23.0	23.2	23.2	23.4	1
		216	0	23.2	23.0	23.1	23.2	23.4	1
80M	DFT-S 16QAM	1	1	22.9	22.7	22.8	22.9	23.1	1
80M	CP QPSK	1	1	22.6	22.5	22.5	22.7	22.9	1.5

NR Conducted Power (DSI 0 For Full Power)									
NR Band 41									
BW	MCS Index	Channel		505200	511896	518598	525294	531996	3GPP MPR
		Frequency (MHz)		2526	2559.48	2592.99	2626.48	2659.98	
60M	DFT-S PI/2 BPSK	1	1	23.8	23.6	23.6	23.7	23.9	0
60M	DFT-S QPSK	1	1	23.2	23.1	23.1	23.2	23.4	0
		1	81	24.3	24.2	24.2	24.2	24.3	0
		1	160	24.2	24.0	24.2	24.3	24.2	0
		81	0	22.9	22.7	22.8	22.9	23.1	1
		81	41	24.4	24.1	24.2	24.3	24.2	0
		81	81	23.2	23.0	23.1	23.2	23.4	1
60M	DFT-S 16QAM	1	1	22.9	22.7	22.8	22.9	23.2	1
60M	CP QPSK	1	1	22.6	22.5	22.6	22.6	22.8	1.5
BW	MCS Index	Channel		504204	511404	518598	525798	532998	3GPP MPR
		Frequency (MHz)		2521.02	2557.02	2592.99	2628.99	2664.99	
50M	DFT-S PI/2 BPSK	1	1	23.7	23.5	23.6	23.7	23.9	0
50M	DFT-S QPSK	1	1	23.2	23.0	23.1	23.2	23.4	0
		1	67	24.2	24.3	24.2	24.2	24.3	0
		1	131	24.3	24.1	24.2	24.2	24.2	0
		64	0	23.0	22.7	22.8	22.9	23.1	1
		64	35	24.4	24.2	24.2	24.3	24.2	0
		64	69	23.2	23.0	23.2	23.2	23.5	1
50M	DFT-S 16QAM	1	1	22.9	22.7	22.8	22.9	23.1	1
50M	CP QPSK	1	1	22.7	22.5	22.5	22.7	22.9	1.5

NR Conducted Power (DSI 0 For Full Power)									
NR Band 41									
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequency (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	23.8	23.5	23.7	23.8	23.9	0
40M	DFT-S QPSK	1	1	23.3	23.0	23.1	23.3	23.5	0
		1	53	24.3	24.2	24.1	24.2	24.4	0
		1	104	24.3	24.0	24.1	24.2	24.2	0
		50	0	23.0	22.7	22.8	22.9	23.1	1
		50	28	24.3	24.1	24.2	24.2	24.2	0
		50	56	23.3	23.0	23.2	23.2	23.4	1
100	0	23.2	23.0	23.1	23.2	23.4	1		
40M	DFT-S 16QAM	1	1	22.9	22.7	22.9	23.0	23.1	1
40M	CP QPSK	1	1	22.7	22.4	22.5	22.6	22.9	1.5
BW	MCS Index	Channel		502200	510396	518598	526794	534996	3GPP MPR
		Frequency (MHz)		2511	2551.98	2592.99	2633.97	2674.98	
30M	DFT-S PI/2 BPSK	1	1	23.7	23.5	23.6	23.8	23.9	0
30M	DFT-S QPSK	1	1	23.2	23.0	23.1	23.2	23.5	0
		1	39	24.3	24.2	24.2	24.3	24.3	0
		1	76	24.3	24.0	24.1	24.2	24.3	0
		36	0	23.0	22.8	22.9	22.9	23.1	1
		36	21	24.3	24.1	24.2	24.2	24.3	0
		36	42	23.2	23.1	23.1	23.2	23.4	1
75	0	23.2	23.1	23.2	23.3	23.4	1		
30M	DFT-S 16QAM	1	1	23.0	22.8	22.9	23.0	23.1	1
30M	CP QPSK	1	1	22.6	22.4	22.6	22.6	22.9	1.5

NR Conducted Power (DSI 0 For Full Power)									
NR Band 41									
BW	MCS Index	Channel		501204	509898	518598	527298	535998	3GPP MPR
		Frequency (MHz)		2506.02	2549.49	2592.99	2636.49	2679.99	
20M	DFT-S PI/2 BPSK	1	1	23.7	23.6	23.6	23.7	23.9	0
20M	DFT-S QPSK	1	1	23.3	23.1	23.1	23.2	23.5	0
		1	26	24.3	24.3	24.1	24.3	24.4	0
		1	49	24.2	24.0	24.1	24.2	24.2	0
		25	0	22.9	22.7	22.8	22.9	23.2	1
		25	13	24.4	24.1	24.2	24.2	24.3	0
		25	26	23.2	23.0	23.1	23.2	23.4	1
50	0	23.2	23.1	23.1	23.2	23.5	1		
20M	DFT-S 16QAM	1	1	23.0	22.7	22.8	23.0	23.1	1
20M	CP QPSK	1	1	22.7	22.5	22.6	22.7	22.9	1.5
BW	MCS Index	Channel		500700	509646	518598	527544	536496	3GPP MPR
		Frequency (MHz)		2503.5	2548.23	2592.99	2637.72	2682.48	
15M	DFT-S PI/2 BPSK	1	1	23.7	23.5	23.7	23.7	23.9	0
15M	DFT-S QPSK	1	1	23.3	23.1	23.1	23.2	23.4	0
		1	19	24.3	24.3	24.1	24.2	24.3	0
		1	36	24.2	24.0	24.2	24.2	24.3	0
		18	0	22.9	22.7	22.9	22.9	23.2	1
		18	10	24.3	24.1	24.3	24.3	24.2	0
		18	20	23.2	23.1	23.2	23.3	23.4	1
36	0	23.2	23.1	23.1	23.2	23.5	1		
15M	DFT-S 16QAM	1	1	22.9	22.7	22.8	23.0	23.1	1
15M	CP QPSK	1	1	22.6	22.5	22.5	22.6	22.9	1.5

NR Conducted Power (DSI 0 For Full Power)									
NR Band 41									
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequency (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	23.7	23.6	23.6	23.7	24.0	0
10M	DFT-S QPSK	1	1	23.3	23.0	23.2	23.3	23.4	0
		1	11	24.3	24.3	24.2	24.3	24.3	0
		1	22	24.3	24.0	24.1	24.3	24.3	0
		12	0	23.0	22.7	22.8	22.9	23.1	1
		12	6	24.3	24.1	24.2	24.3	24.3	0
		12	12	23.3	23.0	23.1	23.3	23.5	1
		24	0	23.2	23.1	23.1	23.2	23.4	1
10M	DFT-S 16QAM	1	1	23.0	22.7	22.9	22.9	23.1	1
10M	CP QPSK	1	1	22.6	22.4	22.5	22.6	22.9	1.5

NR Conducted Power (DSI 0 For Full Power)							
NR Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		346000	349000	352000	
		Frequency (MHz)		1730	1745	1760	
40M	DFT-S PI/2 BPSK	1	1	23.3	23.7	24.0	0
40M	DFT-S QPSK	1	1	23.6	23.9	24.2	0
		1	108	23.3	23.7	24.0	0
		1	214	23.3	23.7	24.0	0
		108	0	22.9	23.2	23.5	1
		108	54	23.5	23.8	24.1	0
		108	108	22.7	23.0	23.3	1
40M	DFT-S 16QAM	1	1	22.5	22.8	23.1	1
40M	DFT-S 64QAM	1	1	21.1	21.4	21.7	2.5
40M	DFT-S 256QAM	1	1	19.2	19.5	19.8	4.5
40M	CP QPSK	1	1	22.2	22.5	22.8	1.5
BW	MCS Index	Channel		345000	349000	353000	3GPP MPR
		Frequency (MHz)		1725	1745	1765	
30M	DFT-S PI/2 BPSK	1	1	23.2	23.5	24.0	0
30M	DFT-S QPSK	1	1	23.4	23.8	24.1	0
		1	80	23.2	23.6	23.9	0
		1	158	23.2	23.5	23.9	0
		80	0	22.7	23.1	23.3	1
		80	40	23.4	23.8	23.9	0
		80	80	22.6	22.9	23.2	1
30M	DFT-S 16QAM	1	1	22.3	22.7	23.0	1
30M	DFT-S 64QAM	1	1	21.0	21.3	21.5	2.5
30M	DFT-S 256QAM	1	1	19.1	19.4	19.7	4.5
30M	CP QPSK	1	1	22.0	22.4	22.7	1.5

NR Conducted Power (DSI 0 For Full Power)							
NR Band 66							
BW	MCS Index	Channel		344500	349000	353500	3GPP MPR
		Frequency (MHz)		1722.5	1745	1767.5	
25M	DFT-S PI/2 BPSK	1	1	23.1	23.7	23.9	0
25M	DFT-S QPSK	1	1	23.5	23.8	24.1	0
		1	67	23.1	23.6	23.9	0
		1	131	23.1	23.5	23.9	0
		64	0	22.8	23.1	23.4	1
		64	35	23.3	23.7	24.0	0
		64	69	22.6	22.9	23.2	1
128	0	22.5	22.8	23.2	1		
25M	DFT-S 16QAM	1	1	22.4	22.7	22.9	1
25M	DFT-S 64QAM	1	1	21.0	21.3	21.6	2.5
25M	DFT-S 256QAM	1	1	19.0	19.4	19.6	4.5
25M	CP QPSK	1	1	22.2	22.3	22.7	1.5
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	23.2	23.6	23.9	0
20M	DFT-S QPSK	1	1	23.5	23.9	24.1	0
		1	53	23.3	23.6	24.0	0
		1	104	23.2	23.6	23.9	0
		50	0	22.7	23.1	23.4	1
		50	28	23.3	23.7	23.9	0
		50	56	22.5	22.8	23.2	1
100	0	22.6	22.9	23.1	1		
20M	DFT-S 16QAM	1	1	22.4	22.7	23.0	1
20M	DFT-S 64QAM	1	1	21.0	21.3	21.5	2.5
20M	DFT-S 256QAM	1	1	19.1	19.4	19.7	4.5
20M	CP QPSK	1	1	22.2	22.4	22.7	1.5

NR Conducted Power (DSI 0 For Full Power)							
NR Band 66							
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	23.1	23.6	23.9	0
15M	DFT-S QPSK	1	1	23.5	23.8	24.1	0
		1	40	23.2	23.6	23.9	0
		1	77	23.2	23.5	23.9	0
		36	0	22.7	23.1	23.4	1
		36	22	23.3	23.7	23.9	0
		36	43	22.5	22.8	23.1	1
		75	0	22.6	22.9	23.1	1
15M	DFT-S 16QAM	1	1	22.4	22.7	23.0	1
15M	DFT-S 64QAM	1	1	20.9	21.3	21.6	2.5
15M	DFT-S 256QAM	1	1	19.1	19.4	19.6	4.5
15M	CP QPSK	1	1	22.0	22.5	22.6	1.5
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	23.1	23.6	23.9	0
10M	DFT-S QPSK	1	1	23.5	23.8	24.0	0
		1	26	23.2	23.5	23.9	0
		1	50	23.1	23.5	23.9	0
		25	0	22.7	23.1	23.5	1
		25	14	23.4	23.7	24.0	0
		25	27	22.6	22.9	23.1	1
		50	0	22.7	22.9	23.2	1
10M	DFT-S 16QAM	1	1	22.4	22.6	23.0	1
10M	DFT-S 64QAM	1	1	21.0	21.3	21.7	2.5
10M	DFT-S 256QAM	1	1	19.0	19.5	19.7	4.5
10M	CP QPSK	1	1	22.0	22.3	22.7	1.5

NR Conducted Power (DSI 0 For Full Power)							
NR Band 71							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		134600	136100	137600	
		Frequency (MHz)		673	680.5	688	
20M	DFT-S PI/2 BPSK	1	1	23.5	23.7	23.4	0
20M	DFT-S QPSK	1	1	23.8	24.1	23.7	0
		1	53	23.5	23.8	23.5	0
		1	104	23.5	23.7	23.4	0
		50	0	23.1	23.3	23.0	1
		50	28	23.6	23.8	23.5	0
		50	56	23.0	23.2	22.9	1
100	0	22.9	23.2	22.9	1		
20M	DFT-S 16QAM	1	1	23.0	23.2	22.9	1
20M	DFT-S 64QAM	1	1	21.3	21.6	21.3	2.5
20M	DFT-S 256QAM	1	1	19.5	19.7	19.4	4.5
20M	CP QPSK	1	1	22.7	23.0	22.6	1.5
BW	MCS Index	Channel		134100	136100	138100	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	DFT-S PI/2 BPSK	1	1	23.3	23.5	23.3	0
15M	DFT-S QPSK	1	1	23.7	24.1	23.6	0
		1	40	23.4	23.6	23.4	0
		1	77	23.4	23.5	23.3	0
		36	0	22.9	23.2	22.8	1
		36	22	23.6	23.6	23.4	0
		36	43	22.9	23.0	22.7	1
75	0	22.9	23.1	22.9	1		
15M	DFT-S 16QAM	1	1	22.8	23.1	22.8	1
15M	DFT-S 64QAM	1	1	21.2	21.5	21.2	2.5
15M	DFT-S 256QAM	1	1	19.4	19.6	19.4	4.5
15M	CP QPSK	1	1	22.6	22.9	22.6	1.5

NR Conducted Power (DSI 0 For Full Power)							
NR Band 71							
BW	MCS Index	Channel		133600	136100	138600	3GPP MPR
		Frequency (MHz)		668	680.5	693	
10M	DFT-S PI/2 BPSK	1	1	23.3	23.6	23.3	0
10M	DFT-S QPSK	1	1	23.6	24.0	23.5	0
		1	26	23.4	23.7	23.4	0
		1	50	23.4	23.6	23.3	0
		25	0	23.0	23.2	22.9	1
		25	14	23.6	23.8	23.4	0
		25	27	22.9	23.1	22.7	1
10M	DFT-S 16QAM	1	1	22.9	23.1	22.7	1
10M	DFT-S 64QAM	1	1	21.3	21.5	21.2	2.5
10M	DFT-S 256QAM	1	1	19.4	19.6	19.3	4.5
10M	CP QPSK	1	1	22.6	22.9	22.6	1.5
BW	MCS Index	Channel		133100	136100	139100	3GPP MPR
		Frequency (MHz)		665.5	680.5	695.5	
5M	DFT-S PI/2 BPSK	1	1	23.3	23.7	23.2	0
5M	DFT-S QPSK	1	1	23.8	24.0	23.5	0
		1	13	23.4	23.7	23.5	0
		1	23	23.3	23.5	23.3	0
		12	0	23.0	23.2	22.9	1
		12	7	23.5	23.6	23.4	0
		12	13	22.9	23.0	22.8	1
5M	DFT-S 16QAM	1	1	22.9	23.0	22.7	1
5M	DFT-S 64QAM	1	1	21.2	21.4	21.2	2.5
5M	DFT-S 256QAM	1	1	19.3	19.7	19.3	4.5
5M	CP QPSK	1	1	22.6	22.8	22.5	1.5

NR Conducted Power (DSI 0 For Full Power)									
NR Band 77									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		650000	653000	656000	659000	662000	
		Frequency (MHz)		3750	3795	3840	3885	3930	
100M	DFT-S PI/2 BPSK	1	1	23.1	22.9	23.0	23.3	23.1	0
100M	DFT-S QPSK	1	1	23.2	23.0	23.0	23.4	23.1	0
		1	137	24.0	23.8	23.9	24.3	24.0	0
		1	271	23.7	23.5	23.5	23.9	23.6	0
		135	0	23.0	22.8	22.8	23.2	22.9	1
		135	69	23.9	23.7	23.8	24.2	23.9	0
		135	138	23.2	23.0	23.0	23.4	23.1	1
270	0	23.1	22.9	22.9	23.3	23.0	1		
100M	DFT-S 16QAM	1	1	22.7	22.5	22.6	23.0	22.7	1
100M	DFT-S 64QAM	1	1	21.0	20.8	20.8	21.2	20.9	2.5
100M	DFT-S 256QAM	1	1	19.1	18.9	18.8	19.2	18.9	4.5
100M	CP QPSK	1	1	22.1	21.9	21.9	22.3	22.0	1.5
BW	MCS Index	Channel		649668	652834	656000	659166	662332	3GPP MPR
		Frequency (MHz)		3745.02	3792.51	3840	3887.49	3934.98	
90M	DFT-S PI/2 BPSK	1	1	22.9	22.7	22.9	23.2	23.1	0
90M	DFT-S QPSK	1	1	23.0	22.9	22.8	23.3	23.0	0
		1	123	24.0	23.6	23.7	24.2	23.8	0
		1	243	23.6	23.4	23.2	23.8	23.6	0
		120	0	22.9	22.7	22.6	23.1	22.7	1
		120	63	23.9	23.6	23.6	24.0	23.8	0
		120	125	23.1	23.0	22.7	23.2	23.0	1
243	0	23.0	22.8	22.8	23.2	23.0	1		
90M	DFT-S 16QAM	1	1	22.6	22.3	22.4	22.9	22.6	1
90M	CP QPSK	1	1	21.9	21.8	21.8	22.1	21.8	1.5

NR Conducted Power (DSI 0 For Full Power)									
NR Band 77									
BW	MCS Index	Channel		649334	652666	656000	659334	662666	3GPP MPR
		Frequency (MHz)		3740.01	3789.99	3840	3890.01	3939.99	
80M	DFT-S PI/2 BPSK	1	1	23.0	22.8	22.8	23.2	23.0	0
80M	DFT-S QPSK	1	1	23.0	22.9	22.8	23.4	23.0	0
		1	109	23.8	23.7	23.6	24.2	24.0	0
		1	215	23.6	23.4	23.3	23.8	23.5	0
		108	0	22.9	22.7	22.5	23.1	22.9	1
		108	55	23.8	23.6	23.5	24.0	23.7	0
		108	109	23.1	22.8	22.8	23.4	23.0	1
80M	DFT-S 16QAM	1	1	22.5	22.3	22.5	23.0	22.6	1
80M	CP QPSK	1	1	22.1	21.9	21.9	22.2	21.9	1.5
BW	MCS Index	Channel		649000	652500	656000	659500	663000	3GPP MPR
		Frequency (MHz)		3735	3787.5	3840	3892.5	3945	
70M	DFT-S PI/2 BPSK	1	1	23.0	22.8	22.9	23.3	23.0	0
70M	DFT-S QPSK	1	1	23.1	22.9	22.9	23.3	23.0	0
		1	95	23.9	23.7	23.7	24.2	24.0	0
		1	187	23.6	23.4	23.2	23.8	23.5	0
		90	0	22.9	22.8	22.6	23.0	22.8	1
		90	50	23.7	23.5	23.6	24.2	23.8	0
		90	99	23.1	22.9	22.9	23.2	23.0	1
70M	DFT-S 16QAM	1	1	22.7	22.4	22.4	22.9	22.6	1
70M	CP QPSK	1	1	22.0	21.8	21.8	22.1	21.9	1.5

NR Conducted Power (DSI 0 For Full Power)									
NR Band 77									
BW	MCS Index	Channel		648668	652334	656000	659666	663332	3GPP MPR
		Frequency (MHz)		3730.02	3785.01	3840	3894.99	3949.98	
60M	DFT-S PI/2 BPSK	1	1	23.0	22.7	22.8	23.2	22.9	0
60M	DFT-S QPSK	1	1	23.1	22.9	22.9	23.3	22.9	0
		1	81	23.8	23.7	23.6	24.1	23.9	0
		1	160	23.7	23.3	23.4	23.8	23.5	0
		81	0	22.9	22.8	22.5	23.0	22.7	1
		81	41	23.9	23.5	23.6	24.1	23.8	0
		81	81	23.1	22.8	22.7	23.2	22.9	1
60M	DFT-S 16QAM	1	1	22.6	22.4	22.5	22.9	22.6	1
60M	CP QPSK	1	1	22.0	21.7	21.8	22.2	21.9	1.5
BW	MCS Index	Channel		648334	652166	656000	659834	663666	3GPP MPR
		Frequency (MHz)		3725.01	3782.49	3840	3897.51	3954.99	
50M	DFT-S PI/2 BPSK	1	1	22.9	22.8	22.8	23.2	23.0	0
50M	DFT-S QPSK	1	1	23.1	22.8	22.8	23.2	23.0	0
		1	67	23.9	23.8	23.7	24.2	23.8	0
		1	131	23.7	23.3	23.3	23.8	23.5	0
		64	0	22.9	22.6	22.7	23.0	22.8	1
		64	35	23.9	23.6	23.5	24.1	23.8	0
		64	69	23.1	22.8	22.8	23.3	23.0	1
50M	DFT-S 16QAM	1	1	22.7	22.3	22.4	22.9	22.5	1
50M	CP QPSK	1	1	21.9	21.8	21.8	22.1	21.8	1.5

NR Conducted Power (DSI 0 For Full Power)									
NR Band 77									
BW	MCS Index	Channel		648000	652000	656000	660000	664000	3GPP MPR
		Frequency (MHz)		3720	3780	3840	3900	3960	
40M	DFT-S PI/2 BPSK	1	1	22.9	22.8	22.9	23.1	23.0	0
40M	DFT-S QPSK	1	1	23.1	22.8	22.9	23.4	23.0	0
		1	53	24.0	23.7	23.7	24.2	23.8	0
		1	104	23.6	23.4	23.3	23.8	23.4	0
		50	0	22.9	22.6	22.6	23.2	22.8	1
		50	28	23.8	23.5	23.6	24.2	23.7	0
		50	56	23.0	22.8	22.8	23.2	23.0	1
100	0	23.0	22.8	22.8	23.1	22.9	1		
40M	DFT-S 16QAM	1	1	22.6	22.3	22.4	22.8	22.6	1
40M	CP QPSK	1	1	22.0	21.8	21.8	22.2	21.8	1.5
BW	MCS Index	Channel		647668	651834	656000	660166	664332	3GPP MPR
		Frequency (MHz)		3715.02	3777.51	3840	3902.49	3964.98	
30M	DFT-S PI/2 BPSK	1	1	22.9	22.8	22.8	23.1	23.0	0
30M	DFT-S QPSK	1	1	23.2	23.0	22.8	23.2	22.9	0
		1	39	23.9	23.6	23.6	24.1	23.9	0
		1	76	23.6	23.3	23.3	23.8	23.4	0
		36	0	23.0	22.7	22.6	23.1	22.9	1
		36	21	23.8	23.5	23.6	24.1	23.7	0
		36	42	23.0	22.9	22.6	23.3	23.1	1
75	0	23.0	22.7	22.8	23.2	22.8	1		
30M	DFT-S 16QAM	1	1	22.6	22.3	22.5	22.9	22.6	1
30M	CP QPSK	1	1	22.0	21.9	21.8	22.1	21.9	1.5

NR Conducted Power (DSI 0 For Full Power)									
NR Band 77									
BW	MCS Index	Channel		647500	651750	656000	660250	664500	3GPP MPR
		Frequency (MHz)		3712.5	3776.25	3840	3903.75	3967.5	
25M	DFT-S PI/2 BPSK	1	1	22.9	22.7	22.8	23.2	23.1	0
25M	DFT-S QPSK	1	1	23.1	22.9	22.7	23.2	23.1	0
		1	33	23.8	23.6	23.7	24.2	23.9	0
		1	63	23.5	23.3	23.3	23.7	23.6	0
		32	0	22.9	22.7	22.6	23.1	22.7	1
		32	17	23.8	23.6	23.6	24.0	23.7	0
		32	33	23.1	22.9	22.9	23.3	23.0	1
64	0	23.0	22.8	22.7	23.2	22.9	1		
25M	DFT-S 16QAM	1	1	22.6	22.4	22.5	23.0	22.6	1
25M	CP QPSK	1	1	22.0	21.8	21.8	22.2	21.9	1.5
BW	MCS Index	Channel		647334	651666	656000	660266	664666	3GPP MPR
		Frequency (MHz)		3710.01	3774.99	3840	3903.99	3969.99	
20M	DFT-S PI/2 BPSK	1	1	23.0	22.8	22.9	23.2	23.0	0
20M	DFT-S QPSK	1	1	23.1	22.9	22.7	23.3	22.9	0
		1	26	23.9	23.6	23.8	24.1	24.0	0
		1	49	23.6	23.4	23.3	23.8	23.5	0
		25	0	22.8	22.7	22.6	23.0	22.7	1
		25	13	23.7	23.5	23.5	24.0	23.7	0
		25	26	23.1	22.9	22.8	23.2	23.0	1
50	0	23.0	22.8	22.7	23.3	22.9	1		
20M	DFT-S 16QAM	1	1	22.5	22.3	22.5	22.9	22.6	1
20M	CP QPSK	1	1	21.9	21.8	21.7	22.1	21.9	1.5

NR Conducted Power (DSI 0 For Full Power)									
NR Band 77									
BW	MCS Index	Channel		647168	651584	656000	660416	664832	3GPP MPR
		Frequency (MHz)		3707.52	3773.76	3840	3906.24	3972.48	
15M	DFT-S PI/2 BPSK	1	1	22.9	22.8	22.9	23.1	23.0	0
15M	DFT-S QPSK	1	1	23.1	22.8	22.7	23.3	22.9	0
		1	19	23.9	23.7	23.7	24.2	24.0	0
		1	36	23.5	23.4	23.4	23.7	23.5	0
		18	0	22.9	22.7	22.6	23.0	22.8	1
		18	10	23.7	23.6	23.5	24.0	23.8	0
		18	20	23.1	22.8	22.8	23.3	22.9	1
36	0	23.0	22.9	22.8	23.2	22.9	1		
15M	DFT-S 16QAM	1	1	22.6	22.4	22.5	22.8	22.6	1
15M	CP QPSK	1	1	22.0	21.7	21.7	22.2	21.9	1.5
BW	MCS Index	Channel		647000	651500	656000	660500	665000	3GPP MPR
		Frequency (MHz)		3705	3772.5	3840	3907.5	3975	
10M	DFT-S PI/2 BPSK	1	1	22.9	22.8	22.8	23.2	23.1	0
10M	DFT-S QPSK	1	1	23.1	22.9	22.7	23.3	22.9	0
		1	11	23.9	23.7	23.7	24.2	23.9	0
		1	22	23.6	23.4	23.4	23.8	23.4	0
		12	0	22.9	22.7	22.6	23.1	22.8	1
		12	6	23.8	23.6	23.6	24.1	23.7	0
		12	12	23.1	22.9	22.8	23.2	23.1	1
24	0	22.9	22.8	22.8	23.2	22.9	1		
10M	DFT-S 16QAM	1	1	22.5	22.4	22.5	23.0	22.7	1
10M	CP QPSK	1	1	22.1	21.8	21.7	22.2	21.8	1.5

WCDMA Conducted Power (DSI 2 for Tablet Mode)									
Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	15.8	15.9	16.1	18.0	18.1	18.2	19.9	19.8	19.5
HSDPA Subtest-1	15.6	15.7	15.9	17.9	17.9	18.0	19.8	19.8	19.5
HSDPA Subtest-2	15.6	15.6	15.9	17.9	17.8	17.7	19.8	19.8	19.5
HSDPA Subtest-3	15.1	15.2	15.4	16.8	16.8	16.9	19.3	19.3	19.0
HSDPA Subtest-4	15.1	15.2	15.4	16.8	16.8	16.9	19.3	19.3	19.0
DC-HSDPA Subtest-1	15.6	15.7	15.9	17.3	17.3	17.4	19.8	19.8	19.5
DC-HSDPA Subtest-2	15.6	15.7	15.9	17.3	17.3	17.4	19.8	19.8	19.5
DC-HSDPA Subtest-3	15.1	15.2	15.4	16.8	16.8	16.9	19.3	19.3	19.0
DC-HSDPA Subtest-4	15.1	15.2	15.4	16.8	16.8	16.9	19.3	19.3	19.0
HSUPA Subtest-1	15.6	15.7	15.9	17.3	17.3	17.4	19.8	19.8	19.5
HSUPA Subtest-2	13.6	13.7	13.9	15.3	15.3	15.4	17.8	17.8	17.5
HSUPA Subtest-3	14.6	14.7	14.9	16.3	16.3	16.4	19.3	19.3	19.0
HSUPA Subtest-4	13.6	13.7	13.9	15.3	15.3	15.4	17.8	17.8	17.5
HSUPA Subtest-5	15.6	15.7	15.9	17.3	17.3	17.4	19.8	19.8	19.5

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	16.4	16.3	16.1	0
		1	50	16.3	16.2	16.0	0
		1	99	16.3	16.2	16.0	0
		50	0	15.8	15.8	15.7	0
		50	25	15.8	15.7	15.6	0
		50	50	15.7	15.7	15.6	0
		100	0	15.7	15.6	15.7	0
20M	16QAM	1	0	15.7	15.8	15.7	0
		1	50	15.8	15.7	15.6	0
		1	99	15.7	15.6	15.5	0
		50	0	15.8	15.7	15.6	0
		50	25	15.8	15.7	15.7	0
		50	50	15.6	15.6	15.3	0
		100	0	15.7	15.6	15.4	0
20M	64QAM	1	0	15.6	15.8	15.6	0
		1	50	15.8	15.7	15.6	0
		1	99	15.7	15.6	15.5	0
		50	0	15.8	15.7	15.6	0
		50	25	15.8	15.7	15.6	0
		50	50	15.7	15.6	15.5	0
		100	0	15.8	15.7	15.6	0
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	16.3	16.2	16.1	0
		1	37	16.3	16.1	16.0	0
		1	74	16.2	16.2	15.9	0
		36	0	15.8	15.7	15.6	0
		36	19	15.7	15.7	15.5	0
		36	39	15.7	15.6	15.4	0
		75	0	15.6	15.8	15.6	0
15M	16QAM	1	0	15.7	15.7	15.6	0
		1	37	15.7	15.7	15.4	0
		1	74	15.7	15.6	15.4	0
		36	0	15.8	15.6	15.5	0
		36	19	15.7	15.7	15.6	0
		36	39	15.5	15.6	15.2	0
		75	0	15.6	15.6	15.3	0
15M	64QAM	1	0	15.8	15.8	15.4	0
		1	37	15.8	15.6	15.5	0
		1	74	15.7	15.5	15.4	0
		36	0	15.7	15.6	15.5	0
		36	19	15.8	15.7	15.4	0
		36	39	15.6	15.5	15.3	0
		75	0	15.8	15.7	15.5	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 2							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	16.3	16.2	16.0	0
		1	24	16.2	16.1	15.8	0
		1	49	16.1	16.1	15.9	0
		25	0	15.8	15.8	15.5	0
		25	12	15.6	15.6	15.3	0
		25	25	15.6	15.6	15.4	0
		50	0	15.7	15.7	15.5	0
10M	16QAM	1	0	15.8	15.7	15.4	0
		1	24	15.6	15.5	15.4	0
		1	49	15.5	15.6	15.3	0
		25	0	15.6	15.6	15.5	0
		25	12	15.6	15.7	15.5	0
		25	25	15.5	15.5	15.1	0
		50	0	15.6	15.4	15.2	0
10M	64QAM	1	0	15.7	15.8	15.4	0
		1	24	15.6	15.7	15.5	0
		1	49	15.6	15.4	15.4	0
		25	0	15.7	15.5	15.5	0
		25	12	15.6	15.6	15.5	0
		25	25	15.5	15.4	15.3	0
		50	0	15.7	15.5	15.4	0
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	16.2	16.2	15.9	0
		1	12	16.2	16.1	15.8	0
		1	24	16.1	16.0	15.9	0
		12	0	15.8	15.7	15.6	0
		12	6	15.8	15.6	15.4	0
		12	13	15.7	15.7	15.5	0
		25	0	15.7	15.8	15.5	0
5M	16QAM	1	0	15.6	15.7	15.6	0
		1	12	15.7	15.6	15.6	0
		1	24	15.6	15.7	15.4	0
		12	0	15.8	15.6	15.4	0
		12	6	15.7	15.8	15.7	0
		12	13	15.7	15.5	15.2	0
		25	0	15.7	15.6	15.2	0
5M	64QAM	1	0	15.6	15.8	15.4	0
		1	12	15.8	15.8	15.5	0
		1	24	15.7	15.6	15.4	0
		12	0	15.8	15.7	15.4	0
		12	6	15.8	15.7	15.4	0
		12	13	15.7	15.6	15.4	0
		25	0	15.8	15.6	15.4	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	16.2	16.1	16.0	0
		1	7	16.2	16.1	15.9	0
		1	14	16.2	16.0	16.0	0
		8	0	15.7	15.6	15.5	0
		8	3	15.6	15.5	15.3	0
		8	7	15.6	15.6	15.3	0
		15	0	15.7	15.7	15.5	0
3M	16QAM	1	0	15.7	15.8	15.5	0
		1	7	15.7	15.5	15.3	0
		1	14	15.6	15.4	15.2	0
		8	0	15.6	15.6	15.4	0
		8	3	15.7	15.5	15.5	0
		8	7	15.4	15.5	15.1	0
		15	0	15.6	15.5	15.2	0
3M	64QAM	1	0	15.8	15.6	15.3	0
		1	7	15.6	15.6	15.4	0
		1	14	15.6	15.4	15.2	0
		8	0	15.6	15.6	15.3	0
		8	3	15.7	15.5	15.4	0
		8	7	15.6	15.4	15.2	0
		15	0	15.6	15.6	15.3	0
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	16.3	16.3	15.9	0
		1	2	16.2	16.1	15.8	0
		1	5	16.1	16.0	15.9	0
		3	0	15.8	15.7	15.4	0
		3	1	15.7	15.6	15.3	0
		3	3	15.6	15.5	15.4	0
		6	0	15.7	15.6	15.5	0
1.4M	16QAM	1	0	15.8	15.7	15.5	0
		1	2	15.8	15.6	15.3	0
		1	5	15.7	15.5	15.3	0
		3	0	15.7	15.6	15.4	0
		3	1	15.8	15.6	15.6	0
		3	3	15.6	15.5	15.0	0
		6	0	15.5	15.5	15.1	0
1.4M	64QAM	1	0	15.7	15.7	15.4	0
		1	2	15.7	15.7	15.3	0
		1	5	15.5	15.5	15.4	0
		3	0	15.7	15.6	15.4	0
		3	1	15.6	15.6	15.4	0
		3	3	15.7	15.4	15.3	0
		6	0	15.6	15.6	15.4	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 4							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	14.7	14.6	14.6	0
		1	50	14.5	14.6	14.5	0
		1	99	14.4	14.5	14.6	0
		50	0	14.5	14.6	14.6	0
		50	25	14.4	14.5	14.4	0
		50	50	14.4	14.5	14.6	0
		100	0	14.3	14.4	14.5	0
20M	16QAM	1	0	14.5	14.6	14.6	0
		1	50	14.5	14.6	14.5	0
		1	99	14.4	14.5	14.6	0
		50	0	14.5	14.6	14.5	0
		50	25	14.3	14.5	14.6	0
		50	50	14.5	14.6	14.5	0
		100	0	14.4	14.6	14.6	0
20M	64QAM	1	0	14.5	14.6	14.5	0
		1	50	14.4	14.5	14.6	0
		1	99	14.3	14.5	14.5	0
		50	0	14.5	14.6	14.6	0
		50	25	14.6	14.6	14.6	0
		50	50	14.4	14.5	14.4	0
		100	0	14.5	14.5	14.6	0
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	14.6	14.5	14.5	0
		1	37	14.4	14.6	14.6	0
		1	74	14.4	14.5	14.5	0
		36	0	14.5	14.6	14.5	0
		36	19	14.4	14.5	14.5	0
		36	39	14.3	14.5	14.5	0
		75	0	14.3	14.4	14.5	0
15M	16QAM	1	0	14.4	14.6	14.6	0
		1	37	14.5	14.6	14.6	0
		1	74	14.4	14.4	14.6	0
		36	0	14.5	14.6	14.6	0
		36	19	14.3	14.5	14.6	0
		36	39	14.5	14.5	14.5	0
		75	0	14.4	14.5	14.6	0
15M	64QAM	1	0	14.4	14.5	14.6	0
		1	37	14.4	14.5	14.6	0
		1	74	14.3	14.5	14.4	0
		36	0	14.4	14.5	14.6	0
		36	19	14.5	14.6	14.6	0
		36	39	14.3	14.4	14.3	0
		75	0	14.4	14.5	14.5	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 4							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	14.5	14.4	14.5	0
		1	24	14.5	14.6	14.6	0
		1	49	14.2	14.5	14.5	0
		25	0	14.4	14.4	14.5	0
		25	12	14.4	14.3	14.5	0
		25	25	14.4	14.4	14.5	0
		50	0	14.1	14.3	14.4	0
10M	16QAM	1	0	14.3	14.4	14.6	0
		1	24	14.3	14.5	14.6	0
		1	49	14.2	14.4	14.5	0
		25	0	14.4	14.5	14.6	0
		25	12	14.1	14.4	14.4	0
		25	25	14.4	14.6	14.6	0
		50	0	14.2	14.5	14.6	0
10M	64QAM	1	0	14.4	14.4	14.6	0
		1	24	14.3	14.4	14.5	0
		1	49	14.2	14.5	14.4	0
		25	0	14.4	14.5	14.5	0
		25	12	14.6	14.5	14.5	0
		25	25	14.2	14.3	14.2	0
		50	0	14.5	14.4	14.5	0
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	14.5	14.5	14.5	0
		1	12	14.5	14.5	14.5	0
		1	24	14.5	14.5	14.5	0
		12	0	14.5	14.5	14.5	0
		12	6	14.5	14.5	14.5	0
		12	13	14.5	14.5	14.5	0
		25	0	14.5	14.5	14.5	0
5M	16QAM	1	0	14.5	14.5	14.5	0
		1	12	14.5	14.5	14.5	0
		1	24	14.5	14.5	14.5	0
		12	0	14.5	14.5	14.5	0
		12	6	14.5	14.5	14.5	0
		12	13	14.5	14.5	14.5	0
		25	0	14.5	14.5	14.5	0
5M	64QAM	1	0	14.5	14.5	14.5	0
		1	12	14.5	14.5	14.5	0
		1	24	14.5	14.5	14.5	0
		12	0	14.5	14.5	14.5	0
		12	6	14.5	14.5	14.5	0
		12	13	14.5	14.5	14.5	0
		25	0	14.5	14.5	14.5	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 4							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	14.6	14.5	14.4	0
		1	7	14.4	14.5	14.6	0
		1	14	14.3	14.4	14.5	0
		8	0	14.4	14.5	14.5	0
		8	3	14.3	14.4	14.4	0
		8	7	14.3	14.4	14.6	0
		15	0	14.3	14.3	14.4	0
3M	16QAM	1	0	14.4	14.5	14.5	0
		1	7	14.3	14.5	14.5	0
		1	14	14.2	14.4	14.4	0
		8	0	14.4	14.5	14.5	0
		8	3	14.2	14.3	14.4	0
		8	7	14.5	14.4	14.4	0
		15	0	14.4	14.5	14.4	0
3M	64QAM	1	0	14.4	14.4	14.6	0
		1	7	14.4	14.4	14.5	0
		1	14	14.1	14.4	14.4	0
		8	0	14.3	14.5	14.4	0
		8	3	14.5	14.5	14.5	0
		8	7	14.3	14.3	14.2	0
		15	0	14.3	14.4	14.4	0
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	14.5	14.5	14.6	0
		1	2	14.4	14.5	14.6	0
		1	5	14.3	14.3	14.4	0
		3	0	14.4	14.4	14.6	0
		3	1	14.3	14.4	14.6	0
		3	3	14.3	14.3	14.6	0
		6	0	14.2	14.2	14.4	0
1.4M	16QAM	1	0	14.4	14.5	14.6	0
		1	2	14.3	14.5	14.6	0
		1	5	14.2	14.4	14.4	0
		3	0	14.4	14.5	14.6	0
		3	1	14.1	14.3	14.5	0
		3	3	14.4	14.5	14.6	0
		6	0	14.3	14.5	14.5	0
1.4M	64QAM	1	0	14.3	14.6	14.6	0
		1	2	14.2	14.5	14.4	0
		1	5	14.2	14.4	14.3	0
		3	0	14.4	14.5	14.5	0
		3	1	14.5	14.6	14.6	0
		3	3	14.3	14.3	14.3	0
		6	0	14.4	14.4	14.5	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	20.4	20.2	20.3	0
		1	24	20.3	20.1	20.2	0
		1	49	20.3	20.1	20.2	0
		25	0	20.2	20.0	20.1	0
		25	12	20.2	20.0	20.1	0
		25	25	20.2	20.0	20.1	0
		50	0	20.2	20.0	20.1	0
10M	16QAM	1	0	20.2	20.0	20.1	0
		1	24	20.1	19.9	20.0	0
		1	49	20.1	19.9	20.0	0
		25	0	20.1	19.9	20.0	0
		25	12	20.1	19.9	20.0	0
		25	25	20.1	19.9	20.0	0
		50	0	20.1	19.9	20.0	0
10M	64QAM	1	0	20.1	19.9	20.0	0
		1	24	20.1	19.9	20.0	0
		1	49	20.1	19.9	20.0	0
		25	0	20.1	19.9	20.0	0
		25	12	20.1	19.9	20.0	0
		25	25	20.1	19.9	20.0	0
		50	0	20.1	19.9	20.0	0
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	QPSK	1	0	20.3	20.2	20.3	0
		1	12	20.3	20.0	20.2	0
		1	24	20.3	20.1	20.1	0
		12	0	20.2	20.0	20.0	0
		12	6	20.2	20.0	20.1	0
		12	13	20.1	20.0	20.1	0
		25	0	20.1	19.9	20.1	0
5M	16QAM	1	0	20.1	19.9	20.0	0
		1	12	20.1	19.8	19.9	0
		1	24	20.0	19.8	20.0	0
		12	0	20.0	19.8	20.0	0
		12	6	20.0	19.9	20.0	0
		12	13	20.1	19.8	20.0	0
		25	0	20.1	19.8	20.0	0
5M	64QAM	1	0	20.1	19.8	20.0	0
		1	12	20.1	19.9	20.0	0
		1	24	20.0	19.9	20.0	0
		12	0	20.1	19.8	20.0	0
		12	6	20.0	19.9	19.9	0
		12	13	20.0	19.8	19.9	0
		25	0	20.1	19.9	19.9	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 5							
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR
		Frequency (MHz)		825.5	836.5	847.5	
3M	QPSK	1	0	20.3	20.0	20.1	0
		1	7	20.1	20.0	20.0	0
		1	14	20.2	20.0	20.0	0
		8	0	20.1	19.9	20.0	0
		8	3	20.1	20.0	20.0	0
		8	7	20.2	19.8	20.0	0
		15	0	20.1	19.9	20.0	0
3M	16QAM	1	0	20.1	19.9	20.0	0
		1	7	20.0	19.7	19.9	0
		1	14	20.0	19.7	19.8	0
		8	0	20.0	19.7	19.9	0
		8	3	20.0	19.8	19.8	0
		8	7	20.0	19.8	19.8	0
		15	0	20.0	19.7	19.9	0
3M	64QAM	1	0	20.0	19.8	19.9	0
		1	7	20.0	19.8	20.0	0
		1	14	19.9	19.8	20.0	0
		8	0	19.9	19.7	20.0	0
		8	3	20.0	19.8	19.8	0
		8	7	20.0	19.8	19.8	0
		15	0	20.0	19.8	19.9	0
BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
		Frequency (MHz)		824.7	836.5	848.3	
1.4M	QPSK	1	0	20.3	20.1	20.0	0
		1	2	20.1	19.9	19.9	0
		1	5	20.1	20.0	19.9	0
		3	0	20.1	20.0	20.0	0
		3	1	20.1	19.9	19.9	0
		3	3	20.0	20.0	20.0	0
		6	0	20.1	19.8	19.9	0
1.4M	16QAM	1	0	20.1	19.9	20.0	0
		1	2	19.9	19.8	19.8	0
		1	5	19.9	19.7	19.9	0
		3	0	20.0	19.7	19.9	0
		3	1	20.0	19.9	19.8	0
		3	3	20.0	19.8	19.9	0
		6	0	20.0	19.7	19.8	0
1.4M	64QAM	1	0	20.0	19.8	19.9	0
		1	2	20.0	19.7	19.8	0
		1	5	20.0	19.8	20.0	0
		3	0	20.0	19.8	19.9	0
		3	1	20.0	19.8	19.8	0
		3	3	20.1	19.8	19.9	0
		6	0	20.0	19.9	19.9	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	10.7	10.6	10.6	0
		1	50	10.6	10.5	10.4	0
		1	99	10.4	10.3	10.3	0
		50	0	10.6	10.5	10.3	0
		50	25	10.6	10.5	10.3	0
		50	50	10.5	10.5	10.3	0
		100	0	10.5	10.5	10.3	0
20M	16QAM	1	0	10.6	10.5	10.3	0
		1	50	10.4	10.3	10.3	0
		1	99	10.5	10.4	10.4	0
		50	0	10.5	10.4	10.3	0
		50	25	10.6	10.5	10.3	0
		50	50	10.6	10.5	10.3	0
		100	0	10.6	10.5	10.3	0
20M	64QAM	1	0	10.7	10.6	10.4	0
		1	50	10.7	10.6	10.4	0
		1	99	10.6	10.5	10.3	0
		50	0	10.5	10.4	10.3	0
		50	25	10.6	10.5	10.3	0
		50	50	10.6	10.5	10.4	0
		100	0	10.5	10.4	10.3	0
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	10.6	10.5	10.5	0
		1	37	10.5	10.4	10.3	0
		1	74	10.3	10.2	10.2	0
		36	0	10.5	10.4	10.2	0
		36	19	10.5	10.4	10.2	0
		36	39	10.6	10.5	10.3	0
		75	0	10.4	10.4	10.2	0
15M	16QAM	1	0	10.5	10.4	10.2	0
		1	37	10.3	10.2	10.2	0
		1	74	10.4	10.3	10.3	0
		36	0	10.4	10.3	10.2	0
		36	19	10.5	10.4	10.2	0
		36	39	10.5	10.4	10.2	0
		75	0	10.5	10.4	10.2	0
15M	64QAM	1	0	10.6	10.5	10.3	0
		1	37	10.6	10.5	10.3	0
		1	74	10.5	10.4	10.2	0
		36	0	10.4	10.3	10.2	0
		36	19	10.5	10.4	10.2	0
		36	39	10.5	10.4	10.3	0
		75	0	10.4	10.3	10.2	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	10.6	10.6	10.5	0
		1	24	10.4	10.5	10.4	0
		1	49	10.3	10.3	10.3	0
		25	0	10.4	10.4	10.3	0
		25	12	10.4	10.3	10.4	0
		25	25	10.6	10.5	10.3	0
		50	0	10.3	10.4	10.4	0
10M	16QAM	1	0	10.5	10.4	10.3	0
		1	24	10.3	10.5	10.4	0
		1	49	10.4	10.3	10.4	0
		25	0	10.4	10.3	10.5	0
		25	12	10.5	10.5	10.3	0
		25	25	10.5	10.4	10.4	0
		50	0	10.5	10.4	10.3	0
10M	64QAM	1	0	10.6	10.4	10.3	0
		1	24	10.6	10.5	10.3	0
		1	49	10.4	10.4	10.3	0
		25	0	10.3	10.3	10.3	0
		25	12	10.5	10.4	10.4	0
		25	25	10.5	10.5	10.3	0
		50	0	10.3	10.3	10.3	0
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	10.6	10.5	10.4	0
		1	12	10.5	10.4	10.3	0
		1	24	10.4	10.3	10.3	0
		12	0	10.5	10.4	10.5	0
		12	6	10.4	10.4	10.3	0
		12	13	10.6	10.5	10.3	0
		25	0	10.5	10.3	10.5	0
5M	16QAM	1	0	10.4	10.4	10.4	0
		1	12	10.3	10.4	10.3	0
		1	24	10.3	10.5	10.4	0
		12	0	10.5	10.3	10.3	0
		12	6	10.5	10.3	10.4	0
		12	13	10.5	10.4	10.3	0
		25	0	10.6	10.3	10.3	0
5M	64QAM	1	0	10.5	10.5	10.5	0
		1	12	10.6	10.5	10.3	0
		1	24	10.5	10.4	10.3	0
		12	0	10.4	10.3	10.3	0
		12	6	10.5	10.4	10.5	0
		12	13	10.5	10.3	10.4	0
		25	0	10.3	10.3	10.3	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	18.9	18.8	18.8	0
		1	24	18.8	18.7	18.5	0
		1	49	18.8	18.7	18.5	0
		25	0	18.8	18.8	18.6	0
		25	12	18.6	18.8	18.6	0
		25	25	18.7	18.7	18.5	0
		50	0	18.7	18.6	18.4	0
10M	16QAM	1	0	18.8	18.7	18.5	0
		1	24	18.8	18.7	18.5	0
		1	49	18.7	18.6	18.5	0
		25	0	18.8	18.7	18.5	0
		25	12	18.6	18.5	18.3	0
		25	25	18.7	18.6	18.3	0
		50	0	18.6	18.6	18.4	0
10M	64QAM	1	0	18.8	18.7	18.4	0
		1	24	18.5	18.5	18.3	0
		1	49	18.6	18.5	18.3	0
		25	0	18.6	18.6	18.4	0
		25	12	18.7	18.6	18.4	0
		25	25	18.6	18.5	18.3	0
		50	0	18.7	18.6	18.4	0
BW	MCS Index	Channel		23035	23095	23155	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	QPSK	1	0	18.8	18.7	18.7	0
		1	12	18.7	18.6	18.5	0
		1	24	18.8	18.7	18.4	0
		12	0	18.6	18.8	18.5	0
		12	6	18.5	18.7	18.4	0
		12	13	18.8	18.6	18.5	0
		25	0	18.6	18.5	18.3	0
5M	16QAM	1	0	18.7	18.7	18.5	0
		1	12	18.8	18.7	18.4	0
		1	24	18.6	18.5	18.3	0
		12	0	18.8	18.6	18.4	0
		12	6	18.6	18.5	18.3	0
		12	13	18.6	18.6	18.3	0
		25	0	18.5	18.5	18.4	0
5M	64QAM	1	0	18.8	18.7	18.3	0
		1	12	18.4	18.5	18.3	0
		1	24	18.6	18.5	18.2	0
		12	0	18.5	18.5	18.4	0
		12	6	18.7	18.5	18.4	0
		12	13	18.5	18.4	18.3	0
		25	0	18.7	18.5	18.3	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 12							
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR
		Frequency (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	18.8	18.6	18.7	0
		1	7	18.6	18.7	18.4	0
		1	14	18.7	18.5	18.5	0
		8	0	18.5	18.8	18.6	0
		8	3	18.6	18.7	18.5	0
		8	7	18.6	18.5	18.3	0
		15	0	18.6	18.5	18.3	0
3M	16QAM	1	0	18.7	18.6	18.5	0
		1	7	18.6	18.6	18.5	0
		1	14	18.5	18.4	18.4	0
		8	0	18.6	18.6	18.4	0
		8	3	18.5	18.4	18.3	0
		8	7	18.6	18.6	18.2	0
		15	0	18.5	18.5	18.4	0
3M	64QAM	1	0	18.6	18.6	18.2	0
		1	7	18.4	18.3	18.2	0
		1	14	18.5	18.3	18.2	0
		8	0	18.5	18.4	18.4	0
		8	3	18.5	18.5	18.3	0
		8	7	18.5	18.4	18.2	0
		15	0	18.6	18.4	18.2	0
BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
		Frequency (MHz)		699.7	707.5	715.3	
1.4M	QPSK	1	0	18.7	18.6	18.7	0
		1	2	18.7	18.6	18.3	0
		1	5	18.8	18.6	18.4	0
		3	0	18.6	18.7	18.4	0
		3	1	18.5	18.7	18.5	0
		3	3	18.8	18.5	18.2	0
		6	0	18.7	18.5	18.3	0
1.4M	16QAM	1	0	18.6	18.5	18.4	0
		1	2	18.7	18.6	18.5	0
		1	5	18.5	18.5	18.4	0
		3	0	18.8	18.5	18.5	0
		3	1	18.5	18.4	18.2	0
		3	3	18.7	18.6	18.3	0
		6	0	18.5	18.6	18.3	0
1.4M	64QAM	1	0	18.7	18.5	18.3	0
		1	2	18.4	18.4	18.3	0
		1	5	18.5	18.4	18.2	0
		3	0	18.5	18.4	18.3	0
		3	1	18.5	18.6	18.2	0
		3	3	18.5	18.4	18.1	0
		6	0	18.6	18.5	18.3	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 13							
BW	MCS Index	RB Size	RB Offset	Mid		3GPP MPR (dB)	
		Channel		23230			
		Frequency (MHz)		782			
10M	QPSK	1	0		20.4		0
		1	24		20.3		0
		1	49		20.3		0
		25	0		19.5		0
		25	12		19.5		0
		25	25		19.4		0
		50	0		19.4		0
10M	16QAM	1	0		19.4		0
		1	24		19.4		0
		1	49		19.4		0
		25	0		19.3		0
		25	12		19.3		0
		25	25		19.3		0
		50	0		19.3		0
10M	64QAM	1	0		19.4		0
		1	24		19.4		0
		1	49		19.4		0
		25	0		19.3		0
		25	12		19.3		0
		25	25		19.3		0
		50	0		19.3		0
BW	MCS Index	Channel		23205	23230	23255	3GPP MPR
		Frequency (MHz)		779.5	782	784.5	
5M	QPSK	1	0	19.5	19.6	19.6	0
		1	12	19.5	19.5	19.4	0
		1	24	19.4	19.6	19.4	0
		12	0	19.4	19.4	19.4	0
		12	6	19.4	19.5	19.4	0
		12	13	19.3	19.4	19.4	0
		25	0	19.4	19.3	19.3	0
5M	16QAM	1	0	19.3	19.4	19.3	0
		1	12	19.2	19.4	19.3	0
		1	24	19.3	19.3	19.3	0
		12	0	19.3	19.2	19.2	0
		12	6	19.2	19.2	19.2	0
		12	13	19.2	19.3	19.2	0
		25	0	19.2	19.2	19.2	0
5M	64QAM	1	0	19.4	19.4	19.3	0
		1	12	19.3	19.3	19.3	0
		1	24	19.3	19.4	19.3	0
		12	0	19.2	19.3	19.3	0
		12	6	19.2	19.3	19.2	0
		12	13	19.2	19.2	19.1	0
		25	0	19.2	19.2	19.3	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 14							
BW	MCS Index	RB Size	RB Offset	Mid		3GPP MPR (dB)	
		Channel		23330			
		Frequency (MHz)		793			
10M	QPSK	1	0		20.9		0
		1	24		20.8		0
		1	49		20.8		0
		25	0		20.7		0
		25	12		20.6		0
		25	25		20.8		0
		50	0		20.6		0
10M	16QAM	1	0		20.2		0
		1	24		20.2		0
		1	49		20.1		0
		25	0		20.1		0
		25	12		20.1		0
		25	25		20.1		0
		50	0		20.0		0
10M	64QAM	1	0		20.1		0
		1	24		20.1		0
		1	49		20.1		0
		25	0		20.1		0
		25	12		20.0		0
		25	25		20.0		0
		50	0		20.0		0
BW	MCS Index	Channel		23305	23330	23355	3GPP MPR
		Frequency (MHz)		790.5	793	795.5	
5M	QPSK	1	0	20.1	20.2	20.0	0
		1	12	20.1	20.0	20.0	0
		1	24	19.9	19.9	19.9	0
		12	0	19.9	19.9	19.9	0
		12	6	20.0	20.1	19.9	0
		12	13	20.0	20.0	19.9	0
		25	0	19.9	19.8	19.8	0
5M	16QAM	1	0	19.9	20.0	19.9	0
		1	12	19.9	20.0	19.9	0
		1	24	19.9	20.0	20.0	0
		12	0	19.9	20.0	19.9	0
		12	6	19.9	19.9	19.9	0
		12	13	19.9	19.9	19.9	0
		25	0	19.8	19.9	19.8	0
5M	64QAM	1	0	19.8	20.0	19.7	0
		1	12	20.0	20.0	19.7	0
		1	24	19.9	20.1	19.7	0
		12	0	20.0	20.0	19.7	0
		12	6	19.9	19.9	19.7	0
		12	13	19.9	20.0	19.6	0
		25	0	19.8	19.9	19.6	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 17							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequency (MHz)		709	710	711	
10M	QPSK	1	0	18.8	18.6	18.7	0
		1	24	18.7	18.6	18.3	0
		1	49	18.6	18.7	18.4	0
		25	0	18.6	18.7	18.5	0
		25	12	18.5	18.7	18.5	0
		25	25	18.7	18.7	18.3	0
		50	0	18.5	18.5	18.4	0
10M	16QAM	1	0	18.8	18.5	18.5	0
		1	24	18.8	18.5	18.4	0
		1	49	18.7	18.6	18.5	0
		25	0	18.7	18.7	18.3	0
		25	12	18.4	18.4	18.1	0
		25	25	18.7	18.4	18.2	0
		50	0	18.6	18.6	18.2	0
10M	64QAM	1	0	18.8	18.6	18.2	0
		1	24	18.4	18.3	18.1	0
		1	49	18.4	18.5	18.2	0
		25	0	18.4	18.5	18.2	0
		25	12	18.6	18.4	18.4	0
		25	25	18.4	18.5	18.1	0
		50	0	18.6	18.5	18.3	0
BW	MCS Index	Channel		23755	23790	23825	3GPP MPR
		Frequency (MHz)		706.5	710	713.5	
5M	QPSK	1	0	18.7	18.7	18.5	0
		1	12	18.5	18.6	18.4	0
		1	24	18.7	18.7	18.3	0
		12	0	18.4	18.7	18.5	0
		12	6	18.4	18.7	18.2	0
		12	13	18.6	18.4	18.3	0
		25	0	18.4	18.4	18.1	0
5M	16QAM	1	0	18.6	18.7	18.4	0
		1	12	18.6	18.5	18.2	0
		1	24	18.5	18.3	18.3	0
		12	0	18.7	18.6	18.2	0
		12	6	18.5	18.3	18.1	0
		12	13	18.5	18.6	18.2	0
		25	0	18.3	18.3	18.3	0
5M	64QAM	1	0	18.6	18.6	18.2	0
		1	12	18.2	18.3	18.1	0
		1	24	18.4	18.3	18.2	0
		12	0	18.3	18.4	18.3	0
		12	6	18.5	18.3	18.2	0
		12	13	18.4	18.2	18.3	0
		25	0	18.5	18.4	18.2	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	16.7	16.7	16.6	0
		1	50	16.6	16.5	16.3	0
		1	99	16.6	16.5	16.3	0
		50	0	16.6	16.5	16.3	0
		50	25	16.5	16.4	16.2	0
		50	50	16.4	16.4	16.2	0
		100	0	16.6	16.5	16.3	0
20M	16QAM	1	0	16.6	16.5	16.3	0
		1	50	16.5	16.4	16.2	0
		1	99	16.4	16.3	16.1	0
		50	0	16.5	16.4	16.2	0
		50	25	16.5	16.4	16.3	0
		50	50	16.3	16.3	15.9	0
		100	0	16.4	16.3	16.0	0
20M	64QAM	1	0	16.6	16.5	16.2	0
		1	50	16.5	16.4	16.2	0
		1	99	16.4	16.3	16.1	0
		50	0	16.5	16.4	16.2	0
		50	25	16.5	16.4	16.2	0
		50	50	16.4	16.3	16.1	0
		100	0	16.5	16.4	16.2	0
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
		Frequency (MHz)		1857.5	1882.5	1907.5	
15M	QPSK	1	0	16.4	16.5	16.5	0
		1	37	16.4	16.5	16.4	0
		1	74	16.6	16.6	16.3	0
		36	0	16.6	16.5	16.4	0
		36	19	16.5	16.5	16.3	0
		36	39	16.5	16.4	16.2	0
		75	0	16.3	16.6	16.4	0
15M	16QAM	1	0	16.3	16.5	16.4	0
		1	37	16.5	16.5	16.2	0
		1	74	16.5	16.4	16.2	0
		36	0	16.6	16.4	16.3	0
		36	19	16.5	16.5	16.4	0
		36	39	16.3	16.4	16.0	0
		75	0	16.4	16.4	16.1	0
15M	64QAM	1	0	16.6	16.6	16.2	0
		1	37	16.6	16.4	16.3	0
		1	74	16.5	16.3	16.2	0
		36	0	16.5	16.4	16.3	0
		36	19	16.6	16.5	16.2	0
		36	39	16.4	16.3	16.1	0
		75	0	16.6	16.5	16.3	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 25							
BW	MCS Index	Channel		26090	26365	26640	3GPP MPR
		Frequency (MHz)		1855	1882.5	1910	
10M	QPSK	1	0	16.3	16.2	16.0	0
		1	24	16.2	16.1	15.8	0
		1	49	16.1	16.1	15.9	0
		25	0	16.2	16.2	15.9	0
		25	12	16.0	16.0	15.7	0
		25	25	16.0	16.0	15.8	0
		50	0	16.1	16.1	15.9	0
10M	16QAM	1	0	16.2	16.1	15.8	0
		1	24	16.0	15.9	15.8	0
		1	49	15.9	16.0	15.7	0
		25	0	16.0	16.0	15.9	0
		25	12	16.0	16.1	15.9	0
		25	25	15.9	15.9	15.5	0
		50	0	16.0	15.8	15.6	0
10M	64QAM	1	0	16.1	16.2	15.8	0
		1	24	16.0	16.1	15.9	0
		1	49	16.0	15.8	15.8	0
		25	0	16.1	15.9	15.9	0
		25	12	16.0	16.0	15.9	0
		25	25	15.9	15.8	15.7	0
		50	0	16.1	15.9	15.8	0
BW	MCS Index	Channel		26065	26365	26665	3GPP MPR
		Frequency (MHz)		1852.5	1882.5	1912.5	
5M	QPSK	1	0	16.2	16.2	15.9	0
		1	12	16.2	16.1	15.8	0
		1	24	16.1	16.0	15.9	0
		12	0	16.1	16.0	15.9	0
		12	6	16.1	15.9	15.7	0
		12	13	16.0	16.0	15.8	0
		25	0	16.2	16.1	15.8	0
5M	16QAM	1	0	16.2	16.2	15.9	0
		1	12	16.0	15.9	15.9	0
		1	24	15.9	16.0	15.7	0
		12	0	16.1	15.9	15.7	0
		12	6	16.0	16.1	16.0	0
		12	13	16.0	15.8	15.5	0
		25	0	16.0	15.9	15.5	0
5M	64QAM	1	0	16.2	16.1	15.7	0
		1	12	16.1	16.1	15.8	0
		1	24	16.0	15.9	15.7	0
		12	0	16.1	16.0	15.7	0
		12	6	16.1	16.0	15.7	0
		12	13	16.0	15.9	15.7	0
		25	0	16.1	15.9	15.7	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 25							
BW	MCS Index	Channel		26055	26365	26675	3GPP MPR
		Frequency (MHz)		1851.5	1882.5	1913.5	
3M	QPSK	1	0	16.2	16.1	16.0	0
		1	7	16.2	16.1	15.9	0
		1	14	16.2	16.0	16.0	0
		8	0	16.1	16.0	15.9	0
		8	3	16.0	15.9	15.7	0
		8	7	16.0	16.0	15.7	0
		15	0	16.1	16.1	15.9	0
3M	16QAM	1	0	16.1	16.2	15.9	0
		1	7	16.1	15.9	15.7	0
		1	14	16.0	15.8	15.6	0
		8	0	16.0	16.0	15.8	0
		8	3	16.1	15.9	15.9	0
		8	7	15.8	15.9	15.5	0
		15	0	16.0	15.9	15.6	0
3M	64QAM	1	0	16.2	16.0	15.7	0
		1	7	16.0	16.0	15.8	0
		1	14	16.0	15.8	15.6	0
		8	0	16.0	16.0	15.7	0
		8	3	16.1	15.9	15.8	0
		8	7	16.0	15.8	15.6	0
		15	0	16.0	16.0	15.7	0
BW	MCS Index	Channel		26047	26365	26683	3GPP MPR
		Frequency (MHz)		1850.7	1882.5	1914.3	
1.4M	QPSK	1	0	16.3	16.3	15.9	0
		1	2	16.2	16.1	15.8	0
		1	5	16.1	16.0	15.9	0
		3	0	16.2	16.1	15.8	0
		3	1	16.1	16.0	15.7	0
		3	3	16.0	15.9	15.8	0
		6	0	16.3	16.0	15.9	0
1.4M	16QAM	1	0	16.2	16.1	15.9	0
		1	2	16.2	16.0	15.7	0
		1	5	16.1	15.9	15.7	0
		3	0	16.1	16.0	15.8	0
		3	1	16.2	16.0	16.0	0
		3	3	16.0	15.9	15.4	0
		6	0	15.9	15.9	15.5	0
1.4M	64QAM	1	0	16.1	16.1	15.8	0
		1	2	16.1	16.1	15.7	0
		1	5	15.9	15.9	15.8	0
		3	0	16.1	16.0	15.8	0
		3	1	16.0	16.0	15.8	0
		3	3	16.1	15.8	15.7	0
		6	0	16.0	16.0	15.8	0

LTE Conducted Power (DSI 2 for Tablet Mode)									
LTE Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	11.8	11.8	11.9	11.8	11.5	0
		1	50	11.7	11.8	11.4	11.7	11.4	0
		1	99	11.6	11.7	11.3	11.6	11.3	0
		50	0	11.7	11.8	11.4	11.7	11.4	0
		50	25	11.7	11.8	11.4	11.7	11.4	0
		50	50	11.6	11.7	11.3	11.6	11.3	0
		100	0	11.7	11.8	11.4	11.7	11.4	0
20M	16QAM	1	0	11.7	11.8	11.4	11.7	11.4	0
		1	50	11.6	11.7	11.3	11.6	11.2	0
		1	99	11.5	11.6	11.2	11.5	11.1	0
		50	0	11.6	11.7	11.3	11.6	11.3	0
		50	25	11.6	11.7	11.3	11.6	11.2	0
		50	50	11.7	11.8	11.4	11.7	11.3	0
		100	0	11.6	11.7	11.3	11.6	11.3	0
20M	64QAM	1	0	11.7	11.8	11.4	11.7	11.4	0
		1	50	11.6	11.7	11.3	11.6	11.2	0
		1	99	11.7	11.8	11.4	11.7	11.4	0
		50	0	11.6	11.7	11.3	11.5	11.3	0
		50	25	11.5	11.6	11.2	11.5	11.1	0
		50	50	11.6	11.7	11.3	11.6	11.3	0
		100	0	11.7	11.8	11.4	11.7	11.4	0
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	11.7	11.3	11.7	11.7	11.2	0
		1	37	11.6	11.3	11.7	11.6	11.0	0
		1	74	11.4	11.2	11.6	11.5	11.1	0
		36	0	11.6	11.3	11.7	11.6	11.2	0
		36	19	11.3	11.3	11.7	11.6	11.3	0
		36	39	11.5	11.2	11.6	11.5	11.1	0
		75	0	11.6	11.3	11.7	11.6	11.3	0
15M	16QAM	1	0	11.6	11.3	11.7	11.6	11.3	0
		1	37	11.5	11.2	11.6	11.5	11.1	0
		1	74	11.4	11.1	11.5	11.4	11.0	0
		36	0	11.5	11.2	11.6	11.5	11.2	0
		36	19	11.5	11.2	11.6	11.5	11.1	0
		36	39	11.6	11.3	11.7	11.6	11.2	0
		75	0	11.5	11.2	11.6	11.5	11.2	0
15M	64QAM	1	0	11.6	11.3	11.7	11.6	11.3	0
		1	37	11.5	11.2	11.6	11.5	11.1	0
		1	74	11.6	11.3	11.7	11.6	11.3	0
		36	0	11.5	11.2	11.6	11.4	11.2	0
		36	19	11.4	11.1	11.5	11.4	11.0	0
		36	39	11.5	11.2	11.6	11.5	11.2	0
		75	0	11.6	11.3	11.7	11.6	11.3	0

LTE Conducted Power (DSI 2 for Tablet Mode)									
LTE Band 41									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	11.4	11.1	11.4	11.5	11.0	0
		1	24	11.2	11.1	11.5	11.4	11.0	0
		1	49	11.2	11.0	11.4	11.3	10.9	0
		25	0	11.4	11.1	11.5	11.4	11.0	0
		25	12	11.1	11.1	11.5	11.4	11.1	0
		25	25	11.3	11.0	11.4	11.3	10.9	0
		50	0	11.4	11.1	11.5	11.4	11.1	0
10M	16QAM	1	0	11.2	11.1	11.5	11.4	11.1	0
		1	24	11.3	11.0	11.4	11.3	10.9	0
		1	49	11.2	10.9	11.3	11.2	10.8	0
		25	0	11.3	11.0	11.4	11.3	11.0	0
		25	12	11.3	11.0	11.4	11.3	10.9	0
		25	25	11.4	11.1	11.5	11.4	11.0	0
		50	0	11.3	11.0	11.4	11.3	11.0	0
10M	64QAM	1	0	11.4	11.1	11.5	11.4	11.1	0
		1	24	11.3	11.0	11.4	11.3	10.9	0
		1	49	11.4	11.1	11.5	11.4	11.1	0
		25	0	11.3	11.0	11.4	11.2	11.0	0
		25	12	11.2	10.9	11.3	11.2	10.8	0
		25	25	11.3	11.0	11.4	11.3	11.0	0
		50	0	11.4	11.1	11.5	11.4	11.1	0
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	11.1	10.8	11.1	11.2	10.7	0
		1	12	10.9	10.8	11.2	11.1	10.7	0
		1	24	10.9	10.7	11.1	11.0	10.6	0
		12	0	11.1	10.8	11.2	11.1	10.7	0
		12	6	10.8	10.8	11.2	11.1	10.8	0
		12	13	11.0	10.7	11.1	11.0	10.6	0
		25	0	11.1	10.8	11.2	11.1	10.8	0
5M	16QAM	1	0	11.1	10.8	11.2	11.1	10.8	0
		1	12	11.0	10.7	11.1	11.0	10.6	0
		1	24	10.9	10.6	11.0	10.9	10.5	0
		12	0	11.0	10.7	11.1	11.0	10.7	0
		12	6	11.0	10.7	11.1	11.0	10.6	0
		12	13	11.1	10.8	11.2	11.1	10.7	0
		25	0	11.0	10.7	11.1	11.0	10.7	0
5M	64QAM	1	0	11.1	10.8	11.2	11.1	10.8	0
		1	12	11.0	10.7	11.1	11.0	10.6	0
		1	24	11.1	10.8	11.2	11.1	10.8	0
		12	0	11.0	10.7	11.1	10.9	10.7	0
		12	6	10.9	10.6	11.0	10.9	10.5	0
		12	13	11.0	10.7	11.1	11.0	10.7	0
		25	0	11.1	10.8	11.2	11.1	10.8	0

LTE Conducted Power (DSI 2 for Tablet Mode)									
LTE Band 41 (PC2_HPUE)									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	11.8	11.9	11.8	11.7	11.4	0
		1	50	11.7	11.7	11.3	11.6	11.3	0
		1	99	11.6	11.6	11.2	11.5	11.2	0
		50	0	11.7	11.7	11.3	11.6	11.3	0
		50	25	11.7	11.7	11.3	11.6	11.3	0
		50	50	11.6	11.6	11.2	11.5	11.2	0
		100	0	11.7	11.7	11.3	11.6	11.3	0
20M	16QAM	1	0	11.7	11.7	11.3	11.6	11.3	0
		1	50	11.6	11.6	11.2	11.5	11.1	0
		1	99	11.5	11.5	11.1	11.4	11.0	0
		50	0	11.6	11.6	11.2	11.5	11.2	0
		50	25	11.6	11.6	11.2	11.5	11.1	0
		50	50	11.7	11.7	11.3	11.6	11.2	0
		100	0	11.6	11.6	11.2	11.5	11.2	0
20M	64QAM	1	0	11.7	11.7	11.3	11.6	11.3	0
		1	50	11.6	11.6	11.2	11.5	11.1	0
		1	99	11.7	11.7	11.3	11.6	11.3	0
		50	0	11.6	11.6	11.2	11.4	11.2	0
		50	25	11.5	11.5	11.1	11.4	11.0	0
		50	50	11.6	11.6	11.2	11.5	11.2	0
		100	0	11.7	11.7	11.3	11.6	11.3	0
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	11.6	11.2	11.6	11.6	11.1	0
		1	37	11.5	11.2	11.6	11.5	10.9	0
		1	74	11.3	11.1	11.5	11.4	11.0	0
		36	0	11.5	11.2	11.6	11.5	11.1	0
		36	19	11.2	11.2	11.6	11.5	11.2	0
		36	39	11.4	11.1	11.5	11.4	11.0	0
		75	0	11.5	11.2	11.6	11.5	11.2	0
15M	16QAM	1	0	11.5	11.2	11.6	11.5	11.2	0
		1	37	11.4	11.1	11.5	11.4	11.0	0
		1	74	11.3	11.0	11.4	11.3	10.9	0
		36	0	11.4	11.1	11.5	11.4	11.1	0
		36	19	11.4	11.1	11.5	11.4	11.0	0
		36	39	11.5	11.2	11.6	11.5	11.1	0
		75	0	11.4	11.1	11.5	11.4	11.1	0
15M	64QAM	1	0	11.5	11.2	11.6	11.5	11.2	0
		1	37	11.4	11.1	11.5	11.4	11.0	0
		1	74	11.5	11.2	11.6	11.5	11.2	0
		36	0	11.4	11.1	11.5	11.3	11.1	0
		36	19	11.3	11.0	11.4	11.3	10.9	0
		36	39	11.4	11.1	11.5	11.4	11.1	0
		75	0	11.5	11.2	11.6	11.5	11.2	0

LTE Conducted Power (DSI 2 for Tablet Mode)									
LTE Band 41 (PC2_HPUE)									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	11.3	11.0	11.3	11.4	10.9	0
		1	24	11.1	11.0	11.4	11.3	10.9	0
		1	49	11.1	10.9	11.3	11.2	10.8	0
		25	0	11.3	11.0	11.4	11.3	10.9	0
		25	12	11.0	11.0	11.4	11.3	11.0	0
		25	25	11.2	10.9	11.3	11.2	10.8	0
		50	0	11.3	11.0	11.4	11.3	11.0	0
10M	16QAM	1	0	11.1	11.0	11.4	11.3	11.0	0
		1	24	11.2	10.9	11.3	11.2	10.8	0
		1	49	11.1	10.8	11.2	11.1	10.7	0
		25	0	11.2	10.9	11.3	11.2	10.9	0
		25	12	11.2	10.9	11.3	11.2	10.8	0
		25	25	11.3	11.0	11.4	11.3	10.9	0
		50	0	11.2	10.9	11.3	11.2	10.9	0
10M	64QAM	1	0	11.3	11.0	11.4	11.3	11.0	0
		1	24	11.2	10.9	11.3	11.2	10.8	0
		1	49	11.3	11.0	11.4	11.3	11.0	0
		25	0	11.2	10.9	11.3	11.1	10.9	0
		25	12	11.1	10.8	11.2	11.1	10.7	0
		25	25	11.2	10.9	11.3	11.2	10.9	0
		50	0	11.3	11.0	11.4	11.3	11.0	0
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	11.0	10.7	11.0	11.1	10.6	0
		1	12	10.8	10.7	11.1	11.0	10.6	0
		1	24	10.8	10.6	11.0	10.9	10.5	0
		12	0	11.0	10.7	11.1	11.0	10.6	0
		12	6	10.7	10.7	11.1	11.0	10.7	0
		12	13	10.9	10.6	11.0	10.9	10.5	0
		25	0	11.0	10.7	11.1	11.0	10.7	0
5M	16QAM	1	0	11.0	10.7	11.1	11.0	10.7	0
		1	12	10.9	10.6	11.0	10.9	10.5	0
		1	24	10.8	10.5	10.9	10.8	10.4	0
		12	0	10.9	10.6	11.0	10.9	10.6	0
		12	6	10.9	10.6	11.0	10.9	10.5	0
		12	13	11.0	10.7	11.1	11.0	10.6	0
		25	0	10.9	10.6	11.0	10.9	10.6	0
5M	64QAM	1	0	11.0	10.7	11.1	11.0	10.7	0
		1	12	10.9	10.6	11.0	10.9	10.5	0
		1	24	11.0	10.7	11.1	11.0	10.7	0
		12	0	10.9	10.6	11.0	10.8	10.6	0
		12	6	10.8	10.5	10.9	10.8	10.4	0
		12	13	10.9	10.6	11.0	10.9	10.6	0
		25	0	11.0	10.7	11.1	11.0	10.7	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	15.7	15.6	15.6	0
		1	50	15.5	15.6	15.5	0
		1	99	15.4	15.5	15.6	0
		50	0	15.6	15.6	15.6	0
		50	25	15.4	15.5	15.4	0
		50	50	15.4	15.5	15.6	0
		100	0	15.3	15.4	15.5	0
20M	16QAM	1	0	15.5	15.6	15.6	0
		1	50	15.5	15.6	15.5	0
		1	99	15.4	15.5	15.6	0
		50	0	15.5	15.6	15.5	0
		50	25	15.3	15.5	15.6	0
		50	50	15.5	15.6	15.5	0
		100	0	15.4	15.6	15.6	0
20M	64QAM	1	0	15.5	15.6	15.5	0
		1	50	15.4	15.5	15.6	0
		1	99	15.3	15.5	15.5	0
		50	0	15.5	15.6	15.6	0
		50	25	15.6	15.6	15.6	0
		50	50	15.4	15.5	15.4	0
		100	0	15.5	15.5	15.6	0
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	15.6	15.5	15.5	0
		1	37	15.4	15.6	15.6	0
		1	74	15.4	15.5	15.5	0
		36	0	15.5	15.6	15.5	0
		36	19	15.4	15.5	15.5	0
		36	39	15.3	15.5	15.5	0
		75	0	15.3	15.4	15.5	0
15M	16QAM	1	0	15.4	15.6	15.6	0
		1	37	15.5	15.6	15.6	0
		1	74	15.4	15.4	15.6	0
		36	0	15.5	15.6	15.6	0
		36	19	15.3	15.5	15.6	0
		36	39	15.5	15.5	15.5	0
		75	0	15.4	15.5	15.6	0
15M	64QAM	1	0	15.4	15.5	15.6	0
		1	37	15.4	15.5	15.6	0
		1	74	15.3	15.5	15.4	0
		36	0	15.4	15.5	15.6	0
		36	19	15.5	15.6	15.6	0
		36	39	15.3	15.4	15.3	0
		75	0	15.4	15.5	15.5	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	15.5	15.4	15.5	0
		1	24	15.5	15.6	15.6	0
		1	49	15.2	15.5	15.5	0
		25	0	15.4	15.4	15.5	0
		25	12	15.4	15.3	15.5	0
		25	25	15.4	15.4	15.5	0
		50	0	15.1	15.3	15.4	0
10M	16QAM	1	0	15.3	15.4	15.6	0
		1	24	15.3	15.5	15.6	0
		1	49	15.2	15.4	15.5	0
		25	0	15.4	15.5	15.6	0
		25	12	15.1	15.4	15.4	0
		25	25	15.4	15.6	15.6	0
		50	0	15.2	15.5	15.6	0
10M	64QAM	1	0	15.4	15.4	15.6	0
		1	24	15.3	15.4	15.5	0
		1	49	15.2	15.5	15.4	0
		25	0	15.4	15.5	15.5	0
		25	12	15.6	15.5	15.5	0
		25	25	15.2	15.3	15.2	0
		50	0	15.5	15.4	15.5	0
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	15.5	15.5	15.5	0
		1	12	15.5	15.5	15.5	0
		1	24	15.5	15.5	15.5	0
		12	0	15.5	15.5	15.5	0
		12	6	15.5	15.5	15.5	0
		12	13	15.5	15.5	15.5	0
		25	0	15.5	15.5	15.5	0
5M	16QAM	1	0	15.5	15.5	15.5	0
		1	12	15.5	15.5	15.5	0
		1	24	15.5	15.5	15.5	0
		12	0	15.5	15.5	15.5	0
		12	6	15.5	15.5	15.5	0
		12	13	15.5	15.5	15.5	0
		25	0	15.5	15.5	15.5	0
5M	64QAM	1	0	15.5	15.5	15.5	0
		1	12	15.5	15.5	15.5	0
		1	24	15.5	15.5	15.5	0
		12	0	15.5	15.5	15.5	0
		12	6	15.5	15.5	15.5	0
		12	13	15.5	15.5	15.5	0
		25	0	15.5	15.5	15.5	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	15.6	15.5	15.4	0
		1	7	15.4	15.5	15.6	0
		1	14	15.3	15.4	15.5	0
		8	0	15.4	15.5	15.5	0
		8	3	15.3	15.4	15.4	0
		8	7	15.3	15.4	15.6	0
		15	0	15.3	15.3	15.4	0
3M	16QAM	1	0	15.4	15.5	15.5	0
		1	7	15.3	15.5	15.5	0
		1	14	15.2	15.4	15.4	0
		8	0	15.4	15.5	15.5	0
		8	3	15.2	15.3	15.4	0
		8	7	15.5	15.4	15.4	0
		15	0	15.4	15.5	15.4	0
3M	64QAM	1	0	15.4	15.4	15.6	0
		1	7	15.4	15.4	15.5	0
		1	14	15.1	15.4	15.4	0
		8	0	15.3	15.5	15.4	0
		8	3	15.5	15.5	15.5	0
		8	7	15.3	15.3	15.2	0
		15	0	15.3	15.4	15.4	0
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	15.5	15.5	15.6	0
		1	2	15.4	15.5	15.6	0
		1	5	15.3	15.3	15.4	0
		3	0	15.4	15.4	15.6	0
		3	1	15.3	15.4	15.6	0
		3	3	15.3	15.3	15.6	0
		6	0	15.2	15.2	15.4	0
1.4M	16QAM	1	0	15.4	15.5	15.6	0
		1	2	15.3	15.5	15.6	0
		1	5	15.2	15.4	15.4	0
		3	0	15.4	15.5	15.6	0
		3	1	15.1	15.3	15.5	0
		3	3	15.4	15.5	15.6	0
		6	0	15.3	15.5	15.5	0
1.4M	64QAM	1	0	15.3	15.6	15.6	0
		1	2	15.2	15.5	15.4	0
		1	5	15.2	15.4	15.3	0
		3	0	15.4	15.5	15.5	0
		3	1	15.5	15.6	15.6	0
		3	3	15.3	15.3	15.3	0
		6	0	15.4	15.4	15.5	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 71							
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	3GPP MPR (dB)
		Channel		133222	133297	133372	
		Frequency (MHz)		673	680.5	688	
20M	QPSK	1	0	16.9	16.7	16.6	0
		1	50	16.8	16.6	16.5	0
		1	99	16.8	16.6	16.5	0
		50	0	16.8	16.6	16.5	0
		50	25	16.7	16.5	16.4	0
		50	50	16.7	16.5	16.3	0
		100	0	16.8	16.6	16.4	0
20M	16QAM	1	0	16.8	16.6	16.5	0
		1	50	16.7	16.7	16.6	0
		1	99	16.8	16.6	16.5	0
		50	0	16.8	16.7	16.6	0
		50	25	16.7	16.7	16.6	0
		50	50	16.6	16.5	16.4	0
		100	0	16.6	16.4	16.3	0
20M	64QAM	1	0	16.7	16.7	16.6	0
		1	50	16.8	16.6	16.5	0
		1	99	16.7	16.6	16.5	0
		50	0	16.6	16.5	16.4	0
		50	25	16.8	16.6	16.5	0
		50	50	16.8	16.7	16.6	0
		100	0	16.8	16.7	16.6	0
BW	MCS Index	Channel		133197	133297	133397	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	QPSK	1	0	16.8	16.7	16.6	0
		1	37	16.8	16.5	16.5	0
		1	74	16.8	16.6	16.4	0
		36	0	16.7	16.5	16.5	0
		36	19	16.7	16.5	16.4	0
		36	39	16.6	16.5	16.3	0
		75	0	16.7	16.6	16.4	0
15M	16QAM	1	0	16.8	16.5	16.4	0
		1	37	16.7	16.6	16.5	0
		1	74	16.7	16.5	16.4	0
		36	0	16.8	16.7	16.5	0
		36	19	16.6	16.6	16.6	0
		36	39	16.5	16.5	16.3	0
		75	0	16.5	16.3	16.3	0
15M	64QAM	1	0	16.6	16.7	16.6	0
		1	37	16.7	16.6	16.5	0
		1	74	16.7	16.6	16.4	0
		36	0	16.6	16.5	16.3	0
		36	19	16.8	16.5	16.4	0
		36	39	16.7	16.6	16.6	0
		75	0	16.8	16.6	16.6	0

LTE Conducted Power (DSI 2 for Tablet Mode)							
LTE Band 71							
BW	MCS Index	Channel		133172	133297	133422	3GPP MPR
		Frequency (MHz)		668	680.5	693	
10M	QPSK	1	0	16.8	16.5	16.5	0
		1	24	16.7	16.6	16.4	0
		1	49	16.8	16.5	16.5	0
		25	0	16.7	16.5	16.4	0
		25	12	16.6	16.3	16.3	0
		25	25	16.6	16.3	16.2	0
		50	0	16.6	16.5	16.4	0
10M	16QAM	1	0	16.7	16.4	16.4	0
		1	24	16.6	16.5	16.5	0
		1	49	16.6	16.4	16.3	0
		25	0	16.7	16.6	16.5	0
		25	12	16.5	16.5	16.5	0
		25	25	16.5	16.4	16.3	0
		50	0	16.6	16.3	16.2	0
10M	64QAM	1	0	16.5	16.6	16.4	0
		1	24	16.7	16.5	16.4	0
		1	49	16.6	16.5	16.4	0
		25	0	16.5	16.4	16.2	0
		25	12	16.6	16.6	16.3	0
		25	25	16.7	16.7	16.4	0
		50	0	16.8	16.6	16.5	0
BW	MCS Index	Channel		133147	133297	133447	3GPP MPR
		Frequency (MHz)		665.5	680.5	695.5	
5M	QPSK	1	0	16.8	16.6	16.4	0
		1	12	16.7	16.5	16.3	0
		1	24	16.7	16.5	16.4	0
		12	0	16.6	16.5	16.3	0
		12	6	16.6	16.3	16.1	0
		12	13	16.6	16.4	16.0	0
		25	0	16.7	16.4	16.3	0
5M	16QAM	1	0	16.6	16.4	16.3	0
		1	12	16.6	16.6	16.5	0
		1	24	16.6	16.5	16.4	0
		12	0	16.6	16.5	16.5	0
		12	6	16.5	16.6	16.5	0
		12	13	16.4	16.4	16.3	0
		25	0	16.5	16.2	16.2	0
5M	64QAM	1	0	16.5	16.7	16.5	0
		1	12	16.6	16.4	16.4	0
		1	24	16.6	16.4	16.4	0
		12	0	16.4	16.4	16.2	0
		12	6	16.7	16.4	16.3	0
		12	13	16.6	16.6	16.4	0
		25	0	16.7	16.6	16.5	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	13.1	13.2	13.0	0
20M	DFT-S QPSK	1	1	13.1	13.4	13.0	0
		1	53	13.0	13.1	12.9	0
		1	104	13.0	13.1	12.9	0
		50	0	13.1	13.3	13.1	0
		50	28	13.1	13.2	13.1	0
		50	56	13.1	13.2	13.0	0
		100	0	13.2	13.2	13.1	0
20M	DFT-S 16QAM	1	1	13.1	13.3	13.0	0
20M	DFT-S 64QAM	1	1	13.1	13.2	13.0	0
20M	DFT-S 256QAM	1	1	13.0	13.2	12.9	0
20M	CP QPSK	1	1	12.9	13.0	12.8	0
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	13.1	13.1	12.8	0
15M	DFT-S QPSK	1	1	13.0	13.1	12.7	0
		1	40	12.8	12.9	12.8	0
		1	77	13.0	13.1	12.7	0
		36	0	13.0	13.2	12.9	0
		36	22	12.9	13.1	12.9	0
		36	43	13.0	13.1	12.8	0
		75	0	13.1	13.0	12.9	0
15M	DFT-S 16QAM	1	1	13.0	13.1	12.9	0
15M	DFT-S 64QAM	1	1	13.0	13.0	12.9	0
15M	DFT-S 256QAM	1	1	12.9	13.0	12.8	0
15M	CP QPSK	1	1	12.7	12.9	12.7	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 2							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	13.0	13.2	12.8	0
10M	DFT-S QPSK	1	1	13.0	13.2	12.8	0
		1	26	12.8	13.1	12.7	0
		1	50	12.8	12.9	12.7	0
		25	0	12.9	13.2	12.9	0
		25	14	13.1	13.1	12.9	0
		25	27	13.0	13.1	12.7	0
10M	DFT-S 16QAM	1	1	13.0	13.2	12.9	0
10M	DFT-S 64QAM	1	1	13.0	13.1	12.8	0
10M	DFT-S 256QAM	1	1	12.9	13.1	12.8	0
10M	CP QPSK	1	1	12.8	12.9	12.6	0
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	13.0	13.0	12.8	0
5M	DFT-S QPSK	1	1	13.0	13.1	12.7	0
		1	13	12.9	13.0	12.7	0
		1	23	12.9	13.0	12.8	0
		12	0	13.0	13.2	12.7	0
		12	7	13.0	13.0	12.9	0
		12	13	13.1	13.2	12.8	0
5M	DFT-S 16QAM	1	1	13.0	13.2	13.0	0
5M	DFT-S 64QAM	1	1	13.1	13.1	12.9	0
5M	DFT-S 256QAM	1	1	13.0	13.1	12.8	0
5M	CP QPSK	1	1	12.8	13.0	12.7	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequency (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	19.5	19.6	19.4	0
20M	DFT-S QPSK	1	1	20.2	20.3	20.1	0
		1	53	19.9	20.0	19.8	0
		1	104	19.5	19.6	19.4	0
		50	0	20.0	20.3	19.9	0
		50	28	20.0	20.1	19.9	0
		50	56	20.0	20.1	20.1	0
100	0	20.0	20.2	20.0	0		
20M	DFT-S 16QAM	1	1	19.9	20.0	19.8	0
20M	DFT-S 64QAM	1	1	19.8	19.8	19.6	0
20M	DFT-S 256QAM	1	1	19.6	19.7	19.6	0
20M	CP QPSK	1	1	19.6	19.6	19.6	0
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequency (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	19.4	19.5	19.3	0
15M	DFT-S QPSK	1	1	20.1	20.2	20.0	0
		1	40	19.8	19.9	19.7	0
		1	77	19.4	19.5	19.3	0
		36	0	19.9	20.0	19.8	0
		36	22	19.9	20.0	19.8	0
		36	43	19.9	20.2	20.0	0
75	0	19.9	20.1	19.9	0		
15M	DFT-S 16QAM	1	1	19.8	19.9	19.7	0
15M	DFT-S 64QAM	1	1	19.7	19.7	19.5	0
15M	DFT-S 256QAM	1	1	19.5	19.6	19.5	0
15M	CP QPSK	1	1	19.5	19.5	19.5	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 5							
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequency (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	19.2	19.3	19.1	0
10M	DFT-S QPSK	1	1	19.9	20.0	19.8	0
		1	26	19.6	19.7	19.5	0
		1	50	19.2	19.3	19.1	0
		25	0	19.7	19.8	19.6	0
		25	14	19.7	19.8	19.6	0
		25	27	19.7	20.0	19.8	0
10M	DFT-S 16QAM	1	1	19.6	19.7	19.5	0
10M	DFT-S 64QAM	1	1	19.5	19.5	19.3	0
10M	DFT-S 256QAM	1	1	19.3	19.4	19.3	0
10M	CP QPSK	1	1	19.3	19.3	19.3	0
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	19.0	19.1	19.1	0
5M	DFT-S QPSK	1	1	19.7	19.8	19.6	0
		1	13	19.4	19.5	19.3	0
		1	23	19.0	19.1	19.2	0
		12	0	19.5	19.6	19.4	0
		12	7	19.5	19.6	19.4	0
		12	13	19.5	19.8	19.6	0
5M	DFT-S 16QAM	1	1	19.4	19.5	19.3	0
5M	DFT-S 64QAM	1	1	19.3	19.3	19.1	0
5M	DFT-S 256QAM	1	1	19.1	19.2	19.1	0
5M	CP QPSK	1	1	19.1	19.1	19.1	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523302	528000	
		Frequency (MHz)		2546.01	2569.5	2592.99	2616.51	2640	
100M	DFT-S PI/2 BPSK	1	1	16.0	16.0	16.7	16.3	16.1	0
100M	DFT-S QPSK	1	1	16.2	16.2	16.9	16.5	16.3	0
		1	137	16.0	16.0	16.7	16.3	16.1	0
		1	271	15.7	15.7	16.4	16.0	15.8	0
		135	0	16.1	16.1	16.8	16.4	16.2	0
		135	69	16.1	16.1	16.8	16.3	16.2	0
		135	138	15.9	15.9	16.6	16.2	16.0	0
		270	0	16.0	16.0	16.7	16.3	16.1	0
100M	DFT-S 16QAM	1	1	15.8	15.8	16.5	16.1	15.9	0
100M	DFT-S 64QAM	1	1	15.9	15.9	16.5	16.1	15.9	0
100M	DFT-S 256QAM	1	1	15.8	15.8	16.5	16.1	15.9	0
100M	CP QPSK	1	1	15.8	15.8	16.4	16.0	16.0	0
BW	MCS Index	Channel		508200	513402	518598	523800	528996	3GPP MPR
		Frequency (MHz)		2541	2567.01	2592.99	2619	2644.98	
90M	DFT-S PI/2 BPSK	1	1	15.9	16.0	16.6	16.2	16.0	0
90M	DFT-S QPSK	1	1	16.1	16.1	16.9	16.3	16.1	0
		1	123	16.0	15.9	16.5	16.2	16.0	0
		1	243	15.6	15.6	16.2	15.9	15.6	0
		120	0	16.1	16.0	16.6	16.3	16.1	0
		120	63	16.0	16.2	16.6	16.3	16.2	0
		120	125	15.7	15.8	16.6	16.0	15.9	0
		243	0	15.9	16.0	16.5	16.2	16.0	0
90M	DFT-S 16QAM	1	1	15.8	15.7	16.4	16.0	15.7	0
90M	CP QPSK	1	1	15.8	15.6	16.2	15.8	16.0	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 41									
BW	MCS Index	Channel		507204	509304	518598	500298	529998	3GPP MPR
		Frequency (MHz)		2536.02	2546.52	2592.99	2621.49	2649.99	
80M	DFT-S PI/2 BPSK	1	1	15.8	16.0	16.6	16.2	16.0	0
80M	DFT-S QPSK	1	1	16.1	16.0	16.8	16.4	16.2	0
		1	109	15.8	15.9	16.5	16.1	15.9	0
		1	215	15.6	15.7	16.4	15.9	15.6	0
		108	0	15.9	15.9	16.7	16.3	16.0	0
		108	55	16.1	16.0	16.7	16.3	16.1	0
		108	109	15.7	15.8	16.4	16.1	15.9	0
		216	0	15.9	15.9	16.7	16.1	15.9	0
80M	DFT-S 16QAM	1	1	15.6	15.7	16.4	16.0	15.8	0
80M	CP QPSK	1	1	15.7	15.8	16.3	15.9	15.9	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 41									
BW	MCS Index	Channel		505200	511896	518598	525294	531996	3GPP MPR
		Frequency (MHz)		2526	2559.48	2592.99	2626.48	2659.98	
60M	DFT-S PI/2 BPSK	1	1	15.90	15.80	16.50	16.10	16.00	0
60M	DFT-S QPSK	1	1	16.10	16.00	16.90	16.30	16.20	0
		1	81	15.90	15.90	16.60	16.20	16.10	0
		1	160	15.60	15.70	16.30	15.90	15.70	0
		81	0	16.00	15.90	16.60	16.20	16.10	0
		81	41	16.10	16.10	16.70	16.40	16.10	0
		81	81	15.90	15.80	16.40	16.10	15.80	0
60M	DFT-S 16QAM	1	1	15.70	15.70	16.40	15.90	15.80	0
60M	CP QPSK	1	1	15.70	15.70	16.20	15.90	15.90	0
BW	MCS Index	Channel		504204	511404	518598	525798	532998	3GPP MPR
		Frequency (MHz)		2521.02	2557.02	2592.99	2628.99	2664.99	
50M	DFT-S PI/2 BPSK	1	1	15.90	15.90	16.50	16.20	16.00	0
50M	DFT-S QPSK	1	1	16.10	16.00	16.80	16.40	16.20	0
		1	67	15.90	15.90	16.70	16.20	16.00	0
		1	131	15.60	15.60	16.40	15.90	15.70	0
		64	0	15.90	16.00	16.70	16.30	16.00	0
		64	35	16.10	16.10	16.70	16.30	16.20	0
		64	69	15.80	15.70	16.50	16.00	15.90	0
50M	DFT-S 16QAM	1	1	15.60	15.70	16.30	15.90	15.80	0
50M	CP QPSK	1	1	15.70	15.60	16.20	15.90	15.90	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 41									
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequency (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	15.90	15.90	16.60	16.20	16.00	0
40M	DFT-S QPSK	1	1	16.10	16.10	16.80	16.40	16.10	0
		1	53	15.90	15.90	16.50	16.10	16.00	0
		1	104	15.50	15.60	16.30	16.00	15.70	0
		50	0	16.00	16.00	16.70	16.30	16.10	0
		50	28	16.00	16.10	16.70	16.40	16.10	0
		50	56	15.70	15.80	16.40	16.10	15.80	0
40M	DFT-S 16QAM	1	1	15.90	16.00	16.50	16.10	15.90	0
40M	CP QPSK	1	1	15.60	15.60	16.30	15.90	15.80	0
BW	MCS Index	Channel		502200	510396	518598	526794	534996	3GPP MPR
		Frequency (MHz)		2511	2551.98	2592.99	2633.97	2674.98	
30M	DFT-S PI/2 BPSK	1	1	16.00	15.80	16.60	16.20	15.90	0
30M	DFT-S QPSK	1	1	16.10	16.10	16.70	16.30	16.20	0
		1	39	16.00	15.80	16.70	16.20	16.00	0
		1	76	15.60	15.60	16.30	15.80	15.70	0
		36	0	16.00	16.00	16.60	16.20	16.10	0
		36	21	16.10	16.10	16.70	16.40	16.20	0
		36	42	15.80	15.90	16.50	16.10	15.80	0
30M	DFT-S 16QAM	1	1	15.90	16.00	16.50	16.10	15.90	0
30M	CP QPSK	1	1	15.60	15.70	16.20	15.90	15.90	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 41									
BW	MCS Index	Channel		501204	509898	518598	527298	535998	3GPP MPR
		Frequency (MHz)		2506.02	2549.49	2592.99	2636.49	2679.99	
20M	DFT-S PI/2 BPSK	1	1	15.90	15.90	16.60	16.20	16.10	0
20M	DFT-S QPSK	1	1	16.00	16.00	16.80	16.30	16.10	0
		1	26	15.90	15.90	16.60	16.20	16.10	0
		1	49	15.60	15.60	16.20	15.80	15.80	0
		25	0	15.90	16.00	16.80	16.30	16.10	0
		25	13	16.10	16.20	16.70	16.40	16.10	0
		25	26	15.80	15.90	16.50	16.10	15.90	0
		50	0	15.90	15.80	16.60	16.20	16.00	0
20M	DFT-S 16QAM	1	1	15.60	15.70	16.40	16.00	15.70	0
20M	CP QPSK	1	1	15.70	15.70	16.30	15.80	15.90	0
BW	MCS Index	Channel		500700	509646	518598	527544	536496	3GPP MPR
		Frequency (MHz)		2503.5	2548.23	2592.99	2637.72	2682.48	
15M	DFT-S PI/2 BPSK	1	1	15.80	15.90	16.60	16.20	16.10	0
15M	DFT-S QPSK	1	1	16.10	16.10	16.80	16.40	16.30	0
		1	19	16.00	15.80	16.60	16.10	16.00	0
		1	36	15.60	15.60	16.30	15.80	15.70	0
		18	0	16.00	16.10	16.60	16.20	16.20	0
		18	10	16.10	16.00	16.70	16.40	16.20	0
		18	20	15.80	15.80	16.50	16.10	15.80	0
		36	0	15.90	15.80	16.50	16.20	16.00	0
15M	DFT-S 16QAM	1	1	15.70	15.60	16.30	15.90	15.70	0
15M	CP QPSK	1	1	15.60	15.70	16.20	15.90	15.90	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 41									
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequency (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	15.80	15.80	16.60	16.20	15.90	0
10M	DFT-S QPSK	1	1	16.10	16.10	16.90	16.40	16.20	0
		1	11	15.80	15.80	16.60	16.20	16.10	0
		1	22	15.70	15.70	16.20	15.90	15.60	0
		12	0	16.00	16.00	16.80	16.30	16.10	0
		12	6	16.00	16.10	16.60	16.30	16.10	0
		12	12	15.70	15.80	16.50	16.00	15.90	0
		24	0	16.00	15.80	16.50	16.30	15.90	0
10M	DFT-S 16QAM	1	1	15.70	15.70	16.40	16.00	15.80	0
10M	CP QPSK	1	1	15.70	15.70	16.30	15.90	15.90	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		346000	349000	352000	
		Frequency (MHz)		1730	1745	1760	
40M	DFT-S PI/2 BPSK	1	1	13.6	14.2	14.0	0
40M	DFT-S QPSK	1	1	13.6	14.3	14.0	0
		1	108	13.6	14.2	14.0	0
		1	214	13.2	13.8	13.6	0
		108	0	13.7	14.2	13.8	0
		108	54	13.5	14.1	13.9	0
		108	108	13.6	14.1	14.0	0
40M	DFT-S 16QAM	1	1	13.2	13.8	13.6	0
40M	DFT-S 64QAM	1	1	13.1	13.7	13.5	0
40M	DFT-S 256QAM	1	1	13.4	14.0	13.8	0
40M	CP QPSK	1	1	13.5	14.1	13.9	0
BW	MCS Index	Channel		345000	349000	353000	3GPP MPR
		Frequency (MHz)		1725	1745	1765	
30M	DFT-S PI/2 BPSK	1	1	13.6	14.1	13.9	0
30M	DFT-S QPSK	1	1	13.5	14.2	13.9	0
		1	80	13.5	14.1	13.9	0
		1	158	13.1	13.7	13.5	0
		80	0	13.3	14.1	13.7	0
		80	40	13.3	14.1	13.9	0
		80	80	13.4	14.0	13.8	0
30M	DFT-S 16QAM	1	1	13.1	13.6	13.5	0
30M	DFT-S 64QAM	1	1	13.0	13.5	13.4	0
30M	DFT-S 256QAM	1	1	13.2	13.9	13.7	0
30M	CP QPSK	1	1	13.4	14.1	13.8	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 66							
BW	MCS Index	Channel		344500	349000	353500	3GPP MPR
		Frequency (MHz)		1722.5	1745	1767.5	
25M	DFT-S PI/2 BPSK	1	1	13.6	14.2	13.8	0
25M	DFT-S QPSK	1	1	13.5	14.2	14.0	0
		1	67	13.4	14.1	13.9	0
		1	131	13.1	13.7	13.5	0
		64	0	13.3	14.1	13.6	0
		64	35	13.5	13.9	13.8	0
		64	69	13.6	14.0	13.9	0
		128	0	13.4	14.0	13.8	0
25M	DFT-S 16QAM	1	1	13.0	13.6	13.5	0
25M	DFT-S 64QAM	1	1	12.9	13.6	13.3	0
25M	DFT-S 256QAM	1	1	13.3	13.9	13.7	0
25M	CP QPSK	1	1	13.4	14.1	13.8	0
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	13.5	14.1	13.9	0
20M	DFT-S QPSK	1	1	13.5	14.1	14.0	0
		1	53	13.6	14.1	13.8	0
		1	104	13.2	13.7	13.5	0
		50	0	13.4	14.0	13.7	0
		50	28	13.4	14.0	13.8	0
		50	56	13.5	14.0	14.0	0
		100	0	13.4	14.0	13.8	0
20M	DFT-S 16QAM	1	1	13.1	13.7	13.5	0
20M	DFT-S 64QAM	1	1	12.9	13.5	13.4	0
20M	DFT-S 256QAM	1	1	13.3	13.9	13.6	0
20M	CP QPSK	1	1	13.3	13.9	13.8	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 66							
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	13.5	14.0	13.9	0
15M	DFT-S QPSK	1	1	13.4	14.1	13.8	0
		1	40	13.5	14.1	13.9	0
		1	77	13.1	13.8	13.4	0
		36	0	13.2	14.1	13.7	0
		36	22	13.4	14.0	13.8	0
		36	43	13.6	14.1	13.8	0
15M	DFT-S 16QAM	1	1	13.1	13.7	13.6	0
15M	DFT-S 64QAM	1	1	12.9	13.5	13.4	0
15M	DFT-S 256QAM	1	1	13.3	13.8	13.7	0
15M	CP QPSK	1	1	13.4	14.0	13.7	0
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	13.5	14.0	13.9	0
10M	DFT-S QPSK	1	1	13.4	14.2	14.0	0
		1	26	13.6	14.0	13.8	0
		1	50	13.0	13.8	13.4	0
		25	0	13.3	14.2	13.7	0
		25	14	13.5	14.1	13.9	0
		25	27	13.4	13.9	13.9	0
10M	DFT-S 16QAM	1	1	13.1	13.7	13.6	0
10M	DFT-S 64QAM	1	1	12.9	13.6	13.4	0
10M	DFT-S 256QAM	1	1	13.2	13.9	13.7	0
10M	CP QPSK	1	1	13.4	13.9	13.9	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 71							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		134600	136100	137600	
		Frequency (MHz)		673	680.5	688	
20M	DFT-S PI/2 BPSK	1	1	17.3	17.9	17.1	0
20M	DFT-S QPSK	1	1	17.3	18.0	17.0	0
		1	53	17.0	17.6	16.8	0
		1	104	17.0	17.6	16.7	0
		50	0	16.9	17.6	16.8	0
		50	28	16.9	17.5	16.7	0
		50	56	16.8	17.4	16.7	0
		100	0	16.8	17.4	16.6	0
20M	DFT-S 16QAM	1	1	17.0	17.6	16.8	0
20M	DFT-S 64QAM	1	1	17.0	17.6	16.9	0
20M	DFT-S 256QAM	1	1	16.9	17.5	16.7	0
20M	CP QPSK	1	1	16.8	17.5	16.7	0
BW	MCS Index	Channel		134100	136100	138100	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	DFT-S PI/2 BPSK	1	1	17.3	17.7	16.9	0
15M	DFT-S QPSK	1	1	17.1	17.9	16.8	0
		1	40	16.9	17.5	16.5	0
		1	77	16.9	17.5	16.6	0
		36	0	16.9	17.6	16.5	0
		36	22	17.0	17.3	16.7	0
		36	43	16.7	17.3	16.4	0
		75	0	16.7	17.2	16.5	0
15M	DFT-S 16QAM	1	1	16.9	17.6	16.6	0
15M	DFT-S 64QAM	1	1	16.9	17.5	16.7	0
15M	DFT-S 256QAM	1	1	16.8	17.4	16.5	0
15M	CP QPSK	1	1	16.8	17.4	16.6	0

NR Conducted Power (DSI 2 For Tablet Mode)

NR Band 71							
BW	MCS Index	Channel		133600	136100	138600	3GPP MPR
		Frequency (MHz)		668	680.5	693	
10M	DFT-S PI/2 BPSK	1	1	17.1	17.8	16.9	0
10M	DFT-S QPSK	1	1	17.2	17.8	16.9	0
		1	26	17.0	17.5	16.7	0
		1	50	16.9	17.4	16.5	0
		25	0	16.8	17.5	16.5	0
		25	14	16.9	17.3	16.8	0
		25	27	16.7	17.3	16.6	0
10M	DFT-S 16QAM	1	1	16.8	17.4	16.6	0
10M	DFT-S 64QAM	1	1	17.0	17.5	16.7	0
10M	DFT-S 256QAM	1	1	16.7	17.3	16.6	0
10M	CP QPSK	1	1	16.8	17.4	16.7	0
BW	MCS Index	Channel		133100	136100	139100	3GPP MPR
		Frequency (MHz)		665.5	680.5	695.5	
5M	DFT-S PI/2 BPSK	1	1	17.1	17.8	16.9	0
5M	DFT-S QPSK	1	1	17.1	17.9	16.8	0
		1	13	16.9	17.6	16.7	0
		1	23	16.9	17.4	16.5	0
		12	0	16.9	17.5	16.4	0
		12	7	16.9	17.4	16.6	0
		12	13	16.7	17.3	16.4	0
5M	DFT-S 16QAM	1	1	16.6	17.2	16.4	0
5M	DFT-S 64QAM	1	1	16.9	17.6	16.7	0
5M	DFT-S 256QAM	1	1	16.9	17.4	16.8	0
5M	CP QPSK	1	1	16.7	17.4	16.5	0
5M	CP QPSK	1	1	16.7	17.3	16.6	0

NR Conducted Power (DSI 2 For Tablet Mode)									
NR Band 77									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		650000	653000	656000	659000	662000	
		Frequency (MHz)		3750	3795	3840	3885	3930	
100M	DFT-S PI/2 BPSK	1	1	17.7	17.8	17.9	17.8	18.2	0
100M	DFT-S QPSK	1	1	17.9	18.1	18.0	17.9	18.3	0
		1	137	17.8	17.9	17.9	17.8	17.9	0
		1	271	17.5	17.7	17.7	17.6	17.7	0
		135	0	17.7	18.0	17.8	17.7	17.7	0
		135	69	17.3	17.6	17.5	17.4	17.8	0
		135	138	17.7	17.8	17.8	17.7	17.7	0
		270	0	17.5	17.8	17.7	17.6	17.6	0
100M	DFT-S 16QAM	1	1	17.1	17.6	17.2	17.4	17.4	0
100M	DFT-S 64QAM	1	1	17.0	17.3	17.0	17.1	17.2	0
100M	DFT-S 256QAM	1	1	17.2	17.4	17.1	17.1	17.2	0
100M	CP QPSK	1	1	17.1	17.4	17.3	17.2	17.3	0
BW	MCS Index	Channel		649668	652834	656000	659166	662332	3GPP MPR
		Frequency (MHz)		3745.02	3792.51	3840	3887.49	3934.98	
90M	DFT-S PI/2 BPSK	1	1	17.6	17.7	17.8	17.7	18.1	0
90M	DFT-S QPSK	1	1	17.7	18.0	17.9	17.8	18.2	0
		1	123	17.7	17.8	17.8	17.7	17.8	0
		1	243	17.3	17.6	17.6	17.5	17.6	0
		120	0	17.6	17.9	17.7	17.6	17.7	0
		120	63	17.2	17.5	17.4	17.4	17.6	0
		120	125	17.5	17.7	17.7	17.7	17.5	0
		243	0	17.4	17.7	17.6	17.5	17.6	0
90M	DFT-S 16QAM	1	1	16.9	17.5	17.1	17.2	17.3	0
90M	CP QPSK	1	1	17.0	17.3	17.2	17.1	17.2	0

NR Conducted Power (DSI 2 For Tablet Mode)									
NR Band 77									
BW	MCS Index	Channel		649334	652666	656000	659334	662666	3GPP MPR
		Frequency (MHz)		3740.01	3789.99	3840	3890.01	3939.99	
80M	DFT-S PI/2 BPSK	1	1	17.5	17.6	17.7	17.7	17.9	0
80M	DFT-S QPSK	1	1	17.6	17.9	17.8	17.6	18.1	0
		1	109	17.6	17.8	17.8	17.5	17.7	0
		1	215	17.3	17.6	17.4	17.4	17.5	0
		108	0	17.5	17.8	17.6	17.5	17.6	0
		108	55	17.2	17.4	17.3	17.3	17.5	0
		108	109	17.4	17.6	17.6	17.6	17.4	0
80M	DFT-S 16QAM	1	1	16.8	17.4	17.0	17.1	17.2	0
80M	CP QPSK	1	1	16.9	17.2	17.1	17.2	17.1	0
BW	MCS Index	Channel		649000	652500	656000	659500	663000	3GPP MPR
		Frequency (MHz)		3735	3787.5	3840	3892.5	3945	
70M	DFT-S PI/2 BPSK	1	1	17.5	17.7	17.6	17.6	17.8	0
70M	DFT-S QPSK	1	1	17.7	17.8	17.8	17.5	18.0	0
		1	95	17.6	17.8	17.7	17.5	17.5	0
		1	187	17.2	17.5	17.3	17.3	17.4	0
		90	0	17.4	17.7	17.5	17.6	17.3	0
		90	50	17.1	17.3	17.4	17.2	17.4	0
		90	99	17.3	17.7	17.5	17.5	17.3	0
70M	DFT-S 16QAM	1	1	16.7	17.4	16.9	17.0	17.1	0
70M	CP QPSK	1	1	17.0	17.1	17.0	17.1	17.0	0

NR Conducted Power (DSI 2 For Tablet Mode)									
NR Band 77									
BW	MCS Index	Channel		648668	652334	656000	659666	663332	3GPP MPR
		Frequency (MHz)		3730.02	3785.01	3840	3894.99	3949.98	
60M	DFT-S PI/2 BPSK	1	1	17.3	17.4	17.4	17.4	17.6	0
60M	DFT-S QPSK	1	1	17.5	17.7	17.8	17.3	17.8	0
		1	81	17.4	17.6	17.5	17.3	17.3	0
		1	160	17.0	17.3	17.1	17.4	17.2	0
		81	0	17.2	17.4	17.3	17.2	17.1	0
		81	41	16.9	17.1	17.2	17.0	17.2	0
		81	81	17.1	17.5	17.3	17.3	17.1	0
60M	DFT-S 16QAM	1	1	16.6	17.2	16.7	16.8	17.0	0
60M	CP QPSK	1	1	16.8	16.9	16.8	16.9	17.1	0
BW	MCS Index	Channel		648334	652166	656000	659834	663666	3GPP MPR
		Frequency (MHz)		3725.01	3782.49	3840	3897.51	3954.99	
50M	DFT-S PI/2 BPSK	1	1	17.5	17.6	17.6	17.6	17.8	0
50M	DFT-S QPSK	1	1	17.7	17.9	18.0	17.5	18.0	0
		1	67	17.6	17.9	17.7	17.5	17.6	0
		1	131	17.2	17.5	17.3	17.6	17.4	0
		64	0	17.4	17.7	17.5	17.4	17.4	0
		64	35	17.2	17.3	17.4	17.2	17.4	0
		64	69	17.3	17.7	17.6	17.5	17.2	0
50M	DFT-S 16QAM	1	1	16.8	17.4	16.9	17.0	17.2	0
50M	CP QPSK	1	1	17.0	17.1	17.0	17.1	17.3	0

NR Conducted Power (DSI 2 For Tablet Mode)									
NR Band 77									
BW	MCS Index	Channel		648000	652000	656000	660000	664000	3GPP MPR
		Frequency (MHz)		3720	3780	3840	3900	3960	
40M	DFT-S PI/2 BPSK	1	1	17.4	17.5	17.4	17.5	17.7	0
40M	DFT-S QPSK	1	1	17.6	17.8	17.8	17.4	17.9	0
		1	53	17.5	17.7	17.6	17.4	17.5	0
		1	104	17.1	17.4	17.2	17.5	17.3	0
		50	0	17.3	17.5	17.4	17.3	17.4	0
		50	28	17.1	17.2	17.4	17.1	17.3	0
		50	56	17.2	17.6	17.5	17.5	17.2	0
100	0	17.3	17.5	17.3	17.2	17.4	0		
40M	DFT-S 16QAM	1	1	16.7	17.3	16.8	16.9	17.1	0
40M	CP QPSK	1	1	16.9	17.0	16.9	17.1	17.3	0
BW	MCS Index	Channel		647668	651834	656000	660166	664332	3GPP MPR
		Frequency (MHz)		3715.02	3777.51	3840	3902.49	3964.98	
30M	DFT-S PI/2 BPSK	1	1	17.2	17.3	17.2	17.3	17.6	0
30M	DFT-S QPSK	1	1	17.5	17.7	17.6	17.4	17.7	0
		1	39	17.3	17.5	17.4	17.3	17.3	0
		1	76	16.8	17.2	17.5	17.3	17.1	0
		36	0	17.1	17.3	17.3	17.1	17.2	0
		36	21	16.9	17.0	17.2	16.9	17.1	0
		36	42	17.0	17.4	17.3	17.3	17.2	0
75	0	17.1	17.3	17.1	17.0	17.1	0		
30M	DFT-S 16QAM	1	1	16.6	17.1	16.8	16.7	17.1	0
30M	CP QPSK	1	1	16.7	16.8	16.7	16.9	17.1	0

NR Conducted Power (DSI 2 For Tablet Mode)									
NR Band 77									
BW	MCS Index	Channel		647500	651750	656000	660250	664500	3GPP MPR
		Frequency (MHz)		3712.5	3776.25	3840	3903.75	3967.5	
25M	DFT-S PI/2 BPSK	1	1	17.3	17.3	17.2	17.2	17.5	0
25M	DFT-S QPSK	1	1	17.4	17.6	17.4	17.4	17.7	0
		1	33	17.2	17.4	17.5	17.2	17.2	0
		1	63	16.7	17.1	17.4	17.2	17.1	0
		32	0	17.0	17.2	17.2	17.0	17.1	0
		32	17	16.8	16.9	17.1	16.8	16.9	0
		32	33	16.9	17.3	17.2	17.2	17.3	0
64	0	17.0	17.2	17.0	16.9	17.1	0		
25M	DFT-S 16QAM	1	1	16.4	17.0	16.8	16.8	17.0	0
25M	CP QPSK	1	1	16.6	16.6	16.6	16.8	17.0	0
BW	MCS Index	Channel		647334	651666	656000	660266	664666	3GPP MPR
		Frequency (MHz)		3710.01	3774.99	3840	3903.99	3969.99	
20M	DFT-S PI/2 BPSK	1	1	17.2	17.2	17.1	17.1	17.4	0
20M	DFT-S QPSK	1	1	17.5	17.5	17.4	17.5	17.6	0
		1	26	17.1	17.3	17.4	17.1	17.1	0
		1	49	16.7	16.9	17.3	17.1	17.0	0
		25	0	16.9	17.1	17.1	16.9	17.0	0
		25	13	16.6	16.8	17.0	16.7	16.8	0
		25	26	16.8	17.2	17.1	17.1	17.2	0
50	0	16.9	17.1	16.9	16.9	17.0	0		
20M	DFT-S 16QAM	1	1	16.2	17.1	16.7	16.7	16.9	0
20M	CP QPSK	1	1	16.5	16.5	16.5	16.8	16.9	0

NR Conducted Power (DSI 2 For Tablet Mode)									
NR Band 77									
BW	MCS Index	Channel		647168	651584	656000	660416	664832	3GPP MPR
		Frequency (MHz)		3707.52	3773.76	3840	3906.24	3972.48	
15M	DFT-S PI/2 BPSK	1	1	17.4	17.3	17.2	17.2	17.7	0
15M	DFT-S QPSK	1	1	17.6	17.5	17.4	17.6	17.6	0
		1	19	17.1	17.3	17.4	17.1	17.1	0
		1	36	16.7	17.1	17.3	17.1	17.1	0
		18	0	16.9	17.1	17.1	16.9	16.8	0
		18	10	16.6	16.8	17.0	16.7	16.8	0
		18	20	16.8	17.3	17.2	17.1	17.3	0
36	0	16.9	17.1	16.9	16.9	17.0	0		
15M	DFT-S 16QAM	1	1	16.3	17.1	16.7	16.7	16.9	0
15M	CP QPSK	1	1	16.5	16.5	16.5	16.8	16.9	0
BW	MCS Index	Channel		647000	651500	656000	660500	665000	3GPP MPR
		Frequency (MHz)		3705	3772.5	3840	3907.5	3975	
10M	DFT-S PI/2 BPSK	1	1	17.6	17.4	17.3	17.3	17.8	0
10M	DFT-S QPSK	1	1	17.8	17.6	17.5	17.7	17.9	0
		1	11	17.1	17.4	17.5	17.2	17.2	0
		1	22	16.8	17.8	17.4	17.2	17.2	0
		12	0	17.0	17.2	17.1	17.0	16.9	0
		12	6	16.7	16.9	17.1	16.8	16.9	0
		12	12	16.9	17.4	17.3	17.2	17.4	0
24	0	17.0	17.2	17.0	16.8	17.1	0		
10M	DFT-S 16QAM	1	1	16.4	17.2	16.8	16.8	17.0	0
10M	CP QPSK	1	1	16.6	16.6	16.6	16.9	17.0	0

WCDMA Conducted Power (DSI 1 for Laptop Mode)

Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	15.6	15.7	15.8	17.6	17.7	17.8	20.1	20.2	20.1
HSDPA Subtest-1	14.5	14.4	14.5	16.7	16.7	16.8	19.4	19.5	19.3
HSDPA Subtest-2	14.4	14.4	14.5	16.7	16.7	16.8	19.3	19.5	19.3
HSDPA Subtest-3	13.9	13.9	14.0	16.2	16.2	16.3	18.9	19.0	18.7
HSDPA Subtest-4	13.9	13.9	13.9	16.1	16.2	16.3	18.8	19.0	18.7
DC-HSDPA Subtest-1	15.5	15.6	15.7	16.6	16.7	16.8	19.3	19.5	19.3
DC-HSDPA Subtest-2	15.2	14.4	14.7	16.6	16.6	16.7	19.3	19.4	19.3
DC-HSDPA Subtest-3	14.3	13.9	14.4	16.2	16.2	16.3	18.8	19.0	18.7
DC-HSDPA Subtest-4	14.1	14.2	13.9	16.1	16.2	16.2	19.2	18.9	18.6
HSUPA Subtest-1	15.6	14.7	15.3	16.6	16.7	16.8	18.9	19.0	18.7
HSUPA Subtest-2	13.6	13.7	13.8	16.2	16.2	16.3	17.4	17.5	17.2
HSUPA Subtest-3	14.6	14.7	14.8	16.3	16.5	16.2	18.4	18.6	18.2
HSUPA Subtest-4	13.2	13.3	13.4	15.7	15.7	15.8	16.9	17.1	16.7
HSUPA Subtest-5	14.5	14.7	14.7	17.2	17.2	17.2	19.4	19.5	19.3

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	17.5	17.6	17.5	0
		1	50	17.4	17.5	17.5	0
		1	99	17.5	17.6	17.5	0
		50	0	17.4	17.5	17.5	0
		50	25	17.3	17.5	17.4	0
		50	50	17.3	17.5	17.4	0
		100	0	17.3	17.5	17.3	0
20M	16QAM	1	0	17.4	17.6	17.5	0
		1	50	17.4	17.6	17.5	0
		1	99	17.4	17.6	17.5	0
		50	0	17.4	17.4	17.4	0
		50	25	17.2	17.5	17.3	0
		50	50	17.2	17.4	17.3	0
		100	0	17.3	17.4	17.4	0
20M	64QAM	1	0	17.4	17.6	17.5	0
		1	50	17.4	17.6	17.5	0
		1	99	17.4	17.5	17.5	0
		50	0	17.4	17.6	17.4	0
		50	25	17.4	17.5	17.5	0
		50	50	17.3	17.5	17.4	0
		100	0	17.3	17.5	17.4	0
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
Frequency (MHz)		1857.5	1880	1902.5			
15M	QPSK	1	0	17.5	17.6	17.5	0
		1	37	17.4	17.5	17.5	0
		1	74	17.5	17.6	17.5	0
		36	0	17.4	17.5	17.5	0
		36	19	17.3	17.5	17.4	0
		36	39	17.3	17.5	17.4	0
		75	0	17.3	17.5	17.3	0
15M	16QAM	1	0	17.4	17.6	17.5	0
		1	37	17.4	17.6	17.5	0
		1	74	17.4	17.6	17.5	0
		36	0	17.4	17.4	17.4	0
		36	19	17.2	17.5	17.3	0
		36	39	17.2	17.4	17.3	0
		75	0	17.3	17.4	17.4	0
15M	64QAM	1	0	17.4	17.6	17.5	0
		1	37	17.4	17.6	17.5	0
		1	74	17.4	17.5	17.5	0
		36	0	17.4	17.6	17.4	0
		36	19	17.4	17.5	17.5	0
		36	39	17.3	17.5	17.4	0
		75	0	17.3	17.5	17.4	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 2							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	17.5	17.6	17.4	0
		1	24	17.3	17.6	17.4	0
		1	49	17.3	17.6	17.5	0
		25	0	17.3	17.4	17.4	0
		25	12	17.4	17.4	17.4	0
		25	25	17.4	17.4	17.3	0
		50	0	17.3	17.4	17.3	0
10M	16QAM	1	0	17.4	17.4	17.5	0
		1	24	17.2	17.4	17.5	0
		1	49	17.3	17.5	17.4	0
		25	0	17.3	17.5	17.4	0
		25	12	17.2	17.4	17.3	0
		25	25	17.1	17.3	17.3	0
		50	0	17.2	17.3	17.3	0
10M	64QAM	1	0	17.3	17.5	17.5	0
		1	24	17.3	17.4	17.4	0
		1	49	17.3	17.5	17.5	0
		25	0	17.3	17.5	17.4	0
		25	12	17.3	17.4	17.4	0
		25	25	17.3	17.5	17.4	0
		50	0	17.2	17.4	17.3	0
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	17.5	17.5	17.3	0
		1	12	17.4	17.5	17.3	0
		1	24	17.4	17.5	17.3	0
		12	0	17.3	17.5	17.3	0
		12	6	17.3	17.4	17.3	0
		12	13	17.3	17.5	17.3	0
		25	0	17.2	17.4	17.3	0
5M	16QAM	1	0	17.4	17.5	17.5	0
		1	12	17.3	17.6	17.4	0
		1	24	17.3	17.4	17.3	0
		12	0	17.3	17.3	17.4	0
		12	6	17.2	17.3	17.3	0
		12	13	17.2	17.4	17.2	0
		25	0	17.2	17.4	17.2	0
5M	64QAM	1	0	17.3	17.5	17.4	0
		1	12	17.3	17.5	17.3	0
		1	24	17.3	17.4	17.4	0
		12	0	17.3	17.5	17.4	0
		12	6	17.3	17.5	17.4	0
		12	13	17.3	17.4	17.3	0
		25	0	17.2	17.3	17.3	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	17.5	17.5	17.4	0
		1	7	17.4	17.5	17.5	0
		1	14	17.3	17.5	17.5	0
		8	0	17.3	17.4	17.3	0
		8	3	17.3	17.5	17.3	0
		8	7	17.3	17.4	17.4	0
		15	0	17.3	17.4	17.4	0
3M	16QAM	1	0	17.3	17.5	17.4	0
		1	7	17.4	17.4	17.4	0
		1	14	17.4	17.6	17.4	0
		8	0	17.3	17.5	17.2	0
		8	3	17.2	17.4	17.3	0
		8	7	17.2	17.2	17.4	0
		15	0	17.2	17.4	17.3	0
3M	64QAM	1	0	17.3	17.5	17.4	0
		1	7	17.4	17.5	17.5	0
		1	14	17.4	17.4	17.4	0
		8	0	17.4	17.4	17.4	0
		8	3	17.2	17.5	17.3	0
		8	7	17.2	17.4	17.3	0
		15	0	17.2	17.4	17.3	0
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	17.4	17.5	17.5	0
		1	2	17.4	17.6	17.4	0
		1	5	17.3	17.5	17.4	0
		3	0	17.3	17.4	17.5	0
		3	1	17.2	17.5	17.3	0
		3	3	17.3	17.5	17.4	0
		6	0	17.3	17.5	17.2	0
1.4M	16QAM	1	0	17.4	17.5	17.4	0
		1	2	17.3	17.5	17.4	0
		1	5	17.2	17.4	17.4	0
		3	0	17.3	17.5	17.4	0
		3	1	17.2	17.3	17.2	0
		3	3	17.3	17.3	17.2	0
		6	0	17.2	17.4	17.4	0
1.4M	64QAM	1	0	17.2	17.5	17.5	0
		1	2	17.2	17.5	17.5	0
		1	5	17.3	17.5	17.3	0
		3	0	17.2	17.4	17.4	0
		3	1	17.3	17.5	17.3	0
		3	3	17.3	17.3	17.3	0
		6	0	17.2	17.4	17.2	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 4							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	17.8	17.6	17.6	0
		1	50	17.7	17.5	17.6	0
		1	99	17.6	17.4	17.5	0
		50	0	17.6	17.4	17.5	0
		50	25	17.7	17.5	17.6	0
		50	50	17.7	17.5	17.6	0
		100	0	17.6	17.4	17.5	0
20M	16QAM	1	0	17.7	17.5	17.6	0
		1	50	17.7	17.5	17.6	0
		1	99	17.7	17.5	17.5	0
		50	0	17.6	17.4	17.5	0
		50	25	17.6	17.4	17.5	0
		50	50	17.6	17.4	17.4	0
		100	0	17.5	17.3	17.4	0
20M	64QAM	1	0	17.7	17.5	17.6	0
		1	50	17.7	17.5	17.6	0
		1	99	17.7	17.5	17.6	0
		50	0	17.7	17.5	17.6	0
		50	25	17.7	17.5	17.6	0
		50	50	17.7	17.5	17.6	0
		100	0	17.6	17.4	17.5	0
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	17.7	17.6	17.6	0
		1	37	17.7	17.5	17.6	0
		1	74	17.6	17.3	17.4	0
		36	0	17.5	17.3	17.5	0
		36	19	17.7	17.5	17.5	0
		36	39	17.6	17.5	17.5	0
		75	0	17.6	17.4	17.5	0
15M	16QAM	1	0	17.7	17.5	17.6	0
		1	37	17.7	17.4	17.5	0
		1	74	17.6	17.4	17.5	0
		36	0	17.6	17.4	17.5	0
		36	19	17.5	17.3	17.4	0
		36	39	17.5	17.3	17.4	0
		75	0	17.5	17.2	17.4	0
15M	64QAM	1	0	17.7	17.5	17.6	0
		1	37	17.7	17.5	17.6	0
		1	74	17.6	17.4	17.5	0
		36	0	17.6	17.5	17.5	0
		36	19	17.7	17.4	17.5	0
		36	39	17.7	17.5	17.5	0
		75	0	17.6	17.4	17.4	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 4							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	17.7	17.5	17.5	0
		1	24	17.7	17.4	17.5	0
		1	49	17.4	17.3	17.5	0
		25	0	17.4	17.2	17.4	0
		25	12	17.7	17.3	17.5	0
		25	25	17.6	17.4	17.5	0
		50	0	17.5	17.3	17.5	0
10M	16QAM	1	0	17.6	17.5	17.5	0
		1	24	17.6	17.3	17.5	0
		1	49	17.6	17.4	17.5	0
		25	0	17.5	17.3	17.3	0
		25	12	17.4	17.3	17.3	0
		25	25	17.4	17.2	17.2	0
		50	0	17.4	17.2	17.2	0
10M	64QAM	1	0	17.5	17.4	17.6	0
		1	24	17.6	17.4	17.6	0
		1	49	17.6	17.4	17.4	0
		25	0	17.7	17.3	17.4	0
		25	12	17.5	17.3	17.3	0
		25	25	17.7	17.4	17.6	0
		50	0	17.6	17.3	17.4	0
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	17.7	17.5	17.6	0
		1	12	17.6	17.3	17.4	0
		1	24	17.6	17.3	17.1	0
		12	0	17.4	17.2	17.2	0
		12	6	17.7	17.3	17.3	0
		12	13	17.6	17.4	17.4	0
		25	0	17.5	17.3	17.4	0
5M	16QAM	1	0	17.5	17.5	17.4	0
		1	12	17.4	17.4	17.4	0
		1	24	17.5	17.3	17.4	0
		12	0	17.5	17.2	17.4	0
		12	6	17.6	17.2	17.4	0
		12	13	17.5	17.2	17.3	0
		25	0	17.4	17.3	17.3	0
5M	64QAM	1	0	17.6	17.3	17.5	0
		1	12	17.6	17.4	17.6	0
		1	24	17.6	17.4	17.4	0
		12	0	17.5	17.4	17.5	0
		12	6	17.5	17.3	17.4	0
		12	13	17.5	17.4	17.4	0
		25	0	17.6	17.2	17.4	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 4							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	17.6	17.4	17.5	0
		1	7	17.5	17.3	17.4	0
		1	14	17.5	17.3	17.4	0
		8	0	17.4	17.2	17.3	0
		8	3	17.6	17.4	17.4	0
		8	7	17.5	17.3	17.5	0
		15	0	17.4	17.4	17.4	0
3M	16QAM	1	0	17.7	17.4	17.5	0
		1	7	17.6	17.3	17.5	0
		1	14	17.6	17.3	17.4	0
		8	0	17.5	17.3	17.4	0
		8	3	17.4	17.3	17.4	0
		8	7	17.4	17.2	17.3	0
		15	0	17.3	17.2	17.3	0
3M	64QAM	1	0	17.6	17.5	17.5	0
		1	7	17.6	17.5	17.4	0
		1	14	17.6	17.3	17.5	0
		8	0	17.5	17.2	17.4	0
		8	3	17.7	17.3	17.4	0
		8	7	17.7	17.3	17.5	0
		15	0	17.5	17.4	17.4	0
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	17.6	17.4	17.5	0
		1	2	17.6	17.5	17.6	0
		1	5	17.5	17.2	17.4	0
		3	0	17.5	17.3	17.3	0
		3	1	17.7	17.3	17.5	0
		3	3	17.6	17.3	17.4	0
		6	0	17.5	17.3	17.3	0
1.4M	16QAM	1	0	17.6	17.5	17.6	0
		1	2	17.6	17.4	17.5	0
		1	5	17.5	17.3	17.3	0
		3	0	17.5	17.3	17.5	0
		3	1	17.5	17.3	17.4	0
		3	3	17.4	17.2	17.3	0
		6	0	17.4	17.1	17.4	0
1.4M	64QAM	1	0	17.7	17.4	17.5	0
		1	2	17.5	17.4	17.4	0
		1	5	17.6	17.3	17.4	0
		3	0	17.6	17.4	17.4	0
		3	1	17.6	17.4	17.5	0
		3	3	17.6	17.4	17.4	0
		6	0	17.5	17.3	17.4	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	20.2	20.5	20.3	0
		1	24	20.2	20.4	20.3	0
		1	49	20.1	20.3	20.2	0
		25	0	20.1	20.3	20.2	0
		25	12	20.1	20.3	20.2	0
		25	25	20.0	20.2	20.1	0
		50	0	20.1	20.3	20.2	0
10M	16QAM	1	0	20.1	20.3	20.3	0
		1	24	20.1	20.3	20.2	0
		1	49	20.1	20.3	20.2	0
		25	0	20.1	20.3	20.2	0
		25	12	20.1	20.3	20.2	0
		25	25	20.1	20.3	20.2	0
		50	0	20.0	20.2	20.1	0
10M	64QAM	1	0	20.1	20.3	20.2	0
		1	24	20.1	20.3	20.2	0
		1	49	20.1	20.3	20.2	0
		25	0	20.1	20.3	20.2	0
		25	12	20.0	20.2	20.2	0
		25	25	20.0	20.2	20.1	0
		50	0	19.9	20.1	20.0	0
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	QPSK	1	0	20.2	20.4	20.3	0
		1	12	20.1	20.4	20.3	0
		1	24	20.1	20.2	20.1	0
		12	0	20.1	20.2	20.1	0
		12	6	20.0	20.2	20.1	0
		12	13	20.0	20.2	20.1	0
		25	0	20.1	20.2	20.1	0
5M	16QAM	1	0	20.1	20.3	20.2	0
		1	12	20.1	20.3	20.2	0
		1	24	20.1	20.3	20.1	0
		12	0	20.1	20.2	20.1	0
		12	6	20.1	20.3	20.1	0
		12	13	20.0	20.2	20.1	0
		25	0	20.0	20.2	20.0	0
5M	64QAM	1	0	20.1	20.3	20.2	0
		1	12	20.0	20.2	20.1	0
		1	24	20.1	20.2	20.2	0
		12	0	20.0	20.2	20.1	0
		12	6	20.0	20.1	20.1	0
		12	13	20.0	20.1	20.1	0
		25	0	19.9	20.1	20.0	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 5							
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR
		Frequency (MHz)		825.5	836.5	847.5	
3M	QPSK	1	0	20.0	20.3	20.2	0
		1	7	20.0	20.3	20.1	0
		1	14	20.0	20.1	20.0	0
		8	0	20.0	20.1	20.1	0
		8	3	19.9	20.1	20.0	0
		8	7	19.9	20.0	19.9	0
		15	0	20.0	20.2	20.1	0
3M	16QAM	1	0	20.0	20.1	20.1	0
		1	7	20.0	20.2	20.1	0
		1	14	20.1	20.2	20.1	0
		8	0	19.9	20.2	20.0	0
		8	3	20.1	20.2	20.1	0
		8	7	19.9	20.1	20.0	0
		15	0	19.8	20.2	19.9	0
3M	64QAM	1	0	19.9	20.2	20.2	0
		1	7	20.0	20.1	20.1	0
		1	14	20.0	20.2	20.1	0
		8	0	19.9	20.1	20.1	0
		8	3	20.0	20.1	20.0	0
		8	7	19.8	20.0	20.0	0
		15	0	19.7	20.0	20.0	0
BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
		Frequency (MHz)		824.7	836.5	848.3	
1.4M	QPSK	1	0	20.0	20.4	20.1	0
		1	2	20.1	20.3	20.0	0
		1	5	19.9	20.2	20.0	0
		3	0	19.9	20.0	20.0	0
		3	1	20.0	20.1	20.0	0
		3	3	19.9	20.1	20.0	0
		6	0	19.9	20.1	20.0	0
1.4M	16QAM	1	0	19.9	20.1	20.0	0
		1	2	20.1	20.2	20.1	0
		1	5	19.9	20.3	20.1	0
		3	0	20.0	20.2	20.0	0
		3	1	20.0	20.2	20.1	0
		3	3	19.9	20.1	20.0	0
		6	0	19.8	20.0	20.0	0
1.4M	64QAM	1	0	19.9	20.3	20.1	0
		1	2	20.0	20.1	20.0	0
		1	5	20.0	20.2	20.2	0
		3	0	19.9	20.1	20.0	0
		3	1	20.0	20.0	20.0	0
		3	3	19.9	20.0	20.1	0
		6	0	19.8	20.0	19.8	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	12.7	12.5	12.4	0
		1	50	12.6	12.4	12.3	0
		1	99	12.5	12.5	12.4	0
		50	0	12.6	12.4	12.3	0
		50	25	12.5	12.3	12.2	0
		50	50	12.2	12.1	12.0	0
		100	0	12.3	12.2	12.1	0
20M	16QAM	1	0	12.6	12.4	12.3	0
		1	50	12.5	12.3	12.2	0
		1	99	12.6	12.5	12.4	0
		50	0	12.6	12.4	12.3	0
		50	25	12.5	12.3	12.3	0
		50	50	12.5	12.3	12.2	0
		100	0	12.3	12.1	12.1	0
20M	64QAM	1	0	12.4	12.2	12.1	0
		1	50	12.5	12.3	12.2	0
		1	99	12.6	12.4	12.3	0
		50	0	12.5	12.3	12.2	0
		50	25	12.3	12.1	12.0	0
		50	50	12.4	12.2	12.1	0
		100	0	12.4	12.2	12.1	0
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	12.6	12.4	12.4	0
		1	37	12.5	12.4	12.3	0
		1	74	12.4	12.5	12.3	0
		36	0	12.6	12.4	12.3	0
		36	19	12.5	12.3	12.2	0
		36	39	12.2	12.0	12.0	0
		75	0	12.2	12.1	12.1	0
15M	16QAM	1	0	12.5	12.4	12.2	0
		1	37	12.5	12.2	12.2	0
		1	74	12.5	12.4	12.4	0
		36	0	12.5	12.4	12.3	0
		36	19	12.4	12.3	12.2	0
		36	39	12.4	12.3	12.1	0
		75	0	12.2	12.0	12.0	0
15M	64QAM	1	0	12.3	12.1	12.1	0
		1	37	12.5	12.3	12.1	0
		1	74	12.6	12.4	12.2	0
		36	0	12.4	12.3	12.1	0
		36	19	12.2	12.1	11.9	0
		36	39	12.4	12.1	12.1	0
		75	0	12.3	12.1	12.1	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	12.6	12.4	12.2	0
		1	24	12.4	12.3	12.2	0
		1	49	12.4	12.4	12.3	0
		25	0	12.6	12.3	12.3	0
		25	12	12.4	12.2	12.0	0
		25	25	12.0	12.0	12.1	0
		50	0	12.3	12.1	12.0	0
10M	16QAM	1	0	12.5	12.2	12.2	0
		1	24	12.3	12.2	12.2	0
		1	49	12.4	12.4	12.2	0
		25	0	12.6	12.2	12.2	0
		25	12	12.5	12.3	12.2	0
		25	25	12.4	12.2	12.1	0
		50	0	12.1	12.0	12.1	0
10M	64QAM	1	0	12.2	12.0	11.9	0
		1	24	12.4	12.1	12.0	0
		1	49	12.4	12.3	12.3	0
		25	0	12.5	12.1	12.2	0
		25	12	12.1	12.0	12.0	0
		25	25	12.2	12.2	12.0	0
		50	0	12.3	12.0	11.9	0
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	12.5	12.3	12.1	0
		1	12	12.4	12.2	12.2	0
		1	24	12.5	12.4	12.3	0
		12	0	12.5	12.4	12.2	0
		12	6	12.4	12.2	12.1	0
		12	13	12.1	11.9	11.9	0
		25	0	12.2	12.1	11.9	0
5M	16QAM	1	0	12.5	12.3	12.1	0
		1	12	12.4	12.2	12.1	0
		1	24	12.5	12.5	12.2	0
		12	0	12.5	12.2	12.2	0
		12	6	12.4	12.1	12.1	0
		12	13	12.3	12.1	12.1	0
		25	0	12.3	12.0	11.9	0
5M	64QAM	1	0	12.4	12.1	12.0	0
		1	12	12.4	12.1	12.1	0
		1	24	12.5	12.4	12.2	0
		12	0	12.4	12.2	12.1	0
		12	6	12.2	12.0	12.0	0
		12	13	12.4	12.1	12.0	0
		25	0	12.3	12.2	12.1	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	19.9	19.8	20.2	0
		1	24	19.7	19.6	19.9	0
		1	49	19.5	19.5	19.8	0
		25	0	19.7	19.6	19.9	0
		25	12	19.6	19.6	19.9	0
		25	25	19.7	19.6	19.9	0
		50	0	19.7	19.6	19.9	0
10M	16QAM	1	0	19.7	19.7	20.0	0
		1	24	19.7	19.6	19.9	0
		1	49	19.8	19.7	20.0	0
		25	0	19.7	19.6	19.9	0
		25	12	19.7	19.6	19.9	0
		25	25	19.6	19.6	19.9	0
		50	0	19.6	19.6	19.9	0
10M	64QAM	1	0	19.8	19.8	20.1	0
		1	24	19.7	19.7	20.0	0
		1	49	19.6	19.6	19.9	0
		25	0	19.6	19.6	19.9	0
		25	12	19.7	19.6	19.9	0
		25	25	19.6	19.6	19.9	0
		50	0	19.6	19.6	19.9	0
BW	MCS Index	Channel		23035	23095	23155	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	QPSK	1	0	19.8	19.8	20.1	0
		1	12	19.6	19.6	19.9	0
		1	24	19.5	19.4	19.8	0
		12	0	19.7	19.5	19.9	0
		12	6	19.6	19.5	19.9	0
		12	13	19.6	19.5	19.9	0
		25	0	19.6	19.6	19.9	0
5M	16QAM	1	0	19.6	19.6	19.9	0
		1	12	19.7	19.6	19.9	0
		1	24	19.7	19.7	19.9	0
		12	0	19.7	19.5	19.8	0
		12	6	19.6	19.5	19.9	0
		12	13	19.5	19.5	19.8	0
		25	0	19.5	19.5	19.8	0
5M	64QAM	1	0	19.8	19.7	20.0	0
		1	12	19.6	19.6	19.9	0
		1	24	19.5	19.5	19.9	0
		12	0	19.6	19.5	19.9	0
		12	6	19.6	19.6	19.9	0
		12	13	19.6	19.6	19.9	0
		25	0	19.5	19.5	19.9	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 12							
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR
		Frequency (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	19.8	19.8	20.0	0
		1	7	19.5	19.5	19.7	0
		1	14	19.4	19.3	19.6	0
		8	0	19.6	19.5	19.8	0
		8	3	19.5	19.5	19.8	0
		8	7	19.6	19.6	19.8	0
		15	0	19.5	19.4	19.8	0
3M	16QAM	1	0	19.6	19.4	19.9	0
		1	7	19.5	19.6	19.9	0
		1	14	19.6	19.6	20.0	0
		8	0	19.5	19.6	19.8	0
		8	3	19.5	19.5	19.7	0
		8	7	19.6	19.5	19.7	0
		15	0	19.5	19.4	19.8	0
3M	64QAM	1	0	19.8	19.7	20.0	0
		1	7	19.6	19.5	19.9	0
		1	14	19.5	19.6	19.8	0
		8	0	19.4	19.4	19.8	0
		8	3	19.5	19.5	19.7	0
		8	7	19.5	19.5	19.7	0
		15	0	19.6	19.5	19.8	0
BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
		Frequency (MHz)		699.7	707.5	715.3	
1.4M	QPSK	1	0	19.7	19.8	19.9	0
		1	2	19.5	19.5	19.7	0
		1	5	19.4	19.3	19.5	0
		3	0	19.5	19.5	19.6	0
		3	1	19.5	19.6	19.7	0
		3	3	19.6	19.5	19.7	0
		6	0	19.5	19.5	19.7	0
1.4M	16QAM	1	0	19.6	19.6	19.8	0
		1	2	19.6	19.4	19.9	0
		1	5	19.5	19.6	19.9	0
		3	0	19.5	19.5	19.8	0
		3	1	19.5	19.5	19.8	0
		3	3	19.5	19.5	19.8	0
		6	0	19.5	19.5	19.7	0
1.4M	64QAM	1	0	19.7	19.7	19.9	0
		1	2	19.5	19.5	19.9	0
		1	5	19.5	19.4	19.8	0
		3	0	19.6	19.5	19.8	0
		3	1	19.5	19.4	19.9	0
		3	3	19.5	19.4	19.8	0
		6	0	19.6	19.5	19.8	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 13							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23230		
		Frequency (MHz)			782		
10M	QPSK	1	0		19.7		0
		1	24		19.6		0
		1	49		19.6		0
		25	0		19.6		0
		25	12		19.6		0
		25	25		19.6		0
		50	0		19.6		0
10M	16QAM	1	0		19.6		0
		1	24		19.6		0
		1	49		19.6		0
		25	0		19.6		0
		25	12		19.6		0
		25	25		19.6		0
		50	0		19.6		0
10M	64QAM	1	0		19.6		0
		1	24		19.6		0
		1	49		19.6		0
		25	0		19.6		0
		25	12		19.6		0
		25	25		19.5		0
		50	0		19.5		0
BW	MCS Index	Channel		23205	23230	23255	3GPP MPR
		Frequency (MHz)		779.5	782	784.5	
5M	QPSK	1	0	19.5	19.6	19.6	0
		1	12	19.4	19.5	19.5	0
		1	24	19.3	19.6	19.4	0
		12	0	19.4	19.6	19.5	0
		12	6	19.3	19.5	19.5	0
		12	13	19.4	19.6	19.5	0
		25	0	19.3	19.6	19.5	0
5M	16QAM	1	0	19.3	19.6	19.5	0
		1	12	19.5	19.5	19.6	0
		1	24	19.3	19.6	19.5	0
		12	0	19.3	19.6	19.4	0
		12	6	19.3	19.6	19.4	0
		12	13	19.4	19.6	19.5	0
		25	0	19.4	19.6	19.5	0
5M	64QAM	1	0	19.3	19.6	19.4	0
		1	12	19.3	19.6	19.5	0
		1	24	19.4	19.6	19.5	0
		12	0	19.4	19.6	19.5	0
		12	6	19.3	19.5	19.4	0
		12	13	19.3	19.5	19.4	0
		25	0	19.3	19.5	19.3	0

LTE Conducted Power (DS1 for Laptop Mode)							
LTE Band 14							
BW	MCS Index	RB Size	RB Offset	Mid		3GPP MPR (dB)	
		Channel		23330			
		Frequency (MHz)		793			
10M	QPSK	1	0		20.4		0
		1	24		20.2		0
		1	49		20.2		0
		25	0		20.1		0
		25	12		20.1		0
		25	25		20.0		0
		50	0		20.1		0
10M	16QAM	1	0		20.2		0
		1	24		20.2		0
		1	49		20.2		0
		25	0		20.1		0
		25	12		20.1		0
		25	25		20.0		0
		50	0		20.0		0
10M	64QAM	1	0		20.1		0
		1	24		20.2		0
		1	49		20.1		0
		25	0		20.1		0
		25	12		20.1		0
		25	25		20.0		0
		50	0		20.0		0
BW	MCS Index	Channel		23305	23330	23355	3GPP MPR
		Frequency (MHz)		790.5	793	795.5	
5M	QPSK	1	0	20.2	20.3	20.1	0
		1	12	20.1	20.1	19.9	0
		1	24	20.1	20.1	19.9	0
		12	0	20.0	20.0	19.9	0
		12	6	20.0	20.0	19.8	0
		12	13	19.9	19.9	19.7	0
		25	0	19.9	20.0	19.8	0
5M	16QAM	1	0	20.0	20.1	19.9	0
		1	12	20.1	20.2	19.9	0
		1	24	20.0	20.2	20.0	0
		12	0	20.0	20.1	19.9	0
		12	6	19.9	20.0	19.8	0
		12	13	19.9	20.0	19.7	0
		25	0	19.9	20.0	19.8	0
5M	64QAM	1	0	19.9	20.0	19.8	0
		1	12	20.0	20.1	19.9	0
		1	24	20.0	20.1	19.9	0
		12	0	20.0	20.1	19.8	0
		12	6	20.0	20.1	19.8	0
		12	13	19.9	19.9	19.8	0
		25	0	19.9	20.0	19.7	0

LTE Conducted Power (DS1 for Laptop Mode)							
LTE Band 17							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequency (MHz)		709	710	711	
10M	QPSK	1	0	20.0	20.2	20.1	0
		1	24	19.9	20.0	19.9	0
		1	49	19.8	20.0	19.9	0
		25	0	19.9	20.0	19.9	0
		25	12	19.8	20.0	19.9	0
		25	25	19.9	20.0	19.9	0
		50	0	19.9	20.0	19.9	0
10M	16QAM	1	0	20.0	20.1	20.0	0
		1	24	20.0	20.1	20.0	0
		1	49	19.9	20.1	19.9	0
		25	0	19.9	20.0	19.9	0
		25	12	19.9	20.0	19.9	0
		25	25	20.0	20.1	20.0	0
		50	0	19.9	20.0	19.9	0
10M	64QAM	1	0	19.9	20.1	19.9	0
		1	24	20.0	20.1	20.0	0
		1	49	19.9	20.0	19.9	0
		25	0	19.9	20.0	19.9	0
		25	12	19.9	20.0	19.9	0
		25	25	20.0	20.1	20.0	0
		50	0	19.9	20.1	20.0	0
BW	MCS Index	Channel		23755	23790	23825	3GPP MPR
		Frequency (MHz)		706.5	710	713.5	
5M	QPSK	1	0	20.0	20.1	20.0	0
		1	12	19.8	20.0	19.8	0
		1	24	19.8	20.0	19.8	0
		12	0	19.8	20.0	19.8	0
		12	6	19.8	19.9	19.8	0
		12	13	19.8	20.0	19.9	0
		25	0	19.9	19.9	19.9	0
5M	16QAM	1	0	19.9	20.1	19.9	0
		1	12	20.0	20.1	20.0	0
		1	24	19.9	20.0	19.9	0
		12	0	19.8	20.0	19.8	0
		12	6	19.8	20.0	19.9	0
		12	13	19.9	20.1	20.0	0
		25	0	19.8	20.0	19.9	0
5M	64QAM	1	0	19.8	20.0	19.9	0
		1	12	20.0	20.1	20.0	0
		1	24	19.9	20.0	19.9	0
		12	0	19.8	20.0	19.8	0
		12	6	19.8	19.9	19.8	0
		12	13	19.9	20.1	19.9	0
		25	0	19.9	20.0	19.9	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	17.6	17.8	17.7	0
		1	50	17.6	17.7	17.6	0
		1	99	17.6	17.7	17.6	0
		50	0	17.5	17.7	17.6	0
		50	25	17.5	17.7	17.6	0
		50	50	17.5	17.6	17.6	0
		100	0	17.5	17.6	17.5	0
20M	16QAM	1	0	17.6	17.7	17.7	0
		1	50	17.6	17.7	17.6	0
		1	99	17.5	17.7	17.6	0
		50	0	17.5	17.6	17.6	0
		50	25	17.4	17.6	17.5	0
		50	50	17.4	17.6	17.5	0
		100	0	17.5	17.6	17.5	0
20M	64QAM	1	0	17.6	17.7	17.6	0
		1	50	17.6	17.7	17.6	0
		1	99	17.6	17.7	17.6	0
		50	0	17.5	17.7	17.6	0
		50	25	17.5	17.7	17.6	0
		50	50	17.5	17.6	17.5	0
		100	0	17.5	17.6	17.5	0
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
		Frequency (MHz)		1857.5	1882.5	1907.5	
15M	QPSK	1	0	17.5	17.7	17.6	0
		1	37	17.5	17.6	17.6	0
		1	74	17.6	17.7	17.6	0
		36	0	17.5	17.6	17.6	0
		36	19	17.4	17.6	17.5	0
		36	39	17.4	17.6	17.5	0
		75	0	17.4	17.6	17.4	0
15M	16QAM	1	0	17.5	17.7	17.6	0
		1	37	17.5	17.7	17.6	0
		1	74	17.5	17.7	17.6	0
		36	0	17.5	17.5	17.5	0
		36	19	17.3	17.6	17.4	0
		36	39	17.3	17.5	17.4	0
		75	0	17.4	17.5	17.5	0
15M	64QAM	1	0	17.5	17.7	17.6	0
		1	37	17.5	17.7	17.6	0
		1	74	17.5	17.6	17.6	0
		36	0	17.5	17.7	17.5	0
		36	19	17.5	17.6	17.6	0
		36	39	17.4	17.6	17.5	0
		75	0	17.4	17.6	17.5	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 25							
BW	MCS Index	Channel		26090	26365	26640	3GPP MPR
		Frequency (MHz)		1855	1882.5	1910	
10M	QPSK	1	0	17.6	17.7	17.5	0
		1	24	17.4	17.7	17.5	0
		1	49	17.4	17.7	17.6	0
		25	0	17.4	17.5	17.5	0
		25	12	17.5	17.5	17.5	0
		25	25	17.5	17.5	17.4	0
		50	0	17.4	17.5	17.4	0
10M	16QAM	1	0	17.5	17.5	17.6	0
		1	24	17.3	17.5	17.6	0
		1	49	17.4	17.6	17.5	0
		25	0	17.4	17.6	17.5	0
		25	12	17.3	17.5	17.4	0
		25	25	17.2	17.4	17.4	0
		50	0	17.3	17.4	17.4	0
10M	64QAM	1	0	17.4	17.6	17.6	0
		1	24	17.4	17.5	17.5	0
		1	49	17.4	17.6	17.6	0
		25	0	17.4	17.6	17.5	0
		25	12	17.4	17.5	17.5	0
		25	25	17.4	17.6	17.5	0
		50	0	17.3	17.5	17.4	0
BW	MCS Index	Channel		26065	26365	26665	3GPP MPR
		Frequency (MHz)		1852.5	1882.5	1912.5	
5M	QPSK	1	0	17.6	17.6	17.4	0
		1	12	17.5	17.6	17.4	0
		1	24	17.5	17.6	17.4	0
		12	0	17.4	17.6	17.4	0
		12	6	17.4	17.5	17.4	0
		12	13	17.4	17.6	17.4	0
		25	0	17.3	17.5	17.4	0
5M	16QAM	1	0	17.5	17.6	17.6	0
		1	12	17.4	17.7	17.5	0
		1	24	17.4	17.5	17.4	0
		12	0	17.4	17.4	17.5	0
		12	6	17.3	17.4	17.4	0
		12	13	17.3	17.5	17.3	0
		25	0	17.3	17.5	17.3	0
5M	64QAM	1	0	17.4	17.6	17.5	0
		1	12	17.4	17.6	17.4	0
		1	24	17.4	17.5	17.5	0
		12	0	17.4	17.6	17.5	0
		12	6	17.4	17.6	17.5	0
		12	13	17.4	17.5	17.4	0
		25	0	17.3	17.4	17.4	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 25							
BW	MCS Index	Channel		26055	26365	26675	3GPP MPR
		Frequency (MHz)		1851.5	1882.5	1913.5	
3M	QPSK	1	0	17.6	17.6	17.5	0
		1	7	17.5	17.6	17.6	0
		1	14	17.4	17.6	17.6	0
		8	0	17.4	17.5	17.4	0
		8	3	17.4	17.6	17.4	0
		8	7	17.4	17.5	17.5	0
		15	0	17.4	17.5	17.5	0
3M	16QAM	1	0	17.4	17.6	17.5	0
		1	7	17.5	17.5	17.5	0
		1	14	17.5	17.7	17.5	0
		8	0	17.4	17.6	17.3	0
		8	3	17.3	17.5	17.4	0
		8	7	17.3	17.3	17.5	0
		15	0	17.3	17.5	17.4	0
3M	64QAM	1	0	17.4	17.6	17.5	0
		1	7	17.5	17.6	17.6	0
		1	14	17.5	17.5	17.5	0
		8	0	17.5	17.5	17.5	0
		8	3	17.3	17.6	17.4	0
		8	7	17.3	17.5	17.4	0
		15	0	17.3	17.5	17.4	0
BW	MCS Index	Channel		26047	26365	26683	3GPP MPR
		Frequency (MHz)		1850.7	1882.5	1914.3	
1.4M	QPSK	1	0	17.5	17.6	17.6	0
		1	2	17.5	17.7	17.5	0
		1	5	17.4	17.6	17.5	0
		3	0	17.4	17.5	17.6	0
		3	1	17.3	17.6	17.4	0
		3	3	17.4	17.6	17.5	0
		6	0	17.4	17.6	17.3	0
1.4M	16QAM	1	0	17.5	17.6	17.5	0
		1	2	17.4	17.6	17.5	0
		1	5	17.3	17.5	17.5	0
		3	0	17.4	17.6	17.5	0
		3	1	17.3	17.4	17.3	0
		3	3	17.4	17.4	17.3	0
		6	0	17.3	17.5	17.5	0
1.4M	64QAM	1	0	17.3	17.6	17.6	0
		1	2	17.3	17.6	17.6	0
		1	5	17.4	17.6	17.4	0
		3	0	17.3	17.5	17.5	0
		3	1	17.4	17.6	17.4	0
		3	3	17.4	17.4	17.4	0
		6	0	17.3	17.5	17.3	0

LTE Conducted Power (DSI 1 for Laptop Mode)									
LTE Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	14.5	14.7	14.8	14.5	14.6	0
		1	50	14.1	14.1	13.8	14.3	14.1	0
		1	99	13.9	13.9	13.6	14.1	13.9	0
		50	0	14.0	14.0	14.4	14.3	14.0	0
		50	25	13.9	14.0	13.7	14.2	14.0	0
		50	50	13.8	13.9	13.6	14.1	13.9	0
		100	0	13.9	13.9	13.7	14.2	14.0	0
20M	16QAM	1	0	14.2	14.2	13.9	14.5	14.2	0
		1	50	14.2	14.2	13.9	14.4	14.2	0
		1	99	13.9	14.0	13.7	14.3	14.0	0
		50	0	14.0	14.0	13.6	14.2	14.0	0
		50	25	13.9	14.0	13.7	14.2	14.0	0
		50	50	13.9	13.9	13.6	14.1	13.9	0
		100	0	13.9	14.0	13.7	14.2	14.0	0
20M	64QAM	1	0	13.9	14.0	13.7	14.3	13.9	0
		1	50	13.9	14.0	13.6	14.2	14.0	0
		1	99	13.8	13.9	13.6	14.1	13.9	0
		50	0	13.9	14.0	13.7	14.2	14.0	0
		50	25	13.7	13.9	13.7	14.2	14.0	0
		50	50	13.8	13.9	13.6	14.1	13.9	0
		100	0	13.9	13.9	13.6	14.1	13.9	0
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	14.3	14.3	14.0	14.6	14.4	0
		1	37	13.9	13.9	13.6	14.1	13.9	0
		1	74	13.7	13.7	13.4	13.9	13.7	0
		36	0	13.8	13.8	13.5	14.1	13.8	0
		36	19	13.7	13.8	13.5	14.0	13.8	0
		36	39	13.6	13.7	13.4	13.9	13.7	0
		75	0	13.7	13.7	13.5	14.0	13.8	0
15M	16QAM	1	0	14.0	14.0	13.7	14.3	14.0	0
		1	37	14.0	14.0	13.7	14.2	14.0	0
		1	74	13.7	13.8	13.5	14.1	13.8	0
		36	0	13.8	13.8	13.4	14.0	13.8	0
		36	19	13.7	13.8	13.5	14.0	13.8	0
		36	39	13.7	13.7	13.4	13.9	13.7	0
		75	0	13.7	13.8	13.5	14.0	13.8	0
15M	64QAM	1	0	13.7	13.8	13.5	14.1	13.7	0
		1	37	13.7	13.8	13.4	14.0	13.8	0
		1	74	13.6	13.7	13.4	13.9	13.7	0
		36	0	13.7	13.8	13.5	14.0	13.8	0
		36	19	13.5	13.7	13.5	14.0	13.8	0
		36	39	13.6	13.7	13.4	13.9	13.7	0
		75	0	13.7	13.7	13.4	13.9	13.7	0

LTE Conducted Power (DSI 1 for Laptop Mode)									
LTE Band 41									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	14.2	14.1	13.8	14.5	14.3	0
		1	24	13.8	13.8	13.5	14.0	13.8	0
		1	49	13.6	13.6	13.3	13.8	13.6	0
		25	0	13.7	13.6	13.4	14.0	13.7	0
		25	12	13.6	13.7	13.4	13.9	13.7	0
		25	25	13.5	13.5	13.3	13.8	13.6	0
		50	0	13.5	13.6	13.4	13.9	13.7	0
10M	16QAM	1	0	13.9	13.9	13.6	14.2	13.9	0
		1	24	13.8	13.9	13.6	14.1	13.8	0
		1	49	13.6	13.7	13.4	14.0	13.7	0
		25	0	13.7	13.7	13.3	13.9	13.7	0
		25	12	13.6	13.7	13.4	13.9	13.7	0
		25	25	13.6	13.6	13.3	13.8	13.6	0
		50	0	13.6	13.7	13.4	13.9	13.7	0
10M	64QAM	1	0	13.6	13.7	13.4	14.0	13.6	0
		1	24	13.6	13.7	13.3	13.9	13.7	0
		1	49	13.5	13.6	13.3	13.8	13.6	0
		25	0	13.6	13.7	13.4	13.9	13.7	0
		25	12	13.4	13.6	13.4	13.9	13.7	0
		25	25	13.5	13.6	13.3	13.8	13.6	0
		50	0	13.6	13.6	13.3	13.8	13.6	0
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	14.1	13.9	13.6	14.3	14.1	0
		1	12	13.5	13.6	13.3	13.8	13.6	0
		1	24	13.4	13.4	13.1	13.6	13.2	0
		12	0	13.5	13.3	13.1	13.7	13.5	0
		12	6	13.4	13.5	13.2	13.7	13.5	0
		12	13	13.3	13.3	13.1	13.6	13.4	0
		25	0	13.3	13.4	13.2	13.7	13.5	0
5M	16QAM	1	0	13.7	13.7	13.4	13.9	13.7	0
		1	12	13.6	13.7	13.4	13.3	13.6	0
		1	24	13.4	13.4	13.2	13.8	13.5	0
		12	0	13.5	13.5	13.1	13.7	13.5	0
		12	6	13.4	13.5	13.2	13.7	13.5	0
		12	13	13.4	13.4	13.1	13.6	13.4	0
		25	0	13.4	13.5	13.2	13.7	13.5	0
5M	64QAM	1	0	13.4	13.5	13.2	13.8	13.4	0
		1	12	13.4	13.5	13.1	13.7	13.5	0
		1	24	13.3	13.4	13.1	13.6	13.4	0
		12	0	13.4	13.5	13.2	13.7	13.5	0
		12	6	13.2	13.4	13.2	13.7	13.5	0
		12	13	13.3	13.4	13.1	13.6	13.4	0
		25	0	13.4	13.4	13.1	13.6	13.4	0

LTE Conducted Power (DSI 1 for Laptop Mode)									
LTE Band 41 (PC2_HPUE)									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	14.9	14.3	14.8	14.7	14.5	0
		1	50	14.2	13.9	14.4	14.2	14.0	0
		1	99	14.0	13.7	14.2	14.0	13.8	0
		50	0	14.1	13.8	14.4	14.1	13.9	0
		50	25	14.1	13.8	14.3	14.1	13.9	0
		50	50	14.0	13.7	14.2	14.0	13.8	0
		100	0	14.0	13.8	14.3	14.1	13.9	0
20M	16QAM	1	0	14.3	14.0	14.6	14.3	14.1	0
		1	50	14.3	14.0	14.5	14.3	14.1	0
		1	99	14.1	13.8	14.4	14.1	13.9	0
		50	0	14.1	13.7	14.3	14.1	13.9	0
		50	25	14.1	13.8	14.3	14.1	13.9	0
		50	50	14.0	13.7	14.2	14.0	13.8	0
		100	0	14.1	13.8	14.3	14.1	13.9	0
20M	64QAM	1	0	14.1	13.8	14.4	14.0	13.8	0
		1	50	14.1	13.7	14.3	14.1	13.9	0
		1	99	14.0	13.7	14.2	14.0	13.8	0
		50	0	14.1	13.8	14.3	14.1	13.9	0
		50	25	14.0	13.8	14.3	14.1	13.9	0
		50	50	14.0	13.7	14.2	14.0	13.8	0
		100	0	14.0	13.7	14.2	14.0	13.8	0
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	14.4	14.1	14.7	14.5	14.3	0
		1	37	14.0	13.7	14.2	14.0	13.8	0
		1	74	13.8	13.5	14.0	13.8	13.6	0
		36	0	13.9	13.6	14.2	13.9	13.7	0
		36	19	13.9	13.6	14.1	13.9	13.7	0
		36	39	13.8	13.5	14.0	13.8	13.6	0
		75	0	13.8	13.6	14.1	13.9	13.7	0
15M	16QAM	1	0	14.1	13.8	14.4	14.1	13.9	0
		1	37	14.1	13.8	14.3	14.1	13.9	0
		1	74	13.9	13.6	14.2	13.9	13.7	0
		36	0	13.9	13.5	14.1	13.9	13.7	0
		36	19	13.9	13.6	14.1	13.9	13.7	0
		36	39	13.8	13.5	14.0	13.8	13.6	0
		75	0	13.9	13.6	14.1	13.9	13.7	0
15M	64QAM	1	0	13.9	13.6	14.2	13.8	13.6	0
		1	37	13.9	13.5	14.1	13.9	13.7	0
		1	74	13.8	13.5	14.0	13.8	13.6	0
		36	0	13.9	13.6	14.1	13.9	13.7	0
		36	19	13.8	13.6	14.1	13.9	13.7	0
		36	39	13.8	13.5	14.0	13.8	13.6	0
		75	0	13.8	13.5	14.0	13.8	13.6	0

LTE Conducted Power (DSI 1 for Laptop Mode)									
LTE Band 41 (PC2_HPUE)									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	14.2	13.9	14.6	14.4	14.2	0
		1	24	13.9	13.6	14.1	13.9	13.7	0
		1	49	13.7	13.4	13.9	13.7	13.5	0
		25	0	13.7	13.5	14.1	13.8	13.6	0
		25	12	13.8	13.5	14.0	13.8	13.6	0
		25	25	13.6	13.4	13.9	13.7	13.5	0
		50	0	13.7	13.5	14.0	13.8	13.6	0
10M	16QAM	1	0	14.0	13.7	14.3	14.0	13.8	0
		1	24	14.0	13.7	14.2	13.9	13.7	0
		1	49	13.8	13.5	14.1	13.8	13.6	0
		25	0	13.8	13.4	14.0	13.8	13.6	0
		25	12	13.8	13.5	14.0	13.8	13.6	0
		25	25	13.7	13.4	13.9	13.7	13.5	0
		50	0	13.8	13.5	14.0	13.8	13.6	0
10M	64QAM	1	0	13.8	13.5	14.1	13.7	13.5	0
		1	24	13.8	13.4	14.0	13.8	13.6	0
		1	49	13.7	13.4	13.9	13.7	13.5	0
		25	0	13.8	13.5	14.0	13.8	13.6	0
		25	12	13.7	13.5	14.0	13.8	13.6	0
		25	25	13.7	13.4	13.9	13.7	13.5	0
		50	0	13.7	13.4	13.9	13.7	13.5	0
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	14.0	13.7	14.4	14.2	14.0	0
		1	12	13.7	13.4	13.9	13.7	13.5	0
		1	24	13.5	13.2	13.7	13.3	13.1	0
		12	0	13.4	13.2	13.8	13.6	13.4	0
		12	6	13.6	13.3	13.8	13.6	13.4	0
		12	13	13.4	13.2	13.7	13.5	13.3	0
		25	0	13.5	13.3	13.8	13.6	13.4	0
5M	16QAM	1	0	13.8	13.5	14.0	13.8	13.6	0
		1	12	13.8	13.5	13.4	13.7	13.5	0
		1	24	13.5	13.3	13.9	13.6	13.4	0
		12	0	13.6	13.2	13.8	13.6	13.4	0
		12	6	13.6	13.3	13.8	13.6	13.4	0
		12	13	13.5	13.2	13.7	13.5	13.3	0
		25	0	13.6	13.3	13.8	13.6	13.4	0
5M	64QAM	1	0	13.6	13.3	13.9	13.5	13.3	0
		1	12	13.6	13.2	13.8	13.6	13.4	0
		1	24	13.5	13.2	13.7	13.5	13.3	0
		12	0	13.6	13.3	13.8	13.6	13.4	0
		12	6	13.5	13.3	13.8	13.6	13.4	0
		12	13	13.5	13.2	13.7	13.5	13.3	0
		25	0	13.5	13.2	13.7	13.5	13.3	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	17.5	17.6	17.4	0
		1	50	17.5	17.5	17.4	0
		1	99	17.4	17.5	17.4	0
		50	0	17.5	17.5	17.4	0
		50	25	17.5	17.5	17.4	0
		50	50	17.4	17.5	17.4	0
		100	0	17.5	17.5	17.4	0
20M	16QAM	1	0	17.4	17.5	17.4	0
		1	50	17.4	17.4	17.3	0
		1	99	17.4	17.5	17.4	0
		50	0	17.3	17.3	17.2	0
		50	25	17.3	17.3	17.2	0
		50	50	17.2	17.3	17.2	0
		100	0	17.2	17.3	17.2	0
20M	64QAM	1	0	17.3	17.3	17.2	0
		1	50	17.3	17.4	17.3	0
		1	99	17.3	17.4	17.2	0
		50	0	17.2	17.3	17.2	0
		50	25	17.2	17.3	17.2	0
		50	50	17.2	17.3	17.2	0
		100	0	17.2	17.2	17.1	0
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	17.4	17.5	17.4	0
		1	37	17.4	17.5	17.4	0
		1	74	17.4	17.4	17.3	0
		36	0	17.4	17.4	17.3	0
		36	19	17.4	17.5	17.4	0
		36	39	17.3	17.5	17.3	0
		75	0	17.4	17.5	17.4	0
15M	16QAM	1	0	17.4	17.5	17.4	0
		1	37	17.4	17.4	17.3	0
		1	74	17.3	17.4	17.3	0
		36	0	17.2	17.3	17.1	0
		36	19	17.3	17.3	17.2	0
		36	39	17.1	17.2	17.2	0
		75	0	17.2	17.2	17.1	0
15M	64QAM	1	0	17.2	17.3	17.2	0
		1	37	17.3	17.3	17.3	0
		1	74	17.2	17.3	17.2	0
		36	0	17.2	17.3	17.2	0
		36	19	17.2	17.3	17.2	0
		36	39	17.2	17.2	17.1	0
		75	0	17.2	17.2	17.1	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	17.4	17.5	17.3	0
		1	24	17.4	17.3	17.4	0
		1	49	17.3	17.4	17.2	0
		25	0	17.2	17.3	17.3	0
		25	12	17.4	17.4	17.3	0
		25	25	17.3	17.3	17.2	0
		50	0	17.3	17.4	17.2	0
10M	16QAM	1	0	17.3	17.4	17.3	0
		1	24	17.2	17.2	17.3	0
		1	49	17.2	17.3	17.2	0
		25	0	17.1	17.2	17.1	0
		25	12	17.2	17.3	17.2	0
		25	25	17.1	17.1	17.0	0
		50	0	17.1	17.2	17.1	0
10M	64QAM	1	0	17.0	17.2	17.0	0
		1	24	17.3	17.3	17.1	0
		1	49	17.1	17.3	17.1	0
		25	0	17.1	17.3	17.1	0
		25	12	17.1	17.2	16.9	0
		25	25	17.1	17.1	17.0	0
		50	0	17.0	17.1	16.9	0
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	17.4	17.5	17.4	0
		1	12	17.4	17.4	17.1	0
		1	24	17.2	17.4	17.2	0
		12	0	17.3	17.3	17.3	0
		12	6	17.3	17.4	17.2	0
		12	13	17.2	17.3	17.1	0
		25	0	17.3	17.4	17.2	0
5M	16QAM	1	0	17.2	17.4	17.2	0
		1	12	17.2	17.3	17.3	0
		1	24	17.2	17.2	17.2	0
		12	0	17.2	17.1	17.0	0
		12	6	17.1	17.2	17.1	0
		12	13	17.2	17.1	17.0	0
		25	0	17.1	17.1	17.1	0
5M	64QAM	1	0	17.1	17.2	17.1	0
		1	12	17.2	17.2	17.2	0
		1	24	17.0	17.2	17.2	0
		12	0	17.1	17.2	17.1	0
		12	6	17.1	17.3	17.2	0
		12	13	17.0	17.2	17.0	0
		25	0	17.1	17.1	17.1	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	17.2	17.5	17.4	0
		1	7	17.4	17.4	17.4	0
		1	14	17.2	17.4	17.2	0
		8	0	17.3	17.4	17.3	0
		8	3	17.4	17.5	17.2	0
		8	7	17.3	17.5	17.3	0
		15	0	17.4	17.4	17.3	0
3M	16QAM	1	0	17.3	17.3	17.3	0
		1	7	17.2	17.2	17.2	0
		1	14	17.2	17.3	17.2	0
		8	0	17.2	17.2	17.1	0
		8	3	17.2	17.1	17.0	0
		8	7	17.1	17.2	17.0	0
		15	0	17.1	17.2	17.0	0
3M	64QAM	1	0	17.1	17.1	17.0	0
		1	7	17.2	17.3	17.2	0
		1	14	17.2	17.2	17.0	0
		8	0	17.1	17.2	17.1	0
		8	3	17.1	17.1	17.0	0
		8	7	17.2	17.2	17.1	0
		15	0	17.1	17.1	17.1	0
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	17.3	17.4	17.3	0
		1	2	17.3	17.4	17.3	0
		1	5	17.3	17.3	17.2	0
		3	0	17.4	17.5	17.2	0
		3	1	17.3	17.4	17.3	0
		3	3	17.3	17.4	17.2	0
		6	0	17.3	17.4	17.4	0
1.4M	16QAM	1	0	17.2	17.4	17.2	0
		1	2	17.2	17.3	17.3	0
		1	5	17.3	17.3	17.2	0
		3	0	17.1	17.2	17.1	0
		3	1	17.1	17.2	17.1	0
		3	3	17.0	17.2	17.1	0
		6	0	17.1	17.2	17.1	0
1.4M	64QAM	1	0	17.1	17.3	17.0	0
		1	2	17.2	17.2	17.2	0
		1	5	17.2	17.3	17.2	0
		3	0	17.2	17.2	17.2	0
		3	1	17.1	17.2	17.0	0
		3	3	17.1	17.2	17.1	0
		6	0	17.0	17.1	17.0	0

LTE Conducted Power (DSI 1 for Laptop Mode)							
LTE Band 71							
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	3GPP MPR (dB)
		Channel		133222	133297	133372	
		Frequency (MHz)		673	680.5	688	
20M	QPSK	1	0	19.9	19.7	19.7	0
		1	50	19.8	19.6	19.6	0
		1	99	19.6	19.4	19.4	0
		50	0	19.7	19.5	19.5	0
		50	25	19.7	19.5	19.5	0
		50	50	19.7	19.5	19.4	0
		100	0	19.7	19.5	19.5	0
20M	16QAM	1	0	19.8	19.7	19.7	0
		1	50	19.8	19.7	19.6	0
		1	99	19.7	19.6	19.5	0
		50	0	19.7	19.5	19.5	0
		50	25	19.7	19.5	19.5	0
		50	50	19.7	19.5	19.4	0
		100	0	19.7	19.6	19.5	0
20M	64QAM	1	0	19.8	19.7	19.6	0
		1	50	19.8	19.6	19.6	0
		1	99	19.7	19.5	19.5	0
		50	0	19.8	19.7	19.6	0
		50	25	19.8	19.6	19.6	0
		50	50	19.8	19.6	19.5	0
		100	0	19.8	19.6	19.6	0
BW	MCS Index	Channel		133197	133297	133397	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	QPSK	1	0	19.8	19.7	19.6	0
		1	37	19.7	19.6	19.5	0
		1	74	19.5	19.4	19.3	0
		36	0	19.7	19.5	19.4	0
		36	19	19.6	19.4	19.5	0
		36	39	19.6	19.4	19.4	0
		75	0	19.7	19.4	19.5	0
15M	16QAM	1	0	19.8	19.7	19.6	0
		1	37	19.8	19.6	19.6	0
		1	74	19.6	19.5	19.5	0
		36	0	19.7	19.5	19.5	0
		36	19	19.6	19.5	19.4	0
		36	39	19.6	19.4	19.4	0
		75	0	19.7	19.5	19.5	0
15M	64QAM	1	0	19.8	19.6	19.6	0
		1	37	19.8	19.6	19.6	0
		1	74	19.7	19.5	19.5	0
		36	0	19.8	19.7	19.6	0
		36	19	19.7	19.6	19.5	0
		36	39	19.8	19.5	19.5	0
		75	0	19.7	19.6	19.6	0

LTE Conducted Power (DS1 for Laptop Mode)							
LTE Band 71							
BW	MCS Index	Channel		133172	133297	133422	3GPP MPR
		Frequency (MHz)		668	680.5	693	
10M	QPSK	1	0	19.8	19.6	19.6	0
		1	24	19.6	19.5	19.3	0
		1	49	19.4	19.3	19.2	0
		25	0	19.6	19.5	19.5	0
		25	12	19.6	19.4	19.4	0
		25	25	19.5	19.4	19.3	0
		50	0	19.7	19.4	19.4	0
10M	16QAM	1	0	19.8	19.6	19.5	0
		1	24	19.7	19.5	19.6	0
		1	49	19.7	19.4	19.4	0
		25	0	19.6	19.4	19.3	0
		25	12	19.6	19.4	19.3	0
		25	25	19.6	19.4	19.4	0
		50	0	19.6	19.5	19.4	0
10M	64QAM	1	0	19.8	19.6	19.5	0
		1	24	19.8	19.5	19.6	0
		1	49	19.7	19.4	19.4	0
		25	0	19.8	19.6	19.5	0
		25	12	19.6	19.4	19.5	0
		25	25	19.7	19.4	19.4	0
		50	0	19.7	19.5	19.5	0
BW	MCS Index	Channel		133147	133297	133447	3GPP MPR
		Frequency (MHz)		665.5	680.5	695.5	
5M	QPSK	1	0	19.8	19.6	19.6	0
		1	12	19.7	19.5	19.5	0
		1	24	19.4	19.3	19.2	0
		12	0	19.7	19.4	19.3	0
		12	6	19.6	19.4	19.3	0
		12	13	19.6	19.3	19.2	0
		25	0	19.5	19.4	19.3	0
5M	16QAM	1	0	19.7	19.5	19.6	0
		1	12	19.8	19.5	19.6	0
		1	24	19.5	19.5	19.4	0
		12	0	19.5	19.4	19.3	0
		12	6	19.7	19.5	19.5	0
		12	13	19.5	19.3	19.3	0
		25	0	19.5	19.4	19.5	0
5M	64QAM	1	0	19.6	19.6	19.6	0
		1	12	19.7	19.4	19.5	0
		1	24	19.5	19.4	19.5	0
		12	0	19.6	19.6	19.4	0
		12	6	19.7	19.5	19.4	0
		12	13	19.7	19.4	19.4	0
		25	0	19.7	19.5	19.4	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	18.4	18.4	18.3	0
20M	DFT-S QPSK	1	1	18.4	18.5	18.4	0
		1	53	18.4	18.4	18.3	0
		1	104	18.4	18.4	18.3	0
		50	0	18.3	18.4	18.3	0
		50	28	18.3	18.4	18.3	0
		50	56	17.9	18.0	17.8	0
100	0	17.6	17.6	17.5	0		
20M	DFT-S 16QAM	1	1	17.6	17.6	17.5	0
20M	DFT-S 64QAM	1	1	17.5	17.6	17.5	0
20M	DFT-S 256QAM	1	1	17.6	17.7	17.6	0
20M	CP QPSK	1	1	17.6	17.7	17.5	0
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	18.0	18.0	17.9	0
15M	DFT-S QPSK	1	1	18.1	18.1	18.0	0
		1	40	18.0	18.0	17.9	0
		1	77	18.0	18.0	17.9	0
		36	0	18.0	18.0	17.9	0
		36	22	18.0	18.0	17.9	0
		36	43	17.5	17.6	17.4	0
75	0	17.2	17.2	17.1	0		
15M	DFT-S 16QAM	1	1	17.2	17.2	17.1	0
15M	DFT-S 64QAM	1	1	17.1	17.2	17.1	0
15M	DFT-S 256QAM	1	1	17.2	17.3	17.2	0
15M	CP QPSK	1	1	17.2	17.3	17.1	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 2							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	17.8	17.8	17.7	0
10M	DFT-S QPSK	1	1	17.9	17.9	17.8	0
		1	26	17.8	17.8	17.7	0
		1	50	17.8	17.8	17.7	0
		25	0	17.8	17.8	17.7	0
		25	14	17.8	17.8	17.7	0
		25	27	17.3	17.4	17.2	0
10M	DFT-S 16QAM	1	1	17.0	17.0	16.9	0
10M	DFT-S 64QAM	1	1	16.9	17.0	16.9	0
10M	DFT-S 256QAM	1	1	17.0	17.1	17.0	0
10M	CP QPSK	1	1	17.0	17.1	16.9	0
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	17.6	17.6	17.5	0
5M	DFT-S QPSK	1	1	17.7	17.7	17.6	0
		1	13	17.6	17.6	17.5	0
		1	23	17.6	17.6	17.5	0
		12	0	17.6	17.6	17.5	0
		12	7	17.6	17.6	17.5	0
		12	13	17.1	17.2	17.0	0
5M	DFT-S 16QAM	1	1	16.8	16.8	16.7	0
5M	DFT-S 64QAM	1	1	16.7	16.8	16.7	0
5M	DFT-S 256QAM	1	1	16.8	16.9	16.8	0
5M	CP QPSK	1	1	16.8	16.9	16.7	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequency (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	20.8	20.7	20.8	0
20M	DFT-S QPSK	1	1	20.7	20.9	20.8	0
		1	53	20.7	20.6	20.8	0
		1	104	20.7	20.5	20.7	0
		50	0	20.7	20.8	20.7	0
		50	28	20.7	20.7	20.7	0
		50	56	20.6	20.6	20.6	0
100	0	20.6	20.7	20.5	0		
20M	DFT-S 16QAM	1	1	20.3	20.4	20.5	0
20M	DFT-S 64QAM	1	1	20.2	20.3	20.4	0
20M	DFT-S 256QAM	1	1	20.1	20.3	20.4	0
20M	CP QPSK	1	1	20.2	20.4	20.4	0
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequency (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	20.6	20.8	20.6	0
15M	DFT-S QPSK	1	1	20.7	20.8	20.6	0
		1	40	20.6	20.8	20.6	0
		1	77	20.6	20.7	20.5	0
		36	0	20.5	20.7	20.5	0
		36	22	20.5	20.7	20.5	0
		36	43	20.5	20.6	20.5	0
75	0	20.4	20.5	20.3	0		
15M	DFT-S 16QAM	1	1	20.1	20.2	20.3	0
15M	DFT-S 64QAM	1	1	20.0	20.1	20.2	0
15M	DFT-S 256QAM	1	1	19.9	20.1	20.2	0
15M	CP QPSK	1	1	20.0	20.2	20.2	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 5							
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequency (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	20.5	20.7	20.5	0
10M	DFT-S QPSK	1	1	20.6	20.7	20.5	0
		1	26	20.5	20.7	20.5	0
		1	50	20.5	20.6	20.4	0
		25	0	20.4	20.6	20.4	0
		25	14	20.4	20.6	20.4	0
		25	27	20.4	20.5	20.4	0
10M	DFT-S 16QAM	1	1	20.0	20.1	20.2	0
10M	DFT-S 64QAM	1	1	19.9	20.0	20.1	0
10M	DFT-S 256QAM	1	1	19.8	20.0	20.1	0
10M	CP QPSK	1	1	19.9	20.1	20.1	0
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	20.2	20.4	20.2	0
5M	DFT-S QPSK	1	1	20.3	20.4	20.2	0
		1	13	20.2	20.4	20.2	0
		1	23	20.2	20.3	20.1	0
		12	0	20.1	20.3	20.1	0
		12	7	20.1	20.3	20.1	0
		12	13	20.1	20.2	20.1	0
5M	DFT-S 16QAM	1	1	19.7	19.8	19.9	0
5M	DFT-S 64QAM	1	1	19.6	19.7	19.8	0
5M	DFT-S 256QAM	1	1	19.5	19.7	19.8	0
5M	CP QPSK	1	1	19.6	19.8	19.8	0

NR Conducted Power (DSI 1 For Laptop Mode)									
NR Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523302	528000	
		Frequency (MHz)		2546.01	2569.5	2592.99	2616.51	2640	
100M	DFT-S PI/2 BPSK	1	1	18.3	18.3	18.3	18.2	18.0	0
100M	DFT-S QPSK	1	1	18.1	18.2	18.4	18.1	18.0	0
		1	137	18.1	18.2	18.3	18.1	18.0	0
		1	271	18.0	18.1	18.2	18.0	17.9	0
		135	0	18.2	18.2	18.3	18.2	18.1	0
		135	69	18.1	18.2	18.3	18.1	18.0	0
		135	138	18.1	18.2	18.3	18.1	18.0	0
		270	0	18.1	18.2	18.3	18.1	18.0	0
100M	DFT-S 16QAM	1	1	17.8	17.9	18.0	17.8	17.7	0
100M	DFT-S 64QAM	1	1	17.4	17.5	17.6	17.4	17.3	0
100M	DFT-S 256QAM	1	1	17.4	17.5	17.6	17.4	17.3	0
100M	CP QPSK	1	1	17.4	17.5	17.6	17.2	17.3	0
BW	MCS Index	Channel		508200	513402	518598	523800	528996	3GPP MPR
		Frequency (MHz)		2541	2567.01	2592.99	2619	2644.98	
90M	DFT-S PI/2 BPSK	1	1	18.2	18.3	18.3	18.1	17.9	0
90M	DFT-S QPSK	1	1	18.0	18.1	18.2	18.0	17.9	0
		1	123	18.0	18.1	18.2	18.0	17.9	0
		1	243	17.9	18.0	18.1	17.9	17.8	0
		120	0	18.1	18.2	18.3	18.1	18.0	0
		120	63	18.0	18.1	18.2	18.0	17.9	0
		120	125	18.0	18.1	18.2	18.0	17.9	0
		243	0	18.0	18.1	18.2	18.0	17.9	0
90M	DFT-S 16QAM	1	1	17.7	17.8	17.9	17.7	17.6	0
90M	CP QPSK	1	1	17.3	17.4	17.5	17.1	17.2	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 41									
BW	MCS Index	Channel		507204	509304	518598	500298	529998	3GPP MPR
		Frequency (MHz)		2536.02	2546.52	2592.99	2621.49	2649.99	
80M	DFT-S PI/2 BPSK	1	1	18.1	18.2	18.2	18.0	17.8	0
80M	DFT-S QPSK	1	1	17.9	18.0	18.1	17.9	17.8	0
		1	109	17.9	18.0	18.1	17.9	17.8	0
		1	215	17.8	17.9	18.0	17.8	17.7	0
		108	0	18.0	18.1	18.2	18.0	17.9	0
		108	55	17.9	18.0	18.1	17.9	17.8	0
		108	109	17.9	18.0	18.1	17.9	17.8	0
		216	0	17.9	18.0	18.1	17.9	17.8	0
80M	DFT-S 16QAM	1	1	17.6	17.7	17.8	17.6	17.5	0
80M	CP QPSK	1	1	17.2	17.3	17.4	17.0	17.1	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 41									
BW	MCS Index	Channel		505200	511896	518598	525294	531996	3GPP MPR
		Frequency (MHz)		2526	2559.48	2592.99	2626.48	2659.98	
60M	DFT-S PI/2 BPSK	1	1	18.0	18.1	18.1	17.9	17.7	0
60M	DFT-S QPSK	1	1	17.8	17.9	18.0	17.8	17.7	0
		1	81	17.8	17.9	18.0	17.8	17.7	0
		1	160	17.7	17.8	17.9	17.7	17.6	0
		81	0	17.9	18.0	18.1	17.9	17.8	0
		81	41	17.8	17.9	18.0	17.8	17.7	0
		81	81	17.8	17.9	18.0	17.8	17.7	0
60M	DFT-S 16QAM	1	1	17.5	17.6	17.7	17.5	17.4	0
60M	CP QPSK	1	1	17.1	17.2	17.3	16.9	17.0	0
BW	MCS Index	Channel		504204	511404	518598	525798	532998	3GPP MPR
		Frequency (MHz)		2521.02	2557.02	2592.99	2628.99	2664.99	
50M	DFT-S PI/2 BPSK	1	1	18.2	18.3	18.3	18.1	17.9	0
50M	DFT-S QPSK	1	1	18.0	18.1	18.2	18.0	17.9	0
		1	67	18.0	18.1	18.2	18.0	17.9	0
		1	131	17.9	18.0	18.1	17.9	17.8	0
		64	0	18.1	18.2	18.3	18.1	18.0	0
		64	35	18.0	18.1	18.2	18.0	17.9	0
		64	69	18.0	18.1	18.2	18.0	17.9	0
50M	DFT-S 16QAM	1	1	17.7	17.8	17.9	17.7	17.6	0
50M	CP QPSK	1	1	17.3	17.4	17.5	17.1	17.2	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 41									
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequency (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	17.9	18.0	18.0	17.8	17.6	0
40M	DFT-S QPSK	1	1	17.7	17.8	17.9	17.7	17.6	0
		1	53	17.7	17.8	17.9	17.7	17.6	0
		1	104	17.6	17.7	17.8	17.6	17.5	0
		50	0	17.8	17.9	18.0	17.8	17.7	0
		50	28	17.7	17.8	17.9	17.7	17.6	0
		50	56	17.7	17.8	17.9	17.7	17.6	0
40M	DFT-S 16QAM	1	1	17.4	17.5	17.6	17.4	17.3	0
40M	CP QPSK	1	1	17.0	17.1	17.2	16.8	16.9	0
BW	MCS Index	Channel		502200	510396	518598	526794	534996	3GPP MPR
		Frequency (MHz)		2511	2551.98	2592.99	2633.97	2674.98	
30M	DFT-S PI/2 BPSK	1	1	17.7	17.8	17.8	17.6	17.4	0
30M	DFT-S QPSK	1	1	17.5	17.6	17.7	17.5	17.4	0
		1	39	17.5	17.6	17.7	17.5	17.4	0
		1	76	17.4	17.5	17.6	17.4	17.3	0
		36	0	17.6	17.7	17.8	17.6	17.5	0
		36	21	17.5	17.6	17.7	17.5	17.4	0
		36	42	17.5	17.6	17.7	17.5	17.4	0
30M	DFT-S 16QAM	1	1	17.2	17.3	17.4	17.2	17.1	0
30M	CP QPSK	1	1	16.8	16.9	17.0	16.6	16.7	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 41									
BW	MCS Index	Channel		501204	509898	518598	527298	535998	3GPP MPR
		Frequency (MHz)		2506.02	2549.49	2592.99	2636.49	2679.99	
20M	DFT-S PI/2 BPSK	1	1	17.6	17.7	17.7	17.5	17.3	0
20M	DFT-S QPSK	1	1	17.4	17.5	17.6	17.4	17.3	0
		1	26	17.4	17.5	17.6	17.4	17.3	0
		1	49	17.3	17.4	17.5	17.3	17.2	0
		25	0	17.5	17.6	17.7	17.5	17.4	0
		25	13	17.4	17.5	17.6	17.4	17.3	0
		25	26	17.4	17.5	17.6	17.4	17.3	0
		50	0	17.4	17.5	17.6	17.4	17.3	0
20M	DFT-S 16QAM	1	1	17.1	17.2	17.3	17.1	17.0	0
20M	CP QPSK	1	1	16.7	16.8	16.9	16.5	16.6	0
BW	MCS Index	Channel		500700	509646	518598	527544	536496	3GPP MPR
		Frequency (MHz)		2503.5	2548.23	2592.99	2637.72	2682.48	
15M	DFT-S PI/2 BPSK	1	1	18.0	17.5	18.1	17.3	17.4	0
15M	DFT-S QPSK	1	1	17.8	17.3	18.0	17.2	17.4	0
		1	19	17.8	17.3	18.0	17.2	17.4	0
		1	36	17.7	17.2	17.9	17.1	17.3	0
		18	0	17.9	17.4	18.1	17.3	17.5	0
		18	10	17.8	17.3	18.0	17.2	17.4	0
		18	20	17.8	17.3	18.0	17.2	17.4	0
		36	0	17.8	17.3	18.0	17.2	17.4	0
15M	DFT-S 16QAM	1	1	17.5	17.0	17.7	16.9	17.1	0
15M	CP QPSK	1	1	17.1	16.6	17.3	16.3	16.7	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 41									
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequency (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	17.8	17.3	17.9	17.1	17.2	0
10M	DFT-S QPSK	1	1	17.6	17.1	17.8	17.0	17.2	0
		1	11	17.6	17.1	17.8	17.0	17.2	0
		1	22	17.5	17.0	17.7	16.9	17.1	0
		12	0	17.7	17.2	17.9	17.1	17.3	0
		12	6	17.6	17.1	17.8	17.0	17.2	0
		12	12	17.6	17.1	17.8	17.0	17.2	0
		24	0	17.6	17.1	17.8	17.0	17.2	0
10M	DFT-S 16QAM	1	1	17.3	16.8	17.5	16.7	16.9	0
10M	CP QPSK	1	1	16.9	16.4	17.1	16.1	16.5	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		346000	349000	352000	
		Frequency (MHz)		1730	1745	1760	
40M	DFT-S PI/2 BPSK	1	1	18.2	18.1	18.2	0
40M	DFT-S QPSK	1	1	18.1	18.3	18.2	0
		1	108	18.1	18.0	18.2	0
		1	214	18.1	17.9	18.1	0
		108	0	18.1	18.2	18.1	0
		108	54	18.1	18.1	18.1	0
		108	108	18.1	18.0	18.1	0
40M	DFT-S 16QAM	1	1	17.7	17.8	17.9	0
40M	DFT-S 64QAM	1	1	17.6	17.7	17.8	0
40M	DFT-S 256QAM	1	1	17.5	17.7	17.8	0
40M	CP QPSK	1	1	17.6	17.8	17.8	0
BW	MCS Index	Channel		345000	349000	353000	3GPP MPR
		Frequency (MHz)		1725	1745	1765	
30M	DFT-S PI/2 BPSK	1	1	18.0	18.2	18.0	0
30M	DFT-S QPSK	1	1	18.1	18.2	18.0	0
		1	80	18.0	18.2	18.0	0
		1	158	18.0	18.1	17.9	0
		80	0	17.9	18.1	17.9	0
		80	40	17.9	18.1	17.9	0
		80	80	17.9	18.0	17.9	0
30M	DFT-S 16QAM	1	1	17.5	17.6	17.7	0
30M	DFT-S 64QAM	1	1	17.4	17.5	17.6	0
30M	DFT-S 256QAM	1	1	17.3	17.5	17.6	0
30M	CP QPSK	1	1	17.4	17.6	17.6	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 66							
BW	MCS Index	Channel		344500	349000	353500	3GPP MPR
		Frequency (MHz)		1722.5	1745	1767.5	
25M	DFT-S PI/2 BPSK	1	1	17.9	18.1	17.9	0
25M	DFT-S QPSK	1	1	18.0	18.1	17.9	0
		1	67	17.9	18.1	17.9	0
		1	131	17.9	18.0	17.8	0
		64	0	17.8	18.0	17.8	0
		64	35	17.8	18.0	17.8	0
		64	69	17.8	17.9	17.8	0
		128	0	17.7	17.8	17.6	0
25M	DFT-S 16QAM	1	1	17.4	17.5	17.6	0
25M	DFT-S 64QAM	1	1	17.3	17.4	17.5	0
25M	DFT-S 256QAM	1	1	17.2	17.4	17.5	0
25M	CP QPSK	1	1	17.3	17.5	17.5	0
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	17.6	17.8	17.6	0
20M	DFT-S QPSK	1	1	17.7	17.8	17.6	0
		1	53	17.6	17.8	17.6	0
		1	104	17.6	17.7	17.5	0
		50	0	17.5	17.7	17.5	0
		50	28	17.5	17.7	17.5	0
		50	56	17.5	17.6	17.5	0
		100	0	17.4	17.5	17.3	0
20M	DFT-S 16QAM	1	1	17.1	17.2	17.3	0
20M	DFT-S 64QAM	1	1	17.0	17.1	17.2	0
20M	DFT-S 256QAM	1	1	16.9	17.1	17.2	0
20M	CP QPSK	1	1	17.0	17.2	17.2	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 66							
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	17.4	17.6	17.4	0
15M	DFT-S QPSK	1	1	17.5	17.6	17.4	0
		1	40	17.4	17.6	17.4	0
		1	77	17.4	17.5	17.3	0
		36	0	17.3	17.5	17.3	0
		36	22	17.3	17.5	17.3	0
		36	43	17.3	17.4	17.3	0
15M	DFT-S 16QAM	1	1	16.9	17.0	17.1	0
15M	DFT-S 64QAM	1	1	16.8	16.9	17.0	0
15M	DFT-S 256QAM	1	1	16.7	16.9	17.0	0
15M	CP QPSK	1	1	16.8	17.0	17.0	0
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	17.5	17.7	17.5	0
10M	DFT-S QPSK	1	1	17.6	17.7	17.5	0
		1	26	17.5	17.7	17.5	0
		1	50	17.5	17.6	17.4	0
		25	0	17.4	17.6	17.4	0
		25	14	17.4	17.6	17.4	0
		25	27	17.4	17.5	17.4	0
10M	DFT-S 16QAM	1	1	17.0	17.1	17.2	0
10M	DFT-S 64QAM	1	1	16.9	17.0	17.1	0
10M	DFT-S 256QAM	1	1	16.8	17.0	17.1	0
10M	CP QPSK	1	1	16.9	17.1	17.1	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 71							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		134600	136100	137600	
		Frequency (MHz)		673	680.5	688	
20M	DFT-S PI/2 BPSK	1	1	20.4	20.5	20.3	0
20M	DFT-S QPSK	1	1	20.5	20.6	20.4	0
		1	53	20.4	20.5	20.3	0
		1	104	20.3	20.4	20.2	0
		50	0	20.4	20.5	20.3	0
		50	28	20.3	20.4	20.2	0
		50	56	20.2	20.3	20.1	0
		100	0	20.1	20.2	20.0	0
20M	DFT-S 16QAM	1	1	20.1	20.2	20.0	0
20M	DFT-S 64QAM	1	1	20.1	20.2	20.0	0
20M	DFT-S 256QAM	1	1	20.0	20.1	19.9	0
20M	CP QPSK	1	1	20.0	20.1	19.9	0
BW	MCS Index	Channel		134100	136100	138100	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	DFT-S PI/2 BPSK	1	1	20.0	20.1	19.9	0
15M	DFT-S QPSK	1	1	20.1	20.2	20.0	0
		1	40	20.0	20.1	19.9	0
		1	77	19.9	20.0	19.8	0
		36	0	20.0	20.1	19.9	0
		36	22	19.9	20.0	19.8	0
		36	43	19.8	19.9	19.7	0
		75	0	19.7	19.8	19.6	0
15M	DFT-S 16QAM	1	1	19.7	19.8	19.6	0
15M	DFT-S 64QAM	1	1	19.7	19.8	19.6	0
15M	DFT-S 256QAM	1	1	19.6	19.7	19.5	0
15M	CP QPSK	1	1	19.6	19.7	19.5	0

NR Conducted Power (DSI 1 For Laptop Mode)

NR Band 71							
BW	MCS Index	Channel		133600	136100	138600	3GPP MPR
		Frequency (MHz)		668	680.5	693	
10M	DFT-S PI/2 BPSK	1	1	19.8	19.9	19.7	0
10M	DFT-S QPSK	1	1	19.9	20.0	19.8	0
		1	26	19.8	19.9	19.7	0
		1	50	19.7	19.8	19.6	0
		25	0	19.8	19.9	19.7	0
		25	14	19.7	19.8	19.6	0
		25	27	19.6	19.7	19.5	0
10M	DFT-S 16QAM	1	1	19.5	19.6	19.4	0
10M	DFT-S 64QAM	1	1	19.5	19.6	19.4	0
10M	DFT-S 256QAM	1	1	19.4	19.5	19.3	0
10M	CP QPSK	1	1	19.4	19.5	19.3	0
BW	MCS Index	Channel		133100	136100	139100	3GPP MPR
		Frequency (MHz)		665.5	680.5	695.5	
5M	DFT-S PI/2 BPSK	1	1	19.6	19.7	19.5	0
5M	DFT-S QPSK	1	1	19.7	19.8	19.6	0
		1	13	19.6	19.7	19.5	0
		1	23	19.5	19.6	19.4	0
		12	0	19.6	19.7	19.5	0
		12	7	19.5	19.6	19.4	0
		12	13	19.4	19.5	19.3	0
5M	DFT-S 16QAM	1	1	19.3	19.4	19.2	0
5M	DFT-S 64QAM	1	1	19.3	19.4	19.2	0
5M	DFT-S 256QAM	1	1	19.2	19.3	19.1	0
5M	CP QPSK	1	1	19.2	19.3	19.1	0

NR Conducted Power (DSI 1 For Laptop Mode)									
NR Band 77									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		650000	653000	656000	659000	662000	
		Frequency (MHz)		3750	3795	3840	3885	3930	
100M	DFT-S PI/2 BPSK	1	1	17.8	17.9	17.9	17.7	18.1	0
100M	DFT-S QPSK	1	1	17.9	18.1	18.0	17.9	18.2	0
		1	137	17.8	18.0	17.9	17.8	17.9	0
		1	271	17.6	17.8	17.7	17.6	17.7	0
		135	0	17.7	17.9	17.8	17.7	17.8	0
		135	69	17.4	17.6	17.5	17.4	17.5	0
		135	138	17.7	17.9	17.8	17.7	17.7	0
		270	0	17.6	17.8	17.7	17.6	17.7	0
100M	DFT-S 16QAM	1	1	17.3	17.5	17.4	17.3	17.4	0
100M	DFT-S 64QAM	1	1	17.1	17.3	17.2	17.1	17.2	0
100M	DFT-S 256QAM	1	1	17.2	17.4	17.3	17.2	17.3	0
100M	CP QPSK	1	1	17.2	17.4	17.3	17.2	17.3	0
BW	MCS Index	Channel		649668	652834	656000	659166	662332	3GPP MPR
		Frequency (MHz)		3745.02	3792.51	3840	3887.49	3934.98	
90M	DFT-S PI/2 BPSK	1	1	17.6	17.8	17.7	17.5	17.9	0
90M	DFT-S QPSK	1	1	17.7	17.9	17.8	17.7	18.0	0
		1	123	17.6	17.9	17.7	17.6	17.7	0
		1	243	17.4	17.6	17.5	17.4	17.5	0
		120	0	17.5	17.6	17.6	17.5	17.6	0
		120	63	17.2	17.4	17.2	17.1	17.3	0
		120	125	17.5	17.7	17.6	17.5	17.5	0
		243	0	17.4	17.6	17.5	17.4	17.5	0
90M	DFT-S 16QAM	1	1	17.1	17.3	17.2	17.1	17.2	0
90M	CP QPSK	1	1	17.1	17.3	17.1	17.0	17.2	0

NR Conducted Power (DSI 1 For Laptop Mode)									
NR Band 77									
BW	MCS Index	Channel		649334	652666	656000	659334	662666	3GPP MPR
		Frequency (MHz)		3740.01	3789.99	3840	3890.01	3939.99	
80M	DFT-S PI/2 BPSK	1	1	17.5	17.5	17.6	17.4	17.8	0
80M	DFT-S QPSK	1	1	17.6	17.8	17.7	17.6	17.9	0
		1	109	17.5	17.8	17.8	17.5	17.7	0
		1	215	17.3	17.5	17.4	17.3	17.5	0
		108	0	17.4	17.6	17.5	17.4	17.5	0
		108	55	17.2	17.3	17.1	17.0	17.2	0
		108	109	17.5	17.6	17.5	17.4	17.4	0
80M	DFT-S 16QAM	1	1	17.0	17.2	17.1	17.0	17.1	0
80M	CP QPSK	1	1	17.0	17.2	17.3	17.2	17.1	0
BW	MCS Index	Channel		649000	652500	656000	659500	663000	3GPP MPR
		Frequency (MHz)		3735	3787.5	3840	3892.5	3945	
70M	DFT-S PI/2 BPSK	1	1	17.5	17.4	17.5	17.3	17.7	0
70M	DFT-S QPSK	1	1	17.6	17.7	17.6	17.5	17.7	0
		1	95	17.4	17.8	17.7	17.4	17.6	0
		1	187	17.2	17.4	17.2	17.1	17.3	0
		90	0	17.3	17.5	17.4	17.3	17.4	0
		90	50	17.1	17.2	17.0	16.8	17.1	0
		90	99	17.4	17.4	17.4	17.3	17.3	0
70M	DFT-S 16QAM	1	1	16.9	17.1	17.0	16.9	17.0	0
70M	CP QPSK	1	1	16.9	17.1	17.2	17.1	17.0	0

NR Conducted Power (DSI 1 For Laptop Mode)									
NR Band 77									
BW	MCS Index	Channel		648668	652334	656000	659666	663332	3GPP MPR
		Frequency (MHz)		3730.02	3785.01	3840	3894.99	3949.98	
60M	DFT-S PI/2 BPSK	1	1	17.3	17.3	17.4	17.1	17.5	0
60M	DFT-S QPSK	1	1	17.4	17.5	17.3	17.3	17.5	0
		1	81	17.2	17.6	17.5	17.2	17.3	0
		1	160	17.0	17.1	17.0	16.9	17.1	0
		81	0	17.1	17.3	17.2	17.1	17.2	0
		81	41	16.9	17.1	16.8	16.6	16.9	0
		81	81	17.3	17.2	17.2	17.1	17.1	0
60M	DFT-S 16QAM	1	1	16.7	16.8	16.8	16.7	16.7	0
60M	CP QPSK	1	1	16.7	16.9	17.0	16.9	16.8	0
BW	MCS Index	Channel		648334	652166	656000	659834	663666	3GPP MPR
		Frequency (MHz)		3725.01	3782.49	3840	3897.51	3954.99	
50M	DFT-S PI/2 BPSK	1	1	17.2	17.2	17.3	17.0	17.4	0
50M	DFT-S QPSK	1	1	17.4	17.4	17.2	17.2	17.4	0
		1	67	17.2	17.5	17.4	17.1	17.2	0
		1	131	16.9	17.0	16.9	16.8	17.2	0
		64	0	17.1	17.2	17.1	17.0	17.1	0
		64	35	16.8	17.1	16.7	16.5	16.8	0
		64	69	17.2	17.0	17.1	17.0	17.2	0
50M	DFT-S 16QAM	1	1	16.6	16.6	16.5	16.6	16.7	0
50M	CP QPSK	1	1	16.6	16.8	16.9	16.8	16.7	0

NR Conducted Power (DSI 1 For Laptop Mode)									
NR Band 77									
BW	MCS Index	Channel		648000	652000	656000	660000	664000	3GPP MPR
		Frequency (MHz)		3720	3780	3840	3900	3960	
40M	DFT-S PI/2 BPSK	1	1	16.9	16.9	17.2	16.8	17.1	0
40M	DFT-S QPSK	1	1	17.1	17.2	17.0	16.9	17.1	0
		1	53	16.9	17.2	17.2	16.8	17.0	0
		1	104	16.8	16.7	16.6	16.5	16.9	0
		50	0	16.8	16.9	16.8	16.7	16.8	0
		50	28	16.6	16.8	16.4	16.2	16.5	0
		50	56	16.9	16.9	16.8	16.7	16.9	0
100	0	16.7	16.8	16.7	16.6	16.9	0		
40M	DFT-S 16QAM	1	1	16.3	16.5	16.3	16.3	16.4	0
40M	CP QPSK	1	1	16.3	16.5	16.7	16.5	16.2	0
BW	MCS Index	Channel		647668	651834	656000	660166	664332	3GPP MPR
		Frequency (MHz)		3715.02	3777.51	3840	3902.49	3964.98	
30M	DFT-S PI/2 BPSK	1	1	16.7	16.8	17.1	16.8	17.0	0
30M	DFT-S QPSK	1	1	17.1	17.1	16.9	16.7	17.1	0
		1	39	16.8	17.1	17.1	16.7	16.9	0
		1	76	16.8	16.6	16.5	16.5	16.8	0
		36	0	16.7	16.9	16.7	16.6	16.7	0
		36	21	16.5	16.7	16.2	16.1	16.4	0
		36	42	16.8	16.8	16.7	16.6	16.8	0
75	0	16.6	16.7	16.6	16.5	16.8	0		
30M	DFT-S 16QAM	1	1	16.2	16.4	16.2	16.2	16.3	0
30M	CP QPSK	1	1	16.2	16.4	16.6	16.4	16.1	0

NR Conducted Power (DSI 1 For Laptop Mode)									
NR Band 77									
BW	MCS Index	Channel		647500	651750	656000	660250	664500	3GPP MPR
		Frequency (MHz)		3712.5	3776.25	3840	3903.75	3967.5	
25M	DFT-S PI/2 BPSK	1	1	17.7	17.5	17.8	17.5	17.5	0
25M	DFT-S QPSK	1	1	17.6	17.6	17.8	17.4	17.7	0
		1	33	17.3	17.7	17.6	17.2	17.4	0
		1	63	17.3	17.1	17.0	17.0	17.5	0
		32	0	17.2	17.4	17.2	17.1	17.2	0
		32	17	17.0	17.2	16.7	16.6	17.1	0
		32	33	17.3	17.3	17.2	17.1	17.3	0
64	0	17.1	17.2	17.1	17.0	17.4	0		
25M	DFT-S 16QAM	1	1	16.8	16.9	16.7	16.7	16.8	0
25M	CP QPSK	1	1	16.7	16.9	17.1	16.9	16.6	0
BW	MCS Index	Channel		647334	651666	656000	660266	664666	3GPP MPR
		Frequency (MHz)		3710.01	3774.99	3840	3903.99	3969.99	
20M	DFT-S PI/2 BPSK	1	1	17.6	17.5	17.6	17.4	17.7	0
20M	DFT-S QPSK	1	1	17.7	17.8	17.6	17.6	17.8	0
		1	26	17.5	17.8	17.8	17.5	17.6	0
		1	49	17.3	17.4	17.3	17.2	17.4	0
		25	0	17.4	17.6	17.5	17.4	17.5	0
		25	13	17.2	17.3	17.1	16.9	17.2	0
		25	26	17.5	17.5	17.5	17.4	17.4	0
50	0	17.3	17.5	17.4	17.3	17.4	0		
20M	DFT-S 16QAM	1	1	17.0	17.2	17.1	17.0	17.1	0
20M	CP QPSK	1	1	17.0	17.2	17.3	17.2	17.1	0

NR Conducted Power (DSI 1 For Laptop Mode)									
NR Band 77									
BW	MCS Index	Channel		647168	651584	656000	660416	664832	3GPP MPR
		Frequency (MHz)		3707.52	3773.76	3840	3906.24	3972.48	
15M	DFT-S PI/2 BPSK	1	1	17.8	17.7	17.7	17.6	18.0	0
15M	DFT-S QPSK	1	1	17.9	18.0	17.9	17.8	17.9	0
		1	19	17.7	18.1	18.0	17.7	17.7	0
		1	36	17.5	17.6	17.4	17.5	17.6	0
		18	0	17.6	17.8	17.7	17.6	17.7	0
		18	10	17.4	17.5	17.3	17.1	17.4	0
		18	20	17.7	17.7	17.7	17.6	17.6	0
36	0	17.5	17.7	17.6	17.5	17.6	0		
15M	DFT-S 16QAM	1	1	17.2	17.4	17.3	17.2	17.3	0
15M	CP QPSK	1	1	17.2	17.4	17.5	17.4	17.3	0
BW	MCS Index	Channel		647000	651500	656000	660500	665000	3GPP MPR
		Frequency (MHz)		3705	3772.5	3840	3907.5	3975	
10M	DFT-S PI/2 BPSK	1	1	17.7	17.5	17.7	17.5	17.7	0
10M	DFT-S QPSK	1	1	17.8	17.9	17.7	17.6	17.8	0
		1	11	17.6	17.9	17.9	17.6	17.8	0
		1	22	17.4	17.6	17.4	17.3	17.5	0
		12	0	17.5	17.7	17.5	17.5	17.6	0
		12	6	17.3	17.4	17.2	17.0	17.3	0
		12	12	17.6	17.6	17.6	17.5	17.5	0
24	0	17.4	17.6	17.5	17.4	17.5	0		
10M	DFT-S 16QAM	1	1	17.1	17.3	17.2	17.1	17.2	0
10M	CP QPSK	1	1	17.1	17.3	17.4	17.3	17.2	0

WLAN Conducted Power (DSI 1 for Tablet Mode)			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11b	1	2412	12.4
	6	2437	12.4
	11	2462	12.3
	12	2467	12.4
	13	2472	12.4

WLAN 5.3GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	50	5250	7.9

WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	114	5570	6.9

WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT80	155	5775	7.0

WLAN Conducted Power (DSI 1 for Tablet Mode)			
WLAN2.4GHz Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11b	1	2412	12.5
	6	2437	12.4
	11	2462	12.4
	12	2467	12.4
	13	2472	12.5

Bluetooth Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
BR / EDR	0	2402	10.7
	39	2441	10.8
	78	2480	10.9
LE	0	2402	6.8
	19	2440	6.6
	39	2480	6.5

WLAN 5.3GHz Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ac VHT160	50	5250	7.9

WLAN 5.6GHz Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ac VHT160	114	5570	7.0

WLAN 5.8GHz Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ac VHT80	155	5775	6.9

WLAN Conducted Power (DSI 1 for Tablet Mode)					
WLAN2.4GHz Ant 1+2					
Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11n HT40	3	2422	10	9.9	13.0
	6	2437	9.9	9.9	12.9
	9	2452	9.9	9.9	12.9
	10	2457	8.9	8.9	11.9
	11	2462	8	7.9	11.0

WLAN 5.3GHz Ant 1+2					
Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ac VHT160	50	5250	5.4	5.5	8.5

WLAN 5.6GHz Ant 1+2					
Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ac VHT160	114	5570	4.4	4.5	7.5

WLAN 5.8GHz Ant 1+2					
Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ac VHT80	155	5775	4.5	4.5	7.5

WLAN Conducted Power (DSI 0 for Laptop Mode)			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11b	1	2412	17.5
	6	2437	17.3
	11	2462	17.3
	12	2467	17.3
	13	2472	15.4

WLAN 5.3GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT80	58	5290	15.8

WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	114	5570	15.6

WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT80	155	5775	15.7

WLAN Conducted Power (DSI 0 for Laptop Mode)			
WLAN2.4GHz Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11b	1	2412	17.5
	6	2437	17.3
	11	2462	17.2
	12	2467	17.2
	13	2472	15.3

Bluetooth Ant 2			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
BR / EDR	0	2402	10.7
	39	2441	10.8
	78	2480	10.9
LE	0	2402	6.8
	19	2440	6.6
	39	2480	6.5

WLAN 5.3GHz Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ac VHT80	58	5290	15.6

WLAN 5.6GHz Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ac VHT160	114	5570	15.6

WLAN 5.8GHz Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ac VHT80	155	5775	15.6

WLAN Conducted Power (DSI 0 for Laptop Mode)					
WLAN2.4GHz Ant 1+2					
Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11n HT40	6	2437	14.7	15.1	17.9
	9	2452	12.8	13.1	16.0
	10	2457	9.3	9.5	12.4
	11	2462	8.3	8.5	11.4

WLAN 5.3GHz Ant 1+2					
Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ac VHT80	58	5290	13.1	13.5	16.3

WLAN 5.6GHz Ant 1+2					
Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ac VHT160	114	5570	13.0	13.3	16.2

WLAN 5.8GHz Ant 1+2					
Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ac VHT80	155	5775	12.9	13.0	16.0

WLAN Conducted Power (DSI 1 for Tablet Mode)			
UNII-5 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE160	15	6025	7.49
	47	6185	7.46
	79	6345	7.47

UNII-6 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE160	111	6505	7.49

UNII-7 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE160	143	6665	7.46
	175	6825	7.49

UNII-8 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE160	207	6985	7.48

WLAN Conducted Power (DSI 1 for Tablet Mode)			
UNII-5 Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ax HE160	15	6025	8.98
	47	6185	8.96
	79	6345	8.92

UNII-6 Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ax HE160	111	6505	8.99

UNII-7 Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ax HE160	143	6665	8.96
	175	6825	8.99

UNII-8 Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ax HE160	207	6985	8.94

WLAN Conducted Power (DSI 1 for Tablet Mode)**UNII-5 Ant 1+2**

Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ax HE160	15	6025	7.49	7.49	10.5
	47	6185	7.44	7.41	10.44
	79	6345	7.44	7.45	10.46

UNII-6 Ant 1+2

Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ax HE160	111	6505	7.41	7.43	10.43

UNII-7 Ant 1+2

Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ax HE160	143	6665	7.43	7.43	10.44
	175	6825	7.45	7.47	10.47

UNII-8 Ant 1+2

Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ax HE160	207	6985	7.42	7.49	10.47

WLAN Conducted Power (DSI 0 for Laptop Mode)			
UNII-5 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE160	15	6025	13.29
	47	6185	13.05
	79	6345	13.23

UNII-6 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE160	111	6505	13.14

UNII-7 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE160	143	6665	12.82
	175	6825	12.65

UNII-8 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ax HE160	207	6985	12.86

WLAN Conducted Power (DSI 0 for Laptop Mode)			
UNII-5 Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ax HE160	15	6025	13.35
	47	6185	13.36
	79	6345	13.38

UNII-6 Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ax HE160	111	6505	13.32

UNII-7 Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ax HE160	143	6665	12.49
	175	6825	12.57

UNII-8 Ant 2			
Mode	Channel	Frequency	SISO Ant 2 Avg. Power
802.11ax HE160	207	6985	12.79

WLAN Conducted Power (DSI 0 for Laptop Mode)**UNII-5 Ant 1+2**

Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ax HE160	15	6025	10.57	10.93	13.76
	47	6185	10.55	10.97	13.78
	79	6345	10.78	10.93	13.87

UNII-6 Ant 1+2

Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ax HE160	111	6505	10.63	10.86	13.76

UNII-7 Ant 1+2

Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ax HE160	143	6665	9.81	9.91	12.87
	175	6825	9.69	10.03	12.87

UNII-8 Ant 1+2

Mode	Channel	Frequency	MIMO Ant 1 Avg. Power	MIMO Ant 2 Avg. Power	MIMO Ant 1+2 Avg. Power
802.11ax HE160	207	6985	9.63	10.01	12.83

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 0 for Full Power)

Configure	Combination	PCC								SCC1				SCC2				SCC3				SCC4				Measurement Power										
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum m Tune-up Power	Single Carrier Tx Power without DL-CA Active	Tx Power with DL-CA Active				
																																		Total		
Intra Band Contiguous	CA_41E	41	20	39750	2506	1	0	39750	2506	41	20	39950	2526	41	20	40150	2546	41	20	40350	2566									24.5	23.3	23.1				
Intra Band Non-Contiguous	CA_41A-41D	41	20	40620	2593	1	0	40620	2593	41	20	41094	2640.4	41	20	41292	2660.2	41	20	41490	2680									24.5	23.4	23.1				
	CA_41C-41C	41	20	39750	2506	1	0	39750	2506	41	20	39948	2525.8	41	20	41292	2660.2	41	20	41490	2680									24.5	23.3	23.0				
	CA_41D-41A	41	20	41094	2640.4	1	0	41094	2640.4	41	20	41292	2660.2	41	20	41490	2680	41	20	40620	2593									24.5	23.3	22.9				
	CA_41C-41D	41	20	40529	2583.9	1	0	40259	2583.9	41	20	40712	2602.2	41	20	41094	2640.4	41	20	41292	2660.2	41	20	41490	2680					24.5	23.2	22.8				
	CA_41D-41C	41	20	41094	2640.4	1	0	41094	2640.4	41	20	41292	2660.2	41	20	41490	2680	41	20	39750	2506	41	20	39948	2525.8					24.5	23.3	23.1				
Inter Band	CA_4A-7A	4	20	20050	1720	1	0	2050	2120	7	20	3100	2655																	24.8	23.5	23.3				
	CA_5A-7A	5	10	20525	836.5	1	0	2525	881.5	7	20	3100	2655																	25.0	24.0	23.8				
	CA_5A-25A	5	10	20525	836.5	1	0	2525	881.5	25	20	8365	1962.5																	25.0	24.0	23.5				
	CA_12A-7A	12	10	23060	704	1	0	5060	734	7	20	3100	2655																	25.0	23.9	23.6				
	CA_12A-25A	12	10	23060	704	1	0	5060	734	25	20	8365	1962.5																	25.0	23.9	23.6				
	CA_25A-5A	25	20	26365	1882.5	1	0	8365	1962.5	5	10	2525	881.5																	24.8	23.8	23.5				
	CA_25A-12A	25	20	26365	1882.5	1	0	8365	1962.5	12	10	5095	737.5																	24.8	23.8	23.5				
	CA_41A-41A	41	20	39750	2506	1	0	39750	2506	41	20	41490	2680																	24.5	23.3	23.1				
	CA_2A-2A-29A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	29	10	9660	717													24.8	23.7	23.5				
	CA_2A-4A-13A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	13	10	5230	751													24.8	23.8	23.5				
	CA_2A-4A-29A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	29	10	9660	717													24.8	23.8	23.6				
	CA_2A-29A-66A	2	20	18900	1880	1	0	900	1960	29	10	9660	717	66	20	66786	2145													24.8	23.8	23.5				
	CA_4A-2A-13A	4	20	20050	1720	1	0	2050	2120	2	20	900	1960	13	10	5230	751													24.8	23.5	23.2				
	CA_4A-2A-29A	4	20	20050	1720	1	0	2050	2120	2	20	900	1960	29	10	9660	717													24.8	23.5	23.2				
	CA_4A-4A-13A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	13	10	5230	751													24.8	23.5	23.1				
	CA_5A-4A-4A	5	10	20525	836.5	1	0	2525	881.5	4	20	2050	2120	4	20	2300	2145													25.0	24.0	23.8				
	CA_5A-7A-7A	5	10	20525	836.5	1	0	2525	881.5	7	20	2850	2630	7	20	3350	2680													25.0	24.0	23.5				
	CA_5A-7C	5	10	20525	836.5	1	0	2525	881.5	7	20	3001	2645.1	7	20	3199	3664.9													25.0	24.0	23.6				
	CA_7A-4A-4A	7	20	20850	2510	1	0	2850	2630	4	20	2050	2120	4	20	2300	2145													24.8	23.7	23.5				
	CA_7A-4A-12A	7	20	20850	2510	1	0	2850	2630	4	20	2175	2132	12	10	5095	737.5													24.8	23.7	23.5				
	CA_7A-7A-4A	7	20	20850	2510	1	0	2850	2630	7	20	3350	2680	4	20	2050	1720													24.8	23.7	23.2				
	CA_7C-4A	7	20	21001	2525.1	1	0	3001	2645.1	7	20	3199	2664.9	4	20	2050	1720													24.8	23.6	23.3				
	CA_7A-7A-5A	7	20	20850	2510	1	0	2850	2630	7	20	3350	2680	5	10	2525	881.5													24.8	23.7	23.5				
	CA_7C-5A	7	20	21001	2525.1	1	0	3001	2645.1	7	20	3199	2664.9	5	10	2525	881.5													24.8	23.6	23.3				
	CA_7A-7A-13A	7	20	20850	2510	1	0	2850	2630	7	20	3350	2680	13	10	5230	751													24.8	23.7	23.4				
	CA_7C-13A	7	20	21001	2525.1	1	0	3001	2645.1	7	20	3199	2664.9	13	10	5230	751													24.8	23.6	23.2				
	CA_7A-7A-29A	7	20	20850	2510	1	0	2850	2630	7	20	3350	2680	29	10	9660	717													24.8	23.7	23.3				
	CA_7C-29A	7	20	21001	2525.1	1	0	3001	2645.1	7	20	3199	2664.9	29	10	9660	717													24.8	23.6	23.4				
	CA_7A-12B	7	20	20850	2510	1	0	2858	2630.8	12	5	5048	732.8	12	10	5120	740													24.8	23.7	23.5				
	CA_12A-2A-66A	12	10	23130	711	1	0	5130	741	2	20	900	1880	66	20	66786	2145													25.0	23.9	23.8				
CA_12B-7A	12	5	23048	702.8	1	0	5048	732.8	12	10	5120	740	7	20	3100	2655													25.0	23.8	23.7					
CA_13A-2A-4A	13	10	23230	782	1	0	5230	751	2	20	900	1880	4	20	2175	2132.5													24.5	23.4	23.2					
CA_13A-4A-4A	13	10	23230	782	1	0	5230	751	4	20	2050	2120	4	20	2300	2145													24.5	23.4	23.3					
CA_13A-7A-7A	13	10	23230	782	1	0	5230	751	7	20	2850	2630	7	20	3350	2680													24.5	23.4	23.2					
CA_13A-7C	13	10	23230	782	1	0	5230	751	7	20	3001	2645.1	7	20	3199	3664.9													24.5	23.4	23.2					

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 0 for Full Power)

Configure	Combination	PCC								SCC1				SCC2				SCC3				SCC4				Measurement Power						
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum m Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active Total
Inter Band	CA_71A-2A-2A-4A	71	20	133222	673	1	0	68686	627	2	20	700	1940	2	20	1100	1980	4	20	2050	1720								25.0	23.8	23.6	
	CA_71A-2A-2A-66A	71	20	133222	673	1	0	68686	627	2	20	700	1940	2	20	1100	1980	66	20	66786	2145								25	23.8	23.7	
	CA_71A-2A-66A-66A	71	20	133222	673	1	0	68686	627	2	20	900	1880	66	20	66536	2120	66	20	67236	2190								25	23.8	23.5	
	CA_71A-2A-66C	71	20	133222	673	1	0	68686	627	2	20	900	1880	66	20	66838	2150.2	66	20	67036	2170								25.0	23.8	23.3	
	CA_2A-2A-5B-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2476	876.6	5	10	2575	886.5	66	20	66786	2145	66	20	66786	2145	24.8	23.7	23.6
	CA_2A-2A-5A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2525	881.5	66	20	66536	2120	66	20	67236	2190	24.8	23.7	23.4				
	CA_2A-2A-5A-66B	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2525	881.5	66	20	66987	2165.1	66	20	67086	2175	24.8	23.7	23.3				
	CA_2A-2A-5A-66C	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2525	881.5	66	20	66838	2150.2	66	20	67036	2170	24.8	23.7	23.7				
	CA_2A-2A-12B-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	12	5	5048	732.8	12	10	5120	740	66	20	66786	2145	24.8	23.7	23.5				
	CA_2A-2A-12A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	12	10	5095	737.5	66	20	66536	2120	66	20	67236	2190	24.8	23.7	23.6				
	CA_2A-2A-13A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	13	10	5230	751	66	20	66536	2120	66	20	67236	2190	24.8	23.7	23.6				
	CA_2A-2A-13A-66B	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	13	10	5230	751	66	10	66987	2165.1	66	10	67086	2175	24.8	23.7	23.2				
	CA_2A-2A-14A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	14	10	5330	763	66	20	66536	2120	66	20	67236	2190	24.8	23.7	23.6				
	CA_2A-5A-5A-66A-66A	2	20	18900	1880	1	0	900	1960	5	10	2450	874	5	10	2600	889	66	20	66536	2120	66	20	67236	2190	24.8	23.8	23.5				
	CA_2A-5B-66A-66A	2	20	18900	1880	1	0	900	1960	5	10	2476	876.6	5	10	2575	886.5	66	20	66536	2120	66	20	67236	2190	24.8	23.8	23.7				
	CA_2A-5B-66B	2	20	18900	1880	1	0	900	1960	5	10	2476	876.6	5	10	2575	886.5	66	10	66987	2165.1	66	10	67086	2175	24.8	23.8	23.6				
	CA_2A-5B-66C	2	20	18900	1880	1	0	900	1960	5	10	2476	876.6	5	10	2575	886.5	66	20	66838	2150.2	66	20	67036	2170	24.8	23.8	23.5				
	CA_2A-12B-66A-66A	2	20	18900	1880	1	0	900	1960	12	5	5048	732.8	12	10	5120	740	66	20	66536	2120	66	20	67236	2190	24.8	23.8	23.4				
	CA_2A-13A-66A-66B	2	20	18900	1880	1	0	900	1960	13	10	5230	751	66	20	66786	2145	66	10	66987	2165.1	66	10	67086	2175	24.8	23.8	23.5				
	CA_5A-2A-2A-66A-66A	5	10	20525	836.5	1	0	2525	881.5	2	20	700	1940	2	20	1100	1980	66	20	66536	2120	66	20	67236	2190	25.0	24.0	23.8				
	CA_5A-2A-2A-66B	5	10	20525	836.5	1	0	2525	881.5	2	20	700	1940	2	20	1100	1980	66	10	66987	2165.1	66	10	67086	2175	25.0	24.0	23.9				
	CA_5A-2A-2A-66C	5	10	20525	836.5	1	0	2525	881.5	2	20	700	1940	2	20	1100	1980	66	20	66838	2150.2	66	20	67036	2170	25.0	24.0	23.8				
	CA_5B-2A-2A-66A	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	2	20	700	1940	2	20	1100	1980	66	20	66786	2145	25.0	23.9	23.9				
	CA_5A-5A-2A-66A-66A	5	10	20450	829	1	0	2450	874	5	10	2600	889	2	20	900	1880	66	20	66536	2120	66	20	67236	2190	25.0	23.9	23.7				
	CA_5B-2A-66A-66A	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	2	20	900	1880	66	20	66536	2120	66	20	67236	2190	25.0	23.9	23.8				
	CA_5B-2A-66B	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	2	20	900	1880	66	10	66987	2165.1	66	10	67086	2175	25.0	23.9	23.8				
	CA_5B-2A-66C	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	2	20	900	1880	66	20	66838	2150.2	66	20	67036	2170	25.0	23.9	23.6				
	CA_12A-2A-2A-66A-66A	12	10	23060	704	1	0	5060	734	2	20	700	1940	2	20	1100	1980	66	20	66536	2120	66	20	67236	2190	25.0	23.9	23.7				
	CA_12B-2A-2A-66A	12	5	23048	702.8	1	0	5048	732.8	12	10	5120	740	2	20	700	1940	2	20	1100	1980	66	20	66786	2145	25.0	23.9	23.7				
	CA_12B-2A-66A-66A	12	5	23048	702.8	1	0	5048	732.8	2	20	900	1880	66	20	66536	2120	66	20	67236	2190							25.0	23.9	23.7		
	CA_13A-2A-2A-66A-66A	13	10	23230	782	1	0	5230	751	2	20	700	1940	2	20	1100	1980	66	20	66536	2120	66	20	67236	2190	24.5	23.4	23.2				
	CA_13A-2A-2A-66B	13	10	23230	782	1	0	5230	751	2	20	700	1940	2	20	1100	1980	66	10	66987	2165.1	66	10	67086	2175	24.5	23.4	23.1				
	CA_14A-2A-2A-66A-66A	14	10	23330	793	1	0	5330	763	2	20	700	1940	2	20	1100	1980	66	20	66536	2120	66	20	67236	2190	25.0	24.0	23.9				
	CA_66A-2A-2A-5B	66	20	132072	1720	1	0	66536	2120	2	20	700	1940	2	20	1100	1980	5	10	2476	876.6	5	10	2575	886.5	24.8	23.5	23.3				
	CA_66A-2A-2A-12B	66	20	132072	1720	1	0	66536	2120	2	20	700	1940	2	20	1100	1980	12	5	5048	732.8	12	10	5120	740	24.8	23.5	23.4				
	CA_66A-66A-2A-2A-5A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	700	1940	2	20	1100	1980	5	10	2525	881.5	24.8	23.5	23.4				
	CA_66B-2A-2A-5A	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	2	20	700	1940	2	20	1100	1980	5	10	2525	881.5	24.8	23.4	23.2				
	CA_66C-2A-2A-5A	66	20	132374	1750.2	1	0	66838	2150.2	66	20	67036	2170	2	20	700	1940	2	20	1100	1980	5	10	2525	881.5	24.8	23.5	23.4				
	CA_66A-66A-2A-2A-12A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	700	1940	2	20	1100	1980	12	10	5095	737.5	24.8	23.5	23.5				
	CA_66A-66A-2A-2A-13A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	700	1940	2	20	1100	1980	13	10	5230	751	24.8	23.5	23.4				
	CA_66B-2A-2A-13A	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	2	20	700	1940	2	20	1100	1980	13	10	5230	751	24.8	23.4	23.3				
	CA_66A-66A-2A-2A-14A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	700	1940	2	20	1100	1980	14	10	5330	763	24.8	23.5	23.2				
	CA_66A-66A-2A-5A-5A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	900	1880	5	10	2450	874	5	10	2600	889	24.8	23.5	23.3				
	CA_66A-66A-2A-5B	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	900	1880	5	10	2476	876.6	5	10	2575	886.5	24.8	23.5	23.4				
	CA_66B-2A-5B	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	2	20	900	1880	5	10	2476	876.6	5	10	2575	886.5	24.8	23.4	23.2				
	CA_66C-2A-5B	66	20	132374	1750.2	1	0	66838	2150.2	66	20	67036	2170	2	20	900	1880	5	10	2476	876.6	5	10	2575	886.5	24.8	23.5	23.3				
	CA_66A-66A-2A-12B	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	900	1880	12	5	5048	732.8	12	10	5120	740	24.8	23.5	23.4				
	CA_66A-66B-2A-13A	66	20	132072	1720	1	0	66536	2120	66	10	66987	2165.1	66	10	67086	2175	2	20	900	1880	13	10	5230	751	24.8	23.5	23.3				
	CA_66B-66A-2A-13A	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	66	10	66786	2145															

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 1 for Laptop Mode)

Configure	Combination	PCC								SCC1				SCC2				SCC3				SCC4				Measurement Power						
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum m Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active Total
Intra Band Contiguous	CA_41E	41	20	39750	2506	1	0	39750	2506	41	20	39950	2526	41	20	40150	2546	41	20	40350	2566									15.0	14.5	14.3
Intra Band Non-Contiguous	CA_41A-41D	41	20	40620	2593	1	0	40620	2593	41	20	41094	2640.4	41	20	41292	2660.2	41	20	41490	2680									15.0	14.8	14.7
	CA_41C-41C	41	20	39750	2506	1	0	39750	2506	41	20	39948	2525.8	41	20	41292	2660.2	41	20	41490	2680									15.0	14.5	14.5
	CA_41D-41A	41	20	41094	2640.4	1	0	41094	2640.4	41	20	41292	2660.2	41	20	41490	2680	41	20	40620	2593									15.0	14.5	14.3
	CA_41C-41D	41	20	40529	2583.9	1	0	40259	2583.9	41	20	40712	2602.2	41	20	41094	2640.4	41	20	41292	2660.2	41	20	41490	2680					15.0	14.8	14.7
	CA_41D-41C	41	20	41094	2640.4	1	0	41094	2640.4	41	20	41292	2660.2	41	20	41490	2680	41	20	39750	2506	41	20	39948	2525.8					15.0	14.5	14.3
Inter Band	CA_4A-7A	4	20	20050	1720	1	0	2050	2120	7	20	3100	2655																	17.8	17.8	17.5
	CA_5A-7A	5	10	20525	836.5	1	0	2525	881.5	7	20	3100	2655																	21.0	20.5	20.3
	CA_5A-25A	5	10	20525	836.5	1	0	2525	881.5	25	20	8365	1962.5																	21.0	20.5	20.2
	CA_12A-7A	12	10	23060	704	1	0	5060	734	7	20	3100	2655																	21.0	19.9	19.8
	CA_12A-25A	12	10	23060	704	1	0	5060	734	25	20	8365	1962.5																	21.0	19.9	19.7
	CA_25A-5A	25	20	26365	1882.5	1	0	8365	1962.5	5	10	2525	881.5																	18.8	17.8	17.5
	CA_25A-12A	25	20	26365	1882.5	1	0	8365	1962.5	12	10	5095	737.5																	18.8	17.8	17.7
	CA_41A-41A	41	20	39750	2506	1	0	39750	2506	41	20	41490	2680																	15.0	14.5	14.3
	CA_2A-2A-29A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	29	10	9660	717													17.8	17.5	17.4
	CA_2A-4A-13A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	13	10	5230	751													17.8	17.6	17.4
	CA_2A-4A-29A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	29	10	9660	717													17.8	17.6	17.5
	CA_2A-29A-66A	2	20	18900	1880	1	0	900	1960	29	10	9660	717	66	20	66786	2145													17.8	17.6	17.5
	CA_4A-2A-13A	4	20	20050	1720	1	0	2050	2120	2	20	900	1960	13	10	5230	751													17.8	17.8	17.6
	CA_4A-2A-29A	4	20	20050	1720	1	0	2050	2120	2	20	900	1960	29	10	9660	717													17.8	17.8	17.7
	CA_4A-4A-13A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	13	10	5230	751													17.8	17.8	17.7
	CA_4A-4A-29A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	29	10	9660	717													17.8	17.8	17.6
	CA_4A-4A-71A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	71	20	68761	634.5													17.8	17.8	17.7
	CA_5A-4A-4A	5	10	20525	836.5	1	0	2525	881.5	4	20	2050	2120	4	20	2300	2145													21.0	20.5	20.4
	CA_5A-7A-7A	5	10	20525	836.5	1	0	2525	881.5	7	20	2850	2630	7	20	3350	2680													21.0	20.5	20.2
	CA_5A-7C	5	10	20525	836.5	1	0	2525	881.5	7	20	3001	2645.1	7	20	3199	3664.9													21.0	20.5	20.3
	CA_7A-4A-4A	7	20	20850	2510	1	0	2850	2630	4	20	2050	2120	4	20	2300	2145													12.8	12.7	12.5
	CA_7A-4A-12A	7	20	20850	2510	1	0	2850	2630	4	20	2175	2132	12	10	5095	737.5													12.8	12.7	12.7
	CA_7A-7A-4A	7	20	20850	2510	1	0	2850	2630	7	20	3350	2680	4	20	2050	1720													12.8	12.7	12.6
	CA_7C-4A	7	20	21001	2525.1	1	0	3001	2645.1	7	20	3199	2664.9	4	20	2050	1720													12.8	12.5	12.4
	CA_7A-7A-5A	7	20	20850	2510	1	0	2850	2630	7	20	3350	2680	5	10	2525	881.5													12.8	12.7	12.5
	CA_7C-5A	7	20	21001	2525.1	1	0	3001	2645.1	7	20	3199	2664.9	5	10	2525	881.5													12.8	12.5	12.3
	CA_7A-7A-13A	7	20	20850	2510	1	0	2850	2630	7	20	3350	2680	13	10	5230	751													12.8	12.7	12.5
	CA_7C-13A	7	20	21001	2525.1	1	0	3001	2645.1	7	20	3199	2664.9	13	10	5230	751													12.8	12.5	12.4
	CA_7A-7A-29A	7	20	20850	2510	1	0	2850	2630	7	20	3350	2680	29	10	9660	717													12.8	12.7	12.6
	CA_7C-29A	7	20	21001	2525.1	1	0	3001	2645.1	7	20	3199	2664.9	29	10	9660	717													12.8	12.5	12.4
CA_7A-12B	7	20	20850	2510	1	0	2858	2630.8	12	5	5048	732.8	12	10	5120	740													12.8	12.7	12.6	
CA_12A-2A-66A	12	10	23130	711	1	0	5130	741	2	20	900	1880	66	20	66786	2145													21.0	20.2	20.1	
CA_12B-7A	12	5	23048	702.8	1	0	5048	732.8	12	10	5120	740	7	20	3100	2655													21.0	19.9	19.7	
CA_13A-2A-4A	13	10	23230	782	1	0	5230	751	2	20	900	1880	4	20	2175	2132.5													20.5	19.7	19.5	
CA_13A-4A-4A	13	10	23230	782	1	0	5230	751	4	20	2050	2120	4	20	2300	2145													20.5	19.7	19.5	
CA_13A-7A-7A	13	10	23230	782	1	0	5230	751	7	20	2850	2630	7	20	3350	2680													20.5	19.7	19.6	
CA_13A-7C	13	10	23230	782	1	0	5230	751	7	20	3001	2645.1	7	20	3199	3664.9													20.5	19.7	19.7	

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 1 for Laptop Mode)

Configure	Combination	PCC								SCC1				SCC2				SCC3				SCC4				Measurement Power						
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum m Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active
		Total																														
Inter Band	CA_25A-25A-41A	25	20	26140	1860	1	0	8140	1940	25	20	8590	1985	41	20	40620	2593													18.8	17.6	17.5
	CA_25A-41C	25	20	26365	1882.5	1	0	8365	1962.5	41	20	40529	2583.9	41	20	40712	2602.2													18.8	17.8	17.6
	CA_41A-41C	41	20	40620	2593	1	0	40620	2593	41	20	40529	2583.9	41	20	40712	2602.2													15.0	14.8	14.5
	CA_41C-41A	41	20	40529	2583.9	1	0	40529	2583.9	41	20	40712	2602.2	41	20	40620	2593													15.0	14.8	14.6
	CA_66A-2A-29A	66	20	132072	1720	1	0	66536	2120	2	20	900	1960	29	10	9660	717													18.8	17.5	17.4
	CA_66A-66C	66	20	132072	1720	1	0	66536	2120	66	20	66787	2145.1	66	20	66985	2164.9													18.8	17.5	17.3
	CA_66C-66A	66	20	132323	1745.1	1	0	66787	2145.1	66	20	66985	2164.9	66	20	66536	2120													18.8	17.6	17.5
	CA_71A-2A-2A	71	20	133222	673	1	0	68686	627	2	20	900	1940	2	20	1100	1980													21.0	19.9	19.8
	CA_71A-2A-4A	71	20	133222	673	1	0	68686	627	2	20	900	1880	4	20	2175	2132.5													21.0	19.9	19.7
	CA_71A-4A-4A	71	20	133222	673	1	0	68686	627	4	20	2050	2120	4	20	2300	2145													21.0	19.9	19.8
	CA_2A-2A-4A-4A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	4	20	2050	2120	4	20	2300	2145									17.8	17.5	17.4
	CA_2C-66A-66A	2	20	18801	1870.1	1	0	801	1950.1	2	20	999	1969.9	66	20	66536	2120	66	20	67236	2190									17.8	17.6	17.4
	CA_4A-4A-2A-2A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	2	20	700	1940	2	20	1100	1980									17.8	17.8	17.7
	CA_4A-4A-5B	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	5	10	2476	876.6	5	10	2575	886.5									17.8	17.8	17.8
	CA_4A-4A-12B	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	12	5	5048	732.8	12	10	5120	740									17.8	17.8	17.7
	CA_5B-4A-4A	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	4	20	2050	2120	4	20	2300	2145									21.0	20.2	20.1
	CA_5A-5A-66B	5	10	20450	829	1	0	2450	874	5	10	2600	889	66	10	66987	2165.1	66	10	67086	2175									21.0	20.2	20.1
	CA_5A-5A-66C	5	10	20450	829	1	0	2450	874	5	10	2600	889	66	20	66838	2150.2	66	20	67036	2170									21.0	20.2	20.0
	CA_12B-4A-4A	12	5	23048	702.8	1	0	5048	732.8	12	10	5120	740	4	20	2050	2120	4	20	2300	2145									21.0	19.9	19.8
	CA_25A-25A-41C	25	20	26140	1860	1	0	8140	1940	25	20	8590	1985	41	20	40529	2583.9	41	20	40712	2602.2									18.8	17.6	17.5
	CA_66A-66A-2C	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	801	1950.1	2	20	999	1969.9									18.8	17.5	17.5
	CA_66B-2A-2A	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	2	20	700	1940	2	20	1100	1980									18.8	17.4	17.4
	CA_66B-5A-5A	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	5	10	2450	874	5	10	2600	889									18.8	17.4	17.3
	CA_66C-5A-5A	66	20	132374	1750.2	1	0	66838	2150.2	66	20	67036	2170	5	10	2450	874	5	10	2600	889									18.8	17.6	17.4
	CA_25A-25A-41D	25	20	26140	1860	1	0	8140	1940	25	20	8590	1985	41	20	40437	2574.7	41	20	40620	2593	41	20	40803	2611.3					18.8	17.6	17.3
	CA_2A-2A-4A-5A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	4	20	2050	1720	5	10	2525	881.5									17.8	17.5	17.4
	CA_2A-2A-4A-12A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	4	20	2050	1720	12	10	5095	737.5									17.8	17.5	17.5
	CA_2A-2A-4A-71A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	4	20	2050	1720	71	20	68761	634.5									17.8	17.5	17.4
	CA_2A-2A-5A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2525	881.5	66	20	66786	2145									17.8	17.5	17.3
	CA_2A-2A-66A-71A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	66	20	66786	2145	71	20	68761	634.5									17.8	17.5	17.4
	CA_2A-4A-4A-5A	2	20	18900	1880	1	0	900	1960	4	20	2050	2120	4	20	2300	2145	5	10	2525	881.5									17.8	17.6	17.4
	CA_2A-4A-4A-12A	2	20	18900	1880	1	0	900	1960	4	20	2050	2120	4	20	2300	2145	12	10	5095	737.5									17.8	17.6	17.5
	CA_2A-4A-5B	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	5	10	2476	876.6	5	10	2575	886.5									17.8	17.6	17.5
	CA_2A-4A-12B	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	12	5	5048	732.8	12	10	5120	740									17.8	17.6	17.4
	CA_2A-12A-66A-66A	2	20	18900	1880	1	0	900	1960	12	10	5095	737.5	66	20	66536	2120	66	20	67236	2190									17.8	17.6	17.3
	CA_2A-12A-66C	2	20	18900	1880	1	0	900	1960	12	10	5095	737.5	66	20	66838	2150.2	66	20	67036	2170									17.8	17.6	17.5
	CA_2A-13A-66C	2	20	18900	1880	1	0	900	1960	13	10	5230	751	66	20	66838	2150.2	66	20	67036	2170									17.8	17.6	17.4
	CA_2A-66A-66A-71A	2	20	18900	1880	1	0	900	1960	66	20	66536	2120	66	20	67236	2190	71	20	68761	634.5									17.8	17.6	17.4
	CA_2A-66C-71A	2	20	18900	1880	1	0	900	1960	66	20	66838	2150.2	66	20	67036	2170	71	20	68761	634.5									17.8	17.6	17.4
	CA_4A-2A-2A-5A	4	20	20050	1720	1	0	2050	2120	2	20	700	1940	2	20	1100	1980	5	10	2525	881.5									17.8	17.8	17.6
	CA_4A-2A-2A-12A	4	20	20050	1720	1	0	2050	2120	2	20	700	1940	2	20	1100	1980	12	10	5095	737.5									17.8	17.8	17.5
	CA_4A-2A-2A-71A	4	20	20050	1720	1	0	2050	2120	2	20	700	1940	2	20	1100	1980	71	20	68761	634.5									17.8	17.8	17.6
	CA_4A-2A-5B	4	20	20050	1720	1	0	2050	2120	2	20	900	1960	5	10	2476	876.6	5	10	2575	886.5									17.8	17.8	17.7
	CA_4A-2A-12B	4	20	20050	1720	1	0	2050	2120	2	20	900	1960	12	5	5048	732.8	12	10	5120	740									17.8	17.8	17.7
	CA_4A-4A-2A-5A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	2	20	900	1960	5	10	2525	881.5									17.8	17.8	17.5
	CA_4A-4A-2A-12A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	2	20	900	1960	12	10	5095	737.5									17.8	17.8	17.3
	CA_5A-2A-2A-4A	5	10	20525	836.5	1	0	2525	881.5	2	20	700	1940	2	20	1100	1980	4	20	2050	1720									21.0	20.5	20.3
	CA_5A-2A-4A-4A	5	10	20525	836.5	1	0	2525	881.5	2	20	900	1960	4	20	2050	2120	4	20	2300	2145									21.0	20.5	20.4
	CA_5B-2A-4A	5	10	20501	834.1	1	0	2501	879.1	5	10	2600	889	2	20	900	1960	4	20	2050	1720									21.0	20.5	20.3
	CA_12A-2A-2A-4A	12	10	23060	704	1	0	5060																								

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 1 for Laptop Mode)

Configure	Combination	PCC								SCC1				SCC2				SCC3				SCC4				Measurement Power						
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum m Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active Total
Inter Band	CA_71A-2A-2A-4A	71	20	133222	673	1	0	68686	627	2	20	700	1940	2	20	1100	1980	4	20	2050	1720							21.0	19.9	19.9		
	CA_71A-2A-2A-66A	71	20	133222	673	1	0	68686	627	2	20	700	1940	2	20	1100	1980	66	20	66786	2145							21	19.9	19.8		
	CA_71A-2A-66A-66A	71	20	133222	673	1	0	68686	627	2	20	900	1880	66	20	66536	2120	66	20	67236	2190							21	19.9	19.7		
	CA_71A-2A-66C	71	20	133222	673	1	0	68686	627	2	20	900	1880	66	20	66838	2150.2	66	20	67036	2170							21.0	19.9	19.8		
	CA_2A-2A-5B-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2476	876.6	5	10	2575	886.5	66	20	66786	2145	66	20	66786	2145	17.8	17.5	17.4
	CA_2A-2A-5A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2525	881.5	66	20	66536	2120	66	20	67236	2190	66	20	67086	2175	17.8	17.5	17.4
	CA_2A-2A-5A-66B	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2525	881.5	66	20	66987	2165.1	66	20	67086	2175	66	20	67086	2175	17.8	17.5	17.3
	CA_2A-2A-5A-66C	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2525	881.5	66	20	66838	2150.2	66	20	67036	2170	66	20	67036	2170	17.8	17.5	17.4
	CA_2A-2A-12B-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	12	5	5048	732.8	12	10	5120	740	66	20	66786	2145	66	20	66786	2145	17.8	17.5	17.5
	CA_2A-2A-12A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	12	10	5095	737.5	66	20	66536	2120	66	20	67236	2190	66	20	67236	2190	17.8	17.5	17.3
	CA_2A-2A-13A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	13	10	5230	751	66	20	66536	2120	66	20	67236	2190	66	20	67236	2190	17.8	17.5	17.3
	CA_2A-2A-13A-66B	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	13	10	5230	751	66	10	66987	2165.1	66	10	67086	2175	66	10	67086	2175	17.8	17.5	17.4
	CA_2A-2A-14A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	14	10	5330	763	66	20	66536	2120	66	20	67236	2190	66	20	67236	2190	17.8	17.5	17.4
	CA_2A-5A-5A-66A-66A	2	20	18900	1880	1	0	900	1960	5	10	2450	874	5	10	2600	889	66	20	66536	2120	66	20	67236	2190	66	20	67236	2190	17.8	17.6	17.5
	CA_2A-5B-66A-66A	2	20	18900	1880	1	0	900	1960	5	10	2476	876.6	5	10	2575	886.5	66	20	66536	2120	66	20	67236	2190	66	20	67236	2190	17.8	17.6	17.5
	CA_2A-5B-66B	2	20	18900	1880	1	0	900	1960	5	10	2476	876.6	5	10	2575	886.5	66	10	66987	2165.1	66	10	67086	2175	66	10	67086	2175	17.8	17.6	17.4
	CA_2A-5B-66C	2	20	18900	1880	1	0	900	1960	5	10	2476	876.6	5	10	2575	886.5	66	20	66838	2150.2	66	20	67036	2170	66	20	67036	2170	17.8	17.6	17.5
	CA_2A-12B-66A-66A	2	20	18900	1880	1	0	900	1960	12	5	5048	732.8	12	10	5120	740	66	20	66536	2120	66	20	67236	2190	66	20	67236	2190	17.8	17.6	17.4
	CA_2A-13A-66A-66B	2	20	18900	1880	1	0	900	1960	13	10	5230	751	66	20	66786	2145	66	10	66987	2165.1	66	10	67086	2175	66	10	67086	2175	17.8	17.6	17.4
	CA_5A-2A-2A-66A-66A	5	10	20525	836.5	1	0	2525	881.5	2	20	700	1940	2	20	1100	1980	66	20	66536	2120	66	20	67236	2190	66	20	67236	2190	21.0	20.5	20.3
	CA_5A-2A-2A-66B	5	10	20525	836.5	1	0	2525	881.5	2	20	700	1940	2	20	1100	1980	66	10	66987	2165.1	66	10	67086	2175	66	10	67086	2175	21.0	20.5	20.5
	CA_5A-2A-2A-66C	5	10	20525	836.5	1	0	2525	881.5	2	20	700	1940	2	20	1100	1980	66	20	66838	2150.2	66	20	67036	2170	66	20	67036	2170	21.0	20.5	20.3
	CA_5B-2A-2A-66A	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	2	20	700	1940	2	20	1100	1980	66	20	66786	2145	66	20	66786	2145	21.0	20.2	20.1
	CA_5A-5A-2A-66A-66A	5	10	20450	829	1	0	2450	874	5	10	2600	889	2	20	900	1880	66	20	66536	2120	66	20	67236	2190	66	20	67236	2190	21.0	20.2	20.1
	CA_5B-2A-66A-66A	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	2	20	900	1880	66	20	66536	2120	66	20	67236	2190	66	20	67236	2190	21.0	20.2	20.0
	CA_5B-2A-66B	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	2	20	900	1880	66	10	66987	2165.1	66	10	67086	2175	66	10	67086	2175	21.0	20.2	20.0
	CA_5B-2A-66C	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	2	20	900	1880	66	20	66838	2150.2	66	20	67036	2170	66	20	67036	2170	21.0	20.2	20.0
	CA_12A-2A-2A-66A-66A	12	10	23060	704	1	0	5060	734	2	20	700	1940	2	20	1100	1980	66	20	66536	2120	66	20	67236	2190	66	20	67236	2190	21.0	19.9	19.8
	CA_12B-2A-2A-66A	12	5	23048	702.8	1	0	5048	732.8	12	10	5120	740	2	20	700	1940	2	20	1100	1980	66	20	66786	2145	66	20	66786	2145	21.0	19.9	19.7
	CA_12B-2A-66A-66A	12	5	23048	702.8	1	0	5048	732.8	2	20	900	1880	66	20	66536	2120	66	20	67236	2190							21.0	19.9	19.8		
	CA_13A-2A-2A-66A-66A	13	10	23230	782	1	0	5230	751	2	20	700	1940	2	20	1100	1980	66	20	66536	2120	66	20	67236	2190	66	20	67236	2190	20.5	19.7	19.6
	CA_13A-2A-2A-66B	13	10	23230	782	1	0	5230	751	2	20	700	1940	2	20	1100	1980	66	10	66987	2165.1	66	10	67086	2175	66	10	67086	2175	20.5	19.7	19.6
	CA_14A-2A-2A-66A-66A	14	10	23330	793	1	0	5330	763	2	20	700	1940	2	20	1100	1980	66	20	66536	2120	66	20	67236	2190	66	20	67236	2190	21.0	20.4	20.3
	CA_66A-2A-2A-5B	66	20	132072	1720	1	0	66536	2120	2	20	700	1940	2	20	1100	1980	5	10	2476	876.6	5	10	2575	886.5	18.8	17.5	17.4	18.8	17.5	17.4	
	CA_66A-2A-2A-12B	66	20	132072	1720	1	0	66536	2120	2	20	700	1940	2	20	1100	1980	12	5	5048	732.8	12	10	5120	740	18.8	17.5	17.4	18.8	17.5	17.3	
	CA_66A-66A-2A-2A-5A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	700	1940	2	20	1100	1980	5	10	2525	881.5	18.8	17.5	17.4	18.8	17.5	17.4	
	CA_66B-2A-2A-5A	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	2	20	700	1940	2	20	1100	1980	5	10	2525	881.5	18.8	17.4	17.4	18.8	17.5	17.4	
	CA_66C-2A-2A-5A	66	20	132374	1750.2	1	0	66838	2150.2	66	20	67036	2170	2	20	700	1940	2	20	1100	1980	5	10	2525	881.5	18.8	17.6	17.5	18.8	17.5	17.5	
	CA_66A-66A-2A-2A-12A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	700	1940	2	20	1100	1980	12	10	5095	737.5	18.8	17.5	17.4	18.8	17.5	17.4	
	CA_66A-66A-2A-2A-13A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	700	1940	2	20	1100	1980	13	10	5230	751	18.8	17.5	17.3	18.8	17.5	17.3	
	CA_66B-2A-2A-13A	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	2	20	700	1940	2	20	1100	1980	13	10	5230	751	18.8	17.4	17.4	18.8	17.5	17.3	
	CA_66A-66A-2A-2A-14A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	700	1940	2	20	1100	1980	14	10	5330	763	18.8	17.5	17.5	18.8	17.5	17.5	
	CA_66A-66A-2A-5A-5A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	900	1880	5	10	2450	874	5	10	2600	889	18.8	17.5	17.4	18.8	17.5	17.4	
	CA_66A-66A-2A-5B	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	900	1880	5	10	2476	876.6	5	10	2575	886.5	18.8	17.5	17.4				

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 2 for Tablet Mode)

Configure	Combination	PCC									SCC1				SCC2				SCC3				SCC4				Measurement Power			
		LTE Band	BW [MHz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	Maximum m Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active (dBm)		
																												PCC	Total	
Intra Band Contiguous	CA_41E	41	20	39750	2506	1	0	39750	2506	41	20	39950	2526	41	20	40150	2546	41	20	40350	2566					12	11.8	11.7	11.7	
Intra Band Non-Contiguous	CA_41A-41D	41	20	40620	2593	1	0	40620	2593	41	20	41094	2640.4	41	20	41292	2660.2	41	20	41490	2680					12	11.9	11.8	11.8	
	CA_41C-41C	41	20	39750	2506	1	0	39750	2506	41	20	39948	2525.8	41	20	41292	2660.2	41	20	41490	2680					12	11.8	11.8	11.8	
	CA_41D-41A	41	20	41094	2640.4	1	0	41094	2640.4	41	20	41292	2660.2	41	20	41490	2680	41	20	40620	2593					12	11.8	11.6	11.6	
	CA_41C-41D	41	20	40529	2583.9	1	0	40259	2583.9	41	20	40712	2602.2	41	20	41094	2640.4	41	20	41292	2660.2	41	20	41490	2680	12	11.9	11.7	11.7	
	CA_41D-41C	41	20	41094	2640.4	1	0	41094	2640.4	41	20	41292	2660.2	41	20	41490	2680	41	20	39750	2506	41	20	39948	2525.8	12	11.8	11.6	11.6	
Inter Band	CA_4A-7A	4	20	20050	1720	1	0	2050	2120	7	20	3100	2655													14.8	14.7	14.5	14.5	
	CA_5A-7A	5	10	20525	836.5	1	0	2525	881.5	7	20	3100	2655													21	20.2	20.1	20.1	
	CA_5A-25A	5	10	20525	836.5	1	0	2525	881.5	25	20	8365	1962.5													21	20.2	20.0	20.0	
	CA_12A-7A	12	10	23060	704	1	0	5060	734	7	20	3100	2655													19	18.9	18.8	18.8	
	CA_12A-25A	12	10	23060	704	1	0	5060	734	25	20	8365	1962.5													19	18.9	18.7	18.7	
	CA_25A-5A	25	20	26365	1882.5	1	0	8365	1962.5	5	10	2525	881.5													16.8	16.7	16.5	16.5	
	CA_25A-12A	25	20	26365	1882.5	1	0	8365	1962.5	12	10	5095	737.5													16.8	16.7	16.6	16.6	
	CA_41A-41A	41	20	39750	2506	1	0	39750	2506	41	20	41490	2680													12	11.8	11.5	11.5	
	CA_2A-2A-29A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	29	10	9660	717									16.8	16.4	16.3	16.3	
	CA_2A-4A-13A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	13	10	5230	751									16.8	16.3	16.1	16.1	
	CA_2A-4A-29A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	29	10	9660	717									16.8	16.3	16.2	16.2	
	CA_2A-29A-66A	2	20	18900	1880	1	0	900	1960	29	10	9660	717	66	20	66786	2145									16.8	16.3	16.2	16.2	
	CA_4A-2A-13A	4	20	20050	1720	1	0	2050	2120	2	20	900	1960	13	10	5230	751									14.8	14.7	14.5	14.5	
	CA_4A-2A-29A	4	20	20050	1720	1	0	2050	2120	2	20	900	1960	29	10	9660	717									14.8	14.7	14.7	14.7	
	CA_4A-4A-13A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	13	10	5230	751									14.8	14.7	14.6	14.6	
	CA_4A-4A-29A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	29	10	9660	717									14.8	14.7	14.6	14.6	
	CA_4A-4A-71A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	71	20	68761	634.5									14.8	14.7	14.5	14.5	
	CA_5A-4A-4A	5	10	20525	836.5	1	0	2525	881.5	4	20	2050	2120	4	20	2300	2145									21	20.2	20.1	20.1	
	CA_5A-7A-7A	5	10	20525	836.5	1	0	2525	881.5	7	20	2850	2630	7	20	3350	2680									21	20.2	20.1	20.1	
	CA_5A-7C	5	10	20525	836.5	1	0	2525	881.5	7	20	3001	2645.1	7	20	3199	3664.9									21	20.2	20.0	20.0	
	CA_7A-4A-4A	7	20	20850	2510	1	0	2850	2630	4	20	2050	2120	4	20	2300	2145									10.8	10.7	10.5	10.5	
	CA_7A-4A-12A	7	20	20850	2510	1	0	2850	2630	4	20	2175	2132	12	10	5095	737.5									10.8	10.7	10.3	10.3	
	CA_7A-7A-4A	7	20	20850	2510	1	0	2850	2630	7	20	3350	2680	4	20	2050	1720									10.8	10.7	10.6	10.6	
	CA_7C-4A	7	20	21001	2525.1	1	0	3001	2645.1	7	20	3199	2664.9	4	20	2050	1720									10.8	10.6	10.5	10.5	
	CA_7A-7A-5A	7	20	20850	2510	1	0	2850	2630	7	20	3350	2680	5	10	2525	881.5									10.8	10.7	10.5	10.5	
	CA_7C-5A	7	20	21001	2525.1	1	0	3001	2645.1	7	20	3199	2664.9	5	10	2525	881.5									10.8	10.6	10.4	10.4	
	CA_7A-7A-13A	7	20	20850	2510	1	0	2850	2630	7	20	3350	2680	13	10	5230	751									10.8	10.7	10.6	10.6	
	CA_7C-13A	7	20	21001	2525.1	1	0	3001	2645.1	7	20	3199	2664.9	13	10	5230	751									10.8	10.6	10.5	10.5	
	CA_7A-7A-29A	7	20	20850	2510	1	0	2850	2630	7	20	3350	2680	29	10	9660	717									10.8	10.7	10.5	10.5	
	CA_7C-29A	7	20	21001	2525.1	1	0	3001	2645.1	7	20	3199	2664.9	29	10	9660	717									10.8	10.6	10.4	10.4	
	CA_7A-12B	7	20	20850	2510	1	0	2858	2630.8	12	5	5048	732.8	12	10	5120	740									10.8	10.7	10.6	10.6	
	CA_12A-2A-66A	12	10	23035	701.5	1	0	5035	731.5	2	20	900	1880	66	20	66786	2145									19	18.9	18.7	18.7	
	CA_12B-7A	12	5	23048	702.8	1	0	5048	732.8	12	10	5120	740	7	20	3100	2655									19	18.9	18.8	18.8	
	CA_13A-2A-4A	13	10	23230	782	1	0	5230	751	2	20	900	1880	4	20	2175	2132.5									20.5	20.4	20.3	20.3	
CA_13A-4A-4A	13	10	23230	782	1	0	5230	751	4	20	2050	2120	4	20	2300	2145									20.5	20.4	20.2	20.2		
CA_13A-7A-7A	13	10	23230	782	1	0	5230	751	7	20	2850	2630	7	20	3350	2680									20.5	20.4	20.1	20.1		
CA_13A-7C	13	10	23230	782	1	0	5230	751	7	20	3001	2645.1	7	20	3199	3664.9									20.5	20.4	20.3	20.3		

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 2 for Tablet Mode)

Configure	Combination	PCC									SCC1				SCC2				SCC3				SCC4				Measurement Power			
		LTE Band	BW [MHz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	Maximu m Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active (dBm)		
																												PCC	Total	
	CA_25A-25A-41A	25	20	26140	1860	1	0	8140	1940	25	20	8590	1985	41	20	40620	2593									16.8	16.7	16.5	16.5	
	CA_25A-41C	25	20	26365	1882.5	1	0	8365	1962.5	41	20	40529	2583.9	41	20	40712	2602.2									16.8	16.7	16.6	16.6	
	CA_41A-41C	41	20	40620	2593	1	0	40620	2593	41	20	40529	2583.9	41	20	40712	2602.2									12	11.9	11.8	11.8	
	CA_41C-41A	41	20	40529	2583.9	1	0	40529	2583.9	41	20	40712	2602.2	41	20	40620	2593									12	11.9	11.7	11.7	
	CA_66A-2A-29A	66	20	132072	1720	1	0	66536	2120	2	20	900	1960	29	10	9660	717									15.8	15.7	15.5	15.5	
	CA_66A-66C	66	20	132072	1720	1	0	66536	2120	66	20	66787	2145.1	66	20	66985	2164.9									15.8	15.7	15.4	15.4	
	CA_66C-66A	66	20	132323	1745.1	1	0	66787	2145.1	66	20	66985	2164.9	66	20	66536	2120									15.8	15.6	15.5	15.5	
	CA_71A-2A-2A	71	20	133222	673	1	0	68686	627	2	20	700	1940	2	20	1100	1980									17	16.9	16.8	16.8	
	CA_71A-2A-4A	71	20	133222	673	1	0	68686	627	2	20	900	1880	4	20	2175	2132.5									17	16.9	16.7	16.7	
	CA_71A-4A-4A	71	20	133222	673	1	0	68686	627	4	20	2050	2120	4	20	2300	2145									17	16.9	16.8	16.8	
	CA_2A-2A-4A-4A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	4	20	2050	2120	4	20	2300	2145					16.8	16.4	16.3	16.3	
	CA_2C-66A-66A	2	20	18801	1870.1	1	0	801	1950.1	2	20	999	1969.9	66	20	66536	2120	66	20	67236	2190					16.8	16.3	16.2	16.2	
	CA_4A-4A-2A-2A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	2	20	700	1940	2	20	1100	1980					14.8	14.7	14.5	14.5	
	CA_4A-4A-5B	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	5	10	2476	876.6	5	10	2575	886.5					14.8	14.7	14.7	14.7	
	CA_4A-4A-12B	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	12	5	5048	732.8	12	10	5120	740					14.8	14.7	14.5	14.5	
	CA_5B-4A-4A	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	4	20	2050	2120	4	20	2300	2145					21	20.4	20.3	20.3	
	CA_5A-5A-66B	5	10	20450	829	1	0	2450	874	5	10	2600	889	66	10	66987	2165.1	66	10	67086	2175					21	20.4	20.1	20.1	
	CA_5A-5A-66C	5	10	20450	829	1	0	2450	874	5	10	2600	889	66	20	66838	2150.2	66	20	67036	2170					21	20.4	20.2	20.2	
	CA_12B-4A-4A	12	5	23048	702.8	1	0	5048	732.8	12	10	5120	740	4	20	2050	2120	4	20	2300	2145					19	18.9	18.8	18.8	
	CA_25A-25A-41C	25	20	26140	1860	1	0	8140	1940	25	20	8590	1985	41	20	40529	2583.9	41	20	40712	2602.2					16.8	16.7	16.6	16.6	
	CA_66A-66A-2C	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	801	1950.1	2	20	999	1969.9					15.8	15.7	15.6	15.6	
	CA_66B-2A-2A	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	2	20	700	1940	2	20	1100	1980					15.8	15.6	15.4	15.4	
	CA_66B-5A-5A	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	5	10	2450	874	5	10	2600	889					15.8	15.6	15.5	15.5	
	CA_66C-5A-5A	66	20	132374	1750.2	1	0	66838	2150.2	66	20	67036	2170	5	10	2450	874	5	10	2600	889					15.8	15.6	15.5	15.5	
	CA_25A-25A-41D	25	20	26140	1860	1	0	8140	1940	25	20	8590	1985	41	20	40437	2574.7	41	20	40620	2593	41	20	40803	2611.3	16.8	16.7	16.6	16.6	
	CA_2A-2A-4A-5A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	4	20	2050	1720	5	10	2525	881.5					16.8	16.4	16.3	16.3	
	CA_2A-2A-4A-12A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	4	20	2050	1720	12	10	5095	737.5					16.8	16.4	16.3	16.3	
	CA_2A-2A-4A-71A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	4	20	2050	1720	71	20	68761	634.5					16.8	16.4	16.2	16.2	
	CA_2A-2A-5A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2525	881.5	66	20	66786	2145					16.8	16.4	16.4	16.4	
	CA_2A-2A-66A-71A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	66	20	66786	2145	71	20	68761	634.5					16.8	16.4	16.3	16.3	
	CA_2A-4A-4A-5A	2	20	18900	1880	1	0	900	1960	4	20	2050	2120	4	20	2300	2145	5	10	2525	881.5					16.8	16.3	16.3	16.3	
	CA_2A-4A-4A-12A	2	20	18900	1880	1	0	900	1960	4	20	2050	2120	4	20	2300	2145	12	10	5095	737.5					16.8	16.3	16.3	16.3	
	CA_2A-4A-5B	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	5	10	2476	876.6	5	10	2575	886.5					16.8	16.3	16.1	16.1	
	CA_2A-4A-12B	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	12	5	5048	732.8	12	10	5120	740					16.8	16.3	16.2	16.2	
	CA_2A-12A-66A-66A	2	20	18900	1880	1	0	900	1960	12	10	5095	737.5	66	20	66536	2120	66	20	67236	2190					16.8	16.3	16.2	16.2	
	CA_2A-12A-66C	2	20	18900	1880	1	0	900	1960	12	10	5095	737.5	66	20	66838	2150.2	66	20	67036	2170					16.8	16.3	16.1	16.1	
	CA_2A-13A-66C	2	20	18900	1880	1	0	900	1960	13	10	5230	751	66	20	66838	2150.2	66	20	67036	2170					16.8	16.3	16.1	16.1	
	CA_2A-66A-66A-71A	2	20	18900	1880	1	0	900	1960	66	20	66536	2120	66	20	67236	2190	71	20	68761	634.5					16.8	16.3	16.2	16.2	
	CA_2A-66C-71A	2	20	18900	1880	1	0	900	1960	66	20	66838	2150.2	66	20	67036	2170	71	20	68761	634.5					16.8	16.3	16.2	16.2	
	CA_4A-2A-2A-5A	4	20	20050	1720	1	0	2050	2120	2	20	700	1940	2	20	1100	1980	5	10	2525	881.5					14.8	14.7	14.5	14.5	
	CA_4A-2A-2A-12A	4	20	20050	1720	1	0	2050	2120	2	20	700	1940	2	20	1100	1980	12	10	5095	737.5					14.8	14.7	14.6	14.6	
	CA_4A-2A-2A-71A	4	20	20050	1720	1	0	2050	2120	2	20	700	1940	2	20	1100	1980	71	20	68761	634.5					14.8	14.7	14.7	14.7	
	CA_4A-2A-5B	4	20	20050	1720	1	0	2050	2120	2	20	900	1960	5	10	2476	876.6	5	10	2575	886.5					14.8	14.7	14.5	14.5	
	CA_4A-2A-12B	4	20	20050	1720	1	0	2050	2120	2	20	900	1960	12	5	5048	732.8	12	10	5120	740					14.8	14.7	14.5	14.5	
	CA_4A-4A-2A-5A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	2	20	900	1960	5	10	2525	881.5					14.8	14.7	14.6	14.6	
	CA_4A-4A-2A-12A	4	20	20050	1720	1	0	2050	2120	4	20	2300	2145	2	20	900	1960	12	10	5095	737.5					14.8	14.7	14.7	14.7	
	CA_5A-2A-2A-4A	5	10	20450	829	1	0	2450	874	2	20	700	1940	2	20	1100	1980	4	20	2050	1720					21	20.4	20.3	20.3	
	CA_5A-2A-4A-4A	5	10	20450	829	1	0	2450	874	2	20	900	1960	4	20	2050	2120	4	20	2300	2145					21	20.4	20.2	20.2	
	CA_5B-2A-4A	5	10	20501	834.1	1	0	2501	879.1	5	10	2600	889	2	20	900	1960	4	20	2050	1720					21	20.2	20.1	20.1	
	CA_12A-2A-2A-4A	12	10	23060	704	1	0	5060	734	2	20	700	1940	2	20	1100	1980	4	20	2050	1720					19	18.9	18.8	18.8	
	CA_12A-2A-4A-4A	12	10	23060	704	1	0	5060																						

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 2 for Tablet Mode)

Configure	Combination	PCC									SCC1				SCC2				SCC3				SCC4				Measurement Power			
		LTE Band	BW [MHz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	Maximu m Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active (dBm)		
																												PCC	Total	
Inter Band	CA_71A-2A-2A-4A	71	20	133222	673	1	0	68686	627	2	20	700	1940	2	20	1100	1980	66	20	66786	2145					17	16.9	16.8	16.8	
	CA_71A-2A-2A-66A	71	20	133222	673	1	0	68686	627	2	20	700	1940	2	20	1100	1980	66	20	66786	2145					17	16.9	16.8	16.8	
	CA_71A-2A-66A-66A	71	20	133222	673	1	0	68686	627	2	20	900	1880	66	20	66536	2120	66	20	67236	2190					17	16.9	16.7	16.7	
	CA_71A-2A-66C	71	20	133222	673	1	0	68686	627	2	20	900	1880	66	20	66838	2150.2	66	20	67036	2170					17	16.9	16.8	16.8	
	CA_2A-2A-5B-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2575	886.5	66	20	66786	2145	66	20	66786	2145	16.8	16.4	16.2	16.2	
	CA_2A-2A-5A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2525	881.5	66	20	66536	2120	66	20	67236	2190	16.8	16.4	16.4	16.4	
	CA_2A-2A-5A-66B	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2525	881.5	66	20	66987	2165.1	66	20	67086	2175	16.8	16.4	16.3	16.3	
	CA_2A-2A-5A-66C	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	5	10	2525	881.5	66	20	66838	2150.2	66	20	67036	2170	16.8	16.4	16.2	16.2	
	CA_2A-2A-12B-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	12	5	5048	732.8	12	10	5120	740	66	20	66786	2145	16.8	16.4	16.3	16.3	
	CA_2A-2A-12A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	12	10	5095	737.5	66	20	66536	2120	66	20	67236	2190	16.8	16.4	16.2	16.2	
	CA_2A-2A-13A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	13	10	5230	751	66	20	66536	2120	66	20	67236	2190	16.8	16.4	16.3	16.3	
	CA_2A-2A-13A-66B	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	13	10	5230	751	66	10	66987	2165.1	66	10	67086	2175	16.8	16.4	16.4	16.4	
	CA_2A-2A-14A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	1100	1980	14	10	5330	763	66	20	66536	2120	66	20	67236	2190	16.8	16.4	16.4	16.4	
	CA_2A-2A-5A-66A-66A	2	20	18900	1880	1	0	900	1960	5	10	2450	874	5	10	2600	889	66	20	66536	2120	66	20	67236	2190	16.8	16.3	16.2	16.2	
	CA_2A-5B-66A-66A	2	20	18900	1880	1	0	900	1960	5	10	2476	876.6	5	10	2575	886.5	66	20	66536	2120	66	20	67236	2190	16.8	16.3	16.1	16.1	
	CA_2A-5B-66B	2	20	18900	1880	1	0	900	1960	5	10	2476	876.6	5	10	2575	886.5	66	10	66987	2165.1	66	10	67086	2175	16.8	16.3	16.2	16.2	
	CA_2A-5B-66C	2	20	18900	1880	1	0	900	1960	5	10	2476	876.6	5	10	2575	886.5	66	20	66838	2150.2	66	20	67036	2170	16.8	16.3	16.3	16.3	
	CA_2A-12B-66A-66A	2	20	18900	1880	1	0	900	1960	12	5	5048	732.8	12	10	5120	740	66	20	66536	2120	66	20	67236	2190	16.8	16.3	16.3	16.3	
	CA_2A-13A-66A-66B	2	20	18900	1880	1	0	900	1960	13	10	5230	751	66	20	66786	2145	66	10	66987	2165.1	66	10	67086	2175	16.8	16.3	16.2	16.2	
	CA_5A-2A-2A-66A-66A	5	10	20450	829	1	0	2450	874	2	20	700	1940	2	20	1100	1980	66	20	66536	2120	66	20	67236	2190	21	20.4	20.3	20.3	
	CA_5A-2A-2A-66B	5	10	20450	829	1	0	2450	874	2	20	700	1940	2	20	1100	1980	66	10	66987	2165.1	66	10	67086	2175	21	20.4	20.4	20.4	
	CA_5A-2A-2A-66C	5	10	20450	829	1	0	2450	874	2	20	700	1940	2	20	1100	1980	66	20	66838	2150.2	66	20	67036	2170	21	20.4	20.3	20.3	
	CA_5B-2A-2A-66A	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	2	20	700	1940	2	20	1100	1980	66	20	66786	2145	21	20.4	20.4	20.4	
	CA_5A-5A-2A-66A-66A	5	10	20450	829	1	0	2450	874	5	10	2600	889	2	20	900	1880	66	20	66536	2120	66	20	67236	2190	21	20.4	20.3	20.3	
	CA_5B-2A-66A-66A	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	2	20	900	1880	66	20	66536	2120	66	20	67236	2190	21	20.4	20.2	20.2	
	CA_5B-2A-66B	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	2	20	900	1880	66	10	66987	2165.1	66	10	67086	2175	21	20.4	20.1	20.1	
	CA_5B-2A-66C	5	10	20476	831.6	1	0	2476	876.6	5	10	2575	886.5	2	20	900	1880	66	20	66838	2150.2	66	20	67036	2170	21	20.4	20.2	20.2	
	CA_12A-2A-2A-66A-66A	12	10	23060	704	1	0	5060	734	2	20	700	1980	66	20	1100	1980	66	20	66536	2120	66	20	67236	2190	19	18.9	18.8	18.8	
	CA_12B-2A-2A-66A	12	5	23048	702.8	1	0	5048	732.8	12	10	5120	740	2	20	700	1940	2	20	1100	1980	66	20	66786	2145	19	18.9	18.9	18.9	
	CA_12B-2A-66A-66A	12	5	23048	702.8	1	0	5048	732.8	2	20	900	1880	66	20	66536	2120	66	20	67236	2190					19	18.9	18.7	18.7	
	CA_13A-2A-2A-66A-66A	13	10	23230	782	1	0	5230	751	2	20	700	1940	2	20	1100	1980	66	20	66536	2120	66	20	67236	2190	20.5	20.4	20.3	20.3	
	CA_13A-2A-2A-66B	13	10	23230	782	1	0	5230	751	2	20	700	1940	2	20	1100	1980	66	10	66987	2165.1	66	10	67086	2175	20.5	20.4	20.2	20.2	
	CA_14A-2A-2A-66A-66A	14	10	23330	793	1	0	5330	763	2	20	700	1940	2	20	1100	1980	66	20	66536	2120	66	20	67236	2190	21	20.9	20.8	20.8	
	CA_66A-2A-2A-5B	66	20	132072	1720	1	0	66536	2120	2	20	700	1940	2	20	1100	1980	5	10	2476	876.6	5	10	2575	886.5	15.8	15.7	15.6	15.6	
	CA_66A-2A-2A-12B	66	20	132072	1720	1	0	66536	2120	2	20	700	1940	2	20	1100	1980	12	5	5048	732.8	12	10	5120	740	15.8	15.7	15.5	15.5	
	CA_66A-66A-2A-2A-5A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	700	1940	2	20	1100	1980	5	10	2525	881.5	15.8	15.7	15.6	15.6	
	CA_66B-2A-2A-5A	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	2	20	700	1940	2	20	1100	1980	5	10	2525	881.5	15.8	15.6	15.4	15.4	
	CA_66C-2A-2A-5A	66	20	132374	1750.2	1	0	66838	2150.2	66	20	67036	2170	2	20	700	1940	2	20	1100	1980	5	10	2525	881.5	15.8	15.6	15.4	15.4	
	CA_66A-66A-2A-2A-12A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	700	1940	2	20	1100	1980	12	10	5095	737.5	15.8	15.7	15.6	15.6	
	CA_66A-66A-2A-2A-13A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	700	1940	2	20	1100	1980	13	10	5230	751	15.8	15.7	15.5	15.5	
	CA_66B-2A-2A-13A	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	2	20	700	1940	2	20	1100	1980	13	10	5230	751	15.8	15.6	15.4	15.4	
	CA_66A-66A-2A-2A-14A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	700	1940	2	20	1100	1980	14	10	5330	763	15.8	15.7	15.6	15.6	
	CA_66A-66A-2A-5A-5A	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	900	1880	5	10	2450	874	5	10	2600	889	15.8	15.7	15.6	15.6	
	CA_66A-66A-2A-5B	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	900	1880	5	10	2476	876.6	5	10	2575	886.5	15.8	15.7	15.3	15.3	
	CA_66B-2A-5B	66	10	132523	1765.1	1	0	66987	2165.1	66	10	67086	2175	2	20	900	1880	5	10	2476	876.6	5	10	2575	886.5	15.8	15.6	15.4	15.4	
	CA_66C-2A-5B	66	20	132374	1750.2	1	0	66838	2150.2	66	20	67036	2170	2	20	900	1880	5	10	2476	876.6	5	10	2575	886.5	15.8	15.6	15.5	15.5	
	CA_66A-66A-2A-12B	66	20	132072	1720	1	0	66536	2120	66	20	67236	2190	2	20	900	1880	12	5	5048	732.8	12	10	5120	740	15.8	15.7	15.7	15.7	