



FCC RF EXPOSURE REPORT

CERTIFICATION TEST REPORT

For

SoundBar

**MODEL NUMBER: HW-A450,HW-A460,HW-A430,HW-A440,HW-A40M,
HW-A47M,HW-A470,HW-A450***, HW-A450/**,HW-A460***, HW-A460/**,
HW-A430***, HW-A430/**,HW-A440***, HW-A440/**,HW-T40M***, HW-T40M/**,
HW-T47M***, HW-T47M/**, HW-A470***, HW-A470/****

FCC ID: A3LHWA450

REPORT NUMBER: 4789711459-6

ISSUE DATE: November 30, 2020

Prepared for

**Samsung Electronics Co Ltd
19 Chapin Rd., Building D Pine Brook New Jersey United States 07058**

Prepared by

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch

Building 10, Innovation Technology Park, No. 1, Li Bin Road, Song Shan Lake Hi-Tech Development Zone Dongguan, 523808, People's Republic of China

Tel: +86 769 22038881

Fax: +86 769 33244054

Website: www.ul.com



Revision History

<u>Rev.</u>	<u>Issue Date</u>	<u>Revisions</u>	<u>Revised By</u>
V0	11/30/2020	Initial Issue	



TABLE OF CONTENTS

ATTESTATION OF TEST RESULTS	4
1. TEST METHODOLOGY	5
2. FACILITIES AND ACCREDITATION	5
3. DESCRIPTION OF EUT	6
4. REQUIREMENT	7



ATTESTATION OF TEST RESULTS

Applicant Information

Company Name: Samsung Electronics Co Ltd
Address: 19 Chapin Rd., Building D Pine Brook New Jersey United States 07058

Manufacturer Information

Company Name: Samsung Electronics Co Ltd
Address: 19 Chapin Rd., Building D Pine Brook New Jersey United States 07058

EUT Information

EUT Name: SoundBar
Model: HW-A450
Serial Model: Please refer to clause 3 Description of EUT
Brand: SAMSUNG
Sample Received Date: November 12,2020
Sample Status: Normal
Sample ID: 3440010
Date of Tested: November 12,2020~ November 30,2020

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC 47CFR§2.1091	PASS

Prepared By:

Kebo Zhang
Project Engineer

Check By:

Shawn Wen
Laboratory Leader

Approved By:

Stephen Guo
Laboratory Manager



1. TEST METHODOLOGY

The tests documented in this report were performed in accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091.

2. FACILITIES AND ACCREDITATION

Accreditation Certificate	<p>A2LA (Certificate No.: 4102.01) UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. has been assessed and proved to be in compliance with A2LA.</p> <p>FCC (FCC Designation No.: CN1187) UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. Has been recognized to perform compliance testing on equipment subject to the Commission's Declaration of Conformity (DoC) and Certification rules</p> <p>ISED (Company No.: 21320) UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. has been registered and fully described in a report filed with Industry Canada. The Company Number is 21320.</p> <p>VCCI (Registration No.: G-20019, R-20004, C-20012 and T-20011) UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. has been assessed and proved to be in compliance with VCCI, the Membership No. is 3793. Facility Name: Chamber D, the VCCI registration No. is G-20019 and R-20004 Shielding Room B, the VCCI registration No. is C-20012 and T-20011</p>
---------------------------	--

Note: All tests measurement facilities use to collect the measurement data are located at Building 10, Innovation Technology Park, Song Shan Lake Hi tech Development Zone, Dongguan, 523808, China.



3. DESCRIPTION OF EUT

EUT Name	SoundBar
Model	HW-A450
Series Model:	HW-A460,HW-A430,HW-A440,HW-A40M,HW-A47M, HW-A470,HW-A450***, HW-A450/**,HW-A460***, HW-A460/**, HW-A430***, HW-A430/**,HW-A440***, HW-A440/**,HW-T40M***, HW-T40M/**, HW-T47M***, HW-T47M/**, HW-A470***, HW- A470/**
Model difference:	HW-A460,HW-A430,HW-A440,HW-A40M,HW-A47M, HW-A470,HW-A450***, HW-A450/**,HW-A460***, HW-A460/**, HW-A430***, HW-A430/**,HW-A440***, HW-A440/**,HW-T40M***, HW-T40M/**, HW-T47M***, HW-T47M/**, HW-A470***, HW- A470/** ("*" represents any alphanumeric character or blank) have the same technical construction including circuit diagram, PCB Layout, components and component layout, all electrical construction and mechanical construction with HW-A450. The difference lies only model number and marketing purpose.



4. REQUIREMENT

LIMIT AND CALCULATION METHOD

Systems operating under the provisions of FCC 47 CFR section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as mobile device whereby a distance of 0.2m normally can be maintained between the user and the device, and below RF Permissible Exposure limit shall comply with.

Limits for General Population/Uncontrolled Exposure

RF EXPOSURE LIMIT

Frequency Range (MHz)	E-field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time E ² , H ² or S (Minutes)
0.3 -- 1.34	614	1.63	(100)*	30
1.34 -- 30	824/f	2.19/f	(180/f ²)*	30
30 -- 300	27.5	0.073	0.2	30
300 -- 1500	--	--	f/1500	30
1500 -- 100,000	--	--	1.0	30

CALCULATION METHOD

$$S = PG / 4\pi R^2$$

Where:

S=power density

P=power input to antenna

G=power gain of the antenna in the direction of interest relative to an isotropic radiator

R=distance to the center of radiation of the antenna

**CALCULATED RESULTS**

(Worst case)					
Operating Mode	Max. Tune up Power	Directional Gain		Power density	Limit
	(dBm)	(dBi)	(num)	(mW/ cm ²)	
BT	5	2.7	1.86	0.00117	1
Wireless 5G	16	2.2	1.66	0.013144	1

Note: 1. BT + Wireless 5G = 0.00117 + 0.013144 = 0.014314 (mW/ cm²)

Therefore the maximum calculations of above situations are less than the "1" limit.

2. Wireless 5G power comes from report NK-16-R-146. (FCC ID: A3LWSM520V)
3. The Power comes from report operation description.
4. The minimum separation distance of the device is greater than 20 cm.
5. Calculate by WORST-CASE mode.

END OF REPORT