



**Plot 8-115. Radiated spurious emission Plot_30 MHz to 1000 MHz
(n77_2C_100M+40M_Mid Channel)**




**Plot 8-116. Radiated spurious emission Plot_1 GHz to 18 GHz
(n77_2C_100M+40M_Mid Channel)**




**Plot 8-117. Radiated spurious emission Plot_18 GHz to 40 GHz
(n77_2C_100M+40M_Mid Channel)**


FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)		Page 112 of 137



**Plot 8-118. Radiated spurious emission Plot_30 MHz to 1000 MHz
(n77_2C_100M+100M_Mid Channel)**



**Plot 8-119. Radiated spurious emission Plot_1 GHz to 18 GHz
(n77_2C_100M+100M_Mid Channel)**





**Plot 8-120. Radiated spurious emission Plot_18 GHz to 40 GHz
(n77_2C_100M+100M_Mid Channel)**

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)		Page 113 of 137



Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable azimuth [degree]	Analyzer Level [dBm/MHz]	AFCL [dBm]	Field Strength [dBμV/m]	RSE EIRP [dBm/MHz]	Limit [dBm/MHz]	Margin [dB]
982.72	H	100	60	-63.11	-7.27	36.62	-58.64	-13.0	-45.64
988.25	V	100	20	-62.58	-7.22	37.20	-58.06	-13.0	-45.06
17873.15	H	200	60	-64.52	23.64	66.12	-29.14	-13.0	-16.14
17789.32	V	150	100	-65.08	23.03	64.95	-30.31	-13.0	-17.31

**Table 8-32. Radiated spurious emission Worst mode Summary Data
(n77_2C_100M+40M_Middle Channel)**

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)		Page 114 of 137

9.0 CONCLUSION

The data collected relate only to the item(s) tested and show that the **Samsung MMU(MT6413) FCC ID: A3LMT6413-77A** complies with all of the requirements of Part 27 FCC Rules.

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 115 of 137	

10.0 APPENDIX. A

10.1 Conducted Average Output Power

Test Overview

A transmitter port of EUT is connected to the input of a signal analyzer. All measurements are performed as RMS average measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.

Test Description

KDB 971168 D01 v03r01 – Section 5
 KDB 662911 D01 v02r01 – Section E)1) In-Band Power Measurements
 ANSI C63.26-2015 – Section 5.2.4.4.1

The measurement was made using a direct connection between the RF output of the EUT and the spectrum analyzer. The spectrum analyzer settings were as follows:

1. Conducted power measurements are performed using the signal analyzer's "channel power" measurement capability for signals with continuous operation.
2. RBW = 1 ~ 5% of the expected OBW
3. VBW \geq 3 x RBW
4. Span = 2 ~ 3 x OBW
5. No. of sweep points \geq 2 x span / RBW
6. Detector = RMS
7. Trigger Settings is set to "RF Power" for signals with non-continuous operation with the sweep times set to "auto". Refer test note 3 for details.
8. Trace mode = Trace-Averaging (RMS) set to average over 100 sweeps
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.






Figure 10-1. Test Instrument & Measurement Setup

Limit



N/A

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)		Page 116 of 137



Note

1. Result for reference maximum output power of Grant of Authorization is under section 10.1.
2. MIMO Calculations are done considering output channel power for all ports and respective margins are calculated according to procedures in section 6.4 of ANSI C63.26 and section D of KDB 971168 D01 v03r01.
3. Periodic trigger was used with gating ON. Gate sweep time, Gate delay and gate length were set accordingly to capture ON time of the transmission.
4. Consider the following factors for MIMO Power:
 Conducted power for each port is measured in dBm.
 Powers are summed up in linear using the measure-and-sum technique defined in KDB 971168 D01 v03r01-Section D.
 Conducted power per port (dBm) is converted to a linear value (mW). A summation of linear powers for all ports gives us the total MIMO conducted power in milliWatts (mW).
5. Sample Calculation:
 Let us assume the following numbers:
 c) Total MIMO Conducted Power as 222221.69 milliWatts
 d)

	Factors	Value	Unit
Summed MIMO Conducted Power (linear sum)		222221.69	mW
Summed MIMO Conducted Power (dBm)	$= 10 * \log (222221.69) =$	53.47	dBm
Antenna Gain		26.50	dBi
Total e.i.r.p	$= 53.47 + 26.50$	79.97	dBm

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 117 of 137	



Channel	Port	Output Power (dBm)			
		QPSK	16QAM	64QAM	256QAM
Low	0	35.48	35.55	35.36	35.48
	1	35.62	35.67	35.44	35.57
	2	35.48	35.73	35.47	35.62
	3	35.56	35.80	35.57	35.69
	4	35.47	35.71	35.50	35.61
	5	35.29	35.49	35.22	35.35
	6	35.50	35.69	35.45	35.55
	7	35.80	36.00	35.78	35.89
	8	35.62	35.74	35.53	35.76
	9	35.40	35.55	35.32	35.43
	10	35.55	35.75	35.51	35.65
	11	35.60	35.78	35.55	35.65
	12	35.23	35.36	35.17	35.30
	13	35.33	35.48	35.25	35.33
	14	35.62	35.81	35.57	35.68
	15	35.63	35.87	35.63	35.72
	16	35.68	35.91	35.62	35.74
	17	35.45	35.64	35.36	35.49
	18	35.46	35.65	35.39	35.52
	19	35.86	36.08	35.81	35.93
	20	35.47	35.71	35.46	35.56
	21	35.71	35.92	35.66	35.73
	22	35.47	35.71	35.43	35.55
	23	35.62	35.84	35.59	35.71
	24	35.48	35.70	35.46	35.56
	25	35.42	35.65	35.38	35.48
	26	35.43	35.65	35.39	35.49
	27	35.62	35.85	35.61	35.75
	28	35.45	35.68	35.43	35.56
	29	35.29	35.48	35.22	35.34
	30	35.47	35.68	35.40	35.55
	31	35.54	35.78	35.55	35.68
	32	35.07	35.30	35.07	35.18
	33	35.11	35.35	35.10	35.24
	34	35.40	35.66	35.40	35.54
	35	35.24	35.46	35.22	35.36
	36	35.32	35.53	35.31	35.46
	37	35.20	35.45	35.20	35.34
	38	35.62	35.90	35.62	35.77
	39	35.40	35.64	35.41	35.56
	40	35.11	35.40	35.15	35.32
	41	35.03	35.26	35.02	35.28
	42	35.62	35.88	35.62	35.79
	43	35.45	35.75	35.48	35.64
	44	35.40	35.66	35.43	35.60
	45	34.95	35.25	34.99	35.14
	46	35.65	35.92	35.67	35.84
	47	35.29	35.58	35.32	35.48
	48	35.07	35.33	35.09	35.26
	49	35.13	35.41	35.14	35.31
	50	35.25	35.53	35.28	35.45
	51	35.38	35.66	35.41	35.58
52	35.08	35.35	35.10	35.29	

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 118 of 137	

	53	35.02	35.24	35.01	35.17
	54	35.45	35.74	35.46	35.61
	55	35.42	35.69	35.45	35.57
	56	35.25	35.53	35.28	35.44
	57	35.36	35.64	35.34	35.51
	58	35.60	35.89	35.62	35.78
	59	35.31	35.60	35.34	35.51
	60	35.11	35.39	35.12	35.28
	61	35.05	35.34	35.04	35.31
	62	35.48	35.68	35.44	35.58
	63	35.26	35.54	35.28	35.43
Total MIMO Power (mW)		222221.69	234334.54	221247.43	228544.32
Total MIMO Power (dBm)		53.47	53.70	53.45	53.59
Antenna Gain (dBi)		26.50	26.50	26.50	26.50
EIRP (dBm)		79.97	80.20	79.95	80.09
Channel	Port	Output Power (dBm)			
		QPSK	16QAM	64QAM	256QAM
Middle	0	36.14	36.36	36.48	36.28
	1	36.10	36.33	36.45	36.25
	2	36.15	36.35	36.50	36.29
	3	36.16	36.37	36.50	36.28
	4	36.21	36.42	36.12	36.31
	5	36.11	36.27	36.40	36.15
	6	36.07	36.22	36.42	35.62
	7	36.27	35.96	36.15	36.34
	8	36.42	36.58	36.31	36.49
	9	36.16	36.36	36.06	36.26
	10	36.24	36.39	36.12	36.36
	11	36.15	36.34	36.49	36.22
	12	35.83	36.00	35.83	35.89
	13	36.19	36.33	36.49	36.20
	14	36.15	36.29	36.48	36.19
	15	36.14	36.33	36.50	36.21
	16	36.24	36.42	36.09	36.28
	17	36.05	36.19	36.37	36.09
	18	36.09	36.25	36.41	36.14
	19	36.53	36.21	36.33	36.54
	20	36.29	36.43	36.13	36.30
	21	36.39	36.53	36.22	36.37
	22	36.20	36.35	36.03	36.21
	23	36.33	36.48	36.13	36.29
	24	36.23	36.37	36.05	36.21
	25	36.36	36.54	36.23	36.35
	26	36.08	36.23	36.39	35.48
	27	36.38	36.53	36.23	36.36
	28	36.38	36.48	36.20	36.34
	29	36.19	36.33	36.49	36.15
	30	36.11	36.26	36.44	36.08
	31	36.25	36.41	36.06	36.24
	32	35.97	36.13	35.98	35.96
	33	35.96	36.12	36.28	35.95
	34	36.00	36.14	36.33	36.00
	35	35.82	36.11	36.26	35.93
	36	35.98	36.14	36.29	35.95
37	35.83	35.99	36.13	35.81	



FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 119 of 137	

	38	36.29	36.44	36.12	36.27
	39	36.06	36.22	36.36	36.04
	40	36.14	36.31	36.45	36.10
	41	35.96	36.11	36.24	35.90
	42	36.06	36.18	36.35	36.00
	43	36.13	36.31	36.45	36.11
	44	36.20	36.37	36.50	36.15
	45	35.89	36.20	36.14	35.81
	46	36.15	36.44	36.42	36.10
	47	36.01	36.32	36.30	35.97
	48	35.94	36.24	36.21	35.86
	49	35.89	36.20	36.15	35.85
	50	35.92	36.22	36.19	35.85
	51	36.11	36.39	36.38	36.04
	52	35.91	36.22	36.18	35.84
	53	35.92	36.23	36.09	35.84
	54	36.04	36.35	36.20	35.97
	55	36.05	36.36	36.21	35.98
	56	36.16	36.47	36.33	36.09
	57	36.20	36.52	36.37	36.14
	58	36.24	36.56	36.40	36.17
	59	36.07	36.40	36.24	36.01
	60	36.03	36.34	36.06	35.96
	61	35.89	36.21	36.04	35.82
	62	35.98	36.31	36.16	35.94
	63	35.95	36.26	36.12	35.87
Total MIMO Power (mW)		261774.71	273658.38	271069.38	260685.34
Total MIMO Power (dBm)		54.18	54.37	54.33	54.16
Antenna Gain (dBi)		26.50	26.50	26.50	26.50
EIRP (dBm)		80.68	80.87	80.83	80.66
Channel	Port	Output Power (dBm)			
		QPSK	16QAM	64QAM	256QAM
High	0	35.39	35.53	35.12	35.24
	1	35.59	35.71	35.34	35.44
	2	35.45	35.59	35.22	35.34
	3	35.54	35.64	35.28	35.38
	4	35.51	35.62	35.23	35.31
	5	35.59	35.70	35.33	35.44
	6	35.34	35.09	35.08	35.21
	7	35.48	35.59	35.35	35.33
	8	35.72	35.84	35.47	35.60
	9	35.22	35.31	35.04	35.07
	10	35.39	35.54	35.19	35.29
	11	35.26	35.34	35.01	35.13
	12	35.12	35.26	34.86	34.98
	13	35.48	35.69	35.30	35.41
	14	35.21	35.34	34.99	35.07
	15	35.34	35.45	35.11	35.18
	16	35.49	35.60	35.26	35.31
	17	35.43	35.51	35.17	35.23
	18	35.28	35.40	35.05	35.15
	19	35.90	36.01	35.63	35.71
	20	35.57	35.68	35.26	35.39
	21	35.86	35.96	35.58	35.68
22	35.35	35.50	35.03	35.22	



FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 120 of 137	

23	35.44	35.52	35.28	35.25	
24	35.39	35.48	35.12	35.20	
25	35.66	35.72	35.36	35.45	
26	35.24	35.09	34.98	35.08	
27	35.76	35.71	35.51	35.46	
28	35.48	35.54	35.17	35.29	
29	35.39	35.46	35.08	35.23	
30	35.32	35.41	35.05	35.16	
31	35.28	35.34	34.92	35.10	
32	35.15	35.24	34.82	34.97	
33	35.38	35.47	35.09	35.21	
34	35.20	35.30	34.92	35.06	
35	35.14	35.26	34.87	35.00	
36	35.38	35.49	35.08	35.21	
37	35.27	35.37	34.97	35.10	
38	35.58	35.67	35.29	35.44	
39	35.11	35.22	34.83	34.94	
40	35.72	35.82	35.41	35.55	
41	35.12	35.23	34.83	34.98	
42	35.31	35.40	35.03	35.17	
43	35.33	35.42	35.04	35.18	
44	35.49	35.60	35.20	35.35	
45	35.14	35.23	34.82	34.99	
46	35.12	35.22	35.04	34.98	
47	35.12	35.22	34.82	34.97	
48	35.31	35.40	35.00	35.17	
49	35.25	35.33	34.94	35.09	
50	35.02	35.11	34.71	34.89	
51	35.24	35.32	34.91	35.07	
52	35.54	35.63	35.24	35.41	
53	35.30	35.40	34.97	35.14	
54	35.14	35.21	34.81	34.98	
55	35.31	35.37	34.97	35.14	
56	35.47	35.29	34.92	35.05	
57	35.51	35.58	35.18	35.32	
58	35.09	35.15	34.76	34.93	
59	35.29	35.39	34.97	35.15	
60	35.61	35.72	35.30	35.45	
61	35.24	35.32	34.93	35.09	
62	35.47	35.57	35.16	35.29	
63	35.01	35.09	34.69	34.84	
Total MIMO Power (mW)		220733.29	225076.48	206962.36	212619.73
Total MIMO Power (dBm)		53.44	53.52	53.16	53.28
Antenna Gain (dBi)		26.50	26.50	26.50	26.50
EIRP (dBm)		79.94	80.02	79.66	79.78



Table 10-1. Output Power Table (n77_1C_40M)

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)		Page 121 of 137



Channel	Port	Output Power (dBm)			
		QPSK	16QAM	64QAM	256QAM
Low	0	36.85	36.72	36.76	36.96
	1	36.96	36.77	36.77	36.98
	2	36.95	36.82	36.85	37.08
	3	37.04	36.95	36.96	37.18
	4	36.91	36.84	36.89	37.07
	5	36.80	36.66	36.58	36.81
	6	36.94	36.84	36.78	37.00
	7	37.22	37.25	37.17	37.37
	8	37.02	36.97	36.92	37.14
	9	36.85	36.77	36.70	36.92
	10	37.03	36.97	36.90	37.14
	11	37.03	36.92	36.96	37.17
	12	36.65	36.55	36.54	36.74
	13	36.77	36.66	36.61	36.85
	14	37.05	36.99	36.92	37.15
	15	37.02	37.02	36.99	37.21
	16	37.16	37.05	37.04	37.24
	17	36.89	36.82	36.78	37.01
	18	36.90	36.82	36.78	36.99
	19	37.26	37.23	37.17	37.42
	20	37.01	36.89	36.84	37.09
	21	37.17	37.08	37.08	37.28
	22	36.94	36.83	36.84	37.04
	23	37.01	36.98	36.94	37.23
	24	36.95	36.88	36.84	37.11
	25	36.87	36.80	36.78	37.04
	26	36.89	36.81	36.80	37.05
	27	37.08	37.03	37.01	37.27
	28	36.92	36.86	36.87	37.14
	29	36.71	36.63	36.59	36.87
	30	36.92	36.83	36.84	37.08
	31	37.04	36.96	36.97	37.22
	32	36.55	36.47	36.48	36.76
	33	36.69	36.52	36.50	36.78
	34	36.98	36.82	36.80	37.07
	35	36.79	36.68	36.67	36.94
	36	36.84	36.74	36.74	37.00
	37	36.80	36.63	36.61	36.89
	38	37.17	37.01	37.00	37.28
	39	36.93	36.83	36.82	37.09
	40	36.73	36.57	36.56	36.83
	41	36.65	36.47	36.45	36.72
	42	37.21	37.04	37.04	37.31
	43	37.07	36.94	36.94	37.21
	44	36.97	36.85	36.84	37.12
	45	36.63	36.46	36.42	36.69
	46	37.29	37.12	37.11	37.39
	47	36.92	36.76	36.77	37.05
	48	36.66	36.51	36.50	36.75
	49	36.76	36.60	36.58	36.84
	50	36.89	36.70	36.71	36.97
	51	36.98	36.85	36.84	37.12
52	36.70	36.54	36.53	36.78	

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 122 of 137	

	53	36.59	36.45	36.44	36.70
	54	37.04	36.90	36.90	37.14
	55	36.99	36.88	36.85	37.13
	56	36.87	36.75	36.74	37.01
	57	36.93	36.83	36.80	37.07
	58	37.20	37.04	37.03	37.29
	59	36.92	36.80	36.77	37.03
	60	36.71	36.58	36.58	36.83
	61	36.64	36.51	36.49	36.76
	62	36.95	36.84	36.84	37.10
	63	36.85	36.73	36.71	36.98
Total MIMO Power (mW)		314953.40	307073.99	305866.03	323915.82
Total MIMO Power (dBm)		54.98	54.87	54.86	55.10
Antenna Gain (dBi)		26.50	26.50	26.50	26.50
EIRP (dBm)		81.48	81.37	81.36	81.60
Channel	Port	Output Power (dBm)			
		QPSK	16QAM	64QAM	256QAM
Middle	0	37.12	37.09	37.06	37.24
	1	37.09	37.05	37.02	37.20
	2	37.11	37.11	37.04	37.27
	3	37.13	37.12	37.09	37.27
	4	37.13	37.18	37.12	37.29
	5	37.01	37.00	36.94	37.13
	6	36.98	36.96	36.92	37.11
	7	37.22	37.18	37.13	37.33
	8	37.32	37.31	37.27	37.44
	9	37.10	37.07	37.03	37.22
	10	37.16	37.14	37.11	37.28
	11	37.14	37.09	37.07	37.23
	12	36.75	36.73	36.72	36.85
	13	37.10	37.04	37.03	37.19
	14	37.10	37.01	37.08	37.17
	15	37.11	37.04	37.10	37.19
	16	37.16	37.10	37.14	37.26
	17	36.97	36.90	36.95	37.04
	18	36.98	36.94	36.99	37.08
	19	37.44	37.41	37.30	37.51
	20	37.17	37.13	37.09	37.27
	21	37.31	37.25	37.29	37.41
	22	37.07	37.02	37.06	37.16
	23	37.17	37.16	37.19	37.27
	24	37.06	37.06	37.03	37.22
	25	37.25	37.25	37.19	37.40
	26	36.90	36.90	36.83	37.02
	27	37.24	37.26	37.20	37.37
	28	37.19	37.22	37.16	37.35
	29	37.02	36.98	36.97	37.13
	30	36.96	36.92	36.89	37.06
	31	37.13	37.10	37.04	37.24
	32	36.84	36.84	36.81	36.98
	33	36.80	36.80	36.75	36.94
	34	36.86	36.87	36.84	37.00
	35	36.84	36.84	36.77	36.99
	36	36.83	36.85	36.77	37.04
37	36.68	36.68	36.58	36.83	



FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 123 of 137	

	38	37.16	37.16	37.09	37.31
	39	36.95	36.94	36.88	37.09
	40	36.95	36.97	36.88	37.11
	41	36.82	36.81	36.73	36.95
	42	36.92	36.90	36.85	37.06
	43	37.06	37.03	36.95	37.19
	44	37.04	37.04	36.97	37.20
	45	36.76	36.75	36.63	36.89
	46	36.99	36.87	36.90	37.13
	47	36.85	36.79	36.77	37.00
	48	36.75	36.68	36.67	36.91
	49	36.83	36.71	36.68	36.92
	50	36.75	36.68	36.67	36.89
	51	36.95	36.87	36.86	37.09
	52	36.74	36.67	36.66	36.89
	53	36.76	36.71	36.69	36.91
	54	36.85	36.81	36.76	37.00
	55	36.90	36.85	36.83	37.07
	56	37.01	36.95	36.97	37.16
	57	37.05	36.99	36.97	37.20
	58	37.04	36.97	36.97	37.18
	59	36.94	36.88	36.89	37.09
	60	36.87	36.84	36.83	37.04
	61	36.74	36.69	36.69	36.93
	62	36.86	36.79	36.78	37.00
	63	36.81	36.75	36.75	36.97
Total MIMO Power (mW)		320756.61	318376.97	316313.46	330532.75
Total MIMO Power (dBm)		55.06	55.03	55.00	55.19
Antenna Gain (dBi)		26.50	26.50	26.50	26.50
EIRP (dBm)		81.56	81.53	81.50	81.69
Channel	Port	Output Power (dBm)			
		QPSK	16QAM	64QAM	256QAM
High	0	36.65	36.80	36.70	36.82
	1	36.79	36.95	36.87	36.98
	2	36.68	36.84	36.75	36.88
	3	36.78	36.94	36.86	36.97
	4	36.69	36.90	36.82	36.90
	5	36.79	36.96	36.88	36.97
	6	36.52	36.69	36.62	36.74
	7	36.72	36.90	36.79	36.92
	8	36.90	37.07	36.96	37.09
	9	36.44	36.60	36.53	36.63
	10	36.64	36.81	36.73	36.84
	11	36.58	36.76	36.64	36.79
	12	36.36	36.55	36.45	36.56
	13	36.75	36.92	36.81	36.93
	14	36.44	36.67	36.53	36.64
	15	36.61	36.78	36.68	36.79
	16	36.69	36.90	36.81	36.89
	17	36.64	36.83	36.73	36.83
	18	36.55	36.72	36.62	36.72
	19	37.10	37.30	37.21	37.30
	20	36.71	36.92	36.83	36.92
	21	37.07	37.26	37.14	37.25
22	36.60	36.78	36.67	36.77	



FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 124 of 137	

23	36.67	36.86	36.74	36.85	
24	36.57	36.78	36.68	36.78	
25	36.89	37.07	36.96	37.07	
26	36.46	36.61	36.52	36.63	
27	36.84	37.02	36.93	37.04	
28	36.67	36.86	36.78	36.87	
29	36.61	36.77	36.68	36.77	
30	36.54	36.69	36.57	36.71	
31	36.49	36.68	36.56	36.67	
32	36.37	36.56	36.46	36.54	
33	36.61	36.81	36.69	36.78	
34	36.45	36.62	36.56	36.63	
35	36.45	36.62	36.54	36.62	
36	36.61	36.81	36.74	36.81	
37	36.47	36.65	36.57	36.66	
38	36.84	37.04	36.91	37.06	
39	36.44	36.62	36.50	36.62	
40	36.93	37.09	36.97	37.08	
41	36.38	36.56	36.49	36.55	
42	36.57	36.77	36.68	36.74	
43	36.64	36.82	36.70	36.81	
44	36.71	36.89	36.77	36.88	
45	36.40	36.57	36.46	36.55	
46	36.40	36.60	36.47	36.57	
47	36.37	36.60	36.49	36.56	
48	36.49	36.70	36.60	36.69	
49	36.51	36.71	36.62	36.70	
50	36.25	36.46	36.35	36.46	
51	36.48	36.67	36.57	36.67	
52	36.76	36.95	36.85	36.94	
53	36.52	36.70	36.60	36.69	
54	36.37	36.56	36.46	36.57	
55	36.56	36.75	36.65	36.76	
56	36.48	36.66	36.58	36.66	
57	36.77	36.94	36.83	36.94	
58	36.28	36.51	36.36	36.52	
59	36.54	36.72	36.63	36.72	
60	36.85	37.03	36.95	37.04	
61	36.49	36.70	36.58	36.67	
62	36.71	36.89	36.80	36.91	
63	36.25	36.43	36.35	36.43	
Total MIMO Power (mW)		292788.61	305488.19	298567.59	305663.84
Total MIMO Power (dBm)		54.67	54.85	54.75	54.85
Antenna Gain (dBi)		26.50	26.50	26.50	26.50
EIRP (dBm)		81.17	81.35	81.25	81.35



Table 10-2. Output Power Table (n77_1C_60M)

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 125 of 137	



Channel	Port	Output Power (dBm)			
		QPSK	16QAM	64QAM	256QAM
Low	0	37.12	37.23	36.93	37.08
	1	37.14	37.24	36.94	37.05
	2	37.25	37.31	37.00	37.14
	3	37.36	37.40	37.12	37.26
	4	37.24	37.31	37.02	37.16
	5	36.92	37.03	36.76	36.89
	6	37.07	37.19	36.91	37.05
	7	37.44	37.59	37.26	37.41
	8	37.26	37.35	37.06	37.20
	9	37.09	37.15	36.90	37.02
	10	37.27	37.32	37.05	37.22
	11	37.29	37.37	37.09	37.24
	12	36.85	36.92	36.68	36.80
	13	36.99	37.03	36.76	36.91
	14	37.25	37.33	37.04	37.17
	15	37.28	37.37	37.09	37.25
	16	37.38	37.45	37.16	37.31
	17	37.12	37.18	36.93	37.04
	18	37.08	37.14	36.86	37.04
	19	37.48	37.55	37.28	37.46
	20	37.18	37.28	36.96	37.14
	21	37.37	37.47	37.09	37.33
	22	37.13	37.20	36.84	37.09
	23	37.26	37.32	36.99	37.20
	24	37.17	37.27	36.90	37.11
	25	37.11	37.14	36.85	37.06
	26	37.11	37.15	36.82	37.04
	27	37.33	37.38	37.05	37.31
	28	37.22	37.25	36.95	37.14
	29	36.92	36.99	36.67	36.90
	30	37.11	37.17	36.87	37.06
	31	37.29	37.33	37.01	37.24
	32	36.82	36.89	36.57	36.78
	33	36.89	36.93	36.60	36.80
	34	37.15	37.19	36.85	37.08
	35	37.00	37.06	36.72	36.95
	36	37.09	37.18	36.84	37.02
	37	36.95	37.03	36.68	36.88
	38	37.30	37.35	37.01	37.24
	39	37.11	37.17	36.84	37.05
	40	36.93	36.98	36.64	36.85
	41	36.83	36.87	36.52	36.76
	42	37.36	37.39	37.03	37.30
	43	37.28	37.34	36.99	37.20
	44	37.17	37.24	36.91	37.13
	45	36.74	36.80	36.46	36.71
	46	37.43	37.48	37.13	37.35
	47	37.11	37.16	36.82	37.01
	48	36.89	36.90	36.58	36.78
	49	36.89	36.95	36.63	36.83
	50	37.04	37.06	36.71	36.95
	51	37.15	37.20	36.89	37.10
52	36.86	36.93	36.61	36.80	

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 126 of 137	

	53	36.78	36.83	36.53	36.71
	54	37.17	37.25	36.89	37.08
	55	37.15	37.20	36.89	37.09
	56	37.11	37.13	36.80	36.99
	57	37.13	37.19	36.87	37.06
	58	37.34	37.35	37.05	37.26
	59	37.09	37.12	36.81	37.02
	60	36.92	36.97	36.66	36.82
	61	36.82	36.88	36.56	36.74
	62	37.15	37.19	36.88	37.08
	63	37.03	37.07	36.78	36.98
Total MIMO Power (mW)		330114.45	334832.45	311481.47	325361.29
Total MIMO Power (dBm)		55.19	55.25	54.93	55.12
Antenna Gain (dBi)		26.50	26.50	26.50	26.50
EIRP (dBm)		81.69	81.75	81.43	81.62
Channel	Port	Output Power (dBm)			
		QPSK	16QAM	64QAM	256QAM
Middle	0	37.36	37.47	37.19	37.38
	1	37.35	37.42	37.18	37.41
	2	37.32	37.45	37.17	37.38
	3	37.39	37.43	37.16	37.41
	4	37.42	37.54	37.24	37.45
	5	37.24	37.36	37.06	37.33
	6	37.19	37.32	37.04	37.26
	7	37.43	37.51	37.23	37.47
	8	37.55	37.64	37.38	37.59
	9	37.34	37.43	37.13	37.37
	10	37.40	37.48	37.20	37.41
	11	37.33	37.42	37.13	37.36
	12	36.95	37.07	36.78	37.01
	13	37.29	37.42	37.14	37.35
	14	37.28	37.39	37.12	37.34
	15	37.28	37.41	37.09	37.33
	16	37.39	37.47	37.18	37.41
	17	37.19	37.31	37.01	37.21
	18	37.17	37.31	37.00	37.22
	19	37.64	37.74	37.43	37.66
	20	37.39	37.52	37.21	37.43
	21	37.48	37.64	37.28	37.57
	22	37.26	37.42	37.07	37.31
	23	37.37	37.51	37.19	37.41
	24	37.34	37.46	37.15	37.36
	25	37.49	37.60	37.31	37.53
	26	37.16	37.30	36.98	37.20
	27	37.50	37.61	37.31	37.53
	28	37.46	37.58	37.27	37.50
	29	37.27	37.40	37.07	37.31
	30	37.23	37.33	37.02	37.26
	31	37.37	37.49	37.17	37.38
	32	37.12	37.24	36.93	37.16
	33	37.09	37.16	36.89	37.16
	34	37.13	37.20	36.93	37.15
	35	37.09	37.18	36.89	37.12
	36	37.14	37.23	36.94	37.18
37	36.97	37.04	36.77	37.00	


FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 127 of 137	

	38	37.42	37.49	37.23	37.45
	39	37.20	37.28	36.99	37.24
	40	37.26	37.33	37.06	37.30
	41	37.09	37.15	36.88	37.13
	42	37.20	37.27	36.99	37.22
	43	37.32	37.40	37.11	37.34
	44	37.33	37.38	37.10	37.33
	45	37.00	37.08	36.80	37.04
	46	37.27	37.34	37.06	37.29
	47	37.11	37.17	36.90	37.13
	48	37.05	37.12	36.87	37.08
	49	37.03	37.19	36.82	37.05
	50	37.04	37.19	36.83	37.07
	51	37.21	37.38	37.01	37.24
	52	37.04	37.10	36.85	37.09
	53	37.05	37.11	36.84	37.09
	54	37.13	37.22	36.96	37.19
	55	37.19	37.25	36.99	37.21
	56	37.31	37.38	37.11	37.33
	57	37.33	37.43	37.13	37.36
	58	37.31	37.41	37.10	37.34
	59	37.23	37.33	37.02	37.24
	60	37.21	37.29	37.00	37.21
	61	37.03	37.16	36.84	37.09
	62	37.15	37.26	36.96	37.21
	63	37.09	37.21	36.91	37.12
Total MIMO Power (mW)		339934.95	347929.25	325141.96	342793.28
Total MIMO Power (dBm)		55.31	55.41	55.12	55.35
Antenna Gain (dBi)		26.50	26.50	26.50	26.50
EIRP (dBm)		81.81	81.91	81.62	81.85
Channel	Port	Output Power (dBm)			
		QPSK	16QAM	64QAM	256QAM
High	0	37.00	37.22	36.75	36.98
	1	37.16	37.42	36.93	37.16
	2	37.00	37.18	36.75	36.95
	3	37.10	37.31	36.89	37.09
	4	37.10	37.31	36.85	37.05
	5	37.09	37.35	36.88	37.08
	6	36.86	37.04	36.61	36.85
	7	37.01	37.23	36.79	37.00
	8	37.26	37.41	37.01	37.20
	9	36.80	37.00	36.57	36.78
	10	36.97	37.18	36.76	36.94
	11	36.90	37.04	36.63	36.85
	12	36.71	36.90	36.46	36.65
	13	37.07	37.29	36.86	37.07
	14	36.82	37.02	36.61	36.80
	15	36.91	37.09	36.67	36.88
	16	37.07	37.24	36.83	37.03
	17	37.01	37.18	36.75	36.98
	18	36.84	37.01	36.58	36.82
	19	37.43	37.61	37.15	37.38
	20	37.05	37.27	36.80	37.03
	21	37.37	37.53	37.12	37.32
22	36.91	37.09	36.67	36.90	



FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 128 of 137	

23	36.96	37.15	36.71	36.92	
24	36.94	37.16	36.69	36.96	
25	37.18	37.39	36.95	37.16	
26	36.77	36.98	36.55	36.77	
27	37.17	37.39	36.92	37.15	
28	37.03	37.24	36.78	37.01	
29	36.91	37.11	36.71	36.93	
30	36.84	37.04	36.59	36.86	
31	36.86	37.04	36.64	36.85	
32	36.75	36.93	36.51	36.73	
33	36.95	37.17	36.71	36.95	
34	36.77	36.94	36.50	36.76	
35	36.76	36.94	36.52	36.73	
36	36.97	37.14	36.72	36.94	
37	36.78	36.96	36.52	36.75	
38	37.15	37.34	36.89	37.12	
39	36.75	36.95	36.49	36.72	
40	37.26	37.42	37.00	37.21	
41	36.71	36.89	36.49	36.72	
42	36.91	37.09	36.69	36.92	
43	36.96	37.14	36.70	36.93	
44	36.99	37.19	36.74	36.96	
45	36.71	36.90	36.46	36.69	
46	36.75	36.95	36.50	36.73	
47	36.72	36.91	36.47	36.70	
48	36.86	37.03	36.61	36.83	
49	36.82	37.02	36.58	36.80	
50	36.63	36.80	36.38	36.61	
51	36.82	36.97	36.55	36.78	
52	37.08	37.25	36.87	37.05	
53	36.82	36.98	36.55	36.75	
54	36.72	36.89	36.46	36.72	
55	36.87	37.05	36.64	36.84	
56	36.84	37.00	36.59	36.80	
57	37.11	37.27	36.88	37.07	
58	36.61	36.80	36.39	36.60	
59	36.88	37.05	36.62	36.86	
60	37.14	37.33	36.88	37.14	
61	36.80	36.98	36.56	36.78	
62	37.00	37.23	36.75	37.01	
63	36.61	36.81	36.36	36.61	
Total MIMO Power (mW)		315988.58	330110.50	298786.13	314399.78
Total MIMO Power (dBm)		55.00	55.19	54.75	54.97
Antenna Gain (dBi)		26.50	26.50	26.50	26.50
EIRP (dBm)		81.50	81.69	81.25	81.47



Table 10-3. Output Power Table (n77_1C_80M)

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 129 of 137	


Channel	Port	Output Power (dBm)			
		QPSK	16QAM	64QAM	256QAM
Low	0	37.06	37.15	37.01	37.16
	1	37.16	37.19	37.01	37.17
	2	37.17	37.22	37.06	37.19
	3	37.30	37.31	37.13	37.30
	4	37.20	37.24	37.12	37.24
	5	37.02	36.99	36.83	36.98
	6	37.17	37.15	36.94	37.13
	7	37.42	37.45	37.25	37.45
	8	37.30	37.26	37.10	37.29
	9	37.16	37.17	36.98	37.14
	10	37.28	37.25	37.08	37.26
	11	37.23	37.29	37.10	37.25
	12	36.88	36.87	36.70	36.86
	13	37.04	37.06	36.84	37.01
	14	37.30	37.27	37.08	37.26
	15	37.28	37.32	37.12	37.31
	16	37.37	37.36	37.18	37.35
	17	37.15	37.12	36.93	37.12
	18	37.11	37.08	36.92	37.06
	19	37.53	37.50	37.35	37.48
	20	37.22	37.21	37.06	37.19
	21	37.41	37.38	37.23	37.38
	22	37.15	37.13	37.01	37.13
	23	37.28	37.22	37.11	37.25
	24	37.19	37.17	37.02	37.20
	25	37.15	37.13	36.95	37.12
	26	37.12	37.08	36.96	37.10
	27	37.32	37.30	37.19	37.32
	28	37.23	37.20	37.04	37.20
	29	37.00	37.01	36.80	36.99
	30	37.17	37.13	36.97	37.15
	31	37.26	37.24	37.10	37.27
	32	36.80	36.85	36.69	36.87
	33	36.84	36.88	36.73	36.86
	34	37.09	37.12	36.95	37.10
	35	36.93	36.98	36.79	36.95
	36	37.05	37.09	36.94	37.13
	37	36.92	36.96	36.81	36.95
	38	37.24	37.30	37.12	37.27
	39	37.06	37.11	36.90	37.06
	40	36.95	36.96	36.81	36.95
	41	36.83	36.87	36.71	36.87
	42	37.30	37.35	37.17	37.31
	43	37.22	37.27	37.10	37.24
	44	37.19	37.19	37.06	37.19
	45	36.73	36.77	36.63	36.79
	46	37.37	37.39	37.25	37.40
	47	37.03	37.07	36.90	37.05
	48	36.86	36.90	36.75	36.91
	49	36.79	36.84	36.67	36.82
	50	36.99	37.00	36.87	37.03
	51	37.10	37.12	36.99	37.13
52	36.87	36.89	36.76	36.89	

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 130 of 137	

	53	36.79	36.80	36.66	36.82
	54	37.17	37.18	37.05	37.20
	55	37.08	37.09	36.97	37.11
	56	37.06	37.07	36.93	37.08
	57	37.09	37.13	36.98	37.13
	58	37.30	37.33	37.19	37.34
	59	37.02	37.03	36.94	37.05
	60	36.87	36.90	36.77	36.89
	61	36.77	36.82	36.68	36.80
	62	37.12	37.13	37.01	37.12
	63	36.98	36.98	36.88	36.99
Total MIMO Power (mW)		329269.00	330163.21	318499.57	329912.42
Total MIMO Power (dBm)		55.18	55.19	55.03	55.18
Antenna Gain (dBi)		26.50	26.50	26.50	26.50
EIRP (dBm)		81.68	81.69	81.53	81.68
Channel	Port	Output Power (dBm)			
		QPSK	16QAM	64QAM	256QAM
Middle	0	37.20	37.30	37.22	37.15
	1	37.18	37.30	37.17	37.13
	2	37.14	37.28	37.17	37.11
	3	37.23	37.32	37.23	37.16
	4	37.28	37.37	37.26	37.22
	5	37.09	37.17	37.07	37.04
	6	37.05	37.12	37.04	37.01
	7	37.31	37.38	37.29	37.25
	8	37.37	37.45	37.35	37.36
	9	37.14	37.24	37.13	37.08
	10	37.20	37.32	37.19	37.20
	11	37.21	37.27	37.20	37.16
	12	36.75	36.88	36.78	36.75
	13	37.14	37.24	37.11	37.08
	14	37.10	37.22	37.10	37.08
	15	37.13	37.23	37.16	37.11
	16	37.18	37.29	37.19	37.14
	17	37.02	37.08	36.98	36.97
	18	37.01	37.11	37.03	36.98
	19	37.43	37.55	37.50	37.43
	20	37.20	37.28	37.19	37.14
	21	37.29	37.41	37.30	37.26
	22	37.11	37.19	37.11	37.08
	23	37.13	37.28	37.21	37.15
	24	37.11	37.24	37.15	37.10
	25	37.25	37.33	37.27	37.24
	26	36.95	37.09	36.99	36.93
	27	37.25	37.37	37.32	37.28
	28	37.19	37.31	37.28	37.20
	29	37.05	37.15	37.06	37.01
	30	36.99	37.11	37.08	36.98
	31	37.15	37.23	37.20	37.13
	32	36.93	36.99	36.95	36.88
	33	36.90	36.96	36.91	36.88
	34	36.93	36.99	36.95	36.90
	35	36.90	36.98	36.95	36.87
	36	36.97	37.04	37.01	36.94
37	36.76	36.84	36.79	36.74	

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 131 of 137	

	38	37.18	37.27	37.25	37.18
	39	37.00	37.08	37.04	36.96
	40	37.08	37.13	37.11	37.03
	41	36.89	36.94	36.90	36.86
	42	37.02	37.09	37.06	37.02
	43	37.14	37.22	37.18	37.11
	44	37.08	37.18	37.13	37.06
	45	36.81	36.86	36.82	36.75
	46	37.05	37.15	37.10	37.03
	47	36.92	37.01	36.96	36.90
	48	36.89	36.95	36.82	36.84
	49	36.79	36.86	36.79	36.76
	50	36.85	36.92	36.88	36.82
	51	36.99	37.07	37.04	36.98
	52	36.93	36.97	36.93	36.86
	53	36.86	36.92	36.85	36.81
	54	37.00	37.03	37.00	36.94
	55	36.96	37.05	37.01	36.97
	56	37.07	37.14	37.14	37.06
	57	37.10	37.15	37.10	37.05
	58	37.11	37.17	37.14	37.07
	59	36.96	37.08	37.02	36.99
	60	36.99	37.15	37.04	36.98
	61	36.82	36.95	36.87	36.83
	62	36.99	37.11	37.01	36.96
	63	36.87	37.02	36.91	36.87
Total MIMO Power (mW)		325101.05	331989.41	326770.11	323051.58
Total MIMO Power (dBm)		55.12	55.21	55.14	55.09
Antenna Gain (dBi)		26.50	26.50	26.50	26.50
EIRP (dBm)		81.62	81.71	81.64	81.59
Channel	Port	Output Power (dBm)			
		QPSK	16QAM	64QAM	256QAM
High	0	37.03	37.11	37.06	37.01
	1	37.15	37.28	37.19	37.22
	2	36.94	37.04	37.00	36.97
	3	37.25	37.17	37.10	37.13
	4	37.10	37.17	37.12	37.08
	5	37.10	37.20	37.11	37.08
	6	36.89	36.93	36.89	36.84
	7	37.16	37.10	37.05	37.02
	8	37.29	37.27	37.22	37.22
	9	36.88	36.93	36.83	36.80
	10	37.04	37.05	37.00	36.99
	11	37.06	36.90	36.86	36.87
	12	36.73	36.77	36.71	36.73
	13	37.10	37.15	37.09	37.06
	14	36.91	36.96	36.87	36.84
	15	37.06	36.99	36.90	36.90
	16	37.10	36.92	36.81	37.02
	17	37.16	36.86	36.79	37.01
	18	36.88	36.75	36.67	36.82
	19	37.47	37.28	37.22	37.37
	20	37.14	36.91	36.83	37.02
	21	37.44	37.22	37.14	37.36
22	36.96	36.80	36.74	36.87	



FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 132 of 137	

23	37.04	36.82	36.75	36.91	
24	37.03	37.08	36.90	36.98	
25	37.29	37.28	37.11	37.18	
26	36.86	36.89	36.67	36.79	
27	37.24	37.25	37.09	37.14	
28	37.09	37.11	36.93	37.01	
29	37.01	37.00	36.85	36.92	
30	36.91	36.97	36.75	36.84	
31	36.94	36.95	36.78	36.88	
32	36.82	36.80	36.65	36.75	
33	37.00	37.02	36.85	36.94	
34	36.82	36.82	36.67	36.76	
35	36.84	36.85	36.69	36.78	
36	37.01	37.05	36.86	36.96	
37	36.59	36.83	36.66	36.74	
38	37.19	37.22	37.06	37.16	
39	36.85	36.85	36.69	36.78	
40	37.29	37.29	37.14	37.22	
41	36.76	36.79	36.63	36.74	
42	36.96	37.00	36.86	36.93	
43	37.03	37.05	36.87	36.97	
44	37.03	37.07	36.90	36.99	
45	36.77	36.79	36.62	36.77	
46	36.84	36.85	36.70	36.83	
47	36.77	36.80	36.62	36.80	
48	36.92	36.94	36.82	36.92	
49	36.82	36.85	36.68	36.82	
50	36.69	36.69	36.53	36.67	
51	36.86	36.89	36.72	36.84	
52	37.14	37.17	37.00	37.13	
53	36.90	36.89	36.72	36.83	
54	36.79	36.81	36.66	36.75	
55	36.95	36.95	36.80	36.87	
56	36.94	36.93	36.76	36.84	
57	37.17	37.15	37.00	37.08	
58	36.71	36.71	36.51	36.61	
59	36.93	36.95	36.75	36.85	
60	37.23	37.24	37.04	37.15	
61	36.88	36.88	36.69	36.80	
62	37.09	37.10	36.90	37.00	
63	36.69	36.72	36.54	36.64	
Total MIMO Power (mW)		320501.61	319910.40	310391.66	316182.74
Total MIMO Power (dBm)		55.06	55.05	54.92	55.00
Antenna Gain (dBi)		26.50	26.50	26.50	26.50
EIRP (dBm)		81.56	81.55	81.42	81.50

Table 10-4. Output Power Table (n77_1C_100M)

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)		Page 133 of 137

Channel	Port	Output Power (dBm)	
		QPSK	QAM
Mid	0	37.11	36.88
	1	37.11	37.07
	2	37.16	37.12
	3	37.27	37.25
	4	37.18	37.13
	5	36.92	36.90
	6	37.06	37.04
	7	37.33	37.33
	8	37.21	37.18
	9	37.06	37.04
	10	37.18	37.18
	11	37.15	37.18
	12	36.74	36.73
	13	36.93	36.95
	14	37.08	37.11
	15	37.11	37.18
	16	37.16	37.22
	17	36.96	37.03
	18	36.92	36.98
	19	37.36	37.41
	20	37.06	37.10
	21	37.25	37.30
	22	37.01	37.00
	23	37.17	37.12
	24	37.10	37.04
	25	37.11	37.04
	26	37.05	36.96
	27	37.35	37.25
	28	37.22	37.12
	29	36.96	34.47
	30	37.08	36.97
	31	37.25	37.13
	32	36.85	36.73
	33	36.86	36.75
	34	37.05	36.94
	35	36.94	36.83
	36	37.06	36.96
	37	36.91	36.82
	38	37.19	37.14
	39	36.99	36.93
	40	36.94	36.84
	41	36.82	36.75
	42	37.23	37.14
	43	37.18	37.11
	44	37.16	37.05
	45	36.76	36.65
	46	37.33	37.18
	47	37.00	36.87
	48	36.87	36.71
	49	36.88	36.74
	50	37.00	36.82
	51	37.16	36.94
52	36.92	36.71	



FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 134 of 137	

53	36.92	36.71
54	36.85	36.62
55	37.14	36.93
56	37.12	36.92
57	37.13	36.91
58	37.19	36.90
59	37.29	37.08
60	37.06	36.85
61	36.93	36.71
62	36.76	36.60
63	36.98	36.83
Total MIMO Power (mW)	325667.23	317292.68
Total MIMO Power (dBm)	55.13	55.01
Antenna Gain (dBi)	26.50	26.50
EIRP (dBm/MHz)	81.63	81.51

Table 10-5. Output Power Table (n77_2C_100M+40M)



FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 135 of 137	

Channel	Port	Output Power (dBm)	
		QPSK	QAM
Mid	0	37.27	37.14
	1	37.27	37.18
	2	37.24	37.18
	3	37.34	37.22
	4	37.33	37.24
	5	37.11	37.04
	6	37.14	37.04
	7	37.42	37.30
	8	37.40	37.29
	9	37.17	37.06
	10	37.28	37.17
	11	37.29	37.17
	12	36.90	36.77
	13	37.13	37.03
	14	37.23	37.14
	15	37.27	37.17
	16	37.32	37.19
	17	37.13	36.99
	18	37.11	36.96
	19	37.56	37.46
	20	37.26	37.12
	21	37.43	37.29
	22	37.18	37.07
	23	37.30	37.20
	24	37.24	37.11
	25	37.27	37.16
	26	37.10	36.94
	27	37.39	37.27
	28	37.31	37.15
	29	37.03	36.91
	30	37.13	36.98
	31	37.28	37.17
	32	36.95	36.81
	33	36.97	36.81
	34	37.09	36.93
	35	37.01	36.88
	36	37.12	36.97
	37	36.93	36.80
	38	37.33	37.18
	39	37.09	36.97
	40	37.08	36.97
	41	36.93	36.81
	42	37.24	37.10
	43	37.26	37.15
	44	37.20	37.08
	45	36.85	36.73
	46	37.32	37.16
	47	37.04	36.96
	48	36.93	36.82
	49	36.93	36.82
	50	36.99	36.87
	51	37.15	37.07
52	36.95	36.87	

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)	Page 136 of 137	

	53	36.89	36.84
	54	37.10	37.02
	55	37.14	37.09
	56	37.19	37.07
	57	37.17	37.09
	58	37.23	37.16
	59	37.13	37.07
	60	37.04	36.98
	61	36.84	36.78
	62	37.11	37.04
	63	37.03	36.97
Total MIMO Power (mW)		332797.72	324423.21
Total MIMO Power (dBm)		55.22	55.11
Antenna Gain (dBi)		26.50	26.50
EIRP (dBm/MHz)		81.72	81.61

Table 10-6. Output Power Table (n77_2C_100M+100M)

FCC ID: A3LMT6413-77A		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 8K23032101-00-R1.A3L	Test Dates: 04/04/2023 - 05/15/2023	EUT Type: MMU(MT6413)		Page 137 of 137