





TEST REPORT

Eurofins KCTL Co.,Ltd. 65, Sinwon-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Korea TEL: 82-31-285-0894 FAX: 82-505-299-8311 www.kctl.co.kr	Report No.: KR22-SRF0173 Page (1) of (253)	 
1. Client		
<ul style="list-style-type: none"> ◦ Name : Samsung Electronics Co., Ltd. ◦ Address : 129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Rep. of Korea ◦ Date of Receipt : 2022-09-05 		
2. Use of Report : Certification		
3. Name of Product / Model : Notebook PC / NP345XNA		
4. Manufacturer / Country of Origin : Samsung Electronics Co., Ltd. / Vietnam		
5. FCC ID : A3LNP345XNA		
6. Date of Test : 2022-09-15 to 2022-10-26		
7. Location of Test : <input checked="" type="checkbox"/> Permanent Testing Lab <input type="checkbox"/> On Site Testing (Address:65, Sinwon-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Korea)		
8. Test method used : FCC Part 2 FCC Part 22 Subpart H FCC Part 24 Subpart E FCC Part 27 Subpart C		
9. Test Result : Refer to the test result in the test report		
Affirmation	Tested by Name : Kwonse Kim (Signature)	Technical Manager Name : Seungyong Kim (Signature)
	2022-10-28	
Eurofins KCTL Co.,Ltd.		
As a test result of the sample which was submitted from the client, this report does not guarantee the whole product quality. This test report should not be used and copied without a written agreement by Eurofins KCTL Co.,Ltd.		

REPORT REVISION HISTORY

Date	Revision	Page No
2022-10-28	Originally issued	-

This report shall not be reproduced except in full, without the written approval of Eurofins KCTL Co.,Ltd. This document may be altered or revised by Eurofins KCTL Co.,Ltd. personnel only, and shall be noted in the revision section of the document. Any alteration of this document not carried out by Eurofins KCTL Co.,Ltd. will constitute fraud and shall nullify the document. This test report is a general report that does not use the KOLAS accreditation mark and is not related to KS Q ISO/IEC 17025 and KOLAS accreditation.

General remarks for test reports

Statement concerning the uncertainty of the measurement systems used for the tests

(may be required by the product standard or client)

Internal procedure used for type testing through which traceability of the measuring uncertainty has been established:

Procedure number, issue date and title:

Calculations leading to the reported values are on file with the testing laboratory that conducted the testing.

Statement not required by the standard or client used for type testing

CONTENTS

1.	General information	4
2.	Device information	4
2.1.	Frequency/channel operations.....	5
3.	Maximum ERP/EIRP power.....	8
4.	Summary of tests.....	11
4.1.	Worst case orientation	12
5.	Measurement uncertainty	13
6.	Measurement results explanation example	14
7.	Test results	15
7.1.	Conducted output power.....	15
7.2.	99% Occupied Bandwidth & 26 dB Bandwidth.....	42
7.3.	Spurious Emissions at Antenna Terminal.....	113
7.4.	Band Edge Emissions at Antenna Terminal	145
7.5.	Peak to Average Power Ratio (PAPR)	194
7.6.	Frequency stability.....	220
7.7.	Radiated Power (ERP/EIRP)	229
7.8.	Radiated Spurious Emissions.....	241
8.	Measurement equipment	253

1. General information

Client : Samsung Electronics Co., Ltd.
Address : 129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Rep. of Korea
Manufacturer : Samsung Electronics Co., Ltd.
Address : 129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Rep. of Korea
Factory : SAMSUNG ELECTRONICS VIETNAM CO.,LTD.(SEV)
Address : Khu Cong nghiep Ten Phong 1, Yen Trung, Yen Phong, Bac Ninh, Vietnam
Laboratory : Eurofins KCTL Co.,Ltd.
Address : 65, Sinwon-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Korea
Accreditations : FCC Site Designation No: KR0040, FCC Site Registration No: 687132
VCCI Registration No. : R-20080, G-20078, C-20059, T-20056
CAB Identifier: KR0040
ISED Number: 8035A
KOLAS No.: KT231

2. Device information

Equipment under test : Notebook PC
Model : NP345XNA
Modulation technique : QPSK, 16QAM, 64QAM, 256QAM
Power source : DC 7.72 V
Antenna specification : Main Antenna 1 : FPCB Antenna (LTE B5/12/13/17/26)
Main Antenna 2 : FPCB Antenna (LTE B2/4/41/66)
Sub Antenna 1 : FPCB Antenna (Usage for EN-DC)
Anchor band for EN-DC : Main Antenna 1 : LTE B5/12/13
Sub Antenna 1 : LTE B2/66
Frequency range : LTE Band 2 : 1 850.7 MHz ~ 1 909.3 MHz
LTE Band 4 : 1 710.7 MHz ~ 1 754.3 MHz
LTE Band 5 : 824.7 MHz ~ 848.3 MHz
LTE Band 12 : 699.7 MHz ~ 715.3 MHz
LTE Band 13 : 779.5 MHz ~ 784.5 MHz
LTE Band 17 : 706.5 MHz ~ 713.5 MHz
LTE Band 26 : 814.7 MHz ~ 848.3 MHz
LTE Band 41 : 2 498.5 MHz ~ 2 687.5 MHz
LTE Band 66 : 1 710.7 MHz ~ 1 779.3 MHz
Bandwidth : LTE Band 2 : 1.4 MHz, 3 MHz, 5 MHz, 10 MHz, 15 MHz, 20 MHz
LTE Band 4 : 1.4 MHz, 3 MHz, 5 MHz, 10 MHz, 15 MHz, 20 MHz
LTE Band 5 : 1.4 MHz, 3 MHz, 5 MHz, 10 MHz
LTE Band 12 : 1.4 MHz, 3 MHz, 5 MHz, 10 MHz
LTE Band 13 : 1.4 MHz, 3 MHz
LTE Band 17 : 5 MHz, 10 MHz
LTE Band 26 : 1.4 MHz, 3 MHz, 5 MHz, 10 MHz, 15 MHz
LTE Band 41 : 5 MHz, 10 MHz, 15 MHz, 20 MHz
LTE Band 66 : 1.4 MHz, 3 MHz, 5 MHz, 10 MHz, 15 MHz, 20 MHz
Software version : NP345XNA.001
Hardware version : REV0.3
Test device serial No. : Conducted : KCUQ930T900657Y
Radiated : KCUQ930T900769Z
Operation temperature : -20 °C ~ 60 °C

2.1. Frequency/channel operations

This device contains the following capabilities:

WLAN (11a/b/g/n/ac/ax), Bluetooth (BDR/EDR/BLE), NR N5/66, LTE B2/4/5/12/13/17/26/41/66, WCDMA 850/1700/1900

LTE Band 2

Ch.	Frequency (MHz)
18607	1 850.7
18900	1 880.0
19193	1 909.3

Table 2.1-1. 1.4M BW

Ch.	Frequency (MHz)
18615	1 851.5
18900	1 880.0
19185	1 908.5

Table 2.1-2. 3M BW

Ch.	Frequency (MHz)
18625	1 852.5
18900	1 880.0
19175	1 907.5

Table 2.1-3. 5M BW

Ch.	Frequency (MHz)
18650	1 855.0
18900	1 880.0
19150	1 905.0

Table 2.1-4. 10M BW

Ch.	Frequency (MHz)
18675	1 857.5
18900	1 880.0
19125	1 902.5

Table 2.1-5. 15M BW

Ch.	Frequency (MHz)
18700	1 860.0
18900	1 880.0
19100	1 900.0

Table 2.1-6. 20M BW

LTE Band 4

Ch.	Frequency (MHz)
19957	1 710.7
20175	1 732.5
20393	1 754.3

Table 2.1-7. 1.4M BW

Ch.	Frequency (MHz)
19965	1 711.5
20175	1 732.5
20385	1 753.5

Table 2.1-8. 3M BW

Ch.	Frequency (MHz)
19975	1 712.5
20175	1 732.5
20375	1 752.5

Table 2.1-9. 5M BW

Ch.	Frequency (MHz)
20000	1 715.0
20175	1 732.5
20350	1 750.0

Table 2.1-10. 10M BW

Ch.	Frequency (MHz)
20025	1 717.5
20175	1 732.5
20325	1 747.5

Table 2.1-11. 15M BW

Ch.	Frequency (MHz)
20050	1 720.0
20175	1 732.5
20300	1 745.0

Table 2.1-12. 20M BW

LTE Band 5

Ch.	Frequency (MHz)
20407	824.7
20525	836.5
20643	848.3

Table 2.1-13. 1.4M BW

Ch.	Frequency (MHz)
20415	825.5
20525	836.5
20635	847.5

Table 2.1-14. 3M BW

Ch.	Frequency (MHz)
20425	826.5
20525	836.5
20625	846.5

Table 2.1-15. 5M BW

Ch.	Frequency (MHz)
20450	829.0
20525	836.5
20600	844.0

Table 2.1-16. 10M BW

LTE Band 12

Ch.	Frequency (MHz)
23017	699.7
23095	707.5
23173	715.3

Table 2.1-17. 1.4M BW

Ch.	Frequency (MHz)
23025	700.5
23095	707.5
23165	714.5

Table 2.1-18. 3M BW

Ch.	Frequency (MHz)
23035	701.5
23095	707.5
23155	713.5

Table 2.1-19. 5M BW

Ch.	Frequency (MHz)
23060	704.0
23095	707.5
23130	711.0

Table 2.1-20. 10M BW

LTE Band 13

Ch.	Frequency (MHz)
23205	779.5
23230	782.0
23255	784.5

Table 2.1-21. 1.4M BW

Ch.	Frequency (MHz)
-	-
23230	782.0
-	-

Table 2.1-22. 3M BW

Ch.	Frequency (MHz)
23755	706.5
23790	710.0
23825	713.5

Table 2.1-23. 5M BW

Ch.	Frequency (MHz)
23780	709.0
23330	793.0
23800	711.0

Table 2.1-24. 10M BW

LTE Band 17

LTE Band 26

Ch.	Frequency (MHz)
26797	824.7
26915	836.5
27033	848.3

Table 2.1-25. 1.4M BW

Ch.	Frequency (MHz)
26805	825.5
26915	836.5
27025	847.5

Table 2.1-26. 3M BW

Ch.	Frequency (MHz)
26815	826.5
26915	836.5
27015	846.5

Table 2.1-27. 5M BW

Ch.	Frequency (MHz)
26840	829.0
26915	836.5
26990	844.0

Table 2.1-28. 10M BW

Ch.	Frequency (MHz)
26865	831.5
26915	836.5
26965	841.5

Table 2.1-29. 15M BW

LTE Band 41

Ch.	Frequency (MHz)
39675	2 498.5
40620	2 593.0
41565	2 687.5

Table 2.1-30. 5M BW

Ch.	Frequency (MHz)
39700	2 501.0
40620	2 593.0
41540	2 685.0

Table 2.1-31 10M BW

Ch.	Frequency (MHz)
39725	2 503.5
40620	2 593.0
41515	2 682.5

Table 2.1-32 15M BW

Ch.	Frequency (MHz)
39750	2 506.0
40620	2 593.0
41490	2 680.0

Table 2.1-33. 20M BW

LTE Band 66

Ch.	Frequency (MHz)
131979	1 710.7
132322	1 745.0
132665	1 779.3

Table 2.1-34. 1.4M BW

Ch.	Frequency (MHz)
131987	1 711.5
132322	1 745.0
132657	1 778.5

Table 2.1-35. 3M BW

Ch.	Frequency (MHz)
131997	1 712.5
132322	1 745.0
132647	1 777.5

Table 2.1-36. 5M BW

Ch.	Frequency (MHz)
132022	1 715.0
132322	1 745.0
132647	1 775.0

Table 2.1-37. 10M BW

Ch.	Frequency (MHz)
132047	1 717.5
132322	1 745.0
132597	1 772.5

Table 2.1-38. 15M BW

Ch.	Frequency (MHz)
132072	1 720.0
132322	1 745.0
132572	1 770.0

Table 2.1-39. 20M BW

Notes:

1. LTE Band 12(698 - 716 MHz) overlaps the entire frequency range of LTE Band 17(704 - 716 MHz) and they have same maximum tune-up power. Therefore, test data provided in this report covers Band 17 as well as Band 12 subpart to Part27.
2. LTE Band 66(1 710 – 1 780 MHz) overlaps the entire frequency range of LTE Band 4(1 710 - 1 755 MHz) and they have same maximum tune-up power. Therefore, test data provided in this report covers Band 4 as well as Band 66 subpart to Part27.

3. Maximum ERP/EIRP power

Main Antenna

LTE Band 2

Mode	Tx frequency (MHz)	Emission designator	EIRP	
			Max. power (dBm)	Max. power (W)
LTE Band 2	1 850.7 ~ 1 909.3	1M10G7D	23.50	0.224
		1M09W7D	22.50	0.178
	1 851.5 ~ 1 908.5	2M71G7D	24.08	0.256
		2M70W7D	23.16	0.207
	1 852.5 ~ 1 907.5	4M53G7D	23.60	0.229
		4M52W7D	22.82	0.191
	1 855.0 ~ 1 905.0	8M99G7D	24.05	0.254
		8M99W7D	23.57	0.228
	1 857.5 ~ 1 902.5	13M6G7D	23.66	0.232
		13M5W7D	23.04	0.201
	1 860.0 ~ 1 900.0	18M1G7D	23.64	0.231
		18M1W7D	23.15	0.207

LTE Band 5

Mode	Tx frequency (MHz)	Emission designator	ERP	
			Max. power (dBm)	Max. power (W)
LTE Band 5	824.7 ~ 848.3	1M10G7D	23.02	0.200
		1M09W7D	21.93	0.156
	825.5 ~ 847.5	2M70G7D	22.79	0.190
		2M70W7D	21.85	0.153
	826.5 ~ 846.5	4M52G7D	22.80	0.191
		4M52W7D	21.96	0.157
	829.0 ~ 844.0	8M99G7D	22.96	0.198
		8M97W7D	22.34	0.171

LTE Band 12/17

Mode	Tx frequency (MHz)	Emission designator	ERP	
			Max. power (dBm)	Max. power (W)
LTE Band 12	699.7 ~ 715.3	1M10G7D	24.74	0.298
		1M09W7D	23.98	0.250
	700.5 ~ 714.5	2M70G7D	25.07	0.321
		2M70W7D	24.36	0.273
LTE Band 12/17	701.5 ~ 713.5	4M52G7D	25.21	0.332
		4M52W7D	24.57	0.286
	704.0 ~ 711.0	8M99G7D	25.00	0.316
		9M02W7D	24.40	0.275

LTE Band 13

Mode	Tx frequency (MHz)	Emission designator	ERP	
			Max. power (dBm)	Max. power (W)
LTE Band 13	779.5 ~ 784.5	4M53G7D	24.14	0.259
		4M53W7D	23.48	0.223
	782.0	8M99G7D	24.15	0.260
		9M04W7D	23.40	0.219

LTE Band 26

Mode	Tx frequency (MHz)	Emission designator	ERP	
			Max. power (dBm)	Max. power (W)
LTE Band 26	824.7 ~ 848.3	1M09G7D	23.27	0.212
		1M09W7D	22.34	0.171
	825.5 ~ 847.5	2M70G7D	23.48	0.223
		2M71W7D	22.56	0.180
	826.5 ~ 846.5	4M52G7D	23.27	0.212
		4M52W7D	22.40	0.174
	829.0 ~ 844.0	8M99G7D	23.49	0.223
		8M97W7D	22.67	0.185
	831.5 ~ 841.5	13M5G7D	23.39	0.218
		13M5W7D	22.71	0.187

LTE Band 41

Mode	Tx frequency (MHz)	Emission designator	EIRP	
			Max. power (dBm)	Max. power (W)
LTE Band 41	2 498.5 ~ 2 687.5	4M51G7D	24.70	0.295
		4M51W7D	23.33	0.215
	2 501.0 ~ 2 685.0	8M99G7D	24.57	0.286
		9M02W7D	21.93	0.156
	2 503.5 ~ 2 682.5	13M5G7D	24.54	0.284
		13M5W7D	22.93	0.196
	2 506.0 ~ 2 680.0	18M0G7D	24.77	0.300
		18M1W7D	23.73	0.236

LTE Band 66/4

Mode	Tx frequency (MHz)	Emission designator	EIRP	
			Max. power (dBm)	Max. power (W)
LTE Band 66/4 (Main Antenna 2)	1 710.7 ~ 1 779.3	1M10G7D	24.25	0.266
		1M09W7D	23.51	0.224
	1 711.5 ~ 1 778.5	2M71G7D	23.96	0.249
		2M70W7D	23.14	0.206
	1 712.5 ~ 1 777.5	4M51G7D	24.16	0.261
		4M51W7D	23.27	0.212
	1 715.0 ~ 1 775.0	9M02G7D	23.63	0.231
		9M02W7D	22.94	0.197
	1 717.5 ~ 1 772.5	13M5G7D	23.81	0.240
		13M5W7D	22.95	0.197
	1 720.0 ~ 1 770.0	18M1G7D	23.47	0.222
		18M1W7D	22.59	0.182

Sub Antenna

Mode	Tx frequency (MHz)	EIRP	
		Max. power (dBm)	Max. power (W)
LTE Band 2	1 850.7 ~ 1 909.3	22.50	0.18
		22.13	0.16
	1 851.5 ~ 1 908.5	23.49	0.22
		22.81	0.19
	1 852.5 ~ 1 907.5	22.62	0.18
		21.87	0.15
	1 855.0 ~ 1 905.0	22.74	0.19
		22.15	0.16
	1 857.5 ~ 1 902.5	22.77	0.19
		22.13	0.16
	1 860.0 ~ 1 900.0	22.84	0.19
		22.34	0.17

Mode	Tx frequency (MHz)	EIRP	
		Max. power (dBm)	Max. power (W)
LTE Band 66/4	1 710.7 ~ 1 779.3	19.55	0.09
		18.81	0.08
	1 711.5 ~ 1 778.5	19.15	0.08
		18.65	0.07
	1 712.5 ~ 1 777.5	19.34	0.09
		18.92	0.08
	1 715.0 ~ 1 775.0	18.87	0.08
		18.22	0.07
	1 717.5 ~ 1 772.5	18.94	0.08
		18.44	0.07
	1 720.0 ~ 1 770.0	19.13	0.08
		18.66	0.07

Notes:

1. Emission designator of main antenna with highest EIRP was reported instead of sub antenna.

4. Summary of tests

FCC Part section(s)	Parameter	Test Limit	Test Condition	Test results
2.1046	Conducted Output Power	N/A	Conducted	Pass
2.1049	Occupied Bandwidth & 26 dB Bandwidth	N/A		Pass
2.1051 22.917(a) 24.238(a) 27.53(c)(2) 27.53(g),(h), (m)(4)	Band Edge Emissions at Antenna Terminal	<43 + 10Log ₁₀ (P) dB for all out of band emissions, <40 + 10Log ₁₀ (P) dB at channel edges, <43 + 10Log ₁₀ (P) dB between 5 and x MHz from edges,		Pass
	Spurious Emissions at Antenna Terminal	<55 + 10Log ₁₀ (P) dB more than x MHz from edges, Undesirable emissions must meet the limits detailed in 27.53(m).		Pass
24.232(d) 27.50(d)(5)	Peak to Average Power Ratio	< 13 dB		Pass
2.1055 22.355	Frequency stability	< 2.5 ppm		Pass
24.235 27.54		Emission must remain in band		
22.913(a)(5)	Effective Radiated Power	< 7 Watts max. ERP	Radiated	Pass
27.50(b)(10), (c)(10)		< 3 Watts max. ERP		Pass
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power	< 2 Watts max. EIRP		Pass
27.50(d)(4)		< 1 Watts max. EIRP		Pass
2.1051 22.917(a) 24.238(a) 27.53(c)(2) 27.53(f),(g), (h),(m)(4)	Radiated Spurious Emissions	<43 + 10Log ₁₀ (P) dB for all out of band emissions, <-70 dBW/MHz EIRP – Wideband <-80 dBW/MHz EIRP – Narrowband, Undesirable emissions must Meet the limits detailed in 27.53(m).		Pass

Notes:

- The test procedure(s) in this report were performed in accordance as following.
 - ◆ ANSI C63.26-2015
 - ◆ ANSI/TIA-603-E-2016
 - ◆ KDB 971168 D01 v03r01
 - ◆ KDB 971168 D02 v02r01

4.1. Worst case orientation

- All modes of operation were investigated and the worst case emissions are reported with the EUT positioning, modulations, RB sizes and offsets, and channel bandwidth configurations in the test data.
- Output power measurements were measured on QPSK, 16QAM, 64QAM and 256QAM modulation. All tests except output power was performed with QPSK and 16QAM modulation.
- The orthogonal plan is configured as x-axis because the device operates as desktop device in standard laptop mode. Therefore, all final radiated testing was performed with the EUT in X orientation.
- All the radiated tests have been performed several case.(Stand-alone, with accessories (TA))
 - Worst case: Stand-alone
- In case of sub antenna 1 (only usage of EN-DC), LTE B2 and B66 were investigated additionally for EIRP and spurious emission.
- Test Condition

Test condition	LTE Band	Modulation	Bandwidth (MHz)	RB size	RB offset
Radiated	B2	QPSK	3	1	0, 8, 14
	B5		1.4	1	0, 3, 5
	B12/17		5	1	0, 13, 24
	B13		10	1	0, 25, 49
	B26		10	1	0, 25, 49
	B41		20	1	0, 50, 99
	B66/4		1.4	1	0, 8, 14
Conducted	B2	QPSK 16QAM	1.4, 3, 5, 10, 15, 20	1	0, 5, 14, 24, 49, 74, 99
				Full	0
	B5		1.4, 3, 5, 10	1	0, 5, 14, 24, 49
				Full	0
	B12/17		1.4, 3, 5, 10	1	0, 5, 14, 24, 49
				Full	0
	B13		5, 10	1	0, 24, 49
				Full	0
	B26		1.4, 3, 5, 10, 15	1	0, 5, 14, 24, 49, 74
				Full	0
	B41		5, 10, 15, 20	1	0, 24, 49, 74, 99
				Full	0
	B66/4		1.4, 3, 5, 10, 15, 20	1	0, 5, 14, 24, 49, 74, 99
				Full	0

5. Measurement uncertainty

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014.

All measurement uncertainty values are shown with a coverage factor of $k=2$ to indicated a 95 % level of confidence. The measurement data shown herein meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and thus, can be compared directly to specified limits to determine compliance.

Parameter	Expanded uncertainty (\pm)	
Conducted RF power	0.9 dB	
Conducted spurious emissions	1.1 dB	
Radiated spurious emissions	Below 1 000 MHz	4.3 dB
	1 000 MHz ~ 18 000 MHz	3.8 dB
	Above 1 8000 MHz	5.9 dB



6. Measurement results explanation example

Frequency (MHz)	Factor(dB)	Frequency (MHz)	Factor(dB)
30	10.09	11 000	14.19
50	10.83	12 000	14.23
100	10.06	13 000	13.82
200	10.58	14 000	14.19
300	10.75	15 000	14.78
400	10.10	16 000	14.19
500	10.15	17 000	14.32
600	10.70	18 000	14.51
700	10.56	19 000	14.09
800	10.68	20 000	13.85
900	10.91	21 000	13.43
1 000	11.18	22 000	13.89
2 000	11.67	23 000	13.30
3 000	12.14	24 000	13.05
4 000	12.49	25 000	13.98
5 000	12.58	26 000	13.59
6 000	12.76	26 500	13.64
7 000	12.95	27 000	15.65
8 000	13.63	28 000	16.10
9 000	13.47	29 000	15.89
10 000	13.94	30 000	15.24


Note.

Offset(dB) = RF cable loss(dB) + Directional coupler(dB)

7. Test results

7.1. Conducted output power

Test setup



Test procedure

971168 D01 v03r01 – Section 5.2
ANSI C63.26-2015 – Section 5.2.4.2
CFR 47 - Section §2.1046

Test settings

When an average power meter is used to perform RF output power measurements, the fundamental condition that measurement be performed only over durations of active transmissions at maximum output power level applies. Thus, an average power meter can always be used to perform the measurement when the EUT can be configured to transmit continuously.

If the EUT cannot be configured to transmit continuously (i.e., burst duty cycle < 98%), then the following options can be implemented to facilitate measurement of the average power with an average power meter:

- a) A gated average power meter can be used to perform the measurement if the gating parameters can be adjusted such that the power is measured only during active transmission bursts at maximum output power levels.
- b) A conventional average power meter with no signal gating capability can also be used if the measured burst duty cycle is constant (i.e., duty cycle variations are less than or equal to $\pm 2\%$) by performing the measurement over the on/off burst cycles and then correcting (increasing) the measured level by a factor equal to $[10\log (1/\text{duty cycle})]$. See 5.2.4.3.4 for guidance with respect to measuring the transmitter duty cycle.

See item r) of 4.1 for more information regarding power meter functional requirements and limitations, and consult the instrumentation-specific application literature for proper set-up and use.

Test results
Main Antenna

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power			
						Frequency (MHz)			
						Low	Middle	High	
LTE Band 2	1.4	QPSK	1	0	0	23.07	23.18	22.99	
			1	3	0	23.15	23.22	23.11	
			1	5	0	23.06	23.15	22.94	
			3	0	0	23.00	23.24	22.99	
			3	1	0	23.00	23.28	23.00	
			3	3	0	22.93	23.20	22.98	
		6	0	1	22.02	22.30	22.07		
		16QAM	1	0	1	22.01	22.47	22.22	
			1	3	1	22.11	22.54	22.26	
			1	5	1	22.02	22.38	22.19	
			3	0	1	22.26	22.30	22.22	
			3	1	1	22.20	22.35	22.25	
			3	3	1	22.27	22.20	22.10	
		6	0	2	21.08	21.35	21.06		
		64QAM	1	0	2	21.01	21.09	20.85	
			1	3	2	20.82	21.31	20.84	
			1	5	2	20.89	21.03	20.87	
			3	0	2	20.67	20.94	20.59	
			3	1	2	20.77	21.11	20.65	
			3	3	2	20.55	21.28	20.59	
		6	0	3	19.67	19.98	19.57		
		256QAM	1	0	5	17.79	18.03	17.74	
			1	3	5	17.89	18.18	17.89	
			1	5	5	17.81	18.08	17.56	
	3		0	5	17.94	18.18	17.89		
	3		1	5	17.78	18.23	17.77		
	3		3	5	17.84	18.16	17.80		
	6	0	5	17.52	17.99	17.53			
	3	QPSK	QPSK	1	0	0	23.25	23.34	23.14
				1	8	0	23.28	23.40	23.18
				1	14	0	23.25	23.31	22.98
				8	0	1	22.30	22.29	22.16
				8	4	1	22.31	22.38	22.14
				8	7	1	22.20	22.32	22.13
			15	0	1	22.33	22.31	22.14	
			16QAM	1	0	1	22.78	22.48	22.28
				1	8	1	22.82	22.46	22.22
				1	14	1	22.69	22.39	22.11
				8	0	2	21.53	21.32	21.26
				8	4	2	21.53	21.40	21.22
		8		7	2	21.41	21.33	21.17	
		15	0	2	21.36	21.33	21.17		
		64QAM	1	0	2	20.90	21.37	20.88	
			1	8	2	20.82	21.43	21.23	
			1	14	2	20.77	21.26	21.05	
			8	0	3	19.81	20.32	19.96	
			8	4	3	19.80	20.40	19.92	
			8	7	3	19.77	20.44	19.95	
		15	0	3	19.81	20.30	19.94		
		256QAM	1	0	5	17.80	18.18	18.03	
			1	8	5	17.73	18.24	17.97	
			1	14	5	17.85	18.21	17.96	
	8		0	5	17.65	18.21	18.05		
	8		4	5	17.62	18.26	18.04		
8	7		5	17.66	18.25	17.94			
15	0	5	17.69	18.16	18.04				

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 2	5	QPSK	1	0	0	23.23	23.28	23.12
			1	12	0	23.24	23.38	23.16
			1	24	0	23.19	23.28	23.04
			12	0	1	22.30	22.31	22.19
			12	7	1	22.35	22.33	22.20
			12	13	1	22.27	22.35	22.10
		16QAM	25	0	1	22.30	22.28	22.13
			1	0	1	22.07	22.59	22.09
			1	12	1	22.17	22.55	22.25
			1	24	1	22.06	22.44	22.06
			12	0	2	21.33	21.36	21.16
			12	7	2	21.34	21.33	21.15
		64QAM	12	13	2	21.26	21.34	21.09
			25	0	2	21.29	21.25	21.19
			1	0	2	20.95	21.54	21.00
			1	12	2	21.01	21.81	21.00
			1	24	2	20.91	21.81	21.10
			12	0	3	20.01	20.42	20.00
		256QAM	12	7	3	20.06	20.61	20.06
			12	13	3	19.93	20.69	20.04
			25	0	3	19.96	20.60	19.85
			1	0	5	17.97	18.71	17.80
			1	12	5	18.09	18.59	17.95
			1	24	5	17.93	18.72	18.21
	10	QPSK	12	0	5	17.98	18.49	17.94
			12	7	5	17.99	18.49	18.02
			12	13	5	17.94	18.68	18.09
			25	0	5	17.88	18.60	17.96
			1	0	0	22.90	22.97	23.15
			1	25	0	23.15	23.26	23.06
		16QAM	1	49	0	22.95	23.04	23.06
			25	0	1	22.25	22.21	22.09
			25	12	1	22.34	22.31	22.19
			25	25	1	22.22	22.17	22.06
			50	0	1	22.26	22.17	22.13
			1	0	1	22.59	22.08	22.36
		64QAM	1	25	1	22.96	22.51	22.29
			1	49	1	22.63	22.15	22.21
			25	0	2	21.28	21.28	21.12
			25	12	2	21.38	21.36	21.30
			25	25	2	21.18	21.23	21.16
			50	0	2	21.27	21.19	21.12
		256QAM	1	0	2	20.61	20.58	20.96
			1	25	2	20.63	20.73	20.99
			1	49	2	20.85	20.55	21.07
			25	0	3	19.86	19.96	19.80
			25	12	3	19.55	19.64	20.03
			25	25	3	19.90	19.63	19.94
256QAM	50	0	3	19.86	19.56	19.91		
	1	0	5	17.75	17.77	17.99		
	1	25	5	17.63	17.68	17.87		
	1	49	5	17.94	17.53	17.73		
	25	0	5	17.78	17.51	17.81		
	25	12	5	17.96	17.58	17.95		
			25	25	5	17.86	17.65	17.88
			50	0	5	17.81	17.92	17.84

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 2	15	QPSK	1	0	0	22.85	23.15	23.08
			1	36	0	22.95	23.13	22.99
			1	74	0	22.96	23.08	22.94
			36	0	1	22.05	22.04	21.96
			36	18	1	22.11	22.08	22.01
			36	37	1	22.11	22.12	21.96
		16QAM	75	0	1	22.12	22.06	21.99
			1	0	1	22.54	22.32	22.52
			1	36	1	22.68	22.39	22.36
			1	74	1	22.63	22.36	22.30
			36	0	2	21.12	21.04	20.94
			36	18	2	21.13	21.09	20.99
		64QAM	36	37	2	21.15	21.07	21.03
			75	0	2	21.11	21.07	20.93
			1	0	2	20.56	20.84	20.57
			1	36	2	20.87	20.92	20.80
			1	74	2	20.50	21.31	20.98
			36	0	3	19.60	19.71	19.93
		256QAM	36	18	3	19.82	19.79	19.66
			36	37	3	19.89	20.04	19.79
			75	0	3	19.78	19.85	19.56
			1	0	5	17.62	17.91	17.96
			1	36	5	17.77	17.98	17.58
			1	74	5	17.56	18.03	17.74
	20	QPSK	36	0	5	17.97	17.74	17.98
			36	18	5	17.82	17.86	17.63
			36	37	5	17.79	18.05	17.84
			75	0	5	17.86	17.84	17.55
			1	0	0	23.03	23.10	23.09
			1	49	0	23.00	23.07	22.94
		16QAM	1	99	0	23.04	23.06	22.89
			50	0	1	22.01	22.00	21.94
			50	24	1	22.11	22.11	22.05
			50	50	1	22.06	22.12	21.90
			100	0	1	22.03	22.08	21.96
			1	0	1	22.52	22.35	22.62
		64QAM	1	49	1	22.36	22.35	22.53
			1	99	1	22.37	22.34	22.47
			50	0	2	20.97	21.01	20.95
			50	24	2	21.10	21.11	21.03
			50	50	2	21.08	21.03	20.90
			100	0	2	21.06	21.08	21.00
		256QAM	1	0	2	20.78	20.65	21.35
			1	49	2	20.82	20.93	21.29
			1	99	2	20.73	21.04	21.40
			50	0	3	19.52	19.63	19.92
			50	24	3	19.84	19.50	20.13
			50	50	3	19.94	19.98	20.17
QPSK	100	0	3	19.73	19.90	20.08		
	1	0	5	17.89	17.98	17.59		
	1	49	5	17.83	17.58	18.13		
	1	99	5	17.91	17.65	18.06		
	50	0	5	17.67	17.71	17.96		
	50	24	5	17.91	17.53	18.07		
16QAM	50	50	5	17.93	17.60	18.09		
	100	0	5	17.91	17.50	18.06		

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power			
						Frequency (MHz)			
						Low	Middle	High	
LTE Band 4	1.4	QPSK	1	0	0	23.58	23.61	23.48	
			1	3	0	23.56	23.68	23.42	
			1	5	0	23.50	23.58	23.38	
			3	0	0	23.54	23.53	23.47	
			3	1	0	23.54	23.54	23.46	
			3	3	0	23.55	23.56	23.46	
		16QAM	6	0	1	22.58	22.57	22.51	
			1	0	1	22.73	22.60	22.66	
			1	3	1	22.87	22.66	22.65	
			1	5	1	22.76	22.60	22.65	
			3	0	1	22.74	22.77	22.53	
			3	1	1	22.79	22.78	22.50	
		64QAM	3	3	1	22.69	22.74	22.52	
			6	0	2	21.63	21.60	21.55	
			1	0	2	21.01	20.94	21.44	
			1	3	2	20.84	20.89	20.75	
			1	5	2	20.73	20.73	21.48	
			3	0	2	20.62	20.67	21.26	
		256QAM	3	1	2	20.74	20.70	21.40	
			3	3	2	20.92	20.71	21.29	
			6	0	3	19.80	19.63	20.22	
			1	0	5	17.99	17.87	18.36	
			1	3	5	17.93	17.78	18.27	
			1	5	5	18.01	17.80	18.06	
		3	QPSK	3	0	5	17.88	17.90	18.34
				3	1	5	17.88	17.76	18.02
				3	3	5	17.94	17.81	18.10
				6	0	5	17.71	17.60	18.19
				1	0	0	23.66	23.69	23.52
				1	8	0	23.66	23.70	23.49
	16QAM		1	14	0	23.55	23.64	23.47	
			8	0	1	22.67	22.70	22.55	
			8	4	1	22.68	22.73	22.67	
			8	7	1	22.65	22.67	22.59	
			15	0	1	22.71	22.70	22.59	
			1	0	1	23.15	22.80	22.72	
	64QAM		1	8	1	23.18	22.86	22.69	
			1	14	1	23.09	22.77	22.62	
			8	0	2	21.89	21.74	21.71	
			8	4	2	21.94	21.75	21.68	
			8	7	2	21.81	21.70	21.66	
			15	0	2	21.70	21.72	21.66	
	256QAM		1	0	2	21.12	21.01	20.72	
			1	8	2	21.28	21.07	20.83	
			1	14	2	21.14	20.92	21.33	
			8	0	3	20.18	20.16	19.52	
			8	4	3	20.13	19.99	20.43	
			8	7	3	20.10	20.01	19.67	
	256QAM		15	0	3	20.04	19.93	20.43	
			1	0	5	18.21	17.89	18.47	
			1	8	5	18.14	17.95	18.43	
			1	14	5	18.25	17.81	18.24	
			8	0	5	18.02	17.96	18.22	
			8	4	5	18.10	17.93	18.32	
				8	7	5	18.16	18.06	18.16
				15	0	5	18.07	17.84	18.26

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 4	5	QPSK	1	0	0	23.63	23.72	23.56
			1	12	0	23.70	23.69	23.63
			1	24	0	23.56	23.58	23.46
			12	0	1	22.64	22.70	22.66
			12	7	1	22.72	22.76	22.70
			12	13	1	22.63	22.67	22.60
		25	0	1	22.69	22.68	22.62	
		16QAM	1	0	1	22.48	22.88	22.66
			1	12	1	22.64	22.92	22.70
			1	24	1	22.41	22.86	22.56
			12	0	2	21.63	21.79	21.62
			12	7	2	21.70	21.79	21.60
			12	13	2	21.65	21.69	21.62
		64QAM	25	0	2	21.65	21.70	21.68
			1	0	2	21.04	20.96	21.03
			1	12	2	21.22	21.02	20.94
			1	24	2	20.96	20.76	20.83
			12	0	3	20.01	19.86	19.98
			12	7	3	20.05	19.94	19.79
		256QAM	12	13	3	20.08	19.90	19.86
			25	0	3	20.05	19.88	19.91
			1	0	5	18.05	17.99	17.71
			1	12	5	17.94	17.98	18.13
			1	24	5	17.98	17.93	17.83
	12		0	5	18.06	18.02	17.97	
	10	QPSK	12	7	5	18.10	18.10	17.96
			12	13	5	18.06	17.84	17.85
			25	0	5	18.08	17.97	17.97
			1	0	0	23.33	23.38	23.22
			1	25	0	23.64	23.64	23.49
			1	49	0	23.33	23.33	23.22
		16QAM	25	0	1	22.55	22.61	22.54
			25	12	1	22.74	22.65	22.60
			25	25	1	22.62	22.60	22.52
			50	0	1	22.62	22.55	22.55
			1	0	1	22.99	22.58	22.46
			1	25	1	23.23	22.80	22.76
		64QAM	1	49	1	22.93	22.46	22.41
			25	0	2	21.64	21.66	21.64
			25	12	2	21.82	21.69	21.71
			25	25	2	21.64	21.69	21.60
			50	0	2	21.59	21.59	21.58
			1	0	2	21.18	20.65	20.75
		256QAM	1	25	2	21.21	21.03	20.76
			1	49	2	20.87	20.70	20.67
			25	0	3	20.07	19.86	19.95
			25	12	3	20.14	19.95	19.58
			25	25	3	20.06	19.79	19.85
50			0	3	20.19	20.30	19.96	
256QAM	1	0	5	17.72	17.52	17.90		
	1	25	5	17.97	18.04	17.56		
	1	49	5	17.95	17.66	17.75		
	25	0	5	17.89	17.85	17.52		
	25	12	5	18.15	17.85	17.53		
	25	25	5	17.95	17.87	17.90		
50	0	5	17.98	17.75	17.92			

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 4	15	QPSK	1	0	0	23.34	23.39	23.31
			1	36	0	23.48	23.53	23.47
			1	74	1	23.30	23.33	23.31
			36	0	1	22.43	22.45	22.47
			36	18	1	22.57	22.53	22.54
			36	37	1	22.51	22.47	22.46
		16QAM	75	0	1	22.53	22.44	22.46
			1	0	1	22.96	22.63	22.76
			1	36	1	23.12	22.78	22.86
			1	74	2	23.05	22.64	22.74
			36	0	2	21.50	21.49	21.50
			36	18	2	21.60	21.58	21.56
		64QAM	36	37	2	21.58	21.46	21.47
			75	0	2	21.52	21.47	21.47
			1	0	2	20.77	20.61	20.69
			1	36	2	21.00	20.74	20.61
			1	74	3	20.98	20.58	20.58
			36	0	3	19.72	19.71	20.21
		256QAM	36	18	3	19.95	19.81	19.53
			36	37	3	19.93	19.65	19.66
			75	0	5	19.78	19.67	19.69
			1	0	5	17.77	17.54	17.51
			1	36	5	17.82	17.79	17.57
			1	74	5	17.57	17.62	17.59
	20	QPSK	36	0	5	17.68	17.66	17.72
			36	18	5	17.97	17.64	17.77
			36	37	5	17.80	17.65	17.63
			75	0	0	17.84	17.61	17.66
			1	0	0	23.25	23.23	23.23
			1	49	0	23.51	23.52	23.37
		16QAM	1	99	0	23.23	23.18	23.15
			50	0	1	22.43	22.43	22.42
			50	24	1	22.61	22.68	22.55
			50	50	1	22.51	22.39	22.49
			100	0	1	22.54	22.56	22.46
			1	0	1	22.60	22.52	22.83
		64QAM	1	49	1	22.86	22.77	22.97
			1	99	1	22.60	22.46	22.69
			50	0	2	21.45	21.43	21.48
			50	24	2	21.62	21.54	21.56
			50	50	2	21.48	21.50	21.43
			100	0	2	21.53	21.40	21.46
		256QAM	1	0	2	20.71	20.65	20.93
			1	49	2	20.93	21.03	21.35
			1	99	2	20.77	20.52	21.02
			50	0	3	19.78	19.71	19.95
			50	24	3	19.92	19.76	19.59
			50	50	3	19.86	19.70	19.64
256QAM	100	0	3	19.82	19.59	19.72		
	1	0	5	17.62	17.92	17.70		
	1	49	5	17.63	17.85	17.54		
	1	99	5	17.72	17.76	17.59		
	50	0	5	17.89	17.64	17.52		
	50	24	5	17.95	17.78	17.58		
256QAM	50	50	5	17.88	17.66	17.76		
	100	0	5	17.85	17.69	17.74		

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 5	1.4	QPSK	1	0	0	23.24	23.12	23.15
			1	3	0	23.39	23.20	23.28
			1	5	0	23.26	23.14	23.15
			3	0	0	23.12	23.16	23.10
			3	1	0	23.25	23.17	23.16
			3	3	0	23.14	23.14	23.10
		16QAM	6	0	1	22.19	22.16	22.28
			1	0	1	22.19	22.38	22.35
			1	3	1	22.28	22.50	22.39
			1	5	1	22.20	22.38	22.39
			3	0	1	22.40	22.24	22.31
			3	1	1	22.38	22.22	22.34
		64QAM	3	3	1	22.35	22.18	22.27
			6	0	2	21.23	21.18	21.22
			1	0	2	21.48	21.83	21.60
			1	3	2	21.55	21.79	21.66
			1	5	2	21.59	21.65	21.87
			3	0	2	21.44	21.43	21.45
		256QAM	3	1	2	21.46	21.54	21.59
			3	3	2	21.34	21.32	21.59
			6	0	3	20.39	20.35	20.51
			1	0	5	18.61	18.55	18.77
			1	3	5	18.60	18.56	18.43
			1	5	5	18.76	18.38	18.51
	3	QPSK	3	0	5	18.42	18.39	18.37
			3	1	5	18.55	18.56	18.67
			3	3	5	18.61	18.52	18.42
			6	0	5	18.38	18.20	18.29
			1	0	0	23.29	23.28	23.19
			1	8	0	23.37	23.36	23.30
		16QAM	1	14	0	23.31	23.29	23.16
			8	0	1	22.32	22.23	22.22
			8	4	1	22.35	22.23	22.34
			8	7	1	22.30	22.31	22.31
			15	0	1	22.34	22.21	22.24
			1	0	1	22.68	22.49	22.33
		64QAM	1	8	1	22.78	22.50	22.39
			1	14	1	22.68	22.43	22.35
			8	0	2	21.50	21.24	21.27
			8	4	2	21.51	21.30	21.41
			8	7	2	21.48	21.32	21.32
			15	0	2	21.37	21.29	21.29
		256QAM	1	0	2	21.71	21.58	21.73
			1	8	2	21.70	21.70	21.73
			1	14	2	21.02	21.65	21.55
			8	0	3	20.50	20.49	20.62
			8	4	3	20.62	20.49	20.59
			8	7	3	20.45	20.73	20.80
	256QAM	15	0	3	20.52	20.46	20.52	
		1	0	5	18.39	18.43	18.47	
		1	8	5	18.73	18.58	18.82	
		1	14	5	18.35	18.43	18.59	
		8	0	5	18.57	18.52	18.50	
		8	4	5	18.48	18.45	18.60	
			8	7	5	18.64	18.51	18.56
			15	0	5	18.54	18.51	18.47

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 5	5	QPSK	1	0	0	23.25	23.17	23.35
			1	12	0	23.27	23.25	23.40
			1	24	0	23.23	23.22	23.30
			12	0	1	22.15	22.22	22.23
			12	7	1	22.31	22.30	22.38
			12	13	1	22.24	22.28	22.28
		16QAM	25	0	1	22.35	22.23	22.22
			1	0	1	22.13	22.49	22.36
			1	12	1	22.11	22.57	22.42
			1	24	1	22.05	22.54	22.37
			12	0	2	21.26	21.29	21.21
			12	7	2	21.40	21.29	21.32
		64QAM	12	13	2	21.33	21.31	21.26
			25	0	2	21.35	21.15	21.32
			1	0	2	21.60	21.36	21.70
			1	12	2	21.59	21.58	21.62
			1	24	2	21.74	21.57	21.68
			12	0	3	20.49	20.23	20.42
		256QAM	12	7	3	20.56	20.49	20.58
			12	13	3	20.50	20.47	20.61
			25	0	3	20.37	20.38	20.51
			1	0	5	18.47	18.49	18.59
			1	12	5	18.45	18.57	18.66
			1	24	5	18.73	18.63	18.59
	10	QPSK	12	0	5	18.30	18.46	18.35
			12	7	5	18.46	18.45	18.61
			12	13	5	18.54	18.39	18.53
			25	0	5	18.48	18.44	18.42
			1	0	0	23.30	23.34	23.27
			1	25	0	23.21	23.24	23.19
		16QAM	1	49	0	23.23	23.24	23.17
			25	0	1	22.29	22.27	22.22
			25	12	1	22.36	22.38	22.35
			25	25	1	22.26	22.27	22.30
			50	0	1	22.25	22.28	22.27
			1	0	1	23.02	22.48	22.46
		64QAM	1	25	1	22.92	22.45	22.48
			1	49	1	22.89	22.43	22.34
			25	0	2	21.35	21.30	21.34
			25	12	2	21.43	21.26	21.38
			25	25	2	21.35	21.36	21.33
			50	0	2	21.30	21.19	21.31
		256QAM	1	0	2	21.78	21.47	21.62
			1	25	2	21.79	21.73	21.62
			1	49	2	21.61	21.69	21.70
			25	0	3	20.53	20.42	20.52
			25	12	3	20.54	20.42	20.57
			25	25	3	20.58	20.53	20.55
256QAM	50	0	3	20.47	20.43	20.57		
	1	0	5	18.29	18.34	18.34		
	1	25	5	18.33	18.64	18.67		
	1	49	5	18.39	18.31	18.23		
	25	0	5	18.42	18.39	18.46		
	25	12	5	18.41	18.47	18.62		
			25	25	5	18.37	18.35	18.45
			50	0	5	18.35	18.29	18.53

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power			
						Frequency (MHz)			
						Low	Middle	High	
LTE Band 12	1.4	QPSK	1	0	0	23.01	22.95	22.84	
			1	3	0	23.13	23.03	22.89	
			1	5	0	22.97	22.95	22.84	
			3	0	0	22.96	22.87	22.87	
			3	1	0	23.05	22.85	22.89	
			3	3	0	22.96	22.86	22.84	
		6	0	1	22.04	21.88	21.93		
		16QAM	1	0	1	22.21	21.93	22.09	
			1	3	1	22.25	22.08	22.16	
			1	5	1	22.22	22.01	22.09	
			3	0	1	22.20	22.05	21.90	
			3	1	1	22.17	22.09	21.91	
			3	3	1	22.10	22.10	21.89	
		64QAM	6	0	2	21.07	20.95	20.89	
			1	0	2	22.09	21.34	21.24	
			1	3	2	21.77	21.36	21.66	
			1	5	2	21.57	21.45	21.39	
			3	0	2	21.42	21.33	21.20	
			3	1	2	21.50	21.49	21.34	
		256QAM	3	3	2	21.45	21.34	21.32	
			6	0	3	20.46	20.26	20.23	
			1	0	5	18.78	18.50	18.35	
			1	3	5	18.66	18.49	18.34	
			1	5	5	18.47	18.49	18.37	
			3	0	5	18.49	18.43	18.56	
		3	QPSK	3	1	5	18.49	18.38	18.36
				3	3	5	18.53	18.30	18.34
				6	0	5	18.42	18.24	18.20
				1	0	0	23.14	23.07	22.98
				1	8	0	23.14	23.08	22.99
	1			14	0	23.13	23.00	22.87	
	8			0	1	22.17	22.03	21.92	
	8			4	1	22.17	21.98	21.95	
	8			7	1	22.01	22.00	21.94	
	15			0	1	22.08	22.04	21.95	
	16QAM			1	0	1	22.72	22.30	22.06
				1	8	1	22.69	22.22	22.09
			1	14	1	22.58	22.18	22.08	
			8	0	2	21.30	21.04	20.95	
			8	4	2	21.31	21.05	20.94	
			8	7	2	21.24	21.01	21.05	
	64QAM		15	0	2	21.13	21.10	20.96	
			1	0	2	21.69	21.66	21.68	
			1	8	2	21.74	21.48	21.52	
			1	14	2	21.66	21.36	21.62	
			8	0	3	20.60	20.39	20.43	
			8	4	3	20.51	20.37	20.42	
	256QAM		8	7	3	20.40	20.44	20.36	
			15	0	3	20.41	20.43	20.24	
			1	0	5	18.42	18.41	18.17	
			1	8	5	18.43	18.42	18.47	
			1	14	5	18.49	18.37	18.47	
			8	0	5	18.54	18.57	18.17	
			8	4	5	18.57	18.37	18.29	
			8	7	5	18.35	18.30	18.20	
		15	0	5	18.51	18.40	18.14		

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 12	5	QPSK	1	0	0	23.25	23.05	23.09
			1	12	0	23.08	22.93	23.04
			1	24	0	23.13	22.93	23.00
			12	0	1	22.14	22.04	22.00
			12	7	1	22.13	22.06	21.98
			12	13	1	22.08	22.02	21.99
		25	0	1	22.13	22.02	21.96	
		16QAM	1	0	1	22.09	22.31	22.27
			1	12	1	22.22	22.26	22.16
			1	24	1	21.94	22.26	22.10
			12	0	2	21.14	21.07	20.90
			12	7	2	21.12	21.09	20.92
			12	13	2	21.09	21.10	20.94
		25	0	2	21.19	20.98	20.95	
		64QAM	1	0	2	21.56	21.56	21.18
			1	12	2	21.57	21.49	21.49
			1	24	2	21.44	21.57	21.46
			12	0	3	20.50	20.42	20.39
			12	7	3	20.54	20.53	20.19
			12	13	3	20.43	20.31	20.22
		25	0	3	20.50	20.42	20.20	
		256QAM	1	0	5	18.44	18.45	18.32
			1	12	5	18.59	18.40	18.39
			1	24	5	18.47	18.30	18.31
	12		0	5	18.38	18.25	18.22	
	12		7	5	18.53	18.39	18.14	
	12		13	5	18.34	18.32	18.41	
	25	0	5	18.41	18.38	18.28		
	10	QPSK	1	0	0	23.10	23.11	23.00
			1	25	0	23.04	23.05	22.94
			1	49	0	22.99	23.03	22.80
			25	0	1	22.05	21.99	21.88
			25	12	1	22.04	22.07	21.95
			25	25	1	21.92	21.98	21.95
		50	0	1	21.98	22.00	21.95	
		16QAM	1	0	1	22.78	22.26	22.14
			1	25	1	22.72	22.13	22.14
			1	49	1	22.62	22.12	22.14
			25	0	2	21.10	21.07	20.92
			25	12	2	21.08	21.17	21.03
			25	25	2	21.00	21.00	21.08
		50	0	2	20.95	21.01	21.03	
		64QAM	1	0	2	21.67	21.57	21.44
			1	25	2	21.75	21.55	21.42
			1	49	2	21.27	21.52	21.50
			25	0	3	20.36	20.37	20.28
			25	12	3	20.38	20.41	20.41
			25	25	3	20.27	20.40	20.24
50		0	3	20.22	20.32	20.25		
256QAM		1	0	5	18.52	18.21	18.07	
		1	25	5	18.46	18.30	18.22	
		1	49	5	18.18	18.23	18.04	
	25	0	5	18.37	18.32	18.12		
	25	12	5	18.29	18.44	18.24		
	25	25	5	18.24	18.33	18.11		
50	0	5	18.24	18.24	18.22			

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 13	5	QPSK	1	0	0	23.30	23.52	23.39
			1	12	0	23.39	23.54	23.47
			1	24	0	23.45	23.49	23.57
			12	0	1	22.31	22.28	22.41
			12	7	1	22.47	22.38	22.52
			12	13	1	22.39	22.46	22.51
		16QAM	25	0	1	22.44	22.44	22.56
			1	0	1	22.43	22.31	22.72
			1	12	1	22.44	22.44	22.70
			1	24	1	22.60	22.28	22.70
			12	0	2	21.37	21.34	21.39
			12	7	2	21.47	21.37	21.57
		64QAM	12	13	2	21.40	21.52	21.55
			25	0	2	21.53	21.36	21.48
			1	0	2	21.88	21.87	21.79
			1	12	2	21.85	21.73	22.06
			1	24	2	21.94	21.87	22.06
			12	0	3	20.94	20.69	20.78
		256QAM	12	7	3	20.92	20.68	20.77
			12	13	3	20.91	20.80	20.86
			25	0	3	20.74	20.83	20.67
			1	0	5	18.70	18.72	18.68
			1	12	5	18.94	19.01	18.94
			1	24	5	18.95	18.94	19.03
	10	QPSK	12	0	5	18.57	18.78	18.88
			12	7	5	18.86	18.76	18.83
			12	13	5	18.83	18.90	18.80
			25	0	5	18.81	18.80	18.92
			1	0	0	-	23.45	-
			1	25	0	-	23.36	-
		16QAM	1	49	0	-	23.44	-
			25	0	1	-	22.39	-
			25	12	1	-	22.43	-
			25	25	1	-	22.46	-
			50	0	1	-	22.40	-
			1	0	1	-	22.92	-
		64QAM	1	25	1	-	23.07	-
			1	49	1	-	23.13	-
			25	0	2	-	21.59	-
			25	12	2	-	21.49	-
			25	25	2	-	21.55	-
			50	0	2	-	21.41	-
		256QAM	1	0	2	-	22.01	-
			1	25	2	-	21.90	-
			1	49	2	-	21.89	-
			25	0	3	-	20.91	-
			25	12	3	-	20.87	-
			25	25	3	-	20.78	-
256QAM	50	0	3	-	20.72	-		
	1	0	5	-	18.87	-		
	1	25	5	-	18.94	-		
	1	49	5	-	18.86	-		
	25	0	5	-	18.79	-		
	25	12	5	-	18.81	-		
256QAM	25	25	5	-	18.85	-		
	50	0	5	-	18.77	-		

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 17	5	QPSK	1	0	0	23.49	23.41	23.40
			1	12	0	23.41	23.33	23.46
			1	24	0	23.45	23.36	23.29
			12	0	1	22.49	22.41	22.37
			12	7	1	22.45	22.48	22.44
			12	13	1	22.50	22.44	22.43
		25	0	1	22.47	22.51	22.36	
		16QAM	1	0	1	22.51	22.56	22.65
			1	12	1	22.71	22.68	22.65
			1	24	1	22.40	22.48	22.47
			12	0	2	21.34	21.33	21.26
			12	7	2	21.38	21.32	21.38
			12	13	2	21.30	21.39	21.29
		25	0	2	21.28	21.31	21.23	
		64QAM	1	0	2	21.51	21.55	21.49
			1	12	2	21.37	21.58	21.69
			1	24	2	21.53	21.38	21.52
			12	0	3	20.49	20.45	20.42
			12	7	3	20.51	20.51	20.49
			12	13	3	20.43	20.41	20.49
		25	0	3	20.53	20.50	20.38	
		256QAM	1	0	5	18.56	18.64	18.58
			1	12	5	18.59	18.54	18.59
			1	24	5	18.64	18.63	18.60
	12		0	5	18.55	18.51	18.37	
	12		7	5	18.57	18.44	18.57	
	12		13	5	18.47	18.35	18.39	
	25	0	5	18.48	18.44	18.38		
	10	QPSK	1	0	0	23.42	23.47	23.40
			1	25	0	23.33	23.18	23.13
			1	49	0	23.35	23.49	23.20
			25	0	1	22.47	22.42	22.34
			25	12	1	22.45	22.48	22.40
			25	25	1	22.37	22.33	22.37
		50	0	1	22.41	22.45	22.42	
		16QAM	1	0	1	22.88	22.35	22.55
			1	25	1	22.79	22.45	22.48
			1	49	1	22.62	22.37	22.37
			25	0	2	21.48	21.45	21.14
			25	12	2	21.40	21.42	21.51
			25	25	2	21.28	21.45	21.50
		50	0	2	21.39	21.47	21.44	
		64QAM	1	0	2	21.61	21.76	21.62
			1	25	2	21.66	21.50	21.43
			1	49	2	21.43	21.67	21.56
			25	0	3	20.61	20.47	20.37
			25	12	3	20.60	20.42	20.53
			25	25	3	20.44	20.44	20.40
50		0	3	20.42	20.44	20.39		
256QAM		1	0	5	18.77	18.49	18.37	
		1	25	5	18.42	18.46	18.43	
		1	49	5	18.50	18.60	18.44	
	25	0	5	18.50	18.50	18.38		
	25	12	5	18.51	18.53	18.42		
	25	25	5	18.29	18.33	18.39		
50	0	5	18.42	18.52	18.48			

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 26	1.4	QPSK	1	0	0	22.29	22.16	22.15
			1	3	0	22.41	22.27	22.16
			1	5	0	22.20	22.22	22.09
			3	0	0	22.23	22.24	22.09
			3	1	0	22.23	22.08	22.17
			3	3	0	22.32	22.04	22.11
		16QAM	6	0	1	21.00	21.15	21.15
			1	0	1	21.36	21.17	21.32
			1	3	1	21.47	21.35	21.47
			1	5	1	21.45	21.23	21.29
			3	0	1	21.45	21.19	21.12
			3	1	1	21.49	21.09	21.15
		64QAM	3	3	1	21.60	20.97	21.11
			6	0	2	20.24	20.17	20.18
			1	0	2	20.71	20.63	20.68
			1	3	2	20.92	20.78	20.79
			1	5	2	20.74	20.77	20.68
			3	0	2	20.42	20.52	20.58
		256QAM	3	1	2	20.60	20.68	20.66
			3	3	2	20.70	20.52	20.67
			6	0	3	19.56	19.59	19.56
			1	0	5	17.41	17.78	17.75
			1	3	5	17.88	17.75	17.81
			1	5	5	17.91	17.50	17.61
	3	QPSK	3	0	5	17.67	17.82	17.78
			3	1	5	17.61	17.72	17.59
			3	3	5	17.98	17.72	17.75
			6	0	5	17.21	17.64	17.49
			1	0	0	22.47	22.12	22.22
			1	8	0	22.22	22.36	22.27
		16QAM	1	14	0	22.23	22.18	22.22
			8	0	1	21.19	21.37	21.24
			8	4	1	21.45	21.26	21.29
			8	7	1	21.41	21.31	21.26
			15	0	1	21.35	21.13	21.24
			1	0	1	21.35	21.37	21.38
		64QAM	1	8	1	21.59	21.25	21.34
			1	14	1	21.58	21.41	21.35
			8	0	2	20.32	20.23	20.30
			8	4	2	20.49	20.25	20.32
			8	7	2	20.51	20.39	20.31
			15	0	2	20.26	20.14	20.25
		256QAM	1	0	2	20.86	20.86	20.85
			1	8	2	20.84	21.00	20.87
			1	14	2	20.67	20.90	20.80
			8	0	3	19.79	19.65	19.57
			8	4	3	19.89	19.70	19.74
			8	7	3	19.68	19.89	19.83
16QAM	15	0	3	19.68	19.71	19.68		
	1	0	5	17.64	17.84	17.80		
	1	8	5	17.84	18.32	18.23		
	1	14	5	17.94	17.70	17.63		
	8	0	5	17.56	17.77	17.78		
	8	4	5	17.37	17.65	17.69		
64QAM	8	7	5	17.50	17.53	17.58		
	15	0	5	17.78	17.59	17.61		

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power			
						Frequency (MHz)			
						Low	Middle	High	
LTE Band 26	5	QPSK	1	0	0	22.29	22.39	22.30	
			1	12	0	22.23	22.31	22.29	
			1	24	0	22.26	22.21	22.27	
			12	0	1	21.30	21.19	21.26	
			12	7	1	21.14	21.17	21.29	
			12	13	1	21.19	21.34	21.25	
		25	0	1	21.36	21.28	21.27		
		16QAM	1	0	1	21.54	21.32	21.42	
			1	12	1	21.31	21.30	21.40	
			1	24	1	21.43	21.32	21.34	
			12	0	2	20.20	20.26	20.21	
			12	7	2	20.15	20.14	20.22	
			12	13	2	20.17	20.31	20.24	
		25	0	2	20.21	20.25	20.32		
		64QAM	1	0	2	20.93	20.87	20.93	
			1	12	2	20.53	20.56	20.68	
			1	24	2	20.91	20.90	20.84	
			12	0	3	19.57	19.55	19.63	
			12	7	3	19.51	19.47	19.62	
			12	13	3	19.69	19.68	19.67	
		25	0	3	19.57	19.73	19.66		
		256QAM	1	0	5	17.56	17.58	17.63	
			1	12	5	18.01	17.80	17.86	
			1	24	5	17.55	17.57	17.56	
	12		0	5	17.47	17.62	17.61		
	12		7	5	17.73	17.66	17.78		
	12		13	5	17.54	17.63	17.57		
	25	0	5	17.65	17.64	17.62			
	10	QPSK	1	0	0	22.46	22.25	22.29	
			1	25	0	22.46	22.12	22.25	
			1	49	0	22.34	22.14	22.18	
			25	0	1	21.15	21.24	21.16	
			25	12	1	21.43	21.08	21.23	
			25	25	1	21.28	21.30	21.28	
			50	0	1	21.57	21.12	21.18	
			16QAM	1	0	1	21.48	21.51	21.43
				1	25	1	21.27	21.52	21.43
				1	49	1	21.35	21.26	21.29
				25	0	2	20.14	20.26	20.21
				25	12	2	20.29	20.19	20.25
		25		25	2	20.51	20.30	20.30	
		50	0	2	20.18	20.10	20.14		
		64QAM	1	0	2	21.00	20.66	20.79	
			1	25	2	20.82	21.02	21.01	
			1	49	2	20.53	20.90	20.78	
			25	0	3	19.64	19.62	19.49	
			25	12	3	19.66	19.76	19.68	
			25	25	3	19.75	19.56	19.62	
50			0	3	19.52	19.63	19.61		
256QAM			1	0	5	17.44	17.54	17.42	
		1	25	5	17.64	17.66	17.69		
		1	49	5	17.27	17.55	17.56		
	25	0	5	17.57	17.54	17.44			
	25	12	5	17.83	17.87	17.73			
	25	25	5	17.48	17.76	17.65			
50	0	5	17.58	17.67	17.61				

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 26	15	QPSK	1	0	0	22.41	21.96	22.09
			1	36	0	22.05	22.05	22.00
			1	74	0	22.13	22.07	22.12
			36	0	1	21.12	21.05	21.08
			36	18	1	21.13	21.16	21.12
			36	37	1	21.18	21.09	21.07
			75	0	1	21.16	21.00	21.15
		16QAM	1	0	1	21.34	21.14	21.22
			1	36	1	21.30	21.36	21.29
			1	74	1	21.33	21.39	21.32
			36	0	2	20.08	20.10	20.01
			36	18	2	20.12	20.03	20.11
			36	37	2	20.11	21.00	20.90
		64QAM	75	0	2	20.17	20.07	20.14
			1	0	2	20.85	20.67	20.78
			1	36	2	20.54	20.70	20.61
			1	74	2	20.54	20.65	20.60
			36	0	3	19.35	19.39	19.36
			36	18	3	19.45	19.39	19.44
			36	37	3	19.44	19.48	19.61
		256QAM	75	0	3	19.39	19.43	19.33
			1	0	5	17.73	17.12	17.05
			1	36	5	17.62	17.62	17.55
			1	74	5	17.45	17.35	17.39
			36	0	5	17.21	17.29	17.39
			36	18	5	17.43	17.62	17.52
			36	37	5	17.51	17.65	17.54
			75	0	5	17.32	17.40	17.42

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power			
						Frequency (MHz)			
						Low	Middle	High	
LTE Band 41	5	QPSK	1	0	0	22.84	22.36	22.10	
			1	12	0	22.93	22.38	22.35	
			1	24	0	22.78	22.31	22.42	
			12	0	1	21.93	21.49	21.17	
			12	7	1	21.65	21.52	21.27	
			12	13	1	21.66	21.46	21.37	
		25	0	1	21.73	21.45	21.24		
		16QAM	1	0	1	22.27	21.92	21.36	
			1	12	1	22.04	21.89	21.31	
			1	24	1	22.22	21.89	21.48	
			12	0	2	20.74	20.51	20.16	
			12	7	2	20.64	20.51	20.43	
			12	13	2	20.83	20.49	20.37	
		25	0	2	20.93	20.47	20.16		
		64QAM	1	0	2	21.04	20.51	20.35	
			1	12	2	20.72	20.46	20.10	
			1	24	2	21.14	20.43	20.20	
			12	0	3	20.42	19.78	19.68	
			12	7	3	20.23	19.85	19.76	
			12	13	3	20.15	19.81	19.38	
		25	0	3	20.36	19.82	19.70		
		256QAM	1	0	5	17.87	17.72	17.58	
			1	12	5	17.99	17.69	17.28	
			1	24	5	18.16	17.61	17.44	
			12	0	5	18.39	17.98	17.62	
			12	7	5	18.37	17.95	17.61	
			12	13	5	18.37	17.91	17.48	
		25	0	5	18.31	17.90	17.63		
		10	QPSK	1	0	0	22.63	22.19	21.94
				1	25	0	22.86	22.40	22.07
	1			49	0	22.72	22.12	22.07	
	25			0	1	21.82	21.42	21.46	
	25			12	1	21.74	21.52	21.26	
	25			25	1	21.96	21.31	21.15	
	50		0	1	21.94	21.47	21.45		
	16QAM		1	0	1	22.11	21.21	21.26	
			1	25	1	22.14	21.41	21.15	
			1	49	1	22.06	21.10	20.99	
			25	0	2	20.96	20.46	20.31	
			25	12	2	21.08	20.55	20.54	
			25	25	2	20.68	20.34	20.27	
	50		0	2	20.76	20.44	20.19		
	64QAM		1	0	2	20.99	20.28	20.00	
			1	25	2	20.83	20.49	20.35	
			1	49	2	20.79	20.13	19.88	
			25	0	3	20.22	19.82	19.31	
			25	12	3	20.12	19.91	19.71	
			25	25	3	20.47	19.70	19.48	
	50		0	3	20.14	19.92	19.65		
	256QAM		1	0	5	17.78	17.54	17.77	
1			25	5	18.01	17.74	16.97		
1			49	5	17.66	17.39	17.15		
25			0	5	17.74	17.88	17.63		
25			12	5	17.65	17.95	17.57		
25			25	5	17.81	17.74	17.42		
50	0		5	17.86	17.85	17.43			

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power			
						Frequency (MHz)			
						Low	Middle	High	
LTE Band 41	15	QPSK	1	0	0	22.62	22.13	22.00	
			1	36	0	22.65	22.25	22.26	
			1	74	0	22.61	21.97	22.20	
			36	0	1	21.65	21.25	20.89	
			36	18	1	21.59	21.35	21.44	
			36	37	1	21.61	21.24	21.00	
		75	0	1	21.52	21.30	21.24		
		16QAM	1	0	1	22.04	21.30	21.15	
			1	36	1	22.16	21.44	21.38	
			1	74	1	21.79	21.19	21.31	
			36	0	2	20.54	20.26	20.10	
			36	18	2	20.56	20.39	20.42	
			36	37	2	20.64	20.18	20.26	
		75	0	2	20.59	20.33	20.32		
		64QAM	1	0	2	20.68	20.18	19.75	
			1	36	2	20.83	20.35	19.99	
			1	74	2	20.73	20.08	19.85	
			36	0	3	20.02	19.73	19.41	
			36	18	3	20.28	19.79	19.51	
			36	37	3	20.31	19.66	19.55	
		75	0	3	20.12	19.74	19.47		
		256QAM	1	0	5	17.66	17.52	17.00	
			1	36	5	18.18	17.63	17.26	
			1	74	5	18.07	17.41	17.16	
	36		0	5	18.09	17.71	17.47		
	36		18	5	18.17	17.77	17.62		
	36		37	5	18.09	17.64	17.62		
	75	0	5	18.36	17.71	17.41			
	20	QPSK	1	0	0	22.68	22.05	21.67	
			1	49	0	22.54	22.34	22.04	
			1	99	0	22.56	21.95	21.94	
			50	0	1	21.88	21.29	21.10	
			50	24	1	21.73	21.37	21.28	
			50	50	1	21.58	21.18	21.23	
			100	0	1	21.63	21.25	21.11	
			16QAM	1	0	1	21.87	20.74	20.83
				1	49	1	21.83	20.98	21.27
				1	99	1	21.81	20.61	21.09
				50	0	2	20.74	20.34	20.08
				50	24	2	20.78	20.40	20.27
		50		50	2	20.60	20.27	20.22	
		100	0	2	20.64	20.28	20.13		
		64QAM	1	0	2	20.83	20.06	19.88	
			1	49	2	20.75	20.30	20.11	
			1	99	2	20.63	19.94	19.97	
			50	0	3	20.22	19.67	19.33	
			50	24	3	20.22	19.82	19.56	
			50	50	3	20.09	19.62	19.51	
100		0	3	20.11	19.63	19.31			
256QAM		1	0	5	17.67	17.32	17.02		
		1	49	5	18.01	17.58	17.35		
		1	99	5	17.71	17.26	17.31		
	50	0	5	18.08	17.68	17.37			
	50	24	5	18.15	17.77	17.59			
	50	50	5	18.04	17.61	17.54			
100	0	5	18.05	17.65	17.33				

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power			
						Frequency (MHz)			
						Low	Middle	High	
LTE Band 66	1.4	QPSK	1	0	0	23.52	23.78	23.05	
			1	3	0	23.59	23.94	23.05	
			1	5	0	23.48	23.72	22.96	
			3	0	0	23.52	23.76	23.09	
			3	1	0	23.54	23.74	23.12	
			3	3	0	23.51	23.70	23.03	
		16QAM	6	0	1	22.56	22.67	22.15	
			1	0	1	22.69	22.76	22.27	
			1	3	1	22.85	22.80	22.38	
			1	5	1	22.68	22.67	22.24	
			3	0	1	22.71	22.93	22.05	
			3	1	1	22.77	22.95	22.06	
		64QAM	3	3	1	22.67	22.95	22.03	
			6	0	2	21.58	21.66	21.21	
			1	0	2	20.84	21.09	21.10	
			1	3	2	21.06	21.10	21.21	
			1	5	2	20.70	20.99	21.17	
			3	0	2	20.53	21.01	20.92	
		256QAM	3	1	2	20.77	21.06	21.11	
			3	3	2	20.76	21.00	20.98	
			6	0	3	19.56	19.88	19.87	
			1	0	5	17.76	17.84	17.93	
			1	3	5	17.68	17.94	17.80	
			1	5	5	17.55	17.73	17.60	
		3	QPSK	3	0	5	17.64	17.94	17.89
				3	1	5	17.66	17.84	17.53
				3	3	5	17.69	17.53	17.74
				6	0	5	17.73	17.66	17.80
				1	0	0	23.65	23.80	23.20
				1	8	0	23.69	23.85	23.22
	16QAM		1	14	0	23.55	23.73	23.04	
			8	0	1	22.60	22.80	22.30	
			8	4	1	22.67	22.78	22.23	
			8	7	1	22.61	22.75	22.10	
			15	0	1	22.69	22.76	22.23	
			1	0	1	23.07	23.01	22.36	
	64QAM		1	8	1	23.15	22.96	22.30	
			1	14	1	23.04	22.79	22.20	
			8	0	2	21.83	21.87	21.34	
			8	4	2	21.90	21.85	21.33	
			8	7	2	21.84	21.74	21.20	
			15	0	2	21.68	21.82	21.30	
	256QAM		1	0	2	21.08	20.93	21.21	
			1	8	2	21.10	21.25	21.32	
			1	14	2	21.11	21.02	21.10	
			8	0	3	20.13	19.92	20.00	
			8	4	3	20.09	20.02	20.07	
			8	7	3	20.05	19.81	19.92	
	256QAM		15	0	3	19.98	19.90	20.09	
			1	0	5	18.01	17.91	18.03	
			1	8	5	17.98	17.92	17.95	
			1	14	5	18.05	17.73	17.75	
			8	0	5	17.90	17.91	17.76	
			8	4	5	17.89	17.82	17.85	
				8	7	5	17.92	17.78	17.67
				15	0	5	17.99	17.78	17.80

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 66	5	QPSK	1	0	0	23.64	23.89	23.25
			1	12	0	23.63	23.81	23.22
			1	24	0	23.56	23.73	23.03
			12	0	1	22.64	22.80	22.34
			12	7	1	22.73	22.88	22.34
			12	13	1	22.63	22.70	22.18
		25	0	1	22.70	22.80	22.27	
		16QAM	1	0	1	22.45	23.14	22.27
			1	12	1	22.58	23.12	22.34
			1	24	1	22.43	22.95	22.14
			12	0	2	21.69	21.93	21.28
			12	7	2	21.73	21.93	21.30
			12	13	2	21.66	21.77	21.15
		25	0	2	21.74	21.79	21.35	
		64QAM	1	0	2	21.06	20.94	21.51
			1	12	2	21.11	21.19	20.89
			1	24	2	21.08	20.96	20.96
			12	0	3	19.95	19.86	20.38
			12	7	3	20.05	19.83	20.28
			12	13	3	19.94	19.99	20.30
		25	0	3	19.97	20.37	20.31	
		256QAM	1	0	5	18.51	18.41	18.20
			1	12	5	17.69	18.41	18.58
			1	24	5	18.42	18.42	18.32
	12		0	5	17.98	18.50	18.46	
	12		7	5	17.89	18.58	18.45	
	12		13	5	17.95	18.30	18.26	
	25	0	5	17.97	18.46	18.42		
	10	QPSK	1	0	0	23.37	23.56	23.01
			1	25	0	23.58	23.80	23.17
			1	49	0	23.43	23.57	22.84
			25	0	1	22.64	22.79	22.28
			25	12	1	22.78	22.82	22.36
			25	25	1	22.68	22.71	22.16
		50	0	1	22.69	22.79	22.25	
		16QAM	1	0	1	22.94	22.71	22.17
			1	25	1	23.26	22.94	22.39
			1	49	1	23.10	22.71	22.11
			25	0	2	21.69	21.85	21.40
			25	12	2	21.83	21.93	21.46
			25	25	2	21.70	21.81	21.23
		50	0	2	21.69	21.76	21.30	
		64QAM	1	0	2	21.63	20.61	21.07
			1	25	2	21.04	21.07	21.25
			1	49	2	20.85	20.74	20.93
			25	0	3	20.51	19.73	19.99
			25	12	3	20.63	19.79	20.04
			25	25	3	20.52	19.67	19.78
50		0	3	20.68	20.75	19.98		
256QAM		1	0	5	18.04	17.64	17.75	
		1	25	5	18.02	17.58	17.76	
		1	49	5	18.44	17.61	17.52	
	25	0	5	18.21	17.89	17.76		
	25	12	5	17.95	17.75	17.91		
	25	25	5	17.85	17.66	17.91		
50	0	5	17.84	17.69	17.79			

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 66	15	QPSK	1	0	0	23.42	23.59	23.36
			1	36	0	23.48	23.75	23.25
			1	74	0	23.36	23.40	23.03
			36	0	1	22.52	22.71	22.29
			36	18	1	22.64	22.71	22.24
			36	37	1	22.56	22.67	22.11
		16QAM	75	0	1	22.56	22.65	22.20
			1	0	1	23.10	22.89	22.76
			1	36	1	23.14	22.95	22.64
			1	74	1	23.03	22.66	22.41
			36	0	2	21.60	21.76	21.31
			36	18	2	21.67	21.80	21.27
		64QAM	36	37	2	21.61	21.70	21.10
			75	0	2	21.61	21.71	21.21
			1	0	2	20.89	21.04	21.15
			1	36	2	21.09	20.87	21.10
			1	74	2	20.98	20.77	20.79
			36	0	3	19.91	19.68	20.70
		256QAM	36	18	3	19.95	19.79	19.88
			36	37	3	19.86	19.69	19.68
			75	0	3	19.96	19.61	19.77
			1	0	5	17.78	17.63	17.75
			1	36	5	17.95	17.83	17.94
			1	74	5	17.81	17.58	17.51
	20	QPSK	36	0	5	17.84	17.72	17.79
			36	18	5	17.96	17.69	17.84
			36	37	5	17.93	17.58	17.59
			75	0	5	17.90	17.64	17.73
			1	0	0	23.23	23.33	23.38
			1	49	0	23.47	23.61	23.15
		16QAM	1	99	0	23.30	23.29	22.94
			50	0	1	22.50	22.69	22.33
			50	24	1	22.63	22.70	22.30
			50	50	1	22.55	22.63	22.08
			100	0	1	22.60	22.67	22.19
			1	0	1	22.56	22.64	22.96
		64QAM	1	49	1	22.84	22.91	22.69
			1	99	1	22.70	22.52	22.50
			50	0	2	21.50	21.71	21.34
			50	24	2	21.63	21.77	21.29
			50	50	2	21.51	21.60	21.08
			100	0	2	21.59	21.70	21.22
		256QAM	1	0	2	20.58	20.55	21.42
			1	49	2	20.84	21.08	21.36
			1	99	2	20.78	20.55	20.97
			50	0	3	19.80	19.69	20.10
			50	24	3	19.89	19.75	20.03
			50	50	3	19.86	19.56	19.82
256QAM	100	0	3	19.85	19.63	19.94		
	1	0	5	17.89	18.41	18.02		
	1	49	5	17.99	17.72	17.56		
	1	99	5	17.79	18.25	17.68		
	50	0	5	17.85	17.64	17.89		
	50	24	5	17.88	17.79	17.54		
256QAM	50	50	5	17.65	17.60	17.78		
	100	0	5	17.98	18.18	17.74		

Sub Antenna

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power				
						Frequency (MHz)				
						Low	Middle	High		
LTE Band 2	1.4	QPSK	1	0	0	23.56	23.73	23.50		
			1	3	0	23.80	23.84	23.70		
			1	5	0	23.70	23.73	23.48		
			3	0	0	23.58	23.72	23.59		
			3	1	0	23.53	23.73	23.50		
			3	3	0	23.41	23.85	23.43		
		6	0	1	22.63	22.75	22.72			
		16QAM	1	0	1	22.62	22.96	22.68		
			1	3	1	22.75	23.18	22.77		
			1	5	1	22.49	22.83	22.67		
			3	0	1	22.79	22.90	22.67		
			3	1	1	22.79	22.93	22.80		
			3	3	1	22.85	22.80	22.60		
		6	0	2	21.61	21.90	21.59			
		64QAM	1	0	2	21.53	21.56	21.46		
			1	3	2	21.36	21.89	21.49		
			1	5	2	21.52	21.66	21.36		
			3	0	2	21.20	21.54	21.15		
			3	1	2	21.28	21.74	21.10		
			3	3	2	21.03	21.93	21.06		
		6	0	3	20.20	20.56	20.06			
		256QAM	1	0	5	18.36	18.60	18.25		
			1	3	5	18.34	18.63	18.42		
			1	5	5	18.34	18.68	18.04		
	3		0	5	18.50	18.79	18.43			
	3		1	5	18.33	18.86	18.24			
	3		3	5	18.37	18.80	18.43			
	6	0	5	17.99	18.45	18.15				
	3	QPSK	1	0	0	0	23.74	23.83	23.78	
				8	0	0	23.90	23.91	23.77	
				14	0	0	23.78	23.89	23.53	
				0	1	1	22.77	22.78	22.66	
				4	1	1	22.95	23.02	22.78	
				7	1	1	22.82	22.87	22.68	
			8	0	1	1	22.84	22.79	22.61	
				15	0	1	1	23.27	23.04	22.91
					8	1	1	23.29	22.91	22.78
					14	1	1	23.30	22.84	22.74
					0	2	2	22.12	21.82	21.89
					4	2	2	22.03	21.96	21.86
		7	2		2	22.06	21.78	21.76		
		16QAM	0	2	2	21.84	21.91	21.76		
			1	0	2	2	21.53	21.90	21.45	
				8	2	2	21.36	21.99	21.78	
				14	2	2	21.36	21.81	21.63	
				0	3	3	20.32	20.92	20.59	
				4	3	3	20.30	20.89	20.49	
		7		3	3	20.26	20.93	20.47		
		64QAM	0	3	3	20.28	20.86	20.40		
			1	0	5	5	18.41	18.67	18.50	
				8	5	5	18.36	18.77	18.51	
				14	5	5	18.31	18.72	18.47	
	0			5	5	18.14	18.66	18.68		
	4			5	5	18.16	18.79	18.53		
7	5	5		18.23	18.82	18.59				
256QAM	0	5	5	18.27	18.63	18.68				

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 2	5	QPSK	1	0	0	23.84	23.80	23.74
			1	12	0	23.87	24.02	23.77
			1	24	0	23.70	23.85	23.68
			12	0	1	22.77	22.76	22.81
			12	7	1	22.98	22.88	22.75
			12	13	1	22.83	22.81	22.66
		25	0	1	22.85	22.88	22.66	
		16QAM	1	0	1	22.58	23.09	22.63
			1	12	1	22.66	23.05	22.85
			1	24	1	22.60	22.97	22.61
			12	0	2	21.88	21.96	21.62
			12	7	2	21.93	21.85	21.63
			12	13	2	21.84	21.89	21.58
		25	0	2	21.89	21.74	21.80	
		64QAM	1	0	2	21.60	22.01	21.48
			1	12	2	21.56	22.28	21.56
			1	24	2	21.36	22.27	21.67
			12	0	3	20.63	20.89	20.54
			12	7	3	20.69	21.26	20.62
			12	13	3	20.54	21.30	20.63
		25	0	3	20.42	21.22	20.47	
		256QAM	1	0	5	18.50	19.23	18.38
			1	12	5	18.61	19.19	18.60
			1	24	5	18.53	19.37	18.72
	12		0	5	18.46	19.10	18.45	
	12		7	5	18.51	19.03	18.47	
	12		13	5	18.43	19.25	18.70	
	25	0	5	18.33	19.06	18.55		
	10	QPSK	1	0	0	23.50	23.42	23.61
			1	25	0	23.73	23.87	23.52
			1	49	0	23.46	23.64	23.57
			25	0	1	22.71	22.78	22.74
			25	12	1	22.92	22.81	22.75
			25	25	1	22.87	22.66	22.63
		50	0	1	22.82	22.68	22.71	
		16QAM	1	0	1	23.14	22.65	22.82
			1	25	1	23.44	23.04	22.81
			1	49	1	23.16	22.65	22.83
			25	0	2	21.78	21.88	21.72
			25	12	2	21.95	21.85	21.78
			25	25	2	21.71	21.74	21.66
		50	0	2	21.77	21.64	21.69	
		64QAM	1	0	2	21.13	21.11	21.58
			1	25	2	21.25	21.23	21.60
			1	49	2	21.38	21.12	21.72
			25	0	3	20.32	20.55	20.32
			25	12	3	20.16	20.27	20.52
			25	25	3	20.42	20.09	20.47
50		0	3	20.37	20.01	20.39		
256QAM		1	0	5	18.33	18.26	18.57	
		1	25	5	18.28	18.22	18.52	
		1	49	5	18.44	18.07	18.31	
	25	0	5	18.32	18.06	18.27		
	25	12	5	18.55	18.16	18.47		
	25	25	5	18.34	18.14	18.47		
50	0	5	18.32	18.39	18.30			

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power			
						Frequency (MHz)			
						Low	Middle	High	
LTE Band 2	15	QPSK	1	0	0	23.40	23.70	23.68	
			1	36	0	23.45	23.61	23.54	
			1	74	0	23.43	23.66	23.46	
			36	0	1	22.57	22.53	22.48	
			36	18	1	22.74	22.72	22.52	
			36	37	1	22.56	22.61	22.51	
		75	0	1	22.60	22.60	22.61		
		16QAM	1	0	1	23.04	22.89	23.12	
			1	36	1	23.28	22.87	22.94	
			1	74	1	23.11	22.86	22.77	
			36	0	2	21.62	21.52	21.45	
			36	18	2	21.68	21.68	21.61	
			36	37	2	21.70	21.58	21.68	
		75	0	2	21.63	21.53	21.56		
		64QAM	1	0	2	21.12	21.30	21.10	
			1	36	2	21.50	21.55	21.29	
			1	74	2	21.13	21.78	21.61	
			36	0	3	20.11	20.24	20.49	
			36	18	3	20.31	20.27	20.12	
			36	37	3	20.42	20.66	20.24	
		75	0	3	20.41	20.49	20.04		
		256QAM	1	0	5	18.23	18.41	18.61	
			1	36	5	18.31	18.58	18.04	
			1	74	5	18.14	18.52	18.29	
	36		0	5	18.51	18.31	18.50		
	36		18	5	18.30	18.49	18.28		
	36		37	5	18.24	18.66	18.48		
	75	0	5	18.41	18.42	18.08			
	20	QPSK	1	0	0	23.48	23.65	23.54	
			1	49	0	23.55	23.64	23.42	
			1	99	0	23.61	23.61	23.51	
			50	0	1	22.61	22.58	22.46	
			50	24	1	22.58	22.59	22.52	
			50	50	1	22.68	22.75	22.52	
			100	0	1	22.64	22.66	22.59	
			16QAM	1	0	1	22.98	22.97	23.13
				1	49	1	22.91	22.92	23.08
				1	99	1	22.88	22.94	23.12
				50	0	2	21.54	21.53	21.46
				50	24	2	21.57	21.63	21.50
		50		50	2	21.61	21.57	21.47	
		100	0	2	21.69	21.68	21.46		
		64QAM	1	0	2	21.29	21.15	21.83	
			1	49	2	21.29	21.43	21.79	
			1	99	2	21.27	21.51	21.93	
			50	0	3	20.12	20.20	20.51	
			50	24	3	20.48	19.99	20.63	
			50	50	3	20.59	20.43	20.64	
100		0	3	20.28	20.50	20.54			
256QAM		1	0	5	18.34	18.51	18.19		
		1	49	5	18.47	18.14	18.77		
		1	99	5	18.40	18.17	18.69		
	50	0	5	18.22	18.30	18.41			
	50	24	5	18.39	18.12	18.64			
	50	50	5	18.56	18.15	18.60			


Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 66	1.4	QPSK	1	0	0	23.87	24.17	23.40
			1	3	0	24.04	24.39	23.47
			1	5	0	23.93	24.12	23.40
			3	0	0	23.87	24.18	23.45
			3	1	0	23.96	24.09	23.52
			3	3	0	23.86	24.15	23.48
		16QAM	6	0	1	23.00	23.07	22.59
			1	0	1	23.09	23.15	22.64
			1	3	1	23.24	23.16	22.82
			1	5	1	23.06	23.02	22.63
			3	0	1	23.16	23.36	22.45
			3	1	1	23.13	23.37	22.47
		64QAM	3	3	1	23.03	23.31	22.39
			6	0	2	21.95	22.10	21.65
			1	0	2	21.20	21.52	21.46
			1	3	2	21.44	21.48	21.65
			1	5	2	21.15	21.40	21.58
			3	0	2	20.98	21.41	21.31
		256QAM	3	1	2	21.16	21.46	21.46
			3	3	2	21.20	21.36	21.40
			6	0	3	19.92	20.26	20.32
			1	0	5	18.13	18.27	18.32
			1	3	5	18.10	18.39	18.23
			1	5	5	17.91	18.17	18.05
	3	QPSK	3	0	5	18.03	18.30	18.31
			3	1	5	18.07	18.22	17.88
			3	3	5	18.05	17.98	18.15
			6	0	5	18.14	18.05	18.25
			1	0	0	24.07	24.20	23.57
			1	8	0	24.11	24.20	23.63
		16QAM	1	14	0	23.94	24.17	23.47
			8	0	1	22.95	23.18	22.73
			8	4	1	23.10	23.17	22.60
			8	7	1	23.06	23.19	22.54
			15	0	1	23.05	23.11	22.59
			1	0	1	23.44	23.45	22.77
		64QAM	1	8	1	23.37	23.39	22.70
			1	14	1	23.44	23.15	22.64
			8	0	2	22.24	22.27	21.73
			8	4	2	22.29	22.26	21.75
			8	7	2	22.26	22.14	21.63
			15	0	2	22.05	22.25	21.67
		256QAM	1	0	2	21.51	21.38	21.66
			1	8	2	21.51	21.66	21.77
			1	14	2	21.55	21.47	21.47
			8	0	3	20.55	20.29	20.36
			8	4	3	20.50	20.39	20.49
			8	7	3	20.48	20.16	20.34
256QAM	15	0	3	20.42	20.29	20.45		
	1	0	5	18.46	18.33	18.41		
	1	8	5	18.35	18.35	18.40		
	1	14	5	18.48	18.18	18.16		
	8	0	5	18.29	18.26	18.13		
	8	4	5	18.29	18.20	18.21		
256QAM	8	7	5	18.28	18.22	18.08		
	15	0	5	18.35	18.15	18.16		

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 66	5	QPSK	1	0	0	24.00	24.28	23.68
			1	12	0	24.04	24.24	23.60
			1	24	0	23.92	24.13	23.39
			12	0	1	23.02	23.25	22.74
			12	7	1	23.08	23.26	22.73
			12	13	1	23.07	23.10	22.54
		25	0	1	23.05	23.16	22.63	
		16QAM	1	0	1	22.86	23.50	22.65
			1	12	1	23.01	23.45	22.72
			1	24	1	22.84	23.32	22.49
			12	0	2	22.13	22.34	21.72
			12	7	2	22.18	22.36	21.73
			12	13	2	22.04	22.21	21.51
		25	0	2	22.15	22.24	21.72	
		64QAM	1	0	2	21.47	21.37	21.90
			1	12	2	21.50	21.57	21.31
			1	24	2	21.44	21.39	21.41
			12	0	3	20.37	20.27	20.78
			12	7	3	20.49	20.24	20.63
			12	13	3	20.37	20.36	20.72
		25	0	3	20.36	20.77	20.76	
		256QAM	1	0	5	18.87	18.86	18.55
			1	12	5	18.10	18.76	18.98
			1	24	5	18.82	18.81	18.76
	12		0	5	18.36	18.95	18.84	
	12		7	5	18.30	18.95	18.81	
	12		13	5	18.32	18.68	18.63	
	25	0	5	18.34	18.86	18.84		
	10	QPSK	1	0	0	23.74	23.91	23.39
			1	25	0	23.93	24.17	23.59
			1	49	0	23.86	24.01	23.28
			25	0	1	23.02	23.19	22.68
			25	12	1	23.14	23.23	22.72
			25	25	1	23.03	23.12	22.54
		50	0	1	23.10	23.24	22.69	
		16QAM	1	0	1	23.31	23.11	22.56
			1	25	1	23.38	23.37	22.78
			1	49	1	23.47	23.06	22.52
			25	0	2	22.06	22.24	21.80
			25	12	2	22.26	22.37	21.89
			25	25	2	22.06	22.25	21.59
		50	0	2	22.06	22.13	21.74	
		64QAM	1	0	2	22.06	21.03	21.47
			1	25	2	21.49	21.45	21.67
			1	49	2	21.30	21.13	21.28
			25	0	3	20.86	20.13	20.43
			25	12	3	21.03	20.17	20.40
			25	25	3	20.92	20.10	20.21
50		0	3	21.06	21.18	20.38		
256QAM		1	0	5	18.43	18.01	18.10	
		1	25	5	18.47	17.95	18.14	
		1	49	5	18.84	17.96	17.88	
	25	0	5	18.57	18.29	18.11		
	25	12	5	18.30	18.10	18.36		
	25	25	5	18.23	18.09	18.35		
50	0	5	18.28	18.11	18.18			

Test Band	Bandwidth (MHz)	Test mode	RB size	RB offset	MPR	Maximum power		
						Frequency (MHz)		
						Low	Middle	High
LTE Band 66	15	QPSK	1	0	0	23.84	23.96	23.77
			1	36	0	23.86	24.20	23.62
			1	74	0	23.79	23.80	23.41
			36	0	1	22.92	23.08	22.66
			36	18	1	23.07	23.08	22.60
			36	37	1	23.00	23.07	22.50
		16QAM	75	0	1	23.00	23.08	22.56
			1	0	1	23.49	23.33	23.13
			1	36	1	23.42	23.32	23.00
			1	74	1	23.45	23.02	22.84
			36	0	2	22.04	22.16	21.74
			36	18	2	22.11	22.24	21.63
		64QAM	36	37	2	21.97	22.12	21.49
			75	0	2	21.96	22.11	21.60
			1	0	2	21.33	21.41	21.56
			1	36	2	21.52	21.29	21.54
			1	74	2	21.34	21.16	21.15
			36	0	3	20.33	20.13	21.09
		256QAM	36	18	3	20.40	20.22	20.27
			36	37	3	20.24	20.08	20.13
			75	0	3	20.41	19.98	20.22
			1	0	5	18.15	18.02	18.14
			1	36	5	18.33	18.20	18.39
			1	74	5	18.20	18.02	17.88
	20	QPSK	36	0	5	18.29	18.14	18.24
			36	18	5	18.39	18.13	18.25
			36	37	5	18.31	18.03	17.99
			75	0	5	18.28	18.03	18.08
			1	0	0	23.68	23.73	23.81
			1	49	0	23.85	24.02	23.54
		16QAM	1	99	0	23.66	23.71	23.29
			50	0	1	22.91	23.13	22.74
			50	24	1	23.02	23.14	22.72
			50	50	1	22.94	23.07	22.49
			100	0	1	23.00	23.11	22.54
			1	0	1	22.99	23.09	23.39
		64QAM	1	49	1	23.23	23.36	23.13
			1	99	1	23.15	22.88	22.93
			50	0	2	21.91	22.06	21.73
			50	24	2	22.07	22.12	21.67
			50	50	2	21.91	22.01	21.46
			100	0	2	22.03	22.13	21.62
		256QAM	1	0	2	20.96	20.93	21.87
			1	49	2	21.21	21.46	21.78
			1	99	2	21.16	20.91	21.35
			50	0	3	20.15	20.13	20.48
			50	24	3	20.28	20.14	20.44
			50	50	3	20.27	19.97	20.21
256QAM	100	0	3	20.26	19.98	20.39		
	1	0	5	18.26	18.78	18.37		
	1	49	5	18.37	18.09	17.96		
	1	99	5	18.19	18.62	18.10		
	50	0	5	18.28	18.09	18.32		
	50	24	5	18.30	18.23	17.97		
256QAM	50	50	5	18.01	17.96	18.16		
	100	0	5	18.36	18.58	18.19		

7.2. 99% Occupied Bandwidth & 26 dB Bandwidth

Test setup



Limit

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured.


Test procedure

971168 D01 v03r01 – Section 4.2 and 4.3
ANSI C63.26-2015 – Section 5.4.3 and 5.4.4

Test settings

◆ 26dB Bandwidth

- The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation. See guidance provided in 4.2.3.
- The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- Set spectrum analyzer detection mode to peak, and the trace mode to max hold.
- Determine the reference value by either of the following:
 - Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace (this is the reference value).
 - Set the EUT to transmit an unmodulated carrier. Set the spectrum analyzer marker to the level of the carrier.
- Determine the “-X dB amplitude” as equal to (Reference Value - X). Alternatively, this calculation can be performed on the spectrum analyzer using the delta-marker measurement function.
- If the reference value was determined using an unmodulated carrier, turn the EUT modulation on, then either clear the existing trace or start a new trace on the spectrum analyzer and allow the new trace to stabilize. Otherwise the trace from step f) shall be used for step i).

<p style="text-align: center;">Eurofins KCTL Co.,Ltd. 65, Sinwon-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Korea TEL: 82-31-285-0894 FAX: 82-505-299-8311 www.kctl.co.kr</p>	<p style="text-align: center;">Report No.: KR22-SRF0173 Page (43) of (253)</p>	
---	--	---

- i) Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “-X dB amplitude” determined in step f). If a marker is below this “-X dB amplitude” value it should be as close as possible to this value. The OBW is the positive frequency difference between the two markers.
- j) The spectral envelope can cross the “-X dB amplitude” at multiple points. The lowest or highest frequency shall be selected as the frequencies that are the farthest away from the center frequency at which the spectral envelope crosses the “-X dB amplitude.”
- k) The OBW shall be reported by providing plot(s) of the measuring instrument display, to include markers depicting the relevant frequency and amplitude information (e.g., marker table). The frequency and amplitude axis and scale shall be clearly labeled. Tabular data may be reported in addition to the plot(s).

◆ 99% Occupied Bandwidth

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts (typically a span of $1.5 \times \text{OBW}$ is sufficient).
- b) The nominal IF filter 3 dB bandwidth (RBW) shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation. See guidance provided in 4.2.3.
- d) Set the detection mode to peak, and the trace mode to max-hold.
- e) If the instrument does not have a 99% OBW function, recover the trace data points and sum directly in linear power terms. Place the recovered amplitude data points, beginning at the lowest frequency, in a running sum until 0.5% of the total is reached. Record that frequency as the lower OBW frequency. Repeat the process until 99.5% of the total is reached and record that frequency as the upper OBW frequency. The 99% power OBW can be determined by computing the difference these two frequencies.
- f) The OBW shall be reported and plot(s) of the measuring instrument display shall be provided with the test report. The frequency and amplitude axis and scale shall be clearly labeled. Tabular data can be reported in addition to the plot(s).

Notes:

1. The EUT was setup to maximum output power as its lowest and highest channel with all bandwidth, Modulation.

Test results

Test Band	Bandwidth (MHz)	Frequency (MHz)	Test mode	26dB bandwidth (MHz)	99 % bandwidth (MHz)
LTE Band 2	1.4	1 850.7	QPSK	1.24	1.09
			16QAM	1.24	1.09
		1 880.0	QPSK	1.24	1.09
			16QAM	1.23	1.09
		1 909.3	QPSK	1.23	1.10
			16QAM	1.24	1.09
	3	1 851.5	QPSK	2.97	2.70
			16QAM	3.03	2.70
		1 880.0	QPSK	2.98	2.71
			16QAM	2.99	2.70
		1 908.5	QPSK	3.00	2.70
			16QAM	3.00	2.70
	5	1 852.5	QPSK	4.97	4.53
			16QAM	4.96	4.50
		1 880.0	QPSK	4.98	4.51
			16QAM	4.98	4.50
		1 907.5	QPSK	4.96	4.50
			16QAM	4.98	4.52
	10	1 855.0	QPSK	9.79	8.99
			16QAM	9.82	8.97
		1 880.0	QPSK	9.87	8.99
			16QAM	9.79	8.97
		1 905.0	QPSK	9.79	8.99
			16QAM	9.69	8.99
	15	1 857.5	QPSK	14.42	13.56
			16QAM	14.54	13.45
		1 880.0	QPSK	14.65	13.45
			16QAM	14.61	13.45
1 902.5		QPSK	14.69	13.49	
		16QAM	14.65	13.52	
20	1 860.0	QPSK	19.38	17.98	
		16QAM	19.53	18.08	
	1 880.0	QPSK	19.28	18.13	
		16QAM	19.38	18.08	
	1 900.0	QPSK	19.38	18.03	
		16QAM	19.53	17.98	

Test Band	Bandwidth (MHz)	Frequency (MHz)	Test mode	26dB bandwidth (MHz)	99 % bandwidth (MHz)
LTE Band 5	1.4	824.7	QPSK	1.20	1.10
			16QAM	1.21	1.09
		836.5	QPSK	1.24	1.09
			16QAM	1.25	1.09
		848.3	QPSK	1.22	1.09
			16QAM	1.19	1.09
	3	825.5	QPSK	2.97	2.70
			16QAM	3.01	2.70
		836.5	QPSK	2.98	2.70
			16QAM	2.98	2.70
		847.5	QPSK	2.99	2.70
			16QAM	3.00	2.69
	5	826.5	QPSK	4.98	4.52
			16QAM	4.97	4.50
		836.5	QPSK	4.98	4.50
			16QAM	4.97	4.52
		846.5	QPSK	4.96	4.50
			16QAM	4.98	4.51
	10	829.0	QPSK	9.84	8.99
			16QAM	9.79	8.97
		836.5	QPSK	9.77	8.97
			16QAM	9.84	8.97
		844.0	QPSK	9.82	8.94
			16QAM	9.74	8.97

Test Band	Bandwidth (MHz)	Frequency (MHz)	Test mode	26dB bandwidth (MHz)	99 % bandwidth (MHz)
LTE Band 12	1.4	699.7	QPSK	1.23	1.10
			16QAM	1.24	1.09
		707.5	QPSK	1.21	1.08
			16QAM	1.22	1.09
		715.3	QPSK	1.25	1.09
			16QAM	1.23	1.09
	3	700.5	QPSK	2.95	2.70
			16QAM	3.00	2.70
		707.5	QPSK	2.99	2.70
			16QAM	3.00	2.70
		714.5	QPSK	3.00	2.70
			16QAM	3.00	2.69
LTE Band 12/17	5	701.5	QPSK	4.96	4.52
			16QAM	4.95	4.50
		707.5	QPSK	4.98	4.50
			16QAM	4.97	4.51
		713.5	QPSK	4.97	4.50
			16QAM	5.00	4.52
	10	704.0	QPSK	9.84	8.94
			16QAM	9.72	8.97
		707.5	QPSK	9.72	8.94
			16QAM	9.62	8.94
		711.0	QPSK	9.79	8.99
			16QAM	9.82	9.02

Test Band	Bandwidth (MHz)	Frequency (MHz)	Test mode	26dB bandwidth (MHz)	99 % bandwidth (MHz)
LTE Band 13	5	779.5	QPSK	4.96	4.51
			16QAM	4.98	4.53
		782.0	QPSK	4.97	4.53
			16QAM	5.00	4.52
		784.5	QPSK	4.97	4.50
			16QAM	4.97	4.50
	10	782.0	QPSK	9.84	8.99
			16QAM	9.84	9.04




Test Band	Bandwidth (MHz)	Frequency (MHz)	Test mode	26dB bandwidth (MHz)	99 % bandwidth (MHz)
LTE Band 26	1.4	824.7	QPSK	1.24	1.09
			16QAM	1.25	1.09
		836.5	QPSK	1.21	1.09
			16QAM	1.19	1.09
		848.3	QPSK	1.20	1.09
			16QAM	1.21	1.09
	3	825.5	QPSK	2.97	2.70
			16QAM	3.03	2.71
		836.5	QPSK	2.97	2.70
			16QAM	2.99	2.70
		847.5	QPSK	3.00	2.70
			16QAM	3.00	2.70
	5	826.5	QPSK	4.98	4.52
			16QAM	4.96	4.51
		836.5	QPSK	4.98	4.50
			16QAM	4.96	4.52
		846.5	QPSK	4.98	4.50
			16QAM	4.98	4.52
	10	829.0	QPSK	9.69	8.99
			16QAM	9.74	8.97
		836.5	QPSK	9.74	8.94
			16QAM	9.67	8.97
		844.0	QPSK	9.74	8.97
			16QAM	9.72	8.94
15	831.5	QPSK	14.80	13.45	
		16QAM	14.69	13.45	
	836.5	QPSK	14.50	13.45	
		16QAM	14.57	13.49	
	841.5	QPSK	14.46	13.41	
		16QAM	14.54	13.45	

Test Band	Bandwidth (MHz)	Frequency (MHz)	Test mode	26dB bandwidth (MHz)	99 % bandwidth (MHz)
LTE Band 41	5	2 498.5	QPSK	4.93	4.51
			16QAM	5.00	4.51
		2 593.0	QPSK	5.07	4.50
			16QAM	5.08	4.51
		2 687.5	QPSK	4.98	4.51
			16QAM	4.98	4.51
	10	2 501.0	QPSK	10.02	8.97
			16QAM	9.72	9.02
		2 593.0	QPSK	9.77	8.99
			16QAM	9.74	8.99
		2 685.0	QPSK	9.79	8.99
			16QAM	10.22	8.97
	15	2 503.5	QPSK	14.57	13.52
			16QAM	14.76	13.49
		2 593.0	QPSK	14.72	13.41
			16QAM	14.54	13.49
		2 682.5	QPSK	14.50	13.49
			16QAM	14.39	13.52
	20	2 506.0	QPSK	19.33	18.03
			16QAM	19.33	18.03
		2 593.0	QPSK	19.53	18.03
			16QAM	19.63	18.13
		2 680.0	QPSK	19.33	18.03
			16QAM	19.38	17.98


Test Band	Bandwidth (MHz)	Frequency (MHz)	Test mode	26dB bandwidth (MHz)	99 % bandwidth (MHz)
LTE Band 66/4	1.4	1 710.7	QPSK	1.21	1.10
			16QAM	1.21	1.08
		1 745.0	QPSK	1.21	1.09
			16QAM	1.21	1.09
		1 779.3	QPSK	1.24	1.09
			16QAM	1.23	1.09
	3	1 711.5	QPSK	2.97	2.70
			16QAM	3.02	2.70
		1 745.0	QPSK	2.99	2.71
			16QAM	3.00	2.70
		1 778.5	QPSK	2.99	2.70
			16QAM	3.00	2.70
	5	1 712.5	QPSK	4.96	4.51
			16QAM	4.98	4.51
		1 745.0	QPSK	5.00	4.50
			16QAM	4.97	4.51
		1 777.5	QPSK	4.95	4.51
			16QAM	5.00	4.51
	10	1 715.0	QPSK	9.87	9.02
			16QAM	9.72	9.02
		1 745.0	QPSK	9.79	8.94
			16QAM	9.74	8.97
		1 775.0	QPSK	9.87	9.02
			16QAM	9.84	8.97
	15	1 717.5	QPSK	14.61	13.45
			16QAM	14.69	13.41
		1 745.0	QPSK	14.54	13.45
			16QAM	14.57	13.49
		1 772.5	QPSK	14.57	13.45
			16QAM	14.54	13.52
20	1 720.0	QPSK	19.48	18.08	
		16QAM	19.63	17.88	
	1 745.0	QPSK	19.43	18.03	
		16QAM	19.43	18.03	
	1 770.0	QPSK	19.48	17.93	
		16QAM	19.43	18.08	

26 dB Bandwidth


Test mode: LTE Band 2



3M BW QPSK Low ch.




3M BW 16QAM Low ch.




3M BW QPSK Mid ch.




3M BW 16QAM Mid ch.




3M BW QPSK High ch.




3M BW 16QAM High ch.



5M BW QPSK Low ch.




5M BW 16QAM Low ch.




5M BW QPSK Mid ch.




5M BW 16QAM Mid ch.




5M BW QPSK High ch.




5M BW 16QAM High ch.




10M BW QPSK Low ch.




10M BW 16QAM Low ch.




10M BW QPSK Mid ch.




10M BW 16QAM Mid ch.




10M BW QPSK High ch.




10M BW 16QAM High ch.



15M BW QPSK Low ch.



15M BW 16QAM Low ch.




15M BW QPSK Mid ch.




15M BW 16QAM Mid ch.




15M BW QPSK High ch.




15M BW 16QAM High ch.



20M BW QPSK Low ch.



20M BW 16QAM Low ch.




20M BW QPSK Mid ch.




20M BW 16QAM Mid ch.



20M BW QPSK High ch.




20M BW 16QAM High ch.




Test mode: LTE Band 5


1.4M BW QPSK Low ch.



1.4M BW 16QAM Low ch.




1.4M BW QPSK Mid ch.




1.4M BW 16QAM Mid ch.




1.4M BW QPSK High ch.




1.4M BW 16QAM High ch.



3M BW QPSK Low ch.




3M BW 16QAM Low ch.




3M BW QPSK Mid ch.




3M BW 16QAM Mid ch.




3M BW QPSK High ch.




3M BW 16QAM High ch.




5M BW QPSK Low ch.




5M BW 16QAM Low ch.




5M BW QPSK Mid ch.




5M BW 16QAM Mid ch.




5M BW QPSK High ch.




5M BW 16QAM High ch.




10M BW QPSK Low ch.




10M BW 16QAM Low ch.




10M BW QPSK Mid ch.




10M BW 16QAM Mid ch.



10M BW QPSK High ch.




10M BW 16QAM High ch.




Test mode: LTE Band 12


1.4M BW QPSK Low ch.




1.4M BW 16QAM Low ch.




1.4M BW QPSK Mid ch.




1.4M BW 16QAM Mid ch.




1.4M BW QPSK High ch.




1.4M BW 16QAM High ch.



3M BW QPSK Low ch.




3M BW 16QAM Low ch.




3M BW QPSK Mid ch.




3M BW 16QAM Mid ch.



3M BW QPSK High ch.




3M BW 16QAM High ch.




Test mode: LTE Band 12/17


5M BW QPSK Low ch.




5M BW 16QAM Low ch.




5M BW QPSK Mid ch.




5M BW 16QAM Mid ch.




5M BW QPSK High ch.




5M BW 16QAM High ch.



10M BW QPSK Low ch.




10M BW 16QAM Low ch.




10M BW QPSK Mid ch.




10M BW 16QAM Mid ch.



10M BW QPSK High ch.




10M BW 16QAM High ch.




Test mode: LTE Band 13


5M BW QPSK Low ch.




5M BW 16QAM Low ch.




5M BW QPSK Mid ch.




5M BW 16QAM Mid ch.




5M BW QPSK High ch.




5M BW 16QAM High ch.



10M BW QPSK Mid ch.




10M BW 16QAM Mid ch.




Test mode: LTE Band 26


1.4M BW QPSK Low ch.




1.4M BW 16QAM Low ch.




1.4M BW QPSK Mid ch.




1.4M BW 16QAM Mid ch.




1.4M BW QPSK High ch.




1.4M BW 16QAM High ch.




3M BW QPSK Low ch.




3M BW 16QAM Low ch.




3M BW QPSK Mid ch.



3M BW 16QAM Mid ch.



3M BW QPSK High ch.



3M BW 16QAM High ch.

