

Plot 7-439. Conducted Average Output Power Plot (B66_5M+20M_2C_64QAM - Mid Channel, Port 2)



Plot 7-441. Conducted Average Output Power Plot (B66_5M+20M_2C_64QAM – High Channel, Port 0)



Plot 7-443. Conducted Average Output Power Plot (B66_5M+20M_2C_64QAM – High Channel, Port 2)



Plot 7-440. Conducted Average Output Power Plot (B66_5M+20M_2C_64QAM - Mid Channel, Port 3)



Plot 7-442. Conducted Average Output Power Plot (B66_5M+20M_2C_64QAM – High Channel, Port 1)



Plot 7-444. Conducted Average Output Power Plot (B66_5M+20M_2C_64QAM – High Channel, Port 3)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 121 of 420	
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 121 of 420	
© 2021 PCTEST		·		PK-QP-16-14 Rev.01	






Plot 7-445. Conducted Average Output Power Plot (B66_20M+20M_2C_QPSK - Low Channel, Port 0)



Plot 7-447. Conducted Average Output Power Plot (B66_20M+20M_2C_QPSK - Low Channel, Port 2)



Plot 7-449. Conducted Average Output Power Plot (B66_20M+20M_2C_16QAM – Mid Channel, Port 0)



Plot 7-446. Conducted Average Output Power Plot (B66_20M+20M_2C_QPSK - Low Channel, Port 1)



Plot 7-448. Conducted Average Output Power Plot (B66_20M+20M_2C_QPSK - Low Channel, Port 3)



Plot 7-450. Conducted Average Output Power Plot (B66_20M+20M_2C_16QAM – Mid Channel, Port 1)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 122 of 420	
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 122 of 420	
© 2021 PCTEST	•	•		PK-QP-16-14 Rev.01	





Plot 7-451. Conducted Average Output Power Plot (B66_20M+20M_2C_16QAM – Mid Channel, Port 2)




Plot 7-453. Conducted Average Output Power Plot (B66_20M+20M_2C_64QAM – High Channel, Port 0)



Plot 7-455. Conducted Average Output Power Plot (B66_20M+20M_2C_64QAM – High Channel, Port 2)



Plot 7-452. Conducted Average Output Power Plot (B66_20M+20M_2C_16QAM – Mid Channel, Port 3)



Plot 7-454. Conducted Average Output Power Plot (B66 20M+20M 2C 64QAM – High Channel, Port 1)



Plot 7-456. Conducted Average Output Power Plot (B66_20M+20M_2C_64QAM – High Channel, Port 3)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 122 of 420	
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 123 of 420	
© 2021 PCTEST		·		PK-QP-16-14 Rev.01	



Low Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.41	40.50	40.45	40.48
Conducted Average	1	40.09	40.17	40.09	40.15
Power (dBm)	2	40.19	40.21	40.17	40.23
	3	40.38	40.51	40.39	40.41
Total MIMO Conducted Power (mW)		42561.06	43360.86	42639.91	43053.98
Total MIMO Conducted Power (dBm)		46.29	46.37	46.30	46.34

Table 7-72. Conducted Average Output Power Table (B66_5M+5M+5M_3C - Low Channel)

Middle Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.53	40.58	40.52	40.59
Conducted Average	1	40.30	40.37	40.37	40.33
Power (dBm)	2	40.30	40.33	40.33	40.42
	3	40.58	40.56	40.57	40.57
Total MIMO Conducted Power (mW)		44157.13	44483.82	44353.24	44662.49
Total MIMO Conducted Power (dBm)		46.45	46.48	46.47	46.50

Table 7-73. Conducted Average Output Power Table (B66_5M+5M+5M_3C - Middle Channel)

High Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.60	40.67	40.65	40.58
Conducted Average	1	40.47	40.44	40.44	40.43
Power (dBm)	2	40.48	40.52	40.45	40.45
	3	40.70	40.64	40.75	40.72
Total MIMO Conducted Power (mW)		45542.09	45594.08	45657.49	45364.52
Total MIMO Conducted Power (dBm)		46.58	46.59	46.60	46.57

Table 7-74. Conducted Average Output Power Table (B66_5M+5M+5M_3C - High Channel)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 124 of 420	
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 124 of 420	
© 2021 PCTEST				PK-OP-16-14 Rev 01	

W 2021 PCTEST
 PK-QP-16-14 Rev.(
 PK-QP-16-14 Rev.(
 PK-QP-16-14 Rev.(
 rev.(



Low Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.54	40.44	40.51	40.48
Conducted Average	1	40.15	40.19	40.27	40.19
Power (dBm)	2	40.21	40.21	40.25	40.25
	3	40.47	40.54	40.51	40.51
Total MIMO Conducted Power (mW)		43313.79	43332.87	43726.07	43454.42
Total MIMO Conducted Power (dBm)		46.37	46.37	46.41	46.38

Table 7-75. Conducted Average Output Power Table (B66_5M+5M+20M_3C - Low Channel)

Middle Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.61	40.55	40.55	40.47
Conducted Average	1	40.27	40.28	40.36	40.38
Power (dBm)	2	40.30	40.32	40.32	40.25
	3	40.53	40.61	40.59	40.56
Total MIMO Conducted Power (mW)		44162.59	44288.73	44434.15	44026.16
Total MIMO Conducted Power (dBm)		46.45	46.46	46.48	46.44

Table 7-76. Conducted Average Output Power Table (B66_5M+5M+20M_3C - Middle Channel)

High Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.66	40.59	40.61	40.64
Conducted Average	1	40.37	40.49	40.44	40.42
Power (dBm)	2	40.44	40.40	40.47	40.49
	3	40.70	40.71	40.71	40.69
Total MIMO Conducted Power (mW)		45345.77	45390.35	45493.25	45519.50
Total MIMO Conducted Power (dBm)		46.57	46.57	46.58	46.58

Table 7-77. Conducted Average Output Power Table (B66_5M+5M+20M_3C - High Channel)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 125 of 120
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 125 of 420
© 2021 PCTEST				PK-OP-16-14 Rev 01



Low Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.52	40.44	40.47	40.47
Conducted Average	1	40.24	40.18	40.14	40.20
Power (dBm)	2	40.22	40.20	40.21	40.21
	3	40.36	40.45	40.43	40.45
Total MIMO Conducted Power (mW)		43224.02	43052.45	43006.77	43201.40
Total MIMO Conducted Power (dBm)		46.36	46.34	46.34	46.35

Table 7-78. Conducted Average Output Power Table (B66_5M+15M+20M_3C - Low Channel)

Middle Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Average Power (dBm)	0	40.70	40.55	40.50	40.55
	1	40.31	40.29	40.26	40.31
	2	40.25	40.26	40.33	40.30
	3	40.56	40.54	40.51	40.67
Total MIMO Conducted Power (mW)		44457.68	43981.62	43872.66	44473.29
Total MIMO Conducted Power (dBm)		46.48	46.43	46.42	46.48

Table 7-79. Conducted Average Output Power Table (B66_5M+15M+20M_3C - Middle Channel)

High Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.69	40.63	40.62	40.61
Conducted Average	1	40.47	40.46	40.35	40.41
Power (dBm)	2	40.44	40.42	40.43	40.38
	3	40.62	40.67	40.71	40.63
Total MIMO Conducted Power (mW)		45465.67	45361.93	45190.65	44973.59
Total MIMO Conducted Power (dBm)		46.58	46.57	46.55	46.53

Table 7-80. Conducted Average Output Power Table (B66_5M+15M+20M_3C - High Channel)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 126 of 420
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Fage 120 01 420
© 2021 PCTEST				PK-OP-16-14 Rev 01

U21 PCTEST
 PK-QP-16-14 Rev.0
 PK-QP-16-14 Rev.0
 PK-QP-16-14 Rev.0
 PK-QP-16-14 Rev.0
 reitorbin, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.






Plot 7-457. Conducted Average Output Power Plot (B66_5M+5M+5M_3C_16QAM - Low Channel, Port 0)




Plot 7-459. Conducted Average Output Power Plot (B66_5M+5M+5M_3C_16QAM - Low Channel, Port 2)



Plot 7-461. Conducted Average Output Power Plot (B66_5M+5M+5M_3C_64QAM - Mid Channel, Port 0)



Plot 7-458. Conducted Average Output Power Plot (B66_5M+5M+5M_3C_16QAM - Low Channel, Port 1)



Plot 7-460. Conducted Average Output Power Plot (B66_5M+5M+5M_3C_16QAM - Low Channel, Port 3)



Plot 7-462. Conducted Average Output Power Plot (B66_5M+5M+5M_3C_64QAM - Mid Channel, Port 1)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 127 of 420	
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 127 of 420	
© 2021 PCTEST	-	·		PK-QP-16-14 Rev.01	






Plot 7-463. Conducted Average Output Power Plot (B66_5M+5M+5M_3C_64QAM - Mid Channel, Port 2)




Plot 7-465. Conducted Average Output Power Plot (B66_5M+5M+5M_3C_64QAM – High Channel, Port 0)



Plot 7-467. Conducted Average Output Power Plot (B66_5M+5M+5M_3C_64QAM – High Channel, Port 2)



Plot 7-464. Conducted Average Output Power Plot (B66_5M+5M+5M_3C_64QAM - Mid Channel, Port 3)



Plot 7-466. Conducted Average Output Power Plot (B66_5M+5M+5M_3C_64QAM – High Channel, Port 1)



Plot 7-468. Conducted Average Output Power Plot (B66_5M+5M+5M_3C_64QAM – High Channel, Port 3)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 128 of 420
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		
© 2021 PCTEST	-	·		PK-QP-16-14 Rev.01







Plot 7-469. Conducted Average Output Power Plot (B66_5M+5M+20M_3C_16QAM - Low Channel, Port 0)



Plot 7-471. Conducted Average Output Power Plot (B66_5M+5M+20M_3C_16QAM - Low Channel, Port 2)



Plot 7-473. Conducted Average Output Power Plot (B66_5M+5M+20M_3C_64QAM - Mid Channel, Port 0)



Plot 7-470. Conducted Average Output Power Plot (B66_5M+5M+20M_3C_16QAM - Low Channel, Port 1)



Plot 7-472. Conducted Average Output Power Plot (B66_5M+5M+20M_3C_16QAM - Low Channel, Port 3)



Plot 7-474. Conducted Average Output Power Plot (B66_5M+5M+20M_3C_64QAM - Mid Channel, Port 1)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 120 of 420	
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 129 of 420	
© 2021 PCTEST	-	·		PK-QP-16-14 Rev.01	



Channel Power KEYSIGHT Input: RF	+ Input Ζ: 50 Ω Α	vtten; 16 dB	Trig: Free Run	Center Freg: 2.1		Frequenc	
RL ++ Coupling: AC Align: Auto	Corrections: On # Freq Ref: Int (S)	PNO: Fast	Gate: Off #IF Gain: Low	Avg Hold: 500/50 Radio Std: None		Center Frequency 2.145000000 GHz	Settings
UN .						Span	
1 Graph v Scale/Div 10.0 dB		of Value 40.00	dBm			60.000 MHz	
Log	RE CONTRACTOR	r value 40.00	asm			CF Step	
						6.000000 MHz	
		V				Man	
						Freq Offset	1
						0 Hz	
					RMS AVG		
-30.0					ning Are		
Center 2.14500 GHz		jeo BW 2.400			Span 60 MHz		
#Res BW 620.00 kHz	#Vic	160 BW 2.400	U MHZ"	Sweep	1.00 ms (1001 pts		
2 Metrics 🔹							
Total Channel Power	40.32 dBm / 30.0 M	Hz					
Total Power Spectral Dens	-34.45 dBm/	Hz					
	Aur 08, 2024	•					
- n C	? Aug 06, 2021 4:13:02 AM				X - X		

Plot 7-475. Conducted Average Output Power Plot (B66_5M+5M+20M_3C_64QAM - Mid Channel, Port 2)



Plot 7-477. Conducted Average Output Power Plot (B66_5M+5M+20M_3C_64QAM – High Channel, Port 0)



Plot 7-479. Conducted Average Output Power Plot (B66_5M+5M+20M_3C_64QAM – High Channel, Port 2)



Plot 7-476. Conducted Average Output Power Plot (B66_5M+5M+20M_3C_64QAM - Mid Channel, Port 3)



Plot 7-478. Conducted Average Output Power Plot (B66_5M+5M+20M_3C_64QAM – High Channel, Port 1)



Plot 7-480. Conducted Average Output Power Plot (B66_5M+5M+20M_3C_64QAM – High Channel, Port 3)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 120 of 420	
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 130 of 420	
© 2021 PCTEST	-	·		PK-QP-16-14 Rev.01	






Plot 7-481. Conducted Average Output Power Plot (B66_5M+15M+20M_3C_QPSK - Low Channel, Port 0)




Plot 7-483. Conducted Average Output Power Plot (B66_5M+15M+20M_3C_QPSK - Low Channel, Port 2)



Plot 7-485. Conducted Average Output Power Plot (B66_5M+15M+20M_3C_16QAM – Mid Channel, Port 0)



Plot 7-482. Conducted Average Output Power Plot (B66_5M+15M+20M_3C_QPSK - Low Channel, Port 1)




Plot 7-484. Conducted Average Output Power Plot (B66_5M+15M+20M_3C_QPSK - Low Channel, Port 3)



Plot 7-486. Conducted Average Output Power Plot (B66_5M+15M+20M_3C_16QAM – Mid Channel, Port 1)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 121 of 420	
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 131 of 420	
© 2021 PCTEST		•		PK-QP-16-14 Rev.01	






Plot 7-487. Conducted Average Output Power Plot (B66_5M+15M+20M_3C_16QAM – Mid Channel, Port 2)



Plot 7-489. Conducted Average Output Power Plot (B66_5M+15M+20M_3C_64QAM – High Channel, Port 0)




Plot 7-491. Conducted Average Output Power Plot (B66_5M+15M+20M_3C_64QAM – High Channel, Port 2)



Plot 7-488. Conducted Average Output Power Plot (B66_5M+15M+20M_3C_16QAM – Mid Channel, Port 3)



Plot 7-490. Conducted Average Output Power Plot (B66_5M+15M+20M_3C_64QAM – High Channel, Port 1)



Plot 7-492. Conducted Average Output Power Plot (B66_5M+15M+20M_3C_64QAM – High Channel, Port 3)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 132 of 420
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Fage 132 01 420
© 2021 PCTEST		·		PK-QP-16-14 Rev.01



Low Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Average	0	40.67	40.63	40.60	40.61
	1	40.48	40.37	40.60	40.30
Power (dBm)	2	40.72	40.72	40.77	40.60
	3	40.66	40.73	40.73	40.66
Total MIMO Conducted Power (mW)		46281.20	46084.05	46733.37	45345.99
Total MIMO Conducted Power (dBm)		46.65	46.64	46.70	46.57

Table 7-81. Conducted Average Output Power Table (B66_5M+5M+5M+5M_4C - Low Channel)

Middle Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Average Power (dBm)	0	40.56	40.70	40.73	40.63
	1	40.28	40.45	40.57	40.61
	2	40.64	40.77	40.87	40.78
	3	40.68	40.69	40.80	40.78
Total MIMO Conducted Power (mW)		45325.00	46502.56	47473.55	47003.94
Total MIMO Conducted Power (dBm)		46.56	46.67	46.76	46.72

Table 7-82. Conducted Average Output Power Table (B66_5M+5M+5M_4C - Middle Channel)

High Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.85	40.77	40.83	40.79
Conducted Average	1	40.64	40.68	40.76	40.68
Power (dBm)	2	40.73	40.82	40.83	40.81
	3	40.85	40.78	40.79	40.78
Total MIMO Conducted Power (mW)		47741.91	47680.42	48119.38	47707.75
Total MIMO Conducted Power (dBm)		46.79	46.78	46.82	46.79

Table 7-83. Conducted Average Output Power Table (B66_5M+5M+5M+5M_4C - High Channel)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 122 of 420
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 133 of 420
© 2021 PCTEST				PK-OP-16-14 Rev 01

U21 PCTEST
 PK-QP-16-14 Rev.01
 PK



Low Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.54	40.61	40.51	40.42
Conducted Average	1	40.33	40.34	40.31	40.26
Power (dBm)	2	40.61	40.58	40.64	40.70
	3	40.69	40.67	40.65	40.66
Total MIMO Conducted Power (mW)		45343.43	45419.22	45188.20	45022.58
Total MIMO Conducted Power (dBm)		46.57	46.57	46.55	46.53

Table 7-84. Conducted Average Output Power Table (B66_5M+5M+5M+20M_4C - Low Channel)

Middle Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.59	40.62	40.60	40.56
Conducted Average	1	40.39	40.47	40.44	40.46
Power (dBm)	2	40.67	40.70	40.69	40.66
	3	40.77	40.69	40.74	40.66
Total MIMO Conducted Power (mW)		46002.67	46148.41	46127.42	45776.11
Total MIMO Conducted Power (dBm)		46.63	46.64	46.64	46.61

Table 7-85. Conducted Average Output Power Table (B66_5M+5M+5M+20M_4C - Middle Channel)

High Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.63	40.63	40.59	40.61
Conducted Average	1	40.52	40.54	40.49	40.50
Power (dBm)	2	40.74	40.73	40.72	40.74
	3	40.81	40.80	40.77	40.74
Total MIMO Conducted Power (mW)		46741.14	46738.19	46392.60	46443.56
Total MIMO Conducted Power (dBm)		46.70	46.70	46.66	46.67

Table 7-86. Conducted Average Output Power Table (B66_5M+5M+5M+20M_4C - High Channel)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 124 of 420
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 134 of 420
© 2021 PCTEST				PK-OP-16-14 Rev 01



Low Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.58	40.49	40.55	40.53
Conducted Average	1	40.23	40.26	40.27	40.24
Power (dBm)	2	40.28	40.31	40.29	40.21
	3	40.58	40.55	40.56	40.50
Total MIMO Conducted Power (mW)		44067.40	43901.34	44058.36	44067.40
Total MIMO Conducted Power (dBm)		46.44	46.42	46.44	46.44

Table 7-87. Conducted Average Output Power Table (B66_5M+5M+10M+20M_4C - Low Channel)

Middle Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Average	0	40.60	40.57	40.61	40.50
	1	40.32	40.24	40.26	40.30
Power (dBm)	2	40.45	40.32	40.32	40.25
	3	40.66	40.51	40.57	40.52
Total MIMO Conducted Power (mW)		44979.20	43981.37	44292.11	43799.89
Total MIMO Conducted Power (dBm)		46.53	46.43	46.46	46.41

Table 7-88. Conducted Average Output Power Table (B66_5M+5M+10M+20M_4C - Middle Channel)

High Channel	Port	QPSK	16QAM	64QAM	256QAM
	0	40.62	40.75	40.62	40.60
Conducted Average	1	40.40	40.52	40.45	40.38
Power (dBm)	2	40.47	40.45	40.39	40.39
	3	40.56	40.70	40.77	40.73
Total MIMO Conducted Power (mW)		45018.53	45997.72	45505.73	45165.92
Total MIMO Conducted Power (dBm)		46.53	46.63	46.58	46.55

Table 7-89. Conducted Average Output Power Table (B66_5M+5M+10M+20M_4C - High Channel)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 125 of 420
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 135 of 420
© 2021 PCTEST				PK-OP-16-14 Rev 01





Plot 7-493. Conducted Average Output Power Plot (B66_5M+5M+5M+5M_4C_64QAM - Low Channel, Port 0)



Plot 7-495. Conducted Average Output Power Plot (B66_5M+5M+5M+5M_4C_64QAM - Low Channel, Port 2)




Plot 7-497. Conducted Average Output Power Plot (B66_5M+5M+5M+5M_4C_64QAM – Mid Channel, Port 0)



Plot 7-494. Conducted Average Output Power Plot (B66_5M+5M+5M+5M_4C_64QAM - Low Channel, Port 1)




Plot 7-496. Conducted Average Output Power Plot (B66_5M+5M+5M+5M_4C_64QAM - Low Channel, Port 3)




Plot 7-498. Conducted Average Output Power Plot (B66_5M+5M+5M+5M_4C_64QAM – Mid Channel, Port 1)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 126 of 420
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 136 of 420
© 2021 PCTEST	•	·		PK-QP-16-14 Rev.01






Plot 7-499. Conducted Average Output Power Plot (B66_5M+5M+5M+5M_4C_64QAM – Mid Channel, Port 2)



Plot 7-501. Conducted Average Output Power Plot (B66_5M+5M+5M+5M_4C_64QAM – High Channel, Port 0)



Plot 7-503. Conducted Average Output Power Plot (B66_5M+5M+5M+5M_4C_64QAM – High Channel, Port 2)



Plot 7-500. Conducted Average Output Power Plot (B66_5M+5M+5M+5M_4C_64QAM – Mid Channel, Port 3)



Plot 7-502. Conducted Average Output Power Plot (B66_5M+5M+5M+5M_4C_64QAM – High Channel, Port 1)



Plot 7-504. Conducted Average Output Power Plot (B66_5M+5M+5M+5M_4C_64QAM – High Channel, Port 3)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 127 of 420
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		Page 137 of 420
© 2021 PCTEST	-	·		PK-QP-16-14 Rev.01






Plot 7-505. Conducted Average Output Power Plot (B66_5M+5M+50+20M_4C_16QAM - Low Channel, Port 0)



Plot 7-507. Conducted Average Output Power Plot (B66_5M+5M+5M+20M_4C_16QAM - Low Channel, Port 2)




Plot 7-509. Conducted Average Output Power Plot (B66_5M+5M+5M+20M_4C_16QAM - Mid Channel, Port 0)



Plot 7-506. Conducted Average Output Power Plot (B66_5M+5M+50+20M_4C_16QAM - Low Channel, Port 1)



Plot 7-508. Conducted Average Output Power Plot (B66_5M+5M+5M+20M_4C_16QAM - Low Channel, Port 3)



Plot 7-510. Conducted Average Output Power Plot (B66_5M+5M+5M+20M_4C_16QAM - Mid Channel, Port 1)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 138 of 420
8K21071202-R2.A3L	07/19/2021-08/13/2021	RRU(RF4437d)		
© 2021 PCTEST	•	•		PK-QP-16-14 Rev.01