




Plot 7-733. Peak Power Spectral Density Plot (B66_5M+5M+20M_3C_16QAM - Low Channel, Port 0)




Plot 7-734. Peak Power Spectral Density Plot (B66_5M+5M+20M_3C_16QAM - Low Channel, Port 1)




Plot 7-735. Peak Power Spectral Density Plot (B66_5M+5M+20M_3C_16QAM - Low Channel, Port 2)





Plot 7-736. Peak Power Spectral Density Plot (B66_5M+5M+20M_3C_16QAM - Low Channel, Port 3)




Plot 7-737. Peak Power Spectral Density Plot (B66_5M+5M+20M_3C_16QAM - Mid Channel, Port 0)




Plot 7-738. Peak Power Spectral Density Plot (B66_5M+5M+20M_3C_16QAM - Mid Channel, Port 1)


| | | | | |
|--|---|---------------------------|---|-----------------------------------|
| FCC ID: A3LRF4437D-25D |  | MEASUREMENT REPORT |  | Approved by: Technical Manager |
| Test Report S/N: 8K21071202-02-R2.A3L | Test Dates: 07/19/2021-08/18/2021 | EUT Type: RRU(RF4437d) | | Page 197 of 430 |




Plot 7-739. Peak Power Spectral Density Plot
(B66_5M+5M+20M_3C_16QAM - Mid Channel, Port 2)




Plot 7-740. Peak Power Spectral Density Plot
(B66_5M+5M+20M_3C_16QAM - Mid Channel, Port 3)




Plot 7-741. Peak Power Spectral Density Plot
(B66_5M+5M+20M_3C_16QAM – High Channel, Port 0)



Plot 7-742. Peak Power Spectral Density Plot
(B66_5M+5M+20M_3C_16QAM – High Channel, Port 1)




Plot 7-743. Peak Power Spectral Density Plot
(B66_5M+5M+20M_3C_16QAM – High Channel, Port 2)




Plot 7-744. Peak Power Spectral Density Plot
(B66_5M+5M+20M_3C_16QAM – High Channel, Port 3)


| | | | | |
|--|--------------------------------------|---------------------------|--|-----------------------------------|
| FCC ID: A3LRF4437D-25D | | MEASUREMENT REPORT | | Approved by: Technical Manager |
| Test Report S/N: 8K21071202-02-R2.A3L | Test Dates: 07/19/2021-08/18/2021 | EUT Type: RRU(RF4437d) | | Page 198 of 430 |




Plot 7-745. Peak Power Spectral Density Plot (B66_5M+15M+20M_3C_16QAM - Low Channel, Port 0)




Plot 7-746. Peak Power Spectral Density Plot (B66_5M+15M+20M_3C_16QAM - Low Channel, Port 1)




Plot 7-747. Peak Power Spectral Density Plot (B66_5M+15M+20M_3C_16QAM - Low Channel, Port 2)



Plot 7-748. Peak Power Spectral Density Plot (B66_5M+15M+20M_3C_16QAM - Low Channel, Port 3)




Plot 7-749. Peak Power Spectral Density Plot (B66_5M+15M+20M_3C_16QAM - Mid Channel, Port 0)




Plot 7-750. Peak Power Spectral Density Plot (B66_5M+15M+20M_3C_16QAM - Mid Channel, Port 1)


| | | | | |
|--|--------------------------------------|---------------------------|--|-----------------------------------|
| FCC ID: A3LRF4437D-25D | | MEASUREMENT REPORT | | Approved by: Technical Manager |
| Test Report S/N: 8K21071202-02-R2.A3L | Test Dates: 07/19/2021-08/18/2021 | EUT Type: RRU(RF4437d) | | Page 199 of 430 |




Plot 7-751. Peak Power Spectral Density Plot (B66_5M+15M+20M_3C_16QAM – Mid Channel, Port 2)




Plot 7-752. Peak Power Spectral Density Plot (B66_5M+15M+20M_3C_16QAM – Mid Channel, Port 3)




Plot 7-753. Peak Power Spectral Density Plot (B66_5M+15M+20M_3C_16QAM – High Channel, Port 0)



Plot 7-754. Peak Power Spectral Density Plot (B66_5M+15M+20M_3C_16QAM – High Channel, Port 1)



Plot 7-755. Peak Power Spectral Density Plot (B66_5M+15M+20M_3C_16QAM – High Channel, Port 0)



Plot 7-756. Peak Power Spectral Density Plot (B66_5M+15M+20M_3C_16QAM – High Channel, Port 1)

| | | | | |
|--|--|---------------------------|--|-----------------------------------|
| FCC ID: A3LRF4437D-25D | PCTEST ENGINEERING LABORATORY, INC. | MEASUREMENT REPORT | | Approved by: Technical Manager |
| Test Report S/N: 8K21071202-02-R2.A3L | Test Dates: 07/19/2021-08/18/2021 | EUT Type: RRU(RF4437d) | | Page 200 of 430 |

| Low Channel | Port | QPSK | 16QAM | 64QAM | 256QAM |
|---------------------------------------|------|---------|--------------|---------|---------|
| Conducted Power (dBm/1MHz) | 0 | 28.86 | 29.24 | 28.87 | 28.73 |
| | 1 | 28.59 | 28.95 | 28.59 | 28.60 |
| | 2 | 28.80 | 29.24 | 28.90 | 28.86 |
| | 3 | 28.80 | 29.18 | 28.84 | 28.73 |
| Total MIMO Conducted Power (mW/1MHz) | | 3007.47 | 3290.40 | 3035.51 | 2985.80 |
| Total MIMO Conducted Power (dBm/1MHz) | | 34.78 | 35.17 | 34.82 | 34.75 |
| Ant. Gain (dBi) | | 12.50 | 12.50 | 12.50 | 12.50 |
| MIMO EIRP(dBm/1MHz) | | 47.28 | 47.67 | 47.32 | 47.25 |
| EIRP Limit(W/1MHz) | | 1640.00 | 1640.00 | 1640.00 | 1640.00 |
| EIRP Limit(dBm/1MHz) | | 62.15 | 62.15 | 62.15 | 62.15 |
| Margin (dB) | | -14.87 | -14.48 | -14.83 | -14.90 |



Table 7-147. Peak Power Spectral Density Table (B66_5M+5M+5M+5M_4C - Low Channel)

| Mid Channel | Port | QPSK | 16QAM | 64QAM | 256QAM |
|---------------------------------------|------|---------|--------------|---------|---------|
| Conducted Power (dBm/1MHz) | 0 | 28.58 | 29.27 | 28.87 | 28.68 |
| | 1 | 28.51 | 28.85 | 28.59 | 28.57 |
| | 2 | 28.75 | 29.25 | 28.85 | 28.86 |
| | 3 | 28.85 | 29.08 | 28.88 | 28.99 |
| Total MIMO Conducted Power (mW/1MHz) | | 2947.53 | 3264.21 | 3033.91 | 3016.90 |
| Total MIMO Conducted Power (dBm/1MHz) | | 34.69 | 35.14 | 34.82 | 34.80 |
| Ant. Gain (dBi) | | 12.50 | 12.50 | 12.50 | 12.50 |
| MIMO EIRP(dBm/1MHz) | | 47.19 | 47.64 | 47.32 | 47.30 |
| EIRP Limit(W/1MHz) | | 1640.00 | 1640.00 | 1640.00 | 1640.00 |
| EIRP Limit(dBm/1MHz) | | 62.15 | 62.15 | 62.15 | 62.15 |
| Margin (dB) | | -14.95 | -14.51 | -14.83 | -14.85 |

Table 7-148. Peak Power Spectral Density Table (B66_5M+5M+5M+5M_4C - Mid Channel)

| High Channel | Port | QPSK | 16QAM | 64QAM | 256QAM |
|---------------------------------------|------|---------|--------------|---------|---------|
| Conducted Power (dBm/1MHz) | 0 | 28.96 | 29.15 | 28.99 | 29.01 |
| | 1 | 28.77 | 29.00 | 28.71 | 28.77 |
| | 2 | 28.78 | 29.10 | 28.85 | 28.89 |
| | 3 | 28.88 | 29.27 | 28.89 | 28.96 |
| Total MIMO Conducted Power (mW/1MHz) | | 3067.78 | 3273.01 | 3076.78 | 3111.05 |
| Total MIMO Conducted Power (dBm/1MHz) | | 34.87 | 35.15 | 34.88 | 34.93 |
| Ant. Gain (dBi) | | 12.50 | 12.50 | 12.50 | 12.50 |
| MIMO EIRP(dBm/1MHz) | | 47.37 | 47.65 | 47.38 | 47.43 |
| EIRP Limit(W/1MHz) | | 1640.00 | 1640.00 | 1640.00 | 1640.00 |
| EIRP Limit(dBm/1MHz) | | 62.15 | 62.15 | 62.15 | 62.15 |
| Margin (dB) | | -14.78 | -14.50 | -14.77 | -14.72 |

Table 7-149. Peak Power Spectral Density Table (B66_5M+5M+5M+5M_4C - High Channel)

| | | | | |
|--|--|---------------------------|---|-----------------------------------|
| FCC ID: A3LRF4437D-25D |  PCTEST ENGINEERING LABORATORY, INC. | MEASUREMENT REPORT |  | Approved by: Technical Manager |
| Test Report S/N: 8K21071202-02-R2.A3L | Test Dates: 07/19/2021-08/18/2021 | EUT Type: RRU(RF4437d) | | Page 201 of 430 |

| Low Channel | Port | QPSK | 16QAM | 64QAM | 256QAM |
|---------------------------------------|------|---------|--------------|---------|---------|
| Conducted Power (dBm/1MHz) | 0 | 26.18 | 26.58 | 26.22 | 26.21 |
| | 1 | 26.04 | 26.49 | 26.08 | 25.99 |
| | 2 | 26.29 | 26.64 | 26.43 | 26.33 |
| | 3 | 26.36 | 26.83 | 26.32 | 26.50 |
| Total MIMO Conducted Power (mW/1MHz) | | 1674.09 | 1844.02 | 1692.69 | 1690.98 |
| Total MIMO Conducted Power (dBm/1MHz) | | 32.24 | 32.66 | 32.29 | 32.28 |
| Ant. Gain (dBi) | | 12.50 | 12.50 | 12.50 | 12.50 |
| MIMO EIRP(dBm/1MHz) | | 44.74 | 45.16 | 44.79 | 44.78 |
| EIRP Limit(W/1MHz) | | 1640.00 | 1640.00 | 1640.00 | 1640.00 |
| EIRP Limit(dBm/1MHz) | | 62.15 | 62.15 | 62.15 | 62.15 |
| Margin (dB) | | -17.41 | -16.99 | -17.36 | -17.37 |



Table 7-150. Peak Power Spectral Density Table (B66_5M+5M+5M+20M_4C - Low Channel)

| Mid Channel | Port | QPSK | 16QAM | 64QAM | 256QAM |
|---------------------------------------|------|---------|--------------|---------|---------|
| Conducted Power (dBm/1MHz) | 0 | 26.38 | 26.88 | 26.46 | 26.28 |
| | 1 | 26.06 | 26.46 | 26.27 | 26.07 |
| | 2 | 26.36 | 26.83 | 26.40 | 26.38 |
| | 3 | 26.47 | 26.70 | 26.40 | 26.38 |
| Total MIMO Conducted Power (mW/1MHz) | | 1714.15 | 1880.88 | 1738.97 | 1697.44 |
| Total MIMO Conducted Power (dBm/1MHz) | | 32.34 | 32.74 | 32.40 | 32.30 |
| Ant. Gain (dBi) | | 12.50 | 12.50 | 12.50 | 12.50 |
| MIMO EIRP(dBm/1MHz) | | 44.84 | 45.24 | 44.90 | 44.80 |
| EIRP Limit(W/1MHz) | | 1640.00 | 1640.00 | 1640.00 | 1640.00 |
| EIRP Limit(dBm/1MHz) | | 62.15 | 62.15 | 62.15 | 62.15 |
| Margin (dB) | | -17.31 | -16.90 | -17.25 | -17.35 |

Table 7-151. Peak Power Spectral Density Table (B66_5M+5M+5M+20M_4C - Mid Channel)

| High Channel | Port | QPSK | 16QAM | 64QAM | 256QAM |
|---------------------------------------|------|---------|--------------|---------|---------|
| Conducted Power (dBm/1MHz) | 0 | 26.55 | 27.02 | 26.54 | 26.61 |
| | 1 | 26.42 | 26.94 | 26.45 | 26.36 |
| | 2 | 26.53 | 27.02 | 26.70 | 26.67 |
| | 3 | 26.67 | 27.09 | 26.65 | 26.70 |
| Total MIMO Conducted Power (mW/1MHz) | | 1805.31 | 2012.54 | 1822.70 | 1823.77 |
| Total MIMO Conducted Power (dBm/1MHz) | | 32.57 | 33.04 | 32.61 | 32.61 |
| Ant. Gain (dBi) | | 12.50 | 12.50 | 12.50 | 12.50 |
| MIMO EIRP(dBm/1MHz) | | 45.07 | 45.54 | 45.11 | 45.11 |
| EIRP Limit(W/1MHz) | | 1640.00 | 1640.00 | 1640.00 | 1640.00 |
| EIRP Limit(dBm/1MHz) | | 62.15 | 62.15 | 62.15 | 62.15 |
| Margin (dB) | | -17.08 | -16.61 | -17.04 | -17.04 |

Table 7-152. Peak Power Spectral Density Table (B66_5M+5M+5M+20M_4C - High Channel)

| | | | | |
|--|--|---------------------------|---|-----------------------------------|
| FCC ID: A3LRF4437D-25D |  PCTEST ENGINEERING LABORATORY, INC. | MEASUREMENT REPORT |  | Approved by: Technical Manager |
| Test Report S/N: 8K21071202-02-R2.A3L | Test Dates: 07/19/2021-08/18/2021 | EUT Type: RRU(RF4437d) | | Page 202 of 430 |

| Low Channel | Port | QPSK | 16QAM | 64QAM | 256QAM |
|---------------------------------------|------|---------|--------------|---------|---------|
| Conducted Power (dBm/1MHz) | 0 | 25.89 | 26.03 | 25.87 | 25.70 |
| | 1 | 25.50 | 25.86 | 25.58 | 25.40 |
| | 2 | 25.60 | 26.21 | 25.51 | 25.50 |
| | 3 | 25.74 | 26.19 | 25.96 | 25.72 |
| Total MIMO Conducted Power (mW/1MHz) | | 1480.62 | 1620.27 | 1497.36 | 1445.64 |
| Total MIMO Conducted Power (dBm/1MHz) | | 31.70 | 32.10 | 31.75 | 31.60 |
| Ant. Gain (dBi) | | 12.50 | 12.50 | 12.50 | 12.50 |
| MIMO EIRP(dBm/1MHz) | | 44.20 | 44.60 | 44.25 | 44.10 |
| EIRP Limit(W/1MHz) | | 1640.00 | 1640.00 | 1640.00 | 1640.00 |
| EIRP Limit(dBm/1MHz) | | 62.15 | 62.15 | 62.15 | 62.15 |
| Margin (dB) | | -17.94 | -17.55 | -17.90 | -18.05 |



Table 7-153. Peak Power Spectral Density Table (B66_5M+5M+10M+20M_4C - Low Channel)


| Mid Channel | Port | QPSK | 16QAM | 64QAM | 256QAM |
|---------------------------------------|------|---------|--------------|---------|---------|
| Conducted Power (dBm/1MHz) | 0 | 25.77 | 26.19 | 25.74 | 25.74 |
| | 1 | 25.47 | 25.67 | 25.44 | 25.52 |
| | 2 | 25.56 | 25.76 | 25.49 | 25.44 |
| | 3 | 25.80 | 26.05 | 25.72 | 25.73 |
| Total MIMO Conducted Power (mW/1MHz) | | 1470.19 | 1563.84 | 1451.66 | 1455.23 |
| Total MIMO Conducted Power (dBm/1MHz) | | 31.67 | 31.94 | 31.62 | 31.63 |
| Ant. Gain (dBi) | | 12.50 | 12.50 | 12.50 | 12.50 |
| MIMO EIRP(dBm/1MHz) | | 44.17 | 44.44 | 44.12 | 44.13 |
| EIRP Limit(W/1MHz) | | 1640.00 | 1640.00 | 1640.00 | 1640.00 |
| EIRP Limit(dBm/1MHz) | | 62.15 | 62.15 | 62.15 | 62.15 |
| Margin (dB) | | -17.97 | -17.71 | -18.03 | -18.02 |

Table 7-154. Peak Power Spectral Density Table (B66_5M+5M+10M+20M_4C - Mid Channel)


| High Channel | Port | QPSK | 16QAM | 64QAM | 256QAM |
|---------------------------------------|------|---------|--------------|---------|---------|
| Conducted Power (dBm/1MHz) | 0 | 25.84 | 26.34 | 25.90 | 25.87 |
| | 1 | 25.71 | 26.21 | 25.74 | 25.86 |
| | 2 | 25.81 | 26.28 | 25.65 | 25.71 |
| | 3 | 25.87 | 26.60 | 25.98 | 26.06 |
| Total MIMO Conducted Power (mW/1MHz) | | 1522.75 | 1730.38 | 1527.95 | 1547.52 |
| Total MIMO Conducted Power (dBm/1MHz) | | 31.83 | 32.38 | 31.84 | 31.90 |
| Ant. Gain (dBi) | | 12.50 | 12.50 | 12.50 | 12.50 |
| MIMO EIRP(dBm/1MHz) | | 44.33 | 44.88 | 44.34 | 44.40 |
| EIRP Limit(W/1MHz) | | 1640.00 | 1640.00 | 1640.00 | 1640.00 |
| EIRP Limit(dBm/1MHz) | | 62.15 | 62.15 | 62.15 | 62.15 |
| Margin (dB) | | -17.82 | -17.27 | -17.81 | -17.75 |

Table 7-155. Peak Power Spectral Density Table (B66_5M+5M+10M+20M_4C - High Channel)


| | | | | |
|--|--|---------------------------|---|-----------------------------------|
| FCC ID: A3LRF4437D-25D |  PCTEST ENGINEERING LABORATORY, INC. | MEASUREMENT REPORT |  | Approved by: Technical Manager |
| Test Report S/N: 8K21071202-02-R2.A3L | Test Dates: 07/19/2021-08/18/2021 | EUT Type: RRU(RF4437d) | | Page 203 of 430 |




Plot 7-757. Peak Power Spectral Density Plot
(B66_5M+5M+5M+5M_4C_16QAM - Low Channel, Port 0)




Plot 7-758. Peak Power Spectral Density Plot
(B66_5M+5M+5M+5M_4C_16QAM - Low Channel, Port 1)




Plot 7-759. Peak Power Spectral Density Plot
(B66_5M+5M+5M+5M_4C_16QAM - Low Channel, Port 2)



Plot 7-760. Peak Power Spectral Density Plot
(B66_5M+5M+5M+5M_4C_16QAM - Low Channel, Port 3)




Plot 7-761. Peak Power Spectral Density Plot
(B66_5M+5M+5M+5M_4C_16QAM - Mid Channel, Port 0)




Plot 7-762. Peak Power Spectral Density Plot
(B66_5M+5M+5M+5M_4C_16QAM - Mid Channel, Port 1)


| | | | | |
|--|--------------------------------------|---------------------------|--|-----------------------------------|
| FCC ID: A3LRF4437D-25D | | MEASUREMENT REPORT | | Approved by: Technical Manager |
| Test Report S/N: 8K21071202-02-R2.A3L | Test Dates: 07/19/2021-08/18/2021 | EUT Type: RRU(RF4437d) | | Page 204 of 430 |




Plot 7-763. Peak Power Spectral Density Plot (B66_5M+5M+5M+5M_4C_16QAM - Mid Channel, Port 2)




Plot 7-764. Peak Power Spectral Density Plot (B66_5M+5M+5M+5M_4C_16QAM - Mid Channel, Port 3)




Plot 7-765. Peak Power Spectral Density Plot (B66_5M+5M+5M+5M_4C_16QAM - High Channel, Port 0)



Plot 7-766. Peak Power Spectral Density Plot (B66_5M+5M+5M+5M_4C_16QAM - High Channel, Port 1)




Plot 7-767. Peak Power Spectral Density Plot (B66_5M+5M+5M+5M_4C_16QAM - High Channel, Port 2)




Plot 7-768. Peak Power Spectral Density Plot (B66_5M+5M+5M+5M_4C_16QAM - High Channel, Port 3)


| | | | | |
|---|---|----------------------------------|--|--|
| FCC ID: A3LRF4437D-25D | | MEASUREMENT REPORT | | Approved by: Technical Manager |
| Test Report S/N: 8K21071202-02-R2.A3L | Test Dates: 07/19/2021-08/18/2021 | EUT Type: RRU(RF4437d) | | Page 205 of 430 |




Plot 7-769. Peak Power Spectral Density Plot
(B66_5M+5M+5M+20M_4C_16QAM - Low Channel, Port 0)




Plot 7-770. Peak Power Spectral Density Plot
(B66_5M+5M+5M+20M_4C_16QAM - Low Channel, Port 1)




Plot 7-771. Peak Power Spectral Density Plot
(B66_5M+5M+5M+20M_4C_16QAM - Low Channel, Port 2)



Plot 7-772. Peak Power Spectral Density Plot
(B66_5M+5M+5M+20M_4C_16QAM - Low Channel, Port 3)




Plot 7-773. Peak Power Spectral Density Plot
(B66_5M+5M+5M+20M_4C_16QAM - Mid Channel, Port 0)




Plot 7-774. Peak Power Spectral Density Plot
(B66_5M+5M+5M+20M_4C_16QAM - Mid Channel, Port 1)


| | | | | |
|--|--------------------------------------|---------------------------|--|-----------------------------------|
| FCC ID: A3LRF4437D-25D | | MEASUREMENT REPORT | | Approved by: Technical Manager |
| Test Report S/N: 8K21071202-02-R2.A3L | Test Dates: 07/19/2021-08/18/2021 | EUT Type: RRU(RF4437d) | | Page 206 of 430 |




Plot 7-775. Peak Power Spectral Density Plot
(B66_5M+5M+5M+20M_4C_16QAM - Mid Channel, Port 2)




Plot 7-776. Peak Power Spectral Density Plot
(B66_5M+5M+5M+20M_4C_16QAM - Mid Channel, Port 3)




Plot 7-777. Peak Power Spectral Density Plot
(B66_5M+5M+5M+20M_4C_16QAM - High Channel, Port 0)



Plot 7-778. Peak Power Spectral Density Plot
(B66_5M+5M+5M+20M_4C_16QAM - High Channel, Port 1)




Plot 7-779. Peak Power Spectral Density Plot
(B66_5M+5M+5M+20M_4C_16QAM - High Channel, Port 2)




Plot 7-780. Peak Power Spectral Density Plot
(B66_5M+5M+5M+20M_4C_16QAM - High Channel, Port 3)


| | | | | |
|--|--------------------------------------|---------------------------|--|-----------------------------------|
| FCC ID: A3LRF4437D-25D | | MEASUREMENT REPORT | | Approved by: Technical Manager |
| Test Report S/N: 8K21071202-02-R2.A3L | Test Dates: 07/19/2021-08/18/2021 | EUT Type: RRU(RF4437d) | | Page 207 of 430 |




Plot 7-781. Peak Power Spectral Density Plot
(B66_5M+5M+10M+20M_4C_16QAM - Low Channel, Port 0)




Plot 7-782. Peak Power Spectral Density Plot
(B66_5M+5M+10M+20M_4C_16QAM - Low Channel, Port 1)




Plot 7-783. Peak Power Spectral Density Plot
(B66_5M+5M+10M+20M_4C_16QAM - Low Channel, Port 2)



Plot 7-784. Peak Power Spectral Density Plot
(B66_5M+5M+10M+20M_4C_16QAM - Low Channel, Port 3)



Plot 7-785. Peak Power Spectral Density Plot
(B66_5M+5M+10M+20M_4C_16QAM - Mid Channel, Port 0)



Plot 7-786. Peak Power Spectral Density Plot
(B66_5M+5M+10M+20M_4C_16QAM - Mid Channel, Port 1)

| | | | | |
|--|--------------------------------------|---------------------------|--|-----------------------------------|
| FCC ID: A3LRF4437D-25D | | MEASUREMENT REPORT | | Approved by: Technical Manager |
| Test Report S/N: 8K21071202-02-R2.A3L | Test Dates: 07/19/2021-08/18/2021 | EUT Type: RRU(RF4437d) | | Page 208 of 430 |