


SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.33 mW/g, SAR (10g): 0.887 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0991 [824.04MHz]; Extended Battery
Conducted Power = 25.5dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.15 mW/g, SAR (10g): 0.768 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0991 [824.04MHz]; Extended Battery
Conducted Power = 25.5dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.06 mW/g, SAR (10g): 0.704 mW/g

SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0383 [836.49MHz]; Extended Battery
Conducted Power = 25.5dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.988 mW/g, SAR (10g): 0.659 mW/g

SAMSUNG DualMode Phone Model: SCH-A475


FM Mode, Ch.0383 [836.49MHz]; Extended Battery

Conducted Power = 25.5dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 11/14/2001




SAR_{Tot} [mW/g]



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.17 mW/g, SAR (10g): 0.778 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0799 [848.97MHz]; Extended Battery
Conducted Power = 25.5dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.06 mW/g, SAR (10g): 0.706 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0799 [848.97MHz]; Extended Battery
Conducted Power = 25.5dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.32 mW/g, SAR (10g): 0.895 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 25.5dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.14 mW/g, SAR (10g): 0.760 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 25.5dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.551 mW/g, SAR (10g): 0.373 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0991 [824.04MHz]; Extended Battery
Conducted Power = 25.5dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.475 mW/g, SAR (10g): 0.322 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0991 [824.04MHz]; Extended Battery
Conducted Power = 25.5dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.376 mW/g, SAR (10g): 0.254 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0383 [836.49MHz]; Extended Battery
Conducted Power = 25.5dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.359 mW/g, SAR (10g): 0.242 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0383 [836.49MHz]; Extended Battery
Conducted Power = 25.5dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.420 mW/g, SAR (10g): 0.282 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0799 [848.97MHz]; Extended Battery
Conducted Power = 25.5dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.386 mW/g, SAR (10g): 0.260 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0799 [848.97MHz]; Extended Battery
Conducted Power = 25.5dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.10 mW/g, SAR (10g): 0.755 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0991 [824.04MHz]; Extended Battery
Conducted Power = 25.5dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.923 mW/g, SAR (10g): 0.631 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0991 [824.04MHz]; Extended Battery
Conducted Power = 25.5dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.842 mW/g, SAR (10g): 0.574 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0383 [836.49MHz]; Extended Battery
Conducted Power = 25.5dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.784 mW/g, SAR (10g): 0.534 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0383 [836.49MHz]; Extended Battery
Conducted Power = 25.5dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.964 mW/g, SAR (10g): 0.655 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0799 [848.97MHz]; Extended Battery
Conducted Power = 25.5dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.873 mW/g, SAR (10g): 0.593 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0799 [848.97MHz]; Extended Battery
Conducted Power = 25.5dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.453 mW/g, SAR (10g): 0.310 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0991 [824.04MHz]; Extended Battery
Conducted Power = 25.5dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.375 mW/g, SAR (10g): 0.256 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0991 [824.04MHz]; Extended Battery
Conducted Power = 25.5dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.297 mW/g, SAR (10g): 0.203 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0383 [836.49MHz]; Extended Battery
Conducted Power = 25.5dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.280 mW/g, SAR (10g): 0.191 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0383 [836.49MHz]; Extended Battery
Conducted Power = 25.5dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.381 mW/g, SAR (10g): 0.258 mW/g


SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0799 [848.97MHz]; Extended Battery
Conducted Power = 25.5dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.341 mW/g, SAR (10g): 0.231 mW/g

SAMSUNG DualMode Phone Model: SCH-A475
FM Mode, Ch.0799 [848.97MHz]; Extended Battery
Conducted Power = 25.5dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 11/14/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.786 mW/g, SAR (10g): 0.541 mW/g

SAMSUNG DualMode Phone Model: SCH-A475

FM Mode, Ch.0991 [824.04MHz]; Extended Battery; Flat Phantom

Conducted Power = 25.5dBm; Spacing = 2.0cm from flat phantom to back of EUT, No BeltClip/No Holster

Test Date -- 11/15/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.789 mW/g, SAR (10g): 0.547 mW/g

SAMSUNG DualMode Phone Model: SCH-A475

FM Mode, Ch.0991 [824.04MHz]; Extended Battery; Flat Phantom

Conducted Power = 25.5dBm; Spacing = 2.0cm from flat phantom to back of EUT, No BeltClip/No Holster

Test Date -- 11/15/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.533 mW/g, SAR (10g): 0.364 mW/g

SAMSUNG DualMode Phone Model: SCH-A475

FM Mode, Ch.0383 [836.49MHz]; Extended Battery; Flat Phantom

Conducted Power = 25.5dBm; Spacing = 2.0cm from flat phantom to back of EUT, No BeltClip/No Holster

Test Date -- 11/15/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.592 mW/g, SAR (10g): 0.408 mW/g

SAMSUNG DualMode Phone Model: SCH-A475

FM Mode, Ch.0383 [836.49MHz]; Extended Battery; Flat Phantom

Conducted Power = 25.5dBm; Spacing = 2.0cm from flat phantom to back of EUT, No BeltClip/No Holster

Test Date -- 11/15/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.597 mW/g, SAR (10g): 0.408 mW/g

SAMSUNG DualMode Phone Model: SCH-A475

FM Mode, Ch.0799 [848.97MHz]; Extended Battery; Flat Phantom

Conducted Power = 25.5dBm; Spacing = 2.0cm from flat phantom to back of EUT, No BeltClip/No Holster

Test Date -- 11/15/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.622 mW/g, SAR (10g): 0.427 mW/g

SAMSUNG DualMode Phone Model: SCH-A475

FM Mode, Ch.0799 [848.97MHz]; Extended Battery; Flat Phantom

Conducted Power = 25.5dBm; Spacing = 2.0cm from flat phantom to back of EUT, No BeltClip/No Holster

Test Date -- 11/15/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.755 mW/g, SAR (10g): 0.521 mW/g

SAMSUNG DualMode Phone Model: SCH-A475

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flat Phantom

Conducted Power = 25.5dBm; Spacing = 2.0cm from flat phantom to back of EUT, No BeltClip/No Holster

Test Date -- 11/15/2001



SAMSUNG FCC ID: A3LSCHA475 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.765 mW/g, SAR (10g): 0.532 mW/g

SAMSUNG DualMode Phone Model: SCH-A475

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flat Phantom

Conducted Power = 25.5dBm; Spacing = 2.0cm from flat phantom to back of EUT, No BeltClip/No Holster

Test Date -- 11/15/2001

