

PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:A3LSCHA603

SAMSUNG


Tri-Mode Phone

FM Channel 383

Operating Frequency: 836.490 MHz

Output Power : 25.5 dBm

Test Mode:Unmodulated Signal



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:A3LSCHA603

SAMSUNG


Tri-Mode Phone

FM Channel 383

Operating Frequency: 836.490 MHz

Output Power : 25.5 dBm

Test Mode:Voice



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:A3LSCHA603

SAMSUNG


Tri-Mode Phone

FM Channel 383

Operating Frequency: 836.490 MHz

Output Power : 25.5 dBm

Test Mode:Wide Band Data



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:A3LSCHA603

SAMSUNG


Tri-Mode Phone

FM Channel 383

Operating Frequency: 836.490 MHz

Output Power : 25.5 dBm

Test Mode:SAT



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:A3LSCHA603

SAMSUNG


Tri-Mode Phone

FM Channel 383

Operating Frequency: 836.490 MHz

Output Power : 25.5 dBm

Test Mode:ST



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:A3LSCHA603

SAMSUNG


Tri-Mode Phone

FM Channel 383

Operating Frequency: 836.490 MHz

Output Power : 25.5 dBm

Test Mode:SAT + ST



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:A3LSCHA603

SAMSUNG


Tri-Mode Phone

FM Channel 383

Operating Frequency: 836.490 MHz

Output Power : 25.5 dBm

Test Mode:SAT + Voice



PCTEST Engineering Lab.

SPECTRUM ANALYZER PRESENTATION

FCC ID:A3LSCHA603

SAMSUNG


Tri-Mode Phone

FM Channel 383


Operating Frequency: 836.490 MHz

Output Power : 25.5 dBm

Test Mode:SAT + DTMF




~~HP~~ FCC ID: A3LSCHA603 AMPS MODE MKR 889.06 MHz
REF -60.0 dBm ATTEN 10 dB PG 26.0 dB -97.50 dBm




START 869.00 MHz STOP 889.06 MHz
#RES BW 100 kHz #VBW 300 kHz #SWP 100 msec

Agilent



Freq/Channel
Center Freq 1.25500000 GHz
Start Freq 10.0000000 MHz
Stop Freq 2.50000000 GHz
CF Step 249.000000 MHz Auto Man
Freq Offset 0.00000000 Hz
Signal Track On Off
Scale Type Log Lin


Agilent



Freq/Channel
Center Freq 6.25000000 GHz
Start Freq 2.50000000 GHz
Stop Freq 10.0000000 GHz
CF Step 750.000000 MHz Auto Man
Freq Offset 0.00000000 Hz
Signal Track On Off
Scale Type Log Lin

Agilent

L



Freq/Channel

Center Freq
 1.25500000 GHz

Start Freq
 10.0000000 MHz

Stop Freq
 2.50000000 GHz

CF Step
 249.000000 MHz
 Auto Man


Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent

L



Freq/Channel

Center Freq
 6.25000000 GHz

Start Freq
 2.50000000 GHz

Stop Freq
 10.0000000 GHz

CF Step
 750.000000 MHz
 Auto Man

Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent

L

FCC ID: A3LSCHA603 Cond Spurs FM Ch. 0799

Mkr1 1.697 GHz

Ref 25.5 dBm

Atten 35 dB

-31.03 dBm

Peak

Log

10

dB/

Offst

1.4

dB

DI

-13.0

dBm

V1 S2

S3 FC

AA

Start 10 MHz

*Res BW 1 MHz

VBW 1 MHz

Stop 2.5 GHz

Sweep 4.15 ms (401 pts)

Freq/Channel

Center Freq

1.25500000 GHz

Start Freq

10.0000000 MHz

Stop Freq

2.50000000 GHz

CF Step

249.000000 MHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin

Agilent

L

FCC ID: A3LSCHA603 Cond Spurs FM Ch. 0799

Mkr1 7.43 GHz

Ref 25.5 dBm

Atten 35 dB

-34.22 dBm

Peak

Log

10

dB/

Offst

1.4

dB

DI

-13.0

dBm

V1 S2

S3 FC

AA

Start 2.5 GHz

*Res BW 1 MHz

VBW 1 MHz

Stop 10 GHz

Sweep 18.75 ms (401 pts)

Freq/Channel

Center Freq

6.25000000 GHz

Start Freq

2.50000000 GHz

Stop Freq

10.0000000 GHz

CF Step

750.000000 MHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin

Agilent

L

FCC ID: A3LSCHA603 Cond Spurs CDMA Ch. 1013

Mkr1 2.239 GHz

Ref 24.5 dBm

Atten 35 dB

-34.48 dBm

Peak

Log

10

dB/

Offst

1.4

dB

UI

-13.0

dBm

V1 S2

S3 FC

AA

Start 10 MHz

*Res BW 1 MHz

VBW 1 MHz

Stop 2.5 GHz

Sweep 4.15 ms (401 pts)

Freq/Channel

Center Freq

1.25500000 GHz

Start Freq

10.0000000 MHz

Stop Freq

2.50000000 GHz

CF Step

249.000000 MHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin

Agilent

L

FCC ID: A3LSCHA603 Cond Spurs CDMA Ch. 1013

Mkr1 7.83 GHz

Ref 24.5 dBm

Atten 35 dB

-34.93 dBm

Peak

Log

10

dB/

Offst

1.4

dB

DI

-13.0

dBm

V1 S2

S3 FC

AA

Start 2.5 GHz

*Res BW 1 MHz

VBW 1 MHz

Stop 10 GHz

Sweep 18.75 ms (401 pts)

Freq/Channel

Center Freq

6.25000000 GHz

Start Freq

2.50000000 GHz

Stop Freq

10.0000000 GHz

CF Step

750.000000 MHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off


Scale Type

Log

Lin

* Agilent

L



Freq/Channel

Center Freq
 1.25500000 GHz

Start Freq
 10.0000000 MHz

Stop Freq
 2.50000000 GHz

CF Step
 249.000000 MHz
 Auto Man


Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

* Agilent

L



Freq/Channel

Center Freq
 6.25000000 GHz

Start Freq
 2.50000000 GHz

Stop Freq
 10.0000000 GHz

CF Step
 750.000000 MHz
 Auto Man


Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent

L



Freq/Channel

Center Freq

1.25500000 GHz

Start Freq

10.0000000 MHz

Stop Freq

2.50000000 GHz

CF Step

249.000000 MHz

Auto Man

Freq Offset

0.00000000 Hz

Signal Track


On Off

Scale Type

Log Lin

Agilent

L



Freq/Channel

Center Freq

6.25000000 GHz

Start Freq

2.50000000 GHz

Stop Freq

10.0000000 GHz

CF Step

750.000000 MHz

Auto Man

Freq Offset

0.00000000 Hz

Signal Track

On Off

Scale Type

Log Lin

✱ Agilent

L


FCC ID: A3LSCHA603 Power Out CDMA Ch. 1013

Ref 24.5 dBm

Atten 35 dB

Samp
Log
10
dB/
Offst
1.4
dB

VAvg
100
V1 S2
S3 FC
AA



Center 824.7 MHz

*Res BW 3 MHz

VBW 3 MHz

Span 10 MHz
Sweep 4 ms (401 pts)

Freq/Channel

Center Freq

824.700000 MHz

Start Freq

819.700000 MHz

Stop Freq

829.700000 MHz

CF Step

1.00000000 MHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin

✱ Agilent

L


FCC ID: A3LSCHA603 Power Out CDMA Ch. 0777

Ref 24.5 dBm

Atten 35 dB

Samp
Log
10
dB/
Offst
1.4
dB

VAvg
100
V1 S2
S3 FC
AA



Center 848.3 MHz

*Res BW 3 MHz

VBW 3 MHz

Span 10 MHz
Sweep 4 ms (401 pts)

Freq/Channel

Center Freq

848.310000 MHz

Start Freq

843.310000 MHz

Stop Freq

853.310000 MHz

CF Step

1.00000000 MHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin

Agilent

L


FCC ID: A3LSCHA603 Power Out CDMA Ch. 0363

Ref 24.5 dBm

Atten 35 dB

Samp
Log
10
dB/
Offst
1.4
dB

VAvg
100
V1 S2
S3 FC
AA



Center 835.9 MHz

Span 10 MHz

#Res BW 3 MHz

VBW 3 MHz

Sweep 4 ms (401 pts)

Freq/Channel

Center Freq

835.890000 MHz

Start Freq

830.890000 MHz

Stop Freq

840.890000 MHz

CF Step

1.00000000 MHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin

Agilent

L

Ch Freq 835.89 MHz

Trig Free


Channel Power

FCC ID: A3LSCHA603 Power Out CDMA Ch. 0363

Ref 24.5 dBm

Atten 35 dB

#Avg
Log
10
dB/
Offst
1.4
dB



Center 835.9 MHz

Span 3 MHz

Res BW 30 kHz

VBW 300 kHz

Sweep 8 ms (401 pts)

Freq/Channel

Center Freq

835.890000 MHz

Start Freq

834.390000 MHz

Stop Freq

837.390000 MHz

CF Step

300.000000 kHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin

Channel Power


24.51 dBm /2.0000 MHz

Power Spectral Density

-38.50 dBm/Hz

Agilent

L



Freq/Channel

Center Freq
 824.000000 MHz

Start Freq
 823.000000 MHz

Stop Freq
 825.000000 MHz

CF Step
 200.000000 kHz
 Auto Man


Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Copyright 2000-2002 Agilent Technologies

Agilent

L



Freq/Channel

Center Freq
 821.500000 MHz

Start Freq
 820.000000 MHz

Stop Freq
 823.000000 MHz

CF Step
 300.000000 kHz
 Auto Man

Freq Offset
 0.00000000 Hz


Signal Track
 On Off

Copyright 2000-2002 Agilent Technologies

Agilent

L

Freq/Channel



Center Freq
849.000000 MHz

Start Freq
848.000000 MHz

Stop Freq
850.000000 MHz

CF Step
200.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz


Signal Track
On Off

Copyright 2000-2002 Agilent Technologies

Agilent

L

Freq/Channel



Center Freq
851.500000 MHz

Start Freq
850.000000 MHz

Stop Freq
853.000000 MHz

CF Step
300.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz


Signal Track
On Off

Copyright 2000-2002 Agilent Technologies

~~h~~ FCC ID: A3LSCHA603 CDMA MODE MKR 880.62 MHz
REF -60.0 dBm ATTEN 10 dB PG 26.0 dB -97.20 dBm

PEAK
LOG
5
dB/
OFFST
6.0
dB
DL
-80.0
dBm


VA SB
SC FC
CORR



START 869.00 MHz STOP 894.00 MHz
#RES BW 100 kHz #VBW 300 kHz #SWP 100 msec

Agilent

L



Freq/Channel

Center Freq
 1.25500000 GHz

Start Freq
 10.0000000 MHz

Stop Freq
 2.50000000 GHz

CF Step
 249.000000 MHz
 Auto Man


Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent

L



Freq/Channel

Center Freq
 11.2500000 GHz

Start Freq
 2.50000000 GHz

Stop Freq
 20.0000000 GHz

CF Step
 1.75000000 GHz
 Auto Man


Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent

L



Freq/Channel

Center Freq
1.25500000 GHz

Start Freq
10.0000000 MHz

Stop Freq
2.50000000 GHz

CF Step
249.000000 MHz
Auto Man


Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin

Agilent

L



Freq/Channel

Center Freq
11.2500000 GHz

Start Freq
2.50000000 GHz

Stop Freq
20.0000000 GHz

CF Step
1.75000000 GHz
Auto Man


Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin

Agilent

L



Freq/Channel

Center Freq

1.25500000 GHz

Start Freq

10.0000000 MHz

Stop Freq

2.50000000 GHz

CF Step

249.000000 MHz

Auto Man

Freq Offset

0.00000000 Hz

Signal Track


On Off

Scale Type

Log Lin

Agilent

L



Freq/Channel

Center Freq

11.2500000 GHz

Start Freq

2.50000000 GHz

Stop Freq

20.0000000 GHz

CF Step

1.75000000 GHz

Auto Man

Freq Offset

0.00000000 Hz

Signal Track

On Off

Scale Type

Log Lin

Agilent

L

FCC ID: A3LSCHA603 Power Out PCS Ch. 0025

Ref 24.5 dBm

Atten 35 dB

Samp

Log

10

dB/

Offst

2.2

dB

VAvg

100

V1 S2

S3 FC

AA

Center 1.851 GHz

*Res BW 3 MHz

VBW 3 MHz

Span 10 MHz

Sweep 4 ms (401 pts)

Freq/Channel

Center Freq

1.85125000 GHz

Start Freq

1.84625000 GHz

Stop Freq

1.85625000 GHz

CF Step

1.00000000 MHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin

Agilent

L

FCC ID: A3LSCHA603 Power Out PCS Ch. 0600

Ref 24.5 dBm

Atten 35 dB

Samp

Log

10

dB/

Offst

2.2

dB

VAvg

100

V1 S2

S3 FC

AA

Center 1.88 GHz

*Res BW 3 MHz

VBW 3 MHz

Span 10 MHz

Sweep 4 ms (401 pts)

Freq/Channel

Center Freq

1.88000000 GHz

Start Freq

1.87500000 GHz

Stop Freq

1.88500000 GHz

CF Step

1.00000000 MHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin

✱ Agilent


L

FCC ID: A3LSCHA603 Power Out PCS Ch. 0600

Ref 24.5 dBm Atten 35 dB

Samp
Log
10
dB/
Offst
2.2
dB

VAvg
100
V1 S2
S3 FC
AA



Center 1.88 GHz

*Res BW 3 MHz

VBW 3 MHz

Span 10 MHz
Sweep 4 ms (401 pts)

Freq/Channel

Center Freq

1.88000000 GHz

Start Freq

1.87500000 GHz

Stop Freq

1.88500000 GHz

CF Step

1.00000000 MHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin

✱ Agilent


L

FCC ID: A3LSCHA603 Power Out PCS Ch. 1175

Ref 24.5 dBm Atten 35 dB

Samp
Log
10
dB/
Offst
2.2
dB

VAvg
100
V1 S2
S3 FC
AA



Center 1.909 GHz

*Res BW 3 MHz

VBW 3 MHz

Span 10 MHz
Sweep 4 ms (401 pts)

Freq/Channel

Center Freq

1.90875000 GHz

Start Freq

1.90375000 GHz

Stop Freq

1.91375000 GHz

CF Step

1.00000000 MHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin

Agilent

L

Ch Freq 1.85125 GHz Trig Free

Channel Power

Freq/Channel

Center Freq
1.85125000 GHz

Start Freq
1.84975000 GHz

Stop Freq
1.85275000 GHz

CF Step
300.000000 kHz
Auto Man


Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin

FCC ID: A3LSCHA603 Power Out PCS Ch. 0025

Ref 24.5 dBm Atten 35 dB



Center 1.851 GHz Span 3 MHz
Res BW 30 kHz VBW 300 kHz Sweep 8 ms (401 pts)

Channel Power Power Spectral Density
24.50 dBm /2.0000 MHz -38.51 dBm/Hz

Agilent

L

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth

Freq/Channel

Center Freq
1.88000000 GHz

Start Freq
1.87850000 GHz

Stop Freq
1.88150000 GHz

CF Step
300.000000 kHz
Auto Man


Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin

FCC ID: A3LSCHA603 Power Out PCS Ch. 0600

Ref 24.5 dBm Atten 35 dB



Center 1.88 GHz Span 3 MHz
*Res BW 30 kHz *VBW 300 kHz Sweep 5.288 ms (401 pts)


Occupied Bandwidth Occ BW % Pwr 99.00 %
1.2509 MHz x dB -26.00 dB

Transmit Freq Error -807.910 Hz

x dB Bandwidth 1.389 MHz*

Agilent

L



Freq/Channel

Center Freq
1.85000000 GHz

Start Freq
1.84750000 GHz

Stop Freq
1.85250000 GHz

CF Step
500.000000 kHz
Auto Man


Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin

Agilent

L



Freq/Channel

Center Freq
1.91000000 GHz

Start Freq
1.90750000 GHz

Stop Freq
1.91250000 GHz

CF Step
500.000000 kHz
Auto Man


Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin

Agilent

L



Freq/Channel

Center Freq
 1.91300000 GHz

Start Freq
 1.91250000 GHz

Stop Freq
 1.91350000 GHz

CF Step
 100.000000 kHz
 Auto Man


Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent

L



Freq/Channel

Center Freq
 1.91400000 GHz

Start Freq
 1.91350000 GHz

Stop Freq
 1.91450000 GHz

CF Step
 100.000000 kHz
 Auto Man


Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent

L



Freq/Channel

Center Freq
 1.91500000 GHz

Start Freq
 1.91450000 GHz

Stop Freq
 1.91550000 GHz

CF Step
 100.000000 kHz
 Auto Man


Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent

L



Freq/Channel

Center Freq
 1.91600000 GHz

Start Freq
 1.91550000 GHz

Stop Freq
 1.91650000 GHz

CF Step
 100.000000 kHz
 Auto Man


Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent

L



Freq/Channel

Center Freq
 1.84700000 GHz

Start Freq
 1.84650000 GHz

Stop Freq
 1.84750000 GHz

CF Step
 100.000000 kHz
 Auto Man


Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent

L



Freq/Channel

Center Freq
 1.84600000 GHz

Start Freq
 1.84550000 GHz

Stop Freq
 1.84650000 GHz

CF Step
 100.000000 kHz
 Auto Man


Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

✱ Agilent

L



Freq/Channel

Center Freq

1.84500000 GHz

Start Freq

1.84450000 GHz

Stop Freq

1.84550000 GHz

CF Step

100.000000 kHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off


Scale Type

Log

Lin

✱ Agilent

L



Freq/Channel

Center Freq

1.84400000 GHz

Start Freq

1.84350000 GHz

Stop Freq

1.84450000 GHz

CF Step

100.000000 kHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin


PCTEST Engineering Lab., Inc.

SUBJECT: Modulation Characteristics
FCC Part 24/22

Test Report No.: 22/24.230307121.A3L
Test Date: 03.20.2003

EUT: SAMSUNG Tri-Mode Dual-Band Analog/PCS CDMA Phone (AMPS/CDMA)
Model: SCH-A603
FCC ID: A3LSCHA603

REFERENCE: 1 kHz = 0 dB




PCTEST Engineering Lab., Inc.

SUBJECT: Modulation Characteristics
FCC Part 24/22

Test Report No.: 22/24.230307121.A3L
Test Date: 03.20.2003

EUT: SAMSUNG Tri-Mode Dual-Band Analog/PCS CDMA Phone (AMPS/CDMA)
Model: SCH-A603
FCC ID: A3LSCHA603

REFERENCE: 1 kHz = 0 dB




PCTEST Engineering Lab., Inc.

SUBJECT: Modulation Characteristics
FCC Part 24/22

Test Report No.: 22/24.230307121.A3L
Test Date: 03.20.2003

EUT: SAMSUNG Tri-Mode Dual-Band Analog/PCS CDMA Phone (AMPS/CDMA)
Model: SCH-A603
FCC ID: A3LSCHA603

REFERENCE: 1 kHz = 0 dB



SAMSUNG Tri-Mode Dual-Band Analog/PCS CDMA Phone (AMPS/CDMA)
FCC ID: A3LSCHA603