

Samsung Electronics Co., LTD. 416, Maetan-3dong, Yeongtong-gu Suwon-City, Gyeonggi-do, 443-742, Korea

Date: April 16, 2012 PCTEST TCB/CB Div. of PCTEST Engineering Lab., Inc. 660-B Dobbin Road Columbia, MD 21045

> Subject: Samsung Electronics Co., Ltd. FCC ID: A3LSGHI747

To Whom it May Concern

We attest the following regarding FCC ID: A3LSGHI747

- MPR is permanently implemented for all channel BWs, modulations, frequency bands and RB sizes: Supported channel BWs, modulations, frequency bands:

 a. LTE Band 4 (Channel BW 5, 10, 15 & 20 MHz)/QPSK & 16QAM
 b. LTE Band 17 (Channel BW 5 & 10 MHz)/QPSK & 16QAM
- 2. MPR is implemented per 3GPP TS 36.101. With the MPR permanently implemented, this device will never operate at 23.4dBm or higher in QPSK and 16QAM.
- 3. We confirm the specific MPR targets and tolerances shown below
 - 1) The LTE MPR Targets for Band 4 (AWS) are:

Band	Bandwidth [MHz]	Modulation	RB Size	RB Offset	Target MPR [dB]	Maximum MPR Allowed per 3GPP [dB]
	5	QPSK	1	0	0	0
	5	QPSK	1	24	0	0
	5	QPSK	12	6	1	0-1
	5	QPSK	25	0	1	0-1
	5	16-QAM	1	0	1	0-1
	5	16-QAM	1	24	1	0-1
	5	16-QAM	12	6	2	0-2
LTE Band 4	5	16-QAM	25	0	2	0-2
	10	QPSK	1	0	0	0
	10	QPSK	1	49	0	0
	10	QPSK	25	12	1	0-1
	10	QPSK	50	0	1	0-1
	10	16-QAM	1	0	1	0-1
	10	16-QAM	1	49	1	0-1
	10	16-QAM	25	12	2	0-2
	10	16-QAM	50	0	2	0-2
	15	QPSK	1	0	0	0
	15	QPSK	1	74	0	0
	15	QPSK	36	18	1	0-1
	15	QPSK	75	0	1	0-1
	15	16-QAM	1	0	1	0-1
	15	16-QAM	1	74	1	0-1
	15	16-QAM	36	18	2	0-2

15	16-QAM	75	0	2	0-2
20	QPSK	1	0	0	0
20	QPSK	1	99	0	0
20	QPSK	50	25	1	0-1
20	QPSK	100	0	1	0-1
20	16-QAM	1	0	1	0-1
20	16-QAM	1	99	1	0-1
20	16-QAM	50	25	2	0-2
20	16-QAM	100	0	2	0-2

2) The LTE MPR Targets for Band 17 are:

Band	Bandwidth [MHz]	Modulation	RB Size	RB Offset	Target MPR [dB]	Maximum MPR Allowed per 3GPP [dB]
	5	QPSK	1	0	0	0
	5	QPSK	1	24	0	0
	5	QPSK	12	6	1	0-1
	5	QPSK	25	0	1	0-1
	5	16-QAM	1	0	1	0-1
	5	16-QAM	1	24	1	0-1
	5	16-QAM	12	6	2	0-2
Dond 17	5	16-QAM	25	0	2	0-2
Band 17	10	QPSK	1	0	0	0
	10	QPSK	1	49	0	0
	10	QPSK	25	12	1	0-1
	10	QPSK	50	0	1	0-1
	10	16-QAM	1	0	1	0-1
	10	16-QAM	1	49	1	0-1
	10	16-QAM	25	12	2	0-2
	10	16-QAM	50	0	2	0-2

- 4. A-MPR was disabled for all SAR test samples for SAR testing purposes only.
- 5. This device does not implement power back-off schemes for SAR compliance.
- 6. We attest to the Simultaneous Tx listed on Operational Description to be accurate and furthermore, any other simultaneous Tx combinations not listed on the SAR report are not supported by software/hardware design.

Should you have any questions or comments concerning the above, please contact the undersigned.

Sincerely, Dongjun Lee Senior Engineer Samsung Electronics CO. LTD TEL: +82-31-301-3730 E-mail:dj_ok.lee@samsung.com