


Label and Location

Model: SIP005AFS30

FCC ID: [A3LSIP005AFS30](#)

1. 2D BA-code Specification



- 1) Label size : 30 X 14 mm
- 2) Barcode type : Data matrix (2D) ,
- 3) Barcode size : 4x4 mm
- 4) Serial No. (16digit)

- number (0~9), Letters (A~Z except I,0)

Model List	1~3 rd	4 th	5 th	6 th	7 th	8 th	9 th	10 th	11 th	12 th	13~16 th
	MODEL CODE	소분류	ASSY	YEAR	Month	Day	HW VERSION			Unlock /Lock	SERIAL NUMBER

1~3rd : Model

Code

Model	Display
ARTIK530	530

4th : 소분류

소분류	Display
D	Dev. Board
M	Module
I	쪽보드

5th : Assembly Site

Assembly	Display
SEMCO	S
SAMJIN	J
Wisol	W

6th : Year

Year	Display
2015	Z
2016	B
2017	C
2018	D
2019	E
2020	F

7th : Month

Month	Display
1	1
2	2
3	3
4	4
5	5
6	6

7	7
8	8
9	9
10	A
11	B
12	C

8th : Day

Day	Display
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	A
11	B
12	C
13	D
14	E
15	F
16	G
17	H
18	J
19	K
20	L
21	M
22	N
23	P
24	Q
25	R
26	S
27	T
28	U
29	V
30	W
31	X

9 th	10 th	11 th
HW VERSION		

12th : Unlock/Lock

Security	Display
Unlock	0
Lock	L

13~16th

SERIAL NUMBER

Serial No.는 0001 부터 9999 까지 순차적으로 사용, 1 일 생산량 9999 개 이상이면 알파벳 사용.(9999 다음, 000A~부터 시작)

2. Certi label Specification



MODEL : SIP005AFS30
IC : 649E-SIP005AFS30
FCC ID : A3LSIP005AFS30
RATE : 4.2V 5A

WSARM530A00
Made in Korea

SN : 530MWB9710400001
MAC ID(W):702C1F1CE0AF
MAC ID(B): 702C1F1CE0B0

삼성전자(주)



CE 0984 5.0mm

