PCS 1900_LTE 15 MHz

Test Plot at Output Port 1

(QPSK Low Channel)



(QPSK Middle Channel)



(QPSK High Channel)



(16QAM Low Channel)



(16QAM Middle Channel)



(16QAM High Channel)



(64QAM Low Channel)



(64QAM Middle Channel)



(64QAM High Channel)



PCS 1900_LTE 20 MHz

Test Plot at Output Port 0

(QPSK Low Channel)



(QPSK Middle Channel)



(QPSK High Channel)



(16QAM Low Channel)



(16QAM Middle Channel)



(16QAM High Channel)



(64QAM Low Channel)



(64QAM Middle Channel)



(64QAM High Channel)



PCS 1900_LTE 20 MHz

Test Plot at Output Port 1

(QPSK Low Channel)



(QPSK Middle Channel)



(QPSK High Channel)



(16QAM Low Channel)



(16QAM Middle Channel)



(16QAM High Channel)



(64QAM Low Channel)



(64QAM Middle Channel)



(64QAM High Channel)



AWS 2100_LTE 5 MHz

Test Plot at Output Port 0

(QPSK Low Channel)



(QPSK Middle Channel)



(QPSK High Channel)



(16QAM Low Channel)



(16QAM Middle Channel)



(16QAM High Channel)



(64QAM Low Channel)



(64QAM Middle Channel)



(64QAM High Channel)



AWS 2100_LTE 5 MHz

Test Plot at Output Port 1

(QPSK Low Channel)



(QPSK Middle Channel)



(QPSK High Channel)



(16QAM Low Channel)



(16QAM Middle Channel)



(16QAM High Channel)



(64QAM Low Channel)



(64QAM Middle Channel)



(64QAM High Channel)



AWS 2100_LTE 10 MHz

Test Plot at Output Port 0

(QPSK Low Channel)



(QPSK Middle Channel)



(QPSK High Channel)



(16QAM Low Channel)



(16QAM Middle Channel)



(16QAM High Channel)



(64QAM Low Channel)



(64QAM Middle Channel)



(64QAM High Channel)



AWS 2100_LTE 10 MHz

Test Plot at Output Port 1

(QPSK Low Channel)



(QPSK Middle Channel)



(QPSK High Channel)



(16QAM Low Channel)



(16QAM Middle Channel)



(16QAM High Channel)



(64QAM Low Channel)



(64QAM Middle Channel)



(64QAM High Channel)



AWS 2100_LTE 15 MHz

Test Plot at Output Port 0

(QPSK Low Channel)



(QPSK Middle Channel)



(QPSK High Channel)



(16QAM Low Channel)



(16QAM Middle Channel)



(16QAM High Channel)



(64QAM Low Channel)



(64QAM Middle Channel)



(64QAM High Channel)



AWS 2100_LTE 15 MHz

Test Plot at Output Port 1

(QPSK Low Channel)



(QPSK Middle Channel)



(QPSK High Channel)



(16QAM Low Channel)



(16QAM Middle Channel)



(16QAM High Channel)



(64QAM Low Channel)



(64QAM Middle Channel)



(64QAM High Channel)



AWS 2100_LTE 20 MHz

Test Plot at Output Port 0

(QPSK Low Channel)



(QPSK Middle Channel)



(QPSK High Channel)



(16QAM Low Channel)



(16QAM Middle Channel)



(16QAM High Channel)



(64QAM Low Channel)



(64QAM Middle Channel)



(64QAM High Channel)



AWS 2100_LTE 20 MHz

Test Plot at Output Port 1

(QPSK Low Channel)



(QPSK Middle Channel)



(QPSK High Channel)



(16QAM Low Channel)



(16QAM Middle Channel)



(16QAM High Channel)



(64QAM Low Channel)



(64QAM Middle Channel)



(64QAM High Channel)



7. SPURIOUS EMISSION AT ANTENNA TERMINAL

Test Requirements:

§24.238 Emission limitations for Broadband PCS equipment.

(a) *Out of band emissions.* The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

§27.53 Emission limits.

(h) *AWS emission limits*

(1) *General protection levels.* Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}$ (P) dB.

(3) *Measurement procedure.*

(i) Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

(ii) When measuring the emission limits, the nominal carrier frequency shall be adjusted as close to the licensee's frequency block edges, both upper and lower, as the design permits.

(iii) The measurements of emission power can be expressed in peak or average values, provided they are expressed in the same parameters as the transmitter power.

Test Procedures:

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.

The resolution bandwidth of the spectrum analyzer was set at 100 KHz (Under 1 GHz), 1MHz (Above 1 GHz). Sufficient scans were taken to show any out of band emissions up to 10th harmonic.

Notes:

1. In 9 KHz-150 KHz and 150 KHz-30 MHz bands, RBW was reduced to 1% and 10% of the reference bandwidth for measuring unwanted emission level(typically, 100KHz if the authorized frequency band is below 1GHz) and power was integrated. (1% = +20 dB, 10% = +10 dB)
2. Because the test results are similer trend value for each port, attached plots were only the port0 test result.

Conducted Spurious Emissions

PCS 1900_LTE 5M

Test Data at Output Port 0

(QPSK Low channel)

9 ㎑ ~ 150 ㎑	150 ㎑ ~ 30 ㎒
	
30 ㎒ ~ 1 ㎓	**1 ㎓ ~ 1.925 ㎓**
	

1.925 ㎓ ~ 1.929 ㎓	1.991 ㎓ ~ 1.995 ㎓
	
1.995 ㎓ ~ 12.75 ㎓	**12.75 ㎓ ~ 26.5 ㎓**
	

(QPSK Middle channel)

9 ㎑ ~ 150 ㎑	150 ㎑ ~ 30 ㎒
	
30 ㎒ ~ 1 ㎓	**1 ㎓ ~ 1.925 ㎓**
	

1.925 ㎓ ~ 1.929 ㎓	1.991 ㎓ ~ 1.995 ㎓
	
1.995 ㎓ ~ 12.75 ㎓	**12.75 ㎓ ~ 26.5 ㎓**
	

(QPSK High channel)

9 ㎑ ~ 150 ㎑	150 ㎑ ~ 30 ㎒
	
30 ㎒ ~ 1 ㎓	**1 ㎓ ~ 1.925 ㎓**