

MEASUREMENT REPORT
LTE

Applicant Name:
 Samsung Electronics Co., Ltd.
 129, Samsung-ro,
 Yeongtong-gu, Suwon-si
 Gyeonggi-do, 16677, Korea

Date of Testing:
 04/26/2019-05/29/2019
Test Site/Location:
 PCTEST Lab. Columbia, MD, USA
Test Report Serial No.:
 1M1904240065-03.A3L

| | |
|-------------------|--------------------------------------|
| FCC ID: | A3LSMA205U |
| APPLICANT: | Samsung Electronics Co., Ltd. |

Application Type: Certification
Model: SM-A205U
EUT Type: Portable Handset
FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
FCC Rule Part(s): 22, 24, & 27
Test Procedure(s): ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.


 Randy Ortanez
 President




| | | | | |
|--|---|---|---|--|
| FCC ID: A3LSMA205U |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | Page 1 of 252 | |

TABLE OF CONTENTS


| | | |
|-----|---|-----|
| 1.0 | INTRODUCTION | 6 |
| 1.1 | Scope | 6 |
| 1.2 | PCTEST Test Location..... | 6 |
| 1.3 | Test Facility / Accreditations..... | 6 |
| 2.0 | PRODUCT INFORMATION..... | 7 |
| 2.1 | Equipment Description | 7 |
| 2.2 | Device Capabilities..... | 7 |
| 2.3 | Test Configuration | 7 |
| 2.4 | EMI Suppression Device(s)/Modifications | 7 |
| 3.0 | DESCRIPTION OF TESTS | 8 |
| 3.1 | Measurement Procedure..... | 8 |
| 3.2 | Block C Frequency Range | 8 |
| 3.3 | Block A Frequency Range..... | 8 |
| 3.4 | Cellular - Base Frequency Blocks | 8 |
| 3.5 | Cellular - Mobile Frequency Blocks | 8 |
| 3.6 | AWS - Base Frequency Blocks | 9 |
| 3.7 | AWS - Mobile Frequency Blocks..... | 9 |
| 3.8 | BRS/EBS Frequency Block..... | 9 |
| 3.9 | Radiated Power and Radiated Spurious Emissions | 10 |
| 4.0 | MEASUREMENT UNCERTAINTY | 11 |
| 5.0 | TEST EQUIPMENT CALIBRATION DATA | 12 |
| 6.0 | SAMPLE CALCULATIONS | 13 |
| 7.0 | TEST RESULTS..... | 14 |
| 7.1 | Summary..... | 14 |
| 7.2 | Occupied Bandwidth | 16 |
| 7.3 | Spurious and Harmonic Emissions at Antenna Terminal | 76 |
| 7.4 | Band Edge Emissions at Antenna Terminal | 117 |
| 7.5 | Peak-Average Ratio | 189 |
| 7.6 | Radiated Power (ERP/EIRP)..... | 208 |
| 7.7 | Radiated Spurious Emissions Measurements..... | 219 |
| 7.8 | Frequency Stability / Temperature Variation | 235 |
| 8.0 | CONCLUSION..... | 252 |

| | | | |
|--|--|---|--|
| FCC ID: A3LSMA205U |  MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | Page 2 of 252 |



MEASUREMENT REPORT

FCC Part 22, 24, & 27



| Mode | FCC Rule Part | Tx Frequency (MHz) | ERP | | EIRP | | Emission Designator | Modulation |
|----------------|---------------|--------------------|----------------|------------------|----------------|------------------|---------------------|------------|
| | | | Max. Power (W) | Max. Power (dBm) | Max. Power (W) | Max. Power (dBm) | | |
| LTE Band 71 | 27 | 665.5 - 695.5 | 0.077 | 18.85 | | | 4M56G7D | QPSK |
| LTE Band 71 | 27 | 665.5 - 695.5 | 0.068 | 18.30 | | | 4M56W7D | 16QAM |
| LTE Band 71 | 27 | 665.5 - 695.5 | 0.048 | 16.79 | | | 4M55W7D | 64QAM |
| LTE Band 71 | 27 | 668 - 693 | 0.078 | 18.93 | | | 9M06G7D | QPSK |
| LTE Band 71 | 27 | 668 - 693 | 0.067 | 18.28 | | | 9M04W7D | 16QAM |
| LTE Band 71 | 27 | 668 - 693 | 0.068 | 18.32 | | | 9M04W7D | 64QAM |
| LTE Band 71 | 27 | 670.5 - 690.5 | 0.074 | 18.71 | | | 13M6G7D | QPSK |
| LTE Band 71 | 27 | 670.5 - 690.5 | 0.063 | 17.96 | | | 13M6W7D | 16QAM |
| LTE Band 71 | 27 | 670.5 - 690.5 | 0.050 | 17.02 | | | 13M6W7D | 64QAM |
| LTE Band 71 | 27 | 673 - 688 | 0.059 | 17.71 | | | 18M0G7D | QPSK |
| LTE Band 71 | 27 | 673 - 688 | 0.046 | 16.67 | | | 18M1W7D | 16QAM |
| LTE Band 71 | 27 | 673 - 688 | 0.038 | 15.81 | | | 18M0W7D | 64QAM |
| LTE Band 12 | 27 | 699.7 - 715.3 | 0.075 | 18.76 | 0.123 | 20.91 | 1M11G7D | QPSK |
| LTE Band 12 | 27 | 699.7 - 715.3 | 0.060 | 17.75 | 0.098 | 19.90 | 1M10W7D | 16QAM |
| LTE Band 12 | 27 | 699.7 - 715.3 | 0.047 | 16.74 | 0.077 | 18.89 | 1M10W7D | 64QAM |
| LTE Band 12 | 27 | 700.5 - 714.5 | 0.078 | 18.90 | 0.127 | 21.05 | 2M73G7D | QPSK |
| LTE Band 12 | 27 | 700.5 - 714.5 | 0.061 | 17.83 | 0.100 | 19.98 | 2M72W7D | 16QAM |
| LTE Band 12 | 27 | 700.5 - 714.5 | 0.051 | 17.06 | 0.083 | 19.21 | 2M74W7D | 64QAM |
| LTE Band 12/17 | 27 | 701.5 - 713.5 | 0.089 | 19.51 | 0.147 | 21.66 | 4M57G7D | QPSK |
| LTE Band 12/17 | 27 | 701.5 - 713.5 | 0.064 | 18.03 | 0.104 | 20.18 | 4M57W7D | 16QAM |
| LTE Band 12/17 | 27 | 701.5 - 713.5 | 0.054 | 17.32 | 0.089 | 19.47 | 4M57W7D | 64QAM |
| LTE Band 12/17 | 27 | 704 - 711 | 0.101 | 20.05 | 0.166 | 22.20 | 9M07G7D | QPSK |
| LTE Band 12/17 | 27 | 704 - 711 | 0.079 | 18.98 | 0.130 | 21.13 | 9M03W7D | 16QAM |
| LTE Band 12/17 | 27 | 704 - 711 | 0.064 | 18.07 | 0.105 | 20.22 | 9M06W7D | 64QAM |
| LTE Band 13 | 27 | 779.5 - 784.5 | 0.078 | 18.92 | 0.128 | 21.07 | 4M59G7D | QPSK |
| LTE Band 13 | 27 | 779.5 - 784.5 | 0.068 | 18.32 | 0.112 | 20.47 | 4M59W7D | 16QAM |
| LTE Band 13 | 27 | 779.5 - 784.5 | 0.056 | 17.44 | 0.091 | 19.59 | 4M58W7D | 64QAM |
| LTE Band 13 | 27 | 782 | 0.062 | 17.91 | 0.101 | 20.06 | 9M06G7D | QPSK |
| LTE Band 13 | 27 | 782 | 0.054 | 17.34 | 0.089 | 19.49 | 9M06W7D | 16QAM |
| LTE Band 13 | 27 | 782 | 0.051 | 17.04 | 0.083 | 19.19 | 9M02W7D | 64QAM |
| LTE Band 26/5 | 22H | 824.7 - 848.3 | 0.090 | 19.57 | 0.148 | 21.72 | 1M11G7D | QPSK |
| LTE Band 26/5 | 22H | 824.7 - 848.3 | 0.075 | 18.74 | 0.123 | 20.89 | 1M12W7D | 16QAM |
| LTE Band 26/5 | 22H | 824.7 - 848.3 | 0.053 | 17.28 | 0.088 | 19.43 | 1M10W7D | 64QAM |
| LTE Band 26/5 | 22H | 825.5 - 847.5 | 0.076 | 18.79 | 0.124 | 20.94 | 2M73G7D | QPSK |
| LTE Band 26/5 | 22H | 825.5 - 847.5 | 0.060 | 17.82 | 0.099 | 19.97 | 2M73W7D | 16QAM |
| LTE Band 26/5 | 22H | 825.5 - 847.5 | 0.054 | 17.30 | 0.088 | 19.45 | 2M73W7D | 64QAM |
| LTE Band 26/5 | 22H | 826.5 - 846.5 | 0.094 | 19.74 | 0.154 | 21.89 | 4M57G7D | QPSK |
| LTE Band 26/5 | 22H | 826.5 - 846.5 | 0.074 | 18.68 | 0.121 | 20.83 | 4M56W7D | 16QAM |
| LTE Band 26/5 | 22H | 826.5 - 846.5 | 0.059 | 17.70 | 0.097 | 19.85 | 4M58W7D | 64QAM |
| LTE Band 26/5 | 22H | 829 - 844 | 0.087 | 19.42 | 0.143 | 21.57 | 9M07G7D | QPSK |
| LTE Band 26/5 | 22H | 829 - 844 | 0.073 | 18.62 | 0.119 | 20.77 | 9M07W7D | 16QAM |
| LTE Band 26/5 | 22H | 829 - 844 | 0.054 | 17.35 | 0.089 | 19.50 | 9M08W7D | 64QAM |
| LTE Band 26 | 22H | 831.5 - 841.5 | 0.071 | 18.53 | 0.117 | 20.68 | 13M6G7D | QPSK |
| LTE Band 26 | 22H | 831.5 - 841.5 | 0.051 | 17.11 | 0.084 | 19.26 | 13M6W7D | 16QAM |
| LTE Band 26 | 22H | 831.5 - 841.5 | 0.042 | 16.22 | 0.069 | 18.37 | 13M5W7D | 64QAM |

EUT Overview (<1 GHz)

| | | | | |
|---|---|---|---|---------------------------------|
| FCC ID: A3LSMA205U |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | Page 3 of 252 | |

| Mode | FCC Rule Part | Tx Frequency (MHz) | EIRP | | Emission Designator | Modulation |
|---------------|---------------|--------------------|----------------|------------------|---------------------|------------|
| | | | Max. Power (W) | Max. Power (dBm) | | |
| LTE Band 66/4 | 27 | 1710.7 - 1779.3 | 0.235 | 23.71 | 1M11G7D | QPSK |
| LTE Band 66/4 | 27 | 1710.7 - 1779.3 | 0.180 | 22.55 | 1M11W7D | 16QAM |
| LTE Band 66/4 | 27 | 1710.7 - 1779.3 | 0.139 | 21.43 | 1M11W7D | 64QAM |
| LTE Band 66/4 | 27 | 1711.5 - 1778.5 | 0.245 | 23.89 | 2M74G7D | QPSK |
| LTE Band 66/4 | 27 | 1711.5 - 1778.5 | 0.200 | 23.01 | 2M73W7D | 16QAM |
| LTE Band 66/4 | 27 | 1711.5 - 1778.5 | 0.147 | 21.67 | 2M74W7D | 64QAM |
| LTE Band 66/4 | 27 | 1712.5 - 1777.5 | 0.266 | 24.25 | 4M58G7D | QPSK |
| LTE Band 66/4 | 27 | 1712.5 - 1777.5 | 0.204 | 23.10 | 4M55W7D | 16QAM |
| LTE Band 66/4 | 27 | 1712.5 - 1777.5 | 0.162 | 22.09 | 4M56W7D | 64QAM |
| LTE Band 66/4 | 27 | 1715 - 1775 | 0.324 | 25.11 | 9M06G7D | QPSK |
| LTE Band 66/4 | 27 | 1715 - 1775 | 0.256 | 24.08 | 9M07W7D | 16QAM |
| LTE Band 66/4 | 27 | 1715 - 1775 | 0.194 | 22.87 | 9M06W7D | 64QAM |
| LTE Band 66/4 | 27 | 1717.5 - 1772.5 | 0.300 | 24.77 | 13M6G7D | QPSK |
| LTE Band 66/4 | 27 | 1717.5 - 1772.5 | 0.244 | 23.87 | 13M6W7D | 16QAM |
| LTE Band 66/4 | 27 | 1717.5 - 1772.5 | 0.175 | 22.44 | 13M6W7D | 64QAM |
| LTE Band 66/4 | 27 | 1720 - 1770 | 0.234 | 23.69 | 18M1G7D | QPSK |
| LTE Band 66/4 | 27 | 1720 - 1770 | 0.202 | 23.05 | 18M0W7D | 16QAM |
| LTE Band 66/4 | 27 | 1720 - 1770 | 0.152 | 21.82 | 18M0W7D | 64QAM |
| LTE Band 25/2 | 24E | 1850.7 - 1914.3 | 0.190 | 22.78 | 1M11G7D | QPSK |
| LTE Band 25/2 | 24E | 1850.7 - 1914.3 | 0.145 | 21.60 | 1M11W7D | 16QAM |
| LTE Band 25/2 | 24E | 1850.7 - 1914.3 | 0.117 | 20.69 | 1M11W7D | 64QAM |
| LTE Band 25/2 | 24E | 1851.5 - 1913.5 | 0.223 | 23.48 | 2M73G7D | QPSK |
| LTE Band 25/2 | 24E | 1851.5 - 1913.5 | 0.163 | 22.13 | 2M73W7D | 16QAM |
| LTE Band 25/2 | 24E | 1851.5 - 1913.5 | 0.120 | 20.79 | 2M74W7D | 64QAM |
| LTE Band 25/2 | 24E | 1852.5 - 1912.5 | 0.233 | 23.67 | 4M56G7D | QPSK |
| LTE Band 25/2 | 24E | 1852.5 - 1912.5 | 0.178 | 22.51 | 4M59W7D | 16QAM |
| LTE Band 25/2 | 24E | 1852.5 - 1912.5 | 0.128 | 21.06 | 4M57W7D | 64QAM |
| LTE Band 25/2 | 24E | 1855 - 1910 | 0.249 | 23.95 | 9M04G7D | QPSK |
| LTE Band 25/2 | 24E | 1855 - 1910 | 0.185 | 22.66 | 9M03W7D | 16QAM |
| LTE Band 25/2 | 24E | 1855 - 1910 | 0.147 | 21.66 | 9M05W7D | 64QAM |
| LTE Band 25/2 | 24E | 1857.5 - 1907.5 | 0.275 | 24.40 | 13M6G7D | QPSK |
| LTE Band 25/2 | 24E | 1857.5 - 1907.5 | 0.194 | 22.87 | 13M6W7D | 16QAM |
| LTE Band 25/2 | 24E | 1857.5 - 1907.5 | 0.149 | 21.72 | 13M5W7D | 64QAM |
| LTE Band 25/2 | 24E | 1860 - 1905 | 0.260 | 24.14 | 18M0G7D | QPSK |
| LTE Band 25/2 | 24E | 1860 - 1905 | 0.180 | 22.56 | 18M0W7D | 16QAM |
| LTE Band 25/2 | 24E | 1860 - 1905 | 0.145 | 21.61 | 18M0W7D | 64QAM |

EUT Overview (Mid Bands)

| | | | | |
|--|---|---|---|--|
| FCC ID: A3LSMA205U |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | Page 4 of 252 | |

| Mode | FCC Rule Part | Tx Frequency (MHz) | EIRP | | Emission Designator | Modulation |
|-----------------------|---------------|--------------------|----------------|------------------|---------------------|------------|
| | | | Max. Power (W) | Max. Power (dBm) | | |
| LTE Band 7 | 27 | 2502.5 - 2567.5 | 0.120 | 20.80 | 4M57G7D | QPSK |
| LTE Band 7 | 27 | 2502.5 - 2567.5 | 0.089 | 19.48 | 4M55W7D | 16QAM |
| LTE Band 7 | 27 | 2502.5 - 2567.5 | 0.074 | 18.67 | 4M57W7D | 64QAM |
| LTE Band 7 | 27 | 2505 - 2565 | 0.124 | 20.95 | 9M05G7D | QPSK |
| LTE Band 7 | 27 | 2505 - 2565 | 0.093 | 19.70 | 9M02W7D | 16QAM |
| LTE Band 7 | 27 | 2505 - 2565 | 0.073 | 18.61 | 9M02W7D | 64QAM |
| LTE Band 7 | 27 | 2507.5 - 2562.5 | 0.135 | 21.31 | 13M6G7D | QPSK |
| LTE Band 7 | 27 | 2507.5 - 2562.5 | 0.096 | 19.82 | 13M6W7D | 16QAM |
| LTE Band 7 | 27 | 2507.5 - 2562.5 | 0.081 | 19.11 | 13M6W7D | 64QAM |
| LTE Band 7 | 27 | 2510 - 2560 | 0.105 | 20.21 | 18M0G7D | QPSK |
| LTE Band 7 | 27 | 2510 - 2560 | 0.077 | 18.87 | 18M0W7D | 16QAM |
| LTE Band 7 | 27 | 2510 - 2560 | 0.057 | 17.59 | 18M0W7D | 64QAM |
| LTE Band 41 (PC2) | 27 | 2498.5 - 2687.5 | 0.499 | 26.98 | 4M56G7D | QPSK |
| LTE Band 41 (PC2) | 27 | 2498.5 - 2687.5 | 0.431 | 26.34 | 4M53W7D | 16QAM |
| LTE Band 41 (PC2) | 27 | 2498.5 - 2687.5 | 0.348 | 25.41 | 4M55W7D | 64QAM |
| LTE Band 41 (PC2) | 27 | 2501 - 2685 | 0.493 | 26.93 | 9M04G7D | QPSK |
| LTE Band 41 (PC2) | 27 | 2501 - 2685 | 0.398 | 26.00 | 9M07W7D | 16QAM |
| LTE Band 41 (PC2) | 27 | 2501 - 2685 | 0.332 | 25.21 | 9M03W7D | 64QAM |
| LTE Band 41 (PC2) | 27 | 2503.5 - 2682.5 | 0.465 | 26.67 | 13M6G7D | QPSK |
| LTE Band 41 (PC2) | 27 | 2503.5 - 2682.5 | 0.386 | 25.87 | 13M5W7D | 16QAM |
| LTE Band 41 (PC2) | 27 | 2503.5 - 2682.5 | 0.318 | 25.02 | 13M6W7D | 64QAM |
| LTE Band 41 (PC2) | 27 | 2506 - 2680 | 0.370 | 25.68 | 18M0G7D | QPSK |
| LTE Band 41 (PC2) | 27 | 2506 - 2680 | 0.334 | 25.23 | 18M0W7D | 16QAM |
| LTE Band 41 (PC2) | 27 | 2506 - 2680 | 0.319 | 25.03 | 18M0W7D | 64QAM |
| LTE Band 41 (PC3) /38 | 27 | 2498.5 - 2687.5 | 0.158 | 21.98 | 4M59G7D | QPSK |
| LTE Band 41 (PC3) /38 | 27 | 2498.5 - 2687.5 | 0.111 | 20.47 | 4M57W7D | 16QAM |
| LTE Band 41 (PC3) /38 | 27 | 2498.5 - 2687.5 | 0.058 | 17.66 | 4M55W7D | 64QAM |
| LTE Band 41 (PC3) /38 | 27 | 2501 - 2685 | 0.179 | 22.53 | 9M08G7D | QPSK |
| LTE Band 41 (PC3) /38 | 27 | 2501 - 2685 | 0.145 | 21.61 | 9M02W7D | 16QAM |
| LTE Band 41 (PC3) /38 | 27 | 2501 - 2685 | 0.096 | 19.83 | 9M00W7D | 64QAM |
| LTE Band 41 (PC3) /38 | 27 | 2503.5 - 2682.5 | 0.207 | 23.15 | 13M6G7D | QPSK |
| LTE Band 41 (PC3) /38 | 27 | 2503.5 - 2682.5 | 0.183 | 22.63 | 13M5W7D | 16QAM |
| LTE Band 41 (PC3) /38 | 27 | 2503.5 - 2682.5 | 0.064 | 18.05 | 13M5W7D | 64QAM |
| LTE Band 41 (PC3) /38 | 27 | 2506 - 2680 | 0.273 | 24.36 | 18M0G7D | QPSK |
| LTE Band 41 (PC3) /38 | 27 | 2506 - 2680 | 0.205 | 23.12 | 18M0W7D | 16QAM |
| LTE Band 41 (PC3) /38 | 27 | 2506 - 2680 | 0.201 | 23.04 | 18M0W7D | 64QAM |

EUT Overview (High Bands)

| | | | | |
|--|---|---|---|--|
| FCC ID: A3LSMA205U |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | Page 5 of 252 | |

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

| | | | | |
|--|---|---|---|--|
| FCC ID: A3LSMA205U |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | Page 6 of 252 | |

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Handset FCC ID: A3LSMA205U**. The test data contained in this report pertains only to the emissions due to the EUT's LTE function.

Test Device Serial No.: 35805, 35607, 44468, 36043, 44146

2.2 Device Capabilities

This device contains the following capabilities:

800/850/1900 CDMA/EvDO Rev0/A (BC0, BC1, BC10), 850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, 802.11b/g/n WLAN, 802.11a/n/ac UNII, Bluetooth (1x, EDR, LE), NFC

LTE Band 12 (698 - 716 MHz) overlaps the entire frequency range of LTE Band 17 (704 - 716 MHz). Therefore, test data provided in this report covers Band 17 as well as Band 12.

LTE Band 26 (814.7 – 849 MHz) overlaps the entire frequency range of LTE Band 5 (824 – 849 MHz). Therefore, test data provided in this report covers Band 5 and the portion of Band 26 subject to Part 22.

LTE Band 66 (1710 - 1780 MHz) overlaps the entire frequency range of LTE Band 4 (1710 - 1755 MHz). Therefore, test data provided in this report covers Band 4 as well as Band 66.

LTE Band 25 (1850 - 1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 - 1910 MHz). Therefore, test data provided in this report covers Band 2 as well as Band 25.

LTE Band 41 (2496 - 2690 MHz) overlaps the entire frequency range of LTE Band 38 (2570 - 2620 MHz). Therefore, test data provided in this report covers Band 38 as well as Band 41.

2.3 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMA205U |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | Page 7 of 252 | |

3.0 DESCRIPTION OF TESTS

3.1 Measurement Procedure

The measurement procedures described in the document titled “Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards” (ANSI/TIA-603-E-2016) and “Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems” (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

3.2 Block C Frequency Range


Two paired channels of 11 megahertz each are available for assignment in Block C in the 746-757 MHz and 776-787 MHz bands. In the event that no licenses for two channels in this Block C are assigned based on the results of the first auction in which such licenses were offered because the auction results do not satisfy the applicable reserve price, the spectrum in the 746-757 MHz and 776-787 MHz bands will instead be made available for assignment at a subsequent auction as follows: (i) Two paired channels of 6 megahertz each available for assignment in Block C1 in the 746-752 MHz and 776-782 MHz bands. (ii) Two paired channels of 5 megahertz each available for assignment in Block C2 in the 752-757 MHz and 782-787 MHz bands.

3.3 Block A Frequency Range

698-746 MHz band. The following frequencies are available for licensing pursuant to this part in the 698-746 MHz band: (1) Three paired channel blocks of 12 megahertz each are available for assignment as follows:


Block A: 698-704 MHz and 728-734 MHz;
 Block B: 704-710 MHz and 734-740 MHz; and
 Block C: 710-716 MHz and 740-746 MHz.

3.4 Cellular - Base Frequency Blocks



BLOCK 1: 869 – 880 MHz (A* Low + A) **BLOCK 3:** 890 – 891.5 MHz (A* High)
BLOCK 2: 880 – 890 MHz (B) **BLOCK 4:** 891.5 – 894 MHz (B*)


3.5 Cellular - Mobile Frequency Blocks




BLOCK 1: 824 – 835 MHz (A* Low + A) **BLOCK 3:** 845 – 846.5 MHz (A* High)
BLOCK 2: 835 – 845 MHz (B) **BLOCK 4:** 846.5 – 849 MHz (B*)

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMA205U |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 8 of 252 |


3.6 AWS - Base Frequency Blocks



3.7 AWS - Mobile Frequency Blocks



3.8 BRS/EBS Frequency Block



| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 9 of 252 |

3.9 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Radiated power levels are also investigated with the receive antenna horizontally and vertically polarized. The maximized power level is recorded using the spectrum analyzer “Channel Power” function with the integration band set to the emissions’ occupied bandwidth, a RMS detector, RBW = 100kHz, VBW = 300kHz, and a 1 second sweep time over a minimum of 10 sweeps, per the guidelines of KDB 971168 D01 v03r01.

Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d [dBm] = P_g [dBm] - \text{cable loss} [dB] + \text{antenna gain} [dBd/dBi]$$

Where, P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g [dBm] - \text{cable loss} [dB]$.

The calculated P_d levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of $43 + 10 \log_{10}(\text{Power}_{[Watts]})$. For Band 7, the calculated P_d levels are compared to the absolute spurious emission limit of -25dBm which is equivalent to the required minimum attenuation of $55 + 10 \log_{10}(\text{Power}_{[Watts]})$.

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 474788 D01.

| | | | |
|---|---|-------------------------------|---------------------------------|
| FCC ID: A3LSMA205U |  MEASUREMENT REPORT (CERTIFICATION)  | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | Page 10 of 252 |

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

| Contribution | Expanded Uncertainty (\pm dB) |
|----------------------------------|----------------------------------|
| Conducted Bench Top Measurements | 1.13 |
| Radiated Disturbance (<1GHz) | 4.98 |
| Radiated Disturbance (>1GHz) | 5.07 |
| Radiated Disturbance (>18GHz) | 5.09 |

| | | | |
|---|--|---|---------------------------------|
| FCC ID: A3LSMA205U |  MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | Page 11 of 252 |

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

| Manufacturer | Model | Description | Cal Date | Cal Interval | Cal Due | Serial Number |
|-----------------|---------------|--------------------------------|-----------|--------------|-----------|---------------|
| Agilent | N9020A | MXA Signal Analyzer | 4/20/2019 | Annual | 4/20/2020 | US46470561 |
| Emco | 3115 | Horn Antenna (1-18GHz) | 3/28/2018 | Biennial | 3/28/2020 | 9704-5182 |
| Emco | 3116 | Horn Antenna (18 - 40GHz) | 6/7/2018 | Biennial | 6/7/2020 | 9203-2178 |
| Espec | ESX-2CA | Environmental Chamber | 6/28/2018 | Annual | 6/28/2019 | 17620 |
| Rohde & Schwarz | CMU200 | Base Station Simulator | 6/18/2018 | Annual | 6/18/2019 | 109892 |
| Sunol | JB5 | Bi-Log Antenna (30M - 5GHz) | 4/19/2018 | Biennial | 4/19/2020 | A051107 |
| Rohde & Schwarz | CMW500 | Radio Communication Tester | 6/8/2018 | Annual | 6/8/2019 | 112347 |
| Rohde & Schwarz | TS-PR26 | 18-26.5 GHz Pre-Amplifier | 9/19/2018 | Annual | 9/19/2019 | 100040 |
| Anritsu | MT8821C | Radio Communication Analyzer | 11/6/2018 | Annual | 11/6/2019 | 6200901190 |
| - | LTx1 | Licensed Transmitter Cable Set | 8/23/2018 | Annual | 8/23/2019 | LTx1 |
| ETS Lindgren | 3164-08 | Quad Ridge Horn Antenna | 3/28/2018 | Biennial | 3/28/2020 | 128337 |
| - | LTx2 | Licensed Transmitter Cable Set | 8/23/2018 | Annual | 8/23/2019 | LTx2 |
| Seekonk | NC-100 | Torque Wrench (8" lb) | 5/10/2018 | Biennial | 5/10/2020 | N/A |
| Rohde & Schwarz | TS-PR40 | 26.5-40 GHz Pre-Amplifier | 9/19/2018 | Annual | 9/19/2019 | 100037 |
| ETS Lindgren | 3164-08 | Quad Ridge Horn Antenna | 2/22/2019 | Biennial | 2/22/2021 | 128338 |
| Mini-Circuits | PWR-SEN-4RMS | USB Power Sensor | 6/30/2018 | Annual | 6/30/2019 | 11210140001 |
| Huber + Suhner | Sucoflex 102A | 40GHz Radiated Cable Set | 8/23/2018 | Annual | 8/23/2019 | 251425001 |
| - | LTx3 | Licensed Transmitter Cable Set | 8/23/2018 | Annual | 8/23/2019 | LTx3 |
| Mini-Circuits | SSG-4000HP | Synthesized Signal Generator | | N/A | | 11403100002 |
| Mini Circuits | PWR-SEN-4GHS | USB Power Sensor | 4/19/2019 | Annual | 4/19/2020 | 11401010036 |
| Com-Power | PAM-103 | Pre-Amplifier (1-1000MHz) | 9/17/2018 | Annual | 9/17/2019 | 441119 |
| Rohde & Schwarz | SFUNIT-Rx | Shielded Filter Unit | 6/18/2018 | Annual | 6/18/2019 | 102134 |

Table 5-1. Test Equipment

Notes:

1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
2. Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

| | | | | | |
|---|---|---|--|---|---------------------------------|
| FCC ID: A3LSMA205U |  | MEASUREMENT REPORT (CERTIFICATION) | |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 12 of 252 | |

6.0 SAMPLE CALCULATIONS

Emission Designator

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz
 G = Phase Modulation
 7 = Quantized/Digital Info
 D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz
 W = Amplitude/Angle Modulated
 7 = Quantized/Digital Info
 D = Data transmission, telemetry, telecommand

Spurious Radiated Emission – LTE Band

Example: Middle Channel LTE Mode 2nd Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm - (-24.80).

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMA205U |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | Page 13 of 252 | |

7.0 TEST RESULTS

7.1 Summary

Company Name: Samsung Electronics Co., Ltd.
 FCC ID: A3LSMA205U
 FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
 Mode(s): LTE

| FCC Part Section(s) | Test Description | Test Limit | Test Condition | Test Result | Reference |
|--|------------------------------------|--|----------------|-------------|------------------------|
| 2.1049 | Occupied Bandwidth | N/A | CONDUCTED | PASS | Section 7.2 |
| 2.1051 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h) | Out of Band Emissions | $> 43 + 10 \log_{10}(P[\text{Watts}])$ at Band Edge and for all out-of-band emissions | | | Section 7.3, 7.4 |
| 27.53(m) | Out of Band Emissions | Undesirable emissions must meet the limits detailed in 27.53(m) | | | Section 7.3, 7.4 |
| 24.232(d) 27.50 | Peak-Average Ratio | < 13 dB | | | Section 7.5 |
| 2.1046 | Transmitter Conducted Output Power | N/A | | | See RF Exposure Report |
| 2.1055 22.355 24.235 27.54 | Frequency Stability | < 2.5 ppm (Part 22) and fundamental emissions stay within authorized frequency block (Part 24, 27) | | | Section 7.8 |

Table 7-1. Summary of Conducted Test Results

| | | | | |
|--|---|---|---|--|
| FCC ID: A3LSMA205U |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | Page 14 of 252 | |

| FCC Part Section(s) | Test Description | Test Limit | Test Condition | Test Result | Reference |
|--|---|--|----------------|-------------|-------------|
| 22.913(a)(5) | Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 26/5) | < 7 Watts max. ERP | RADIATED | PASS | Section 7.6 |
| 27.50(b)(10) 27.50(c)(10) | Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 71, 12/17, 13) | < 3 Watts max. ERP | | | Section 7.6 |
| 24.232(c) 27.50(h)(2) | Equivalent Isotropic Radiated Power (Band 25/2, 7, 41) | < 2 Watts max. EIRP | | | Section 7.6 |
| 27.50(d)(4) | Equivalent Isotropic Radiated Power (Band 66/4) | < 1 Watts max. EIRP | | | Section 7.6 |
| 2.1053 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h) | Undesirable Emissions (Band 12/17, 26/5, 66/4, 25/2) | > 43 + 10 log ₁₀ (P[Watts]) for all out-of-band emissions | | | Section 7.7 |
| 27.53(f) | Undesirable Emissions (Band 13) | < -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 – 1610 MHz | | | Section 7.7 |
| 27.53(m) | Undesirable Emissions (Band 7, 41/38) | Undesirable emissions must meet the limits detailed in 27.53(m) | | | Section 7.7 |

Table 7-2. Summary of Radiated Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots (Sections 7.2, 7.3, 7.4, 7.5) were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST “LTE Automation,” Version 4.8.
- 5) For operation <1GHz, the EIRP limits in the table above are referenced to the specifications written in the relevant Radio Standards Specifications for Innovation, Science, and Economic Development Canada.

| | | | | | |
|---|---|---------------------------------------|--|---|---------------------------------|
| FCC ID: A3LSMA205U |  | MEASUREMENT REPORT (CERTIFICATION) | |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 15 of 252 | |

7.2 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 4.2

Test Settings

1. The signal analyzer’s automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-1. Test Instrument & Measurement Setup

Test Notes


None.

| | | | | |
|---|---|---------------------------------------|---|---------------------------------|
| FCC ID: A3LSMA205U |  | MEASUREMENT REPORT (CERTIFICATION) |  | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 16 of 252 |

Band 71



Plot 7-1. Occupied Bandwidth Plot (Band 71 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-2. Occupied Bandwidth Plot (Band 71 - 5.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 17 of 252 |



Plot 7-3. Occupied Bandwidth Plot (Band 71 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-4. Occupied Bandwidth Plot (Band 71 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 18 of 252 |




Plot 7-5. Occupied Bandwidth Plot (Band 71 - 10.0MHz 16-QAM - Full RB Configuration)



Plot 7-6. Occupied Bandwidth Plot (Band 71 - 10.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 19 of 252 |




Plot 7-7. Occupied Bandwidth Plot (Band 71 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-8. Occupied Bandwidth Plot (Band 71 - 15.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 20 of 252 |




Plot 7-9. Occupied Bandwidth Plot (Band 71 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-10. Occupied Bandwidth Plot (Band 71 - 20.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 21 of 252 |




Plot 7-11. Occupied Bandwidth Plot (Band 71 - 20.0MHz 16-QAM - Full RB Configuration)




Plot 7-12. Occupied Bandwidth Plot (Band 71 - 20.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 22 of 252 |




Plot 7-13. Occupied Bandwidth Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-14. Occupied Bandwidth Plot (Band 12 - 1.4MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 23 of 252 |




Plot 7-15. Occupied Bandwidth Plot (Band 12 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-16. Occupied Bandwidth Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 24 of 252 |




Plot 7-17. Occupied Bandwidth Plot (Band 12 - 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-18. Occupied Bandwidth Plot (Band 12 - 3.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 25 of 252 |



Plot 7-19. Occupied Bandwidth Plot (Band 12/17 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-20. Occupied Bandwidth Plot (Band 12/17 - 5.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 26 of 252 |



Plot 7-21. Occupied Bandwidth Plot (Band 12/17 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-22. Occupied Bandwidth Plot (Band 12/17 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 27 of 252 |




Plot 7-23. Occupied Bandwidth Plot (Band 12/17 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-24. Occupied Bandwidth Plot (Band 12/17 - 10.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 28 of 252 |

Band 13




Plot 7-25. Occupied Bandwidth Plot (Band 13 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-26. Occupied Bandwidth Plot (Band 13 - 5.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 29 of 252 |




Plot 7-27. Occupied Bandwidth Plot (Band 13 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-28. Occupied Bandwidth Plot (Band 13 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 30 of 252 |




Plot 7-29. Occupied Bandwidth Plot (Band 13 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-30. Occupied Bandwidth Plot (Band 13 - 10.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 31 of 252 |

Band 26/5




Plot 7-31. Occupied Bandwidth Plot (Band 26/5 – 1.4MHz QPSK - Full RB Configuration)




Plot 7-32. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 32 of 252 |




Plot 7-33. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-34. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 33 of 252 |



Plot 7-35. Occupied Bandwidth Plot (Band 26/5 – 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-36. Occupied Bandwidth Plot (Band 26/5 – 3.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 34 of 252 |




Plot 7-37. Occupied Bandwidth Plot (Band 26/5 – 5.0MHz QPSK - Full RB Configuration)




Plot 7-38. Occupied Bandwidth Plot (Band 26/5 – 5.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 35 of 252 |



Plot 7-39. Occupied Bandwidth Plot (Band 26/5 – 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-40. Occupied Bandwidth Plot (Band 26/5 – 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 36 of 252 |



Plot 7-41. Occupied Bandwidth Plot (Band 26/5 – 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-42. Occupied Bandwidth Plot (Band 26/5 – 10.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 37 of 252 |




Plot 7-43. Occupied Bandwidth Plot (Band 26 – 15.0MHz QPSK - Full RB Configuration)



Plot 7-44. Occupied Bandwidth Plot (Band 26 – 15.0MHz 16-QAM - Full RB Configuration)


| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 38 of 252 |




Plot 7-45. Occupied Bandwidth Plot (Band 26 – 15.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 39 of 252 |

Band 66/4




Plot 7-46. Occupied Bandwidth Plot (Band 66/4 – 1.4MHz QPSK - Full RB Configuration)




Plot 7-47. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 40 of 252 |




Plot 7-48. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-49. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 41 of 252 |



Plot 7-50. Occupied Bandwidth Plot (Band 66/4 – 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-51. Occupied Bandwidth Plot (Band 66/4 – 3.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 42 of 252 |




Plot 7-52. Occupied Bandwidth Plot (Band 66/4 – 5.0MHz QPSK - Full RB Configuration)




Plot 7-53. Occupied Bandwidth Plot (Band 66/4 – 5.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 43 of 252 |




Plot 7-54. Occupied Bandwidth Plot (Band 66/4 – 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-55. Occupied Bandwidth Plot (Band 66/4 – 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 44 of 252 |




Plot 7-56. Occupied Bandwidth Plot (Band 66/4 – 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-57. Occupied Bandwidth Plot (Band 66/4 – 10.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 45 of 252 |




Plot 7-58. Occupied Bandwidth Plot (Band 66/4 – 15.0MHz QPSK - Full RB Configuration)




Plot 7-59. Occupied Bandwidth Plot (Band 66/4 – 15.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 46 of 252 |



Plot 7-60. Occupied Bandwidth Plot (Band 66/4 – 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-61. Occupied Bandwidth Plot (Band 66/4 – 20.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 47 of 252 |




Plot 7-62. Occupied Bandwidth Plot (Band 66/4 – 20.0MHz 16-QAM - Full RB Configuration)




Plot 7-63. Occupied Bandwidth Plot (Band 66/4 – 20.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 48 of 252 |

Band 25/2




Plot 7-64. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-65. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 49 of 252 |




Plot 7-66. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-67. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 50 of 252 |




Plot 7-68. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-69. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 51 of 252 |




Plot 7-70. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-71. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|---|---|----------------|---------------------------------|
| FCC ID: A3LSMA205U | PCTEST ENGINEERING LABORATORY, INC. | MEASUREMENT REPORT (CERTIFICATION) | SAMSUNG | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 52 of 252 |




Plot 7-72. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-73. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 53 of 252 |




Plot 7-74. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-75. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 54 of 252 |




Plot 7-76. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-77. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 55 of 252 |




Plot 7-78. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-79. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 56 of 252 |




Plot 7-80. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz 16-QAM - Full RB Configuration)




Plot 7-81. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz 64-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 57 of 252 |

Band 7




Plot 7-82. Occupied Bandwidth Plot (Band 7 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-83. Occupied Bandwidth Plot (Band 7 - 5.0MHz 16-QAM - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 58 of 252 |



Plot 7-84. Occupied Bandwidth Plot (Band 7 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-85. Occupied Bandwidth Plot (Band 7 - 10.0MHz QPSK - Full RB Configuration)

| | | | | |
|---|--------------------------------------|---------------------------------------|--|---------------------------------|
| FCC ID: A3LSMA205U | | MEASUREMENT REPORT (CERTIFICATION) | | Approved by: Quality Manager |
| Test Report S/N: 1M1904240065-03.A3L | Test Dates: 04/26/2019-05/29/2019 | EUT Type: Portable Handset | | Page 59 of 252 |