


**RADIATED EMISSIONS**


Frequency (MHz)	Meter Reading (dBuV)	Det	235173 ACF (dB/m)	Amp/Cbl (dB)	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
93.9351	36.22	Pk	14.5	-30.3	20.42	43.52	-23.1	137	188	H
93.9351	30.32	Qp	14.5	-30.3	14.52	43.52	-29	137	188	H
92.4975	44.51	Pk	14.2	-30.3	28.41	43.52	-15.11	325	127	V
92.4975	39.34	Qp	14.2	-30.3	23.24	43.52	-20.28	325	127	V
181.0390	40.57	Pk	17	-29.7	27.87	43.52	-15.65	126	130	H
181.0390	36.07	Qp	17	-29.7	23.37	43.52	-20.15	126	130	H
180.9040	51.96	Pk	17	-29.7	39.26	43.52	-4.26	163	106	V
180.9040	47.39	Qp	17	-29.7	34.69	43.52	-8.83	163	106	V
751.3910	29.23	Pk	26.5	-27.3	28.43	46.02	-17.59	327	272	H
751.3910	21.46	Qp	26.5	-27.3	20.66	46.02	-25.36	327	272	H
751.8170	27.58	Pk	26.5	-27.3	26.78	46.02	-19.24	127	343	V
751.8170	19.80	Qp	26.5	-27.3	19	46.02	-27.02	127	343	V

Pk - Peak detector  
 Qp - Quasi-Peak detector

**HIGH CHANNEL**



**HORIZONTAL**



**VERTICAL**


**RADIATED EMISSIONS**

Frequency (MHz)	Meter Reading (dBuV)	Det	235174 ACF (dB/m) 10m H	Cbl (dB)	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
30.5216	22.48	Qp	26.5	-31.7	17.28	40	-22.72	11	226	H
30.6125	26.95	Qp	26.4	-31.7	21.65	40	-18.35	203	134	V
30.6125	33.29	Pk	26.4	-31.7	27.99	40	-12.01	203	134	V
30.6959	31.18	Pk	26.4	-31.7	25.88	40	-14.12	11	226	H
192.472	43.7	Pk	17.6	-30.2	31.1	43.52	-12.42	17	104	V
192.752	37.07	Qp	17.7	-30.3	24.47	43.52	-19.05	17	104	V
196.571	46.68	Pk	18.2	-30.3	34.58	43.52	-8.94	230	100	H
196.783	39.4	Qp	18.2	-30.3	27.3	43.52	-16.22	230	100	H
753.648	40.71	Pk	26.6	-27.9	39.41	46.02	-6.61	207	112	H
753.9	32.03	Qp	26.6	-27.9	30.73	46.02	-15.29	207	112	H
831.43	30.05	Pk	27.5	-27.4	30.15	46.02	-15.87	164	393	V
831.532	19.7	Qp	27.5	-27.5	19.7	46.02	-26.32	164	393	V


Pk - Peak detector  
 Qp - Quasi-Peak detector

**8.5.2. ABOVE 1GHz**

**LOW CHANNEL**



**HORIZONTAL**




**VERTICAL**

**RADIATED EMISSIONS**


Frequency (GHz)	Meter Reading (dBuV)	Det	200897 ACF 3m (dB/m)	Gain/Loss (dB)	Corrected Reading dBuV/m	Class B Avg Limit (dBuV/m)	Margin (dB)	Class B Pk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1.842951	58.55	Pk	30.5	-49.64	39.41	-	-	74	-34.59	106	199	H
1.842951	46.48	Av	30.5	-49.64	27.34	54	-26.66	-	-	106	199	H
1.842224	58.44	Pk	30.5	-49.69	39.25	-	-	74	-34.75	136	202	V
1.842224	46.41	Av	30.5	-49.69	27.22	54	-26.78	-	-	136	202	V
3.237783	55.87	Pk	32.7	-46.46	42.11	-	-	74	-31.89	278	248	H
3.237783	42.78	Av	32.7	-46.46	29.02	54	-24.98	-	-	278	248	H
3.231533	55.63	Pk	32.7	-46.69	41.64	-	-	74	-32.36	165	149	V
3.231533	42.90	Av	32.7	-46.69	28.91	54	-25.09	-	-	165	149	V
13.148781	51.85	Pk	38.9	-42	48.75	-	-	74	-25.25	132	379	H
13.148781	39.43	Av	38.9	-42	36.33	54	-17.67	-	-	132	379	H
13.147503	51.76	Pk	38.9	-41.98	48.68	-	-	74	-25.32	123	149	V
13.147503	39.14	Av	38.9	-41.98	36.06	54	-17.94	-	-	123	149	V

Pk - Peak detector  
 Av - Average detection

**MID CHANNEL**



**HORIZONTAL**





**VERTICAL**

**RADIATED EMISSIONS**

Frequency (GHz)	Meter Reading (dBuV)	Det	200897 ACF 3m (dB/m)	Gain/Loss (dB)	Corrected Reading dBuV/m	Class B Avg Limit (dBuV/m)	Margin (dB)	Class B Pk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
3.118322	48.86	Pk	33	-47.66	34.20	-	-	74	-39.8	0	101	H
3.118322	43.53	Av	33	-47.66	28.87	54	-25.13	-	-	0	101	H
3.118322	51.87	Pk	33	-47.66	37.21	-	-	74	-36.79	0	101	V
3.118322	43.56	Av	33	-47.66	28.90	54	-25.10	-	-	0	101	V
5.634930	42.12	Pk	34.4	-46.80	29.72	-	-	74	-44.28	0	101	H
5.634930	42.20	Av	34.4	-46.80	29.80	54	-24.20	-	-	0	101	H
5.645858	45.02	Pk	34.4	-46.89	32.53	-	-	74	-41.47	0	101	V
5.645858	42.18	Av	34.4	-46.89	29.69	54	-24.31	-	-	0	101	V
12.337788	44.21	Pk	38.7	-42.02	40.89	-	-	74	-33.11	0	101	H
12.337788	39.66	Av	38.7	-42.02	36.34	54	-17.66	-	-	0	101	H
12.329288	44.51	Pk	38.7	-41.96	41.25	-	-	74	-32.75	0	101	V
12.329288	39.67	Av	38.7	-41.96	36.41	54	-17.59	-	-	0	101	V

Pk - Peak detector  
 Av - Average detection

**HIGH CHANNEL**





**RADIATED EMISSIONS**



Frequency (GHz)	Meter Reading (dBuV)	Det	200897 ACF 3m (dB/m)	Gain/Loss (dB)	Corrected Reading dBuV/m	Class B Avg Limit (dBuV/m)	Margin (dB)	Class B Pk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
2.676929	48.01	Pk	32.2	-48.94	31.27	-	-	74	-42.73	360	101	H
2.676929	45.40	Av	32.2	-48.94	28.66	54	-25.34	-	-	360	101	H
2.676322	49.92	Pk	32.2	-48.93	33.19	-	-	74	-40.81	360	101	V
2.676322	45.45	Av	32.2	-48.93	28.72	54	-25.28	-	-	360	101	V
6.342251	50.18	Pk	35.6	-45.27	40.51	-	-	74	-33.49	360	101	H
6.342251	40.87	Av	35.6	-45.27	31.20	54	-22.8	-	-	360	101	H
6.350751	40.94	Av	35.6	-45.42	31.12	54	-22.88	-	-	360	101	V
6.350751	53.12	Pk	35.6	-45.42	43.30	-	-	74	-30.70	360	101	V
12.325038	45.12	Pk	38.7	-41.80	42.02	-	-	74	-31.98	360	101	H
12.325038	39.62	Av	38.7	-41.80	36.52	54	-17.48	-	-	360	101	H
12.328074	39.73	Av	38.7	-41.88	36.55	54	-17.45	-	-	360	101	V
12.328074	51.39	Pk	38.7	-41.88	48.21	-	-	74	-25.79	360	101	V

Pk - Peak detector  
 Av - Average detection

## 8.6. LTE BAND 26

### 8.6.1. BELOW 1GHz

#### LOW CHANNEL





**RADIATED EMISSIONS**

Frequency (MHz)	Meter Reading (dBuV)	Det	235173 ACF (dB/m)	Amp/Cbl (dB)	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
68.4859	34.18	Pk	13.9	-30.6	17.48	40	-22.52	167	385	H
68.4859	27.52	Qp	13.9	-30.6	10.82	40	-29.18	167	385	H
69.4626	25.31	Pk	13.9	-30.6	8.61	40	-31.39	84	180	V
69.4626	37.95	Qp	13.9	-30.6	21.25	40	-18.75	84	180	V
181.0020	41.15	Pk	17	-29.7	28.45	43.52	-15.07	216	167	H
181.0020	35.66	Qp	17	-29.7	22.96	43.52	-20.56	216	167	H
180.9400	39.15	Pk	17	-29.7	26.45	43.52	-17.07	153	142	V
180.9400	43.35	Qp	17	-29.7	30.65	43.52	-12.87	153	142	V
876.4890	40.13	Pk	27.7	-26.4	41.43	46.02	-4.59	289	119	H
876.4890	33.73	Qp	27.7	-26.4	35.03	46.02	-10.99	289	119	H
872.0550	27.99	Pk	27.7	-26.4	29.29	46.02	-16.73	43	350	V
872.0550	19.25	Qp	27.7	-26.4	20.55	46.02	-25.47	43	350	V

Pk - Peak detector  
 Qp - Quasi-Peak detector

**MID CHANNEL**




**RADIATED EMISSIONS**


Frequency (MHz)	Meter Reading (dBuV)	Det	235173 ACF (dB/m)	Amp/Cbl (dB)	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
96.4808	36.78	Pk	15.1	-30.4	21.48	43.52	-22.04	126	312	H
96.4808	28.27	Qp	15.1	-30.4	12.97	43.52	-30.55	126	312	H
94.6998	42.10	Pk	14.7	-30.3	26.50	43.52	-17.02	331	137	V
94.6998	36.21	Qp	14.7	-30.3	20.61	43.52	-22.91	331	137	V
180.9830	39.35	Pk	17	-29.7	26.65	43.52	-16.87	242	281	H
180.9830	33.77	Qp	17	-29.7	21.07	43.52	-22.45	242	281	H
180.9080	48.13	Pk	17	-29.7	35.43	43.52	-8.09	167	147	V
180.9080	42.93	Qp	17	-29.7	30.23	43.52	-13.29	167	147	V
881.2370	39.40	Pk	27.8	-26.3	40.90	46.02	-5.12	140	270	H
881.2370	33.40	Qp	27.8	-26.3	34.90	46.02	-11.12	140	270	H
878.5290	28.47	Pk	27.8	-26.4	29.87	46.02	-16.15	293	338	V
878.5290	19.30	Qp	27.8	-26.4	20.70	46.02	-25.32	293	338	V

Pk - Peak detector  
 Qp - Quasi-Peak detector

**HIGH CHANNEL**



**HORIZONTAL**



**VERTICAL**


**RADIATED EMISSIONS**

Frequency (MHz)	Meter Reading (dBuV)	Det	235173 ACF (dB/m)	Amp/Cbl (dB)	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
83.0878	31.11	Qp	13.5	-30.5	14.11	40	-25.89	103	266	H
83.1321	38.22	Pk	13.5	-30.5	21.22	40	-18.78	103	266	H
65.5445	44.38	Pk	13.8	-30.6	27.58	40	-12.42	135	211	V
65.5616	38.13	Qp	13.8	-30.6	21.33	40	-18.67	135	211	V
188.0060	45.58	Pk	17	-29.7	32.88	43.52	-10.64	232	225	H
188.1060	40.62	Qp	17	-29.7	27.92	43.52	-15.60	232	225	H
180.7950	39.80	Qp	17	-29.7	27.10	43.52	-16.42	274	131	V
180.8120	46.49	Pk	17	-29.7	33.79	43.52	-9.73	274	131	V
880.1060	29.34	Qp	27.8	-26.3	30.84	46.02	-15.18	320	129	H
880.1320	38.04	Pk	27.8	-26.3	39.54	46.02	-6.48	320	129	H
880.4680	29.63	Pk	27.8	-26.3	31.13	46.02	-14.89	106	384	V
880.4840	19.20	Qp	27.8	-26.3	20.70	46.02	-25.32	106	384	V


Pk - Peak detector  
 Qp - Quasi-Peak detector

**8.6.2. ABOVE 1GHz**

**LOW CHANNEL**



**HORIZONTAL**



**VERTICAL**





**RADIATED EMISSIONS**

Frequency (GHz)	Meter Reading (dBuV)	Det	200897 ACF 3m (dB/m)	Gain/Loss (dB)	Corrected Reading dBuV/m	Class B Avg Limit (dBuV/m)	Margin (dB)	Class B Pk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
2.288357	52.03	Pk	31.6	-49.38	34.25	-	-	74	-39.75	360	100	H
2.288358	45.08	Av	31.6	-49.38	27.30	54	-26.7	-	-	360	100	H
2.282286	47.67	Pk	31.5	-49.40	29.77	-	-	74	-44.23	360	100	V
2.282286	45.04	Av	31.5	-49.40	27.14	54	-26.86	-	-	360	100	V
4.435215	50.39	Pk	33.6	-47.98	36.01	-	-	74	-37.99	360	100	H
4.435215	43.19	Av	33.6	-47.98	28.81	54	-25.19	-	-	360	100	H
4.416394	46.52	Pk	33.6	-47.94	32.18	-	-	74	-41.82	360	198	V
4.416394	43.20	Av	33.6	-47.94	28.86	54	-25.14	-	-	360	198	V
10.492074	45.27	Pk	37.7	-44.93	38.04	-	-	74	-35.96	360	100	H
10.492074	41.32	Av	37.7	-44.93	34.09	54	-19.91	-	-	360	100	H
10.504824	42.47	Pk	37.7	-45.01	35.16	-	-	74	-38.84	360	198	V
10.504824	41.24	Av	37.7	-45.01	33.93	54	-20.07	-	-	360	198	V

Pk - Peak detector  
 Av - Average detection

**MID CHANNEL**




**RADIATED EMISSIONS**


Frequency (GHz)	Meter Reading (dBuV)	Det	200897 ACF 3m (dB/m)	Gain/Loss (dB)	Corrected Reading dBuV/m	Class B Avg Limit (dBuV/m)	Margin (dB)	Class B Pk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1.952000	52.43	Pk	31.1	-49.86	33.67	-	-	74	-40.33	360	100	H
1.952000	46.93	Av	31.1	-49.86	28.17	54	-25.83	-	-	360	100	H
1.950786	54.41	Pk	31.1	-49.90	35.61	-	-	74	-38.39	360	198	V
1.950786	46.98	Av	31.1	-49.90	28.18	54	-25.82	-	-	360	198	V
3.672036	47.86	Pk	33	-47.29	33.57	-	-	74	-40.43	360	198	H
3.672036	43.02	Av	33	-47.29	28.73	54	-25.27	-	-	360	198	H
3.670215	49.48	Pk	33	-47.17	35.31	-	-	74	-38.69	360	101	V
3.670215	43.03	Av	33	-47.17	28.86	54	-25.14	-	-	360	101	V
9.870966	44.25	Pk	37.1	-45.85	35.50	-	-	74	-38.50	360	198	H
9.870966	42.61	Av	37.1	-45.85	33.86	54	-20.14	-	-	360	198	H
9.895252	46.42	Pk	37.1	-45.80	37.72	-	-	74	-36.28	360	198	V
9.895252	42.41	Av	37.1	-45.80	33.71	54	-20.29	-	-	360	198	V

Pk - Peak detector  
 Av - Average detection

**HIGH CHANNEL**



**HORIZONTAL**



**VERTICAL**

**RADIATED EMISSIONS**



Frequency (GHz)	Meter Reading (dBuV)	Det	200897 ACF 3m (dB/m)	Gain/Loss (dB)	Corrected Reading dBuV/m	Class B Avg Limit (dBuV/m)	Margin (dB)	Class B Pk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
3.191786	49.05	Pk	32.8	-47.07	34.78	-	-	74	-39.22	360	100	H
3.191786	43.36	Av	32.8	-47.07	29.09	54	-24.91	-	-	360	100	H
3.199679	47.46	Pk	32.8	-46.89	33.37	-	-	74	-40.63	360	198	V
3.199679	43.29	Av	32.8	-46.89	29.20	54	-24.80	-	-	360	198	V
8.721038	46.77	Pk	35.7	-44.35	38.12	-	-	74	-35.88	360	198	H
8.721038	40.39	Av	35.7	-44.35	31.74	54	-22.26	-	-	360	198	H
8.708895	48.91	Pk	35.6	-44.30	40.21	-	-	74	-33.79	360	101	V
8.708895	40.71	Av	35.6	-44.30	32.01	54	-21.99	-	-	360	101	V
12.324431	42.98	Pk	38.7	-41.79	39.89	-	-	74	-34.11	360	101	H
12.324431	39.55	Av	38.7	-41.79	36.46	54	-17.54	-	-	360	101	H
12.310467	43.25	Pk	38.7	-41.89	40.06	-	-	74	-33.94	360	198	V
12.310467	39.59	Av	38.7	-41.89	36.40	54	-17.60	-	-	360	198	V

Pk - Peak detector  
 Av - Average detection

## 8.1. NR n5

### 8.1.1. BELOW 1GHz

#### LOW CHANNEL




**RADIATED EMISSIONS**


Frequency (MHz)	Meter Reading (dBuV)	Det	235173 ACF (dB/m)	Amp/Cbl (dB)	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
62.7605	27.77	Pk	13.5	-30.7	10.57	40	-29.43	271	140	H
63.0761	1.15	Qp	13.5	-30.7	-16.05	40	-56.05	271	140	H
62.8199	28.68	Pk	13.5	-30.7	11.48	40	-28.52	154	255	V
62.9459	1.61	Qp	13.5	-30.7	-15.59	40	-55.59	154	255	V
* 129.016	28.31	Pk	19.9	-30.1	18.11	43.52	-25.41	153	134	H
* 129.04	1.44	Qp	19.9	-30.1	-8.76	43.52	-52.28	153	134	H
* 129.195	27.81	Pk	19.9	-30.1	17.61	43.52	-25.91	47	223	V
* 128.917	1.44	Qp	19.9	-30.1	-8.76	43.52	-52.28	47	223	V
869.935	1.95	Qp	27.7	-26.4	3.25	46.02	-42.77	270	210	H
869.986	27.77	Pk	27.7	-26.4	29.07	46.02	-16.95	270	210	H
869.991	24.83	Qp	27.7	-26.4	26.13	46.02	-19.89	54	200	V
869.992	33.32	Pk	27.7	-26.4	34.62	46.02	-11.4	54	200	V

Pk - Peak detector  
 Qp - Quasi-Peak detector

**MID CHANNEL**



**HORIZONTAL**



**VERTICAL**




**RADIATED EMISSIONS**


Frequency (MHz)	Meter Reading (dBuV)	Det	235173 ACF (dB/m)	Amp/Cbl (dB)	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
84.3227	28.02	Pk	13.5	-30.5	11.02	40	-28.98	57	221	H
84.4328	1.28	Qp	13.5	-30.5	-15.72	40	-55.72	57	221	H
84.2331	27.47	Pk	13.5	-30.5	10.47	40	-29.53	56	113	V
84.6394	1.72	Qp	13.5	-30.5	-15.28	40	-55.28	56	113	V
* 126.57	27.83	Pk	20	-30.1	17.73	43.52	-25.79	140	301	H
* 127.004	1.26	Qp	20	-30.1	-8.84	43.52	-52.36	140	301	H
* 126.583	28.83	Pk	20	-30.1	18.73	43.52	-24.79	116	317	V
* 126.609	1.3	Qp	20	-30.1	-8.8	43.52	-52.32	116	317	V
874.267	7.81	Qp	27.7	-26.4	9.11	46.02	-36.91	243	188	H
874.492	27.29	Pk	27.7	-26.4	28.59	46.02	-17.43	243	188	H
874.175	26.71	Qp	27.7	-26.4	28.01	46.02	-18.01	208	182	V
874.425	33.93	Pk	27.7	-26.4	35.23	46.02	-10.79	208	182	V

Pk - Peak detector  
 Qp - Quasi-Peak detector

**HIGH CHANNEL**



**HORIZONTAL**



**VERTICAL**


**RADIATED EMISSIONS**

Frequency (MHz)	Meter Reading (dBuV)	Det	235173 ACF (dB/m)	Amp/Cbl (dB)	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
42.9397	.54	Qp	17.6	-30.9	-12.76	40	-52.76	360	386	H
43.0739	27.97	Pk	17.5	-30.9	14.57	40	-25.43	360	386	H
42.9393	29.09	Pk	17.6	-30.9	15.79	40	-24.21	170	223	V
43.137	.77	Qp	17.5	-30.9	-12.63	40	-52.63	170	223	V
198.867	27.61	Pk	18.2	-29.6	16.21	43.52	-27.31	43	117	H
198.952	.71	Qp	18.2	-29.6	-10.69	43.52	-54.21	43	117	H
198.822	.59	Qp	18.2	-29.6	-10.81	43.52	-54.33	104	251	V
198.909	27.9	Pk	18.2	-29.6	16.5	43.52	-27.02	104	251	V
875.032	4.9	Qp	27.8	-26.4	6.3	46.02	-39.72	16	316	H
875.107	27.91	Pk	27.8	-26.4	29.31	46.02	-16.71	16	316	H
875.05	33.82	Pk	27.8	-26.4	35.22	46.02	-10.8	303	188	V
875.091	26.43	Qp	27.8	-26.4	27.83	46.02	-18.19	303	188	V


Pk - Peak detector  
 Qp - Quasi-Peak detector

### 8.1.2. ABOVE 1GHz

#### LOW CHANNEL



**HORIZONTAL**





**VERTICAL**

**RADIATED EMISSIONS**

Frequency (GHz)	Meter Reading (dBuV)	Det	200897 ACF 3m (dB/m)	Gain/Loss (dB)	Corrected Reading dBuV/m	Class B Avg Limit (dBuV/m)	Margin (dB)	Class B Pk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1.646901	45.35	Av	28.7	-49.55	24.5	54	-29.5	-	-	117	114	H
1.649485	58.38	Pk	28.7	-49.59	37.49	-	-	74	-36.51	117	114	H
1.646166	58.8	Pk	28.7	-49.49	38.01	-	-	74	-35.99	341	192	V
1.646886	45.63	Av	28.7	-49.55	24.78	54	-29.22	-	-	341	192	V
2.471369	58.53	Pk	32.1	-49.21	41.42	-	-	74	-32.58	316	176	H
2.471723	45.14	Av	32.1	-49.23	28.01	54	-25.99	-	-	316	176	H
2.471523	45.24	Av	32.1	-49.22	28.12	54	-25.88	-	-	320	133	V
2.474194	58.49	Pk	32.1	-49.11	41.48	-	-	74	-32.52	320	133	V
3.295018	54.33	Pk	32.7	-46.69	40.34	-	-	74	-33.66	37	110	H
3.295765	41.56	Av	32.7	-46.63	27.63	54	-26.37	-	-	37	110	H
3.294798	41.65	Av	32.7	-46.69	27.66	54	-26.34	-	-	137	114	V
3.295517	54.42	Pk	32.7	-46.65	40.47	-	-	74	-33.53	137	114	V

Pk - Peak detector  
 Av - Average detection

**MID CHANNEL**




**RADIATED EMISSIONS**


Frequency (GHz)	Meter Reading (dBuV)	Det	200897 ACF 3m (dB/m)	Gain/Loss (dB)	Corrected Reading dBuV/m	Class B Avg Limit (dBuV/m)	Margin (dB)	Class B Pk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1.654949	58.08	Pk	28.8	-49.5	37.38	-	-	74	-36.62	307	102	H
1.655245	45.09	Av	28.8	-49.52	24.37	54	-29.63	-	-	307	102	H
1.652506	59.36	Pk	28.7	-49.49	38.57	-	-	74	-35.43	337	243	V
1.65332	45.28	Av	28.7	-49.5	24.48	54	-29.52	-	-	337	243	V
2.480918	57.68	Pk	32.1	-49.12	40.66	-	-	74	-33.34	312	166	H
2.481215	44.9	Av	32.1	-49.12	27.88	54	-26.12	-	-	312	166	H
2.479854	44.93	Av	32.1	-49.09	27.94	54	-26.06	-	-	103	148	V
2.480764	57.78	Pk	32.1	-49.11	40.77	-	-	74	-33.23	103	148	V
3.305732	41.56	Av	32.7	-46.7	27.56	54	-26.44	-	-	74	181	H
3.306932	54.95	Pk	32.7	-46.61	41.04	-	-	74	-32.96	74	181	H
3.306827	54.92	Pk	32.7	-46.61	41.01	-	-	74	-32.99	120	224	V
3.307885	41.56	Av	32.7	-46.57	27.69	54	-26.31	-	-	120	224	V

Pk - Peak detector  
 Av - Average detection

**HIGH CHANNEL**



**HORIZONTAL**



**VERTICAL**



**RADIATED EMISSIONS**



Frequency (GHz)	Meter Reading (dBuV)	Det	200897 ACF 3m (dB/m)	Gain/Loss (dB)	Corrected Reading dBuV/m	Class B Avg Limit (dBuV/m)	Margin (dB)	Class B Pk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1.657011	44.96	Av	28.8	-49.67	24.09	54	-29.91	-	-	58	128	H
1.657557	58.3	Pk	28.8	-49.65	37.45	-	-	74	-36.55	58	128	H
1.659089	58.25	Pk	28.8	-49.57	37.48	-	-	74	-36.52	158	187	V
1.659463	44.94	Av	28.8	-49.55	24.19	54	-29.81	-	-	158	187	V
2.486169	44.96	Av	32.2	-48.93	28.23	54	-25.77	-	-	326	205	H
2.48645	57.86	Pk	32.2	-48.93	41.13	-	-	74	-32.87	326	205	H
2.487	57.77	Pk	32.2	-48.92	41.05	-	-	74	-32.95	165	244	V
2.48727	44.97	Av	32.2	-48.94	28.23	54	-25.77	-	-	165	244	V
3.314787	41.46	Av	32.6	-46.83	27.23	54	-26.77	-	-	133	169	H
3.315714	55.18	Pk	32.6	-46.77	41.01	-	-	74	-32.99	133	169	H
3.317053	53.55	Pk	32.6	-46.69	39.46	-	-	74	-34.54	36	159	V
3.318173	41.39	Av	32.6	-46.75	27.24	54	-26.76	-	-	36	159	V

Pk - Peak detector  
 Av - Average detection

## 8.2. NR n26

### 8.2.1. BELOW 1GHz

#### LOW CHANNEL




**RADIATED EMISSIONS**


Frequency (MHz)	Meter Reading (dBuV)	Det	235173 ACF (dB/m)	Amp/Cbl (dB)	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
41.0442	28.28	Pk	19	-31	16.28	40	-23.72	191	200	H
41.045	.68	Qp	19	-31	-11.32	40	-51.32	191	200	H
40.8719	28.74	Pk	19.1	-31	16.84	40	-23.16	42	172	V
41.083	1.01	Qp	18.9	-31	-11.09	40	-51.09	42	172	V
* 125.043	27.88	Pk	20	-30.1	17.78	43.52	-25.74	76	185	H
* 125.311	1.27	Qp	20	-30.1	-8.83	43.52	-52.35	76	185	H
* 125.255	27.81	Pk	20	-30.1	17.71	43.52	-25.81	203	116	V
* 125.082	1.26	Qp	20	-30.1	-8.84	43.52	-52.36	203	116	V
869.717	.5	Qp	27.7	-26.4	1.8	46.02	-44.22	43	120	H
869.731	26.97	Pk	27.7	-26.4	28.27	46.02	-17.75	43	120	H
869.817	21.65	Qp	27.7	-26.4	22.95	46.02	-23.07	288	138	V
870.019	31.73	Pk	27.7	-26.4	33.03	46.02	-12.99	288	138	V

Pk - Peak detector  
 Qp - Quasi-Peak detector

**MID CHANNEL**



**HORIZONTAL**




**VERTICAL**

**RADIATED EMISSIONS**


Frequency (MHz)	Meter Reading (dBuV)	Det	235173 ACF (dB/m)	Amp/Cbl (dB)	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
57.2958	28.36	Pk	13.1	-30.7	10.76	40	-29.24	159	228	H
57.4811	.54	Qp	13.1	-30.7	-17.06	40	-57.06	159	228	H
57.4941	.81	Qp	13.1	-30.7	-16.79	40	-56.79	104	108	V
57.5629	27.93	Pk	13.1	-30.7	10.33	40	-29.67	104	108	V
* 127.436	27.91	Pk	20	-30.1	17.81	43.52	-25.71	34	219	H
* 127.266	1.26	Qp	20	-30.1	-8.84	43.52	-52.36	34	219	H
* 127.553	28.72	Pk	20	-30.1	18.62	43.52	-24.9	332	151	V
* 127.322	1.22	Qp	20	-30.1	-8.88	43.52	-52.4	332	151	V
872.849	2.09	Qp	27.7	-26.4	3.39	46.02	-42.63	269	144	H
872.9	27.94	Pk	27.7	-26.4	29.24	46.02	-16.78	269	144	H
872.555	22.4	Qp	27.7	-26.4	23.7	46.02	-22.32	17	277	V
872.945	32.34	Pk	27.7	-26.4	33.64	46.02	-12.38	17	277	V

Pk - Peak detector  
 Qp - Quasi-Peak detector

**HIGH CHANNEL**



**HORIZONTAL**



**VERTICAL**


**RADIATED EMISSIONS**

Frequency (MHz)	Meter Reading (dBuV)	Det	235173 ACF (dB/m)	Amp/Cbl (dB)	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
50.7315	.52	Qp	13.8	-30.8	-16.48	40	-56.48	357	217	H
51.0077	27.54	Pk	13.7	-30.8	10.44	40	-29.56	357	217	H
50.8665	27.24	Pk	13.7	-30.8	10.14	40	-29.86	238	135	V
50.9312	.89	Qp	13.7	-30.8	-16.21	40	-56.21	238	135	V
158.06	27.39	Pk	18.1	-29.9	15.59	43.52	-27.93	36	208	H
158.223	.47	Qp	18.1	-29.9	-11.33	43.52	-54.85	36	208	H
157.904	27.94	Pk	18.1	-29.9	16.14	43.52	-27.38	358	126	V
158.129	1.67	Qp	18.1	-29.9	-10.13	43.52	-53.65	358	126	V
876.371	1.1	Qp	27.7	-26.4	2.4	46.02	-43.62	320	104	H
876.573	27.37	Pk	27.7	-26.4	28.67	46.02	-17.35	320	104	H
876.361	27.81	Qp	27.7	-26.4	29.11	46.02	-16.91	17	158	V
876.39	35.5	Pk	27.7	-26.4	36.8	46.02	-9.22	17	158	V


Pk - Peak detector  
 Qp - Quasi-Peak detector

**8.2.2. ABOVE 1GHz**

**LOW CHANNEL**



**HORIZONTAL**



**VERTICAL**




**RADIATED EMISSIONS**


Frequency (GHz)	Meter Reading (dBuV)	Det	200897 ACF 3m (dB/m)	Gain/Loss (dB)	Corrected Reading dBuV/m	Class B Avg Limit (dBuV/m)	Margin (dB)	Class B Pk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1.666552	44.65	Av	28.9	-49.65	23.9	54	-30.1	-	-	283	109	H
1.66758	58	Pk	28.9	-49.63	37.27	-	-	74	-36.73	283	109	H
1.666397	45.06	Av	28.9	-49.64	24.32	54	-29.68	-	-	354	234	V
1.667841	59.3	Pk	28.9	-49.61	38.59	-	-	74	-35.41	354	234	V
2.500691	45.24	Av	32.2	-48.8	28.64	54	-25.36	-	-	290	154	H
2.502065	57.96	Pk	32.2	-48.71	41.45	-	-	74	-32.55	290	154	H
2.502967	58.15	Pk	32.2	-48.64	41.71	-	-	74	-32.29	267	153	V
2.504039	45.26	Av	32.2	-48.58	28.88	54	-25.12	-	-	267	153	V
3.335123	41.82	Av	32.6	-46.82	27.6	54	-26.4	-	-	178	129	H
3.336758	55.17	Pk	32.6	-46.9	40.87	-	-	74	-33.13	178	129	H
3.334517	54.75	Pk	32.6	-46.84	40.51	-	-	74	-33.49	66	153	V
3.336042	41.79	Av	32.6	-46.84	27.55	54	-26.45	-	-	66	153	V

Pk - Peak detector  
 Av - Average detection

**MID CHANNEL**



**HORIZONTAL**




**VERTICAL**

**RADIATED EMISSIONS**


Frequency (GHz)	Meter Reading (dBuV)	Det	200897 ACF 3m (dB/m)	Gain/Loss (dB)	Corrected Reading dBuV/m	Class B Avg Limit (dBuV/m)	Margin (dB)	Class B Pk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1.651449	57.76	Pk	28.7	-49.49	36.97	-	-	74	-37.03	45	237	H
1.653657	45.29	Av	28.7	-49.5	24.49	54	-29.51	-	-	45	237	H
1.651433	58.68	Pk	28.7	-49.49	37.89	-	-	74	-36.11	260	241	V
1.651433	45.7	Av	28.7	-49.49	24.91	54	-29.09	-	-	260	241	V
2.478019	57.89	Pk	32.1	-49.02	40.97	-	-	74	-33.03	316	211	H
2.481168	44.92	Av	32.1	-49.12	27.9	54	-26.1	-	-	316	211	H
2.479503	58.25	Pk	32.1	-49.08	41.27	-	-	74	-32.73	360	233	V
2.480897	44.96	Av	32.1	-49.12	27.94	54	-26.06	-	-	360	233	V
3.30724	41.58	Av	32.7	-46.59	27.69	54	-26.31	-	-	247	218	H
3.307915	54.97	Pk	32.7	-46.57	41.1	-	-	74	-32.9	247	218	H
3.305491	41.58	Av	32.7	-46.73	27.55	54	-26.45	-	-	247	241	V
3.305801	54.34	Pk	32.7	-46.7	40.34	-	-	74	-33.66	247	241	V

Pk - Peak detector  
 Av - Average detection

**HIGH CHANNEL**



**HORIZONTAL**



**VERTICAL**

**RADIATED EMISSIONS**

Frequency (GHz)	Meter Reading (dBuV)	Det	200897 ACF 3m (dB/m)	Gain/Loss (dB)	Corrected Reading dBuV/m	Class B Avg Limit (dBuV/m)	Margin (dB)	Class B Pk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1.658554	44.98	Av	28.8	-49.61	24.17	54	-29.83	-	-	246	131	H
1.658861	58.17	Pk	28.8	-49.59	37.38	-	-	74	-36.62	246	131	H
1.656147	58.19	Pk	28.8	-49.61	37.38	-	-	74	-36.62	328	189	V
1.656366	45.36	Av	28.8	-49.63	24.53	54	-29.47	-	-	328	189	V
2.486024	58.21	Pk	32.2	-48.93	41.48	-	-	74	-32.52	192	183	H
2.488212	45.06	Av	32.2	-48.98	28.28	54	-25.72	-	-	192	183	H
2.486178	45.03	Av	32.2	-48.93	28.3	54	-25.7	-	-	192	245	V
2.488645	57.83	Pk	32.2	-48.99	41.04	-	-	74	-32.96	192	245	V
3.317511	41.49	Av	32.6	-46.72	27.37	54	-26.63	-	-	63	174	H
3.31809	54.72	Pk	32.6	-46.75	40.57	-	-	74	-33.43	63	174	H
3.315046	54.36	Pk	32.6	-46.81	40.15	-	-	74	-33.85	261	153	V
3.317819	41.34	Av	32.6	-46.73	27.21	54	-26.79	-	-	261	153	V

Pk - Peak detector  
 Av - Average detection

---

## 9. SETUP PHOTOS

14938215 – E10V1 FCC Report Setup Photos

## END OF TEST REPORT