



# 9.3. OUT OF BAND EMISSIONS

#### **TEST PROCEDURE**

The RF output of the transmitter was connected to a spectrum analyzer through a calibrated coaxial cable. Sufficient scans were taken to show the out-of-band Emissions, if any, up to 10th harmonic. Multiple sweeps were recorded in maximum hold mode using a peak detector to ensure that the worst-case emissions were caught.

For each out of band emissions measurement:

- Set display line at -13 dBm and -25dBm according to the band Limit
- Set RBW & VBW to 100 kHz for the measurement below 1 GHz, and 1 MHz for the measurement above 1 GHz. (NOTE: Worst case set RBW/VBW to 1MHz/3MHz)

#### **RESULTS**


DATE: 2023-11-09

#### 9.3.1. GSM 850

## **LIMITS**

FCC: §22.917






## 9.3.2. GSM 1900

## **LIMITS**

FCC: §24.238







#### 9.3.3. WCDMA BAND 5

## **LIMITS**

FCC: §22.917






#### 9.3.4. WCDMA BAND 2

## **LIMITS**

FCC: §24.238







#### 9.3.5. WCDMA BAND 4

## **LIMITS**

FCC: §27.53 (h)





#### 9.3.6. LTE BAND 2

## **LIMITS**

FCC: §24.238



