

## APPENDIX A: PART 0 SAR TEST RESULTS FOR $P_{LIMIT}$ CALCULATIONS

For some bands/modes, a lower  $P_{Limit}$  was selected as a more conservative evaluation.

**Table A-1**  
 **$P_{Limit}$  Calculations – GPRS 850 Phablet SAR**

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	GPRS 850	GPRS 4 Tx Slots	A	01769	1:2.076	-0.04	848.80	251	26.96	Back	0	1.030	27.6	27.6
Phablet	GPRS 850	GPRS 4 Tx Slots	A	01769	1:2.076	0.04	848.80	251	26.96	Front	0	0.628	29.7	
Phablet	GPRS 850	GPRS 4 Tx Slots	A	01769	1:2.076	0.00	848.80	251	26.96	Bottom	0	1.010	27.7	
Phablet	GPRS 850	GPRS 4 Tx Slots	A	01769	1:2.076	0.03	848.80	251	26.96	Right	0	0.545	30.3	
Phablet	GPRS 850	GPRS 4 Tx Slots	A	01769	1:2.076	0.00	848.80	251	26.96	Left	0	0.055	40.3	

**Table A-2**  
 **$P_{Limit}$  Calculations – GPRS 1900 Phablet SAR**

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	GPRS 1900	GPRS 4 Tx Slots	B	02262	1:2.076	-0.05	1909.80	810	22.21	Back	0	1.170	22.3	22.3
Phablet	GPRS 1900	GPRS 4 Tx Slots	B	02262	1:2.076	0.02	1909.80	810	22.21	Front	0	0.944	23.2	
Phablet	GPRS 1900	GPRS 4 Tx Slots	B	02080	1:2.076	0.01	1909.80	810	22.21	Bottom	0	0.878	23.5	
Phablet	GPRS 1900	GPRS 4 Tx Slots	B	02262	1:2.076	-0.03	1909.80	810	22.21	Left	0	0.386	27.1	

**Table A-3**  
 **$P_{Limit}$  Calculations – UMTS 850 Phablet SAR**

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	UMTS 850	RMC	A	01769	1:1	0.02	836.60	4183	23.98	Back	0	1.160	27.3	27.3
Phablet	UMTS 850	RMC	A	01769	1:1	-0.02	836.60	4183	23.98	Front	0	0.620	30.0	
Phablet	UMTS 850	RMC	A	01769	1:1	-0.01	836.60	4183	23.98	Bottom	0	1.060	27.7	
Phablet	UMTS 850	RMC	A	01769	1:1	-0.02	836.60	4183	23.98	Right	0	0.674	29.6	
Phablet	UMTS 850	RMC	A	01769	1:1	0.02	836.60	4183	23.98	Left	0	0.077	39.0	

<b>FCC ID:</b> A3LSMA356E	<b>PART 0 SAR CHAR REPORT</b>	<b>Approved by:</b> Technical Manager
<b>Document S/N:</b> 1M2310260110-07.A3L	<b>DUT Type:</b> Portable Handset	APPENDIX L: Page 1 of 5

REV 1.1  
04/08/2022

**Table A-4**  
***P*Limit Calculations – UMTS 1750 Phablet SAR**

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	UMTS 1750	RMC	B	01447	1:1	0.00	1712.40	1312	19.38	Back	0	0.948	23.5	23.5
Phablet	UMTS 1750	RMC	B	01447	1:1	-0.04	1712.40	1312	19.38	Front	0	0.635	25.3	
Phablet	UMTS 1750	RMC	B	01447	1:1	-0.01	1712.40	1312	19.38	Bottom	0	0.628	25.3	
Phablet	UMTS 1750	RMC	B	01447	1:1	0.01	1712.40	1312	19.38	Left	0	0.344	27.9	

**Table A-5**  
***P*Limit Calculations – UMTS 1900 Phablet SAR**

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	UMTS 1900	RMC	B	02080	1:1	0.00	1852.40	9262	19.80	Back	0	1.400	22.3	22.3
Phablet	UMTS 1900	RMC	B	02080	1:1	-0.03	1852.40	9262	19.80	Front	0	0.912	24.1	
Phablet	UMTS 1900	RMC	B	02080	1:1	0.00	1852.40	9262	19.80	Bottom	0	1.130	23.2	
Phablet	UMTS 1900	RMC	B	02080	1:1	0.00	1852.40	9262	19.80	Left	0	0.362	28.1	

**Table A-6**  
***P*Limit Calculations – LTE Band 12 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 12	10	QPSK	A	02718	1:1	0.04	707.50	23095	0.0	24.42	1	0	Back	0	1.110	27.9	27.9
Phablet	LTE Band 12	10	QPSK	A	02718	1:1	-0.01	707.50	23095	0.0	24.42	1	0	Front	0	0.579	30.7	
Phablet	LTE Band 12	10	QPSK	A	02718	1:1	0.04	707.50	23095	0.0	24.42	1	0	Bottom	0	0.845	29.1	
Phablet	LTE Band 12	10	QPSK	A	02718	1:1	0.01	707.50	23095	0.0	24.42	1	0	Right	0	0.629	30.4	
Phablet	LTE Band 12	10	QPSK	A	02718	1:1	-0.08	707.50	23095	0.0	24.42	1	0	Left	0	0.054	41.0	

**Table A-7**  
***P*Limit Calculations – LTE Band 13 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 13	10	QPSK	A	02718	1:1	0.02	782.00	23230	0.0	25.10	1	0	Back	0	1.230	28.1	28.1
Phablet	LTE Band 13	10	QPSK	A	02718	1:1	-0.08	782.00	23230	0.0	25.10	1	0	Front	0	0.589	31.3	
Phablet	LTE Band 13	10	QPSK	A	02718	1:1	0.02	782.00	23230	0.0	25.10	1	0	Bottom	0	1.110	28.6	
Phablet	LTE Band 13	10	QPSK	A	02718	1:1	0.01	782.00	23230	0.0	25.10	1	0	Right	0	0.755	30.2	
Phablet	LTE Band 13	10	QPSK	A	02718	1:1	-0.03	782.00	23230	0.0	25.10	1	0	Left	0	0.079	40.1	

<b>FCC ID: A3LSMA356E</b>	<b>PART 0 SAR CHAR REPORT</b>	<b>Approved by:</b> Technical Manager
<b>Document S/N:</b> 1M2310260110-07.A3L	<b>DUT Type:</b> Portable Handset	APPENDIX L: Page 2 of 5

**Table A-8**  
***P*Limit Calculations – LTE Band 26 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 26	15	QPSK	A	01447	1:1	0.00	831.50	26865	0.0	24.70	1	0	Back	0	1.080	28.3	28.3
Phablet	LTE Band 26	15	QPSK	A	01447	1:1	0.00	831.50	26865	0.0	24.70	1	0	Front	0	0.514	31.5	
Phablet	LTE Band 26	15	QPSK	A	01447	1:1	0.02	831.50	26865	0.0	24.70	1	0	Bottom	0	1.010	28.6	
Phablet	LTE Band 26	15	QPSK	A	01447	1:1	-0.17	831.50	26865	0.0	24.70	1	0	Right	0	0.461	32.0	
Phablet	LTE Band 26	15	QPSK	A	01447	1:1	0.01	831.50	26865	0.0	24.70	1	0	Left	0	0.071	40.1	

**Table A-9**  
***P*Limit Calculations – LTE Band 66 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 66	20	QPSK	B	01447	1:1	0.05	1720.00	132072	0.0	18.21	1	0	Back	0	0.740	23.4	23.4
Phablet	LTE Band 66	20	QPSK	B	01447	1:1	-0.01	1720.00	132072	0.0	18.21	1	0	Front	0	0.499	25.2	
Phablet	LTE Band 66	20	QPSK	B	02262	1:1	0.00	1720.00	132072	0.0	18.21	1	0	Bottom	0	0.460	25.5	
Phablet	LTE Band 66	20	QPSK	B	01447	1:1	0.02	1720.00	132072	0.0	18.21	1	0	Left	0	0.245	28.2	
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 66	20	QPSK	F	02080	1:1	0.00	1745.00	132322	0.0	18.33	50	25	Back	0	0.526	25.0	23.4
Phablet	LTE Band 66	20	QPSK	F	02080	1:1	0.03	1745.00	132322	0.0	18.33	50	25	Front	0	0.344	26.9	
Phablet	LTE Band 66	20	QPSK	F	02080	1:1	-0.02	1745.00	132322	0.0	18.33	50	25	Top	0	0.766	23.4	
Phablet	LTE Band 66	20	QPSK	F	02080	1:1	0.01	1745.00	132322	0.0	18.33	50	25	Left	0	0.159	30.2	

**Table A-10**  
***P*Limit Calculations – LTE Band 25 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 25	20	QPSK	B	02080	1:1	-0.02	1860.00	26140	0.0	18.58	50	0	Back	0	1.060	22.3	22.3
Phablet	LTE Band 25	20	QPSK	B	02080	1:1	-0.02	1860.00	26140	0.0	18.58	50	0	Front	0	0.661	24.3	
Phablet	LTE Band 25	20	QPSK	B	02080	1:1	-0.01	1860.00	26140	0.0	18.58	50	0	Bottom	0	0.852	23.2	
Phablet	LTE Band 25	20	QPSK	B	02080	1:1	0.01	1860.00	26140	0.0	18.58	50	0	Left	0	0.267	28.2	
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 25	20	QPSK	F	02080	1:1	0.00	1860.00	26140	0.0	18.66	1	0	Back	0	0.467	25.9	23.8
Phablet	LTE Band 25	20	QPSK	F	02080	1:1	0.01	1860.00	26140	0.0	18.66	1	0	Front	0	0.293	27.9	
Phablet	LTE Band 25	20	QPSK	F	02080	1:1	-0.01	1860.00	26140	0.0	18.66	1	0	Top	0	0.753	23.8	
Phablet	LTE Band 25	20	QPSK	F	02080	1:1	0.01	1860.00	26140	0.0	18.66	1	0	Left	0	0.236	28.9	

<b>FCC ID: A3LSMA356E</b>	<b>PART 0 SAR CHAR REPORT</b>	<b>Approved by:</b> Technical Manager
<b>Document S/N:</b> 1M2310260110-07.A3L	<b>DUT Type:</b> Portable Handset	APPENDIX L: Page 3 of 5

**Table A-11**  
***P*<sub>Limit</sub> Calculations – LTE Band 41 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 41	20	QPSK	B	1164M	1:1.58	0.02	2636.50	41055	0.0	19.51	50	0	Back	0	0.667	23.2	23.2
Phablet	LTE Band 41	20	QPSK	B	1164M	1:1.58	0.00	2636.50	41055	0.0	19.51	50	0	Front	0	0.351	26.0	
Phablet	LTE Band 41	20	QPSK	B	1164M	1:1.58	0.00	2636.50	41055	0.0	19.51	50	0	Bottom	0	0.480	24.6	
Phablet	LTE Band 41	20	QPSK	B	1164M	1:1.58	-0.01	2636.50	41055	0.0	19.51	50	0	Left	0	0.101	31.4	
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	LTE Band 41	20	QPSK	F	1179M	1:1.58	0.02	2680.00	41490	0.0	20.21	50	0	Back	0	0.498	25.2	23.5
Phablet	LTE Band 41	20	QPSK	F	1179M	1:1.58	-0.02	2680.00	41490	0.0	20.21	50	0	Front	0	0.211	28.9	
Phablet	LTE Band 41	20	QPSK	F	1179M	1:1.58	0.01	2680.00	41490	0.0	20.21	50	0	Top	0	0.737	23.5	
Phablet	LTE Band 41	20	QPSK	F	1179M	1:1.58	-0.07	2680.00	41490	0.0	20.21	50	0	Left	0	0.077	33.3	

**Table A-12**  
***P*<sub>Limit</sub> Calculations – NR Band n5 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	NR Band n5	20	QPSK	A	02262	1:1	0.00	836.50	167300	DFT-s-OFDM	0.0	24.50	1	53	Back	0	1.120	27.9	27.5
Phablet	NR Band n5	20	QPSK	A	02262	1:1	0.01	836.50	167300	DFT-s-OFDM	0.0	24.50	1	53	Front	0	0.790	29.5	
Phablet	NR Band n5	20	QPSK	A	02262	1:1	0.02	836.50	167300	DFT-s-OFDM	0.0	24.50	1	53	Bottom	0	1.230	27.5	
Phablet	NR Band n5	20	QPSK	A	02262	1:1	-0.05	836.50	167300	DFT-s-OFDM	0.0	24.50	1	53	Right	0	0.630	30.4	
Phablet	NR Band n5	20	QPSK	A	02262	1:1	0.03	836.50	167300	DFT-s-OFDM	0.0	24.50	1	53	Left	0	0.068	40.1	

**Table A-13**  
***P*<sub>Limit</sub> Calculations – NR Band n66 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	NR Band n66	40	QPSK	B	1114M	1:1	0.05	1745.00	349000	DFT-s-OFDM	0.0	18.26	1	214	Back	0	0.766	23.3	23.3
Phablet	NR Band n66	40	QPSK	B	1114M	1:1	-0.06	1745.00	349000	DFT-s-OFDM	0.0	18.26	1	214	Front	0	0.359	26.6	
Phablet	NR Band n66	40	QPSK	B	1114M	1:1	-0.06	1745.00	349000	DFT-s-OFDM	0.0	18.26	1	214	Left	0	0.306	27.3	
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	NR Band n66	40	QPSK	F	1179M	1:1	-0.02	1745.00	349000	CP-OFDM	0.0	18.29	1	1	Back	0	0.701	23.8	22.4
Phablet	NR Band n66	40	QPSK	F	1179M	1:1	-0.07	1745.00	349000	CP-OFDM	0.0	18.29	1	1	Front	0	0.395	26.3	
Phablet	NR Band n66	40	QPSK	F	1179M	1:1	0.07	1745.00	349000	CP-OFDM	0.0	18.29	1	1	Top	0	0.950	22.4	
Phablet	NR Band n66	40	QPSK	F	1179M	1:1	-0.07	1745.00	349000	CP-OFDM	0.0	18.29	1	1	Left	0	0.189	29.5	

<b>FCC ID:</b> A3LSMA356E	<b>PART 0 SAR CHAR REPORT</b>	<b>Approved by:</b> Technical Manager
<b>Document S/N:</b> 1M2310260110-07.A3L	<b>DUT Type:</b> Portable Handset	APPENDIX L: Page 4 of 5

**Table A-14**  
***P*Limit Calculations – NR Band n41 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	NR Band n41	100	QPSK	B	1173M	1:1	0.05	2592.99	518598	CP-OFDM	0.0	17.00	1	1	Back	0	0.581	22.7	22.7
Phablet	NR Band n41	100	QPSK	B	1173M	1:1	-0.13	2592.99	518598	CP-OFDM	0.0	17.00	1	1	Front	0	0.412	24.2	
Phablet	NR Band n41	100	QPSK	B	1173M	1:1	0.04	2592.99	518598	CP-OFDM	0.0	17.00	1	1	Bottom	0	0.357	24.8	
Phablet	NR Band n41	100	QPSK	B	1173M	1:1	0.04	2592.99	518598	CP-OFDM	0.0	17.00	1	1	Left	0	0.101	30.3	
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]				
Phablet	NR Band n41	100	E	02031	1:1	0.08	2592.99	518598	CW/SRS	18.95	Back	0	0.039	37.0	37.0				
Phablet	NR Band n41	100	E	02031	1:1	0.00	2592.99	518598	CW/SRS	18.95	Front	0	0.024	39.1					
Phablet	NR Band n41	100	E	02031	1:1	0.02	2592.99	518598	CW/SRS	18.95	Top	0	0.039	37.0					
Phablet	NR Band n41	100	E	02031	1:1	0.13	2592.99	518598	CW/SRS	18.95	Right	0	0.013	41.7					
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]				
Phablet	NR Band n41	100	F	02031	1:1	-0.08	2592.99	518598	CW/SRS	16.75	Back	0	0.135	29.4	28.5				
Phablet	NR Band n41	100	F	02031	1:1	0.08	2592.99	518598	CW/SRS	16.75	Front	0	0.049	33.8					
Phablet	NR Band n41	100	F	02031	1:1	-0.06	2592.99	518598	CW/SRS	16.75	Top	0	0.166	28.5					
Phablet	NR Band n41	100	F	02031	1:1	-0.01	2592.99	518598	CW/SRS	16.75	Left	0	0.013	39.5					
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]				
Phablet	NR Band n41	100	I	02031	1:1	0.01	2592.99	518598	CW/SRS	20.43	Back	0	0.106	34.1	31.9				
Phablet	NR Band n41	100	I	02031	1:1	-0.01	2592.99	518598	CW/SRS	20.43	Front	0	0.084	35.1					
Phablet	NR Band n41	100	I	02031	1:1	-0.11	2592.99	518598	CW/SRS	20.43	Top	0	0.017	42.1					
Phablet	NR Band n41	100	I	02031	1:1	-0.01	2592.99	518598	CW/SRS	20.43	Left	0	0.175	31.9					

**Table A-15**  
***P*Limit Calculations – NR Band n77 Phablet SAR**

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]
Phablet	NR Band n77	100	QPSK	G	1045M	1:1	-0.02	3930.00	662000	DFT-s-OFDM	0.0	16.63	1	137	Top	0	0.258	26.4	17.8

FCC ID: A3LSMA356E	PART 0 SAR CHAR REPORT	Approved by: Technical Manager
Document S/N: 1M2310260110-07.A3L	DUT Type: Portable Handset	APPENDIX L: Page 5 of 5