



PART 27 MEASUREMENT REPORT

Applicant Name:
Samsung Electronics Co., Ltd.
129, Samsung-ro,
Yeongtong-gu, Suwon-si
Gyeonggi-do, 16677, Korea

Date of Testing:
1/08 - 2/19/2021
Test Site/Location:
PCTEST Lab. Columbia, MD, USA
Test Report Serial No.:
1M2101040001-25-R2.A3L


FCC ID:	A3LSMA426U
Applicant Name:	Samsung Electronics Co., Ltd.

Application Type:	Certification
Model:	SM-A426U
Additional Model(s):	SM-A426U1/DS, SM-S426DL, SM-A426U1
EUT Type:	Portable Handset
FCC Classification:	PCS Licensed Transmitter Held to Ear (PCE)
FCC Rule Part:	27
Test Procedure(s):	ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01

Note: This revised Test Report (S/N: 1M2101040001-25-R2.A3L) supersedes and replaces the previously issued test report on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose of it accordingly.

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



Randy Ortanez
President








FCC ID: A3LSMA426U	 PART 27 MEASUREMENT REPORT 	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset
		Page 1 of 127


TABLE OF CONTENTS

1.0	INTRODUCTION	5
1.1	Scope	5
1.2	PCTEST Test Location.....	5
1.3	Test Facility / Accreditations.....	5
2.0	PRODUCT INFORMATION.....	6
2.1	Equipment Description	6
2.2	Device Capabilities.....	6
2.3	Test Configuration	6
2.4	EMI Suppression Device(s)/Modifications	6
3.0	DESCRIPTION OF TESTS	7
3.1	Evaluation Procedure	7
3.2	Radiated Power and Radiated Spurious Emissions	7
4.0	MEASUREMENT UNCERTAINTY	8
5.0	TEST EQUIPMENT CALIBRATION DATA	9
6.0	SAMPLE CALCULATIONS	10
7.0	TEST RESULTS.....	11
7.1	Summary.....	11
7.2	Occupied Bandwidth	12
7.3	Spurious and Harmonic Emissions at Antenna Terminal	44
7.4	Band Edge Emissions at Antenna Terminal	73
7.5	Conducted Power Output Data	94
7.6	Radiated Power (EIRP)	96
7.7	Radiated Spurious Emissions Measurements.....	100
7.8	Frequency Stability / Temperature Variation	121
8.0	CONCLUSION.....	127



FCC ID: A3LSMA426U	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset	Page 2 of 127





PART 27 MEASUREMENT REPORT



Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 30	10 MHz	QPSK	2310.0	0.143	21.55	9M04G7D
		16QAM	2310.0	0.125	20.99	9M03W7D
		64QAM	2310.0	0.099	19.95	9M02W7D
	5 MHz	QPSK	2307.5 - 2312.5	0.133	21.24	4M50G7D
		16QAM	2307.5 - 2312.5	0.117	20.67	4M52W7D
		64QAM	2307.5 - 2312.5	0.094	19.75	4M53W7D
LTE Band 7	20 MHz	QPSK	2510.0 - 2560.0	0.237	23.74	18M0G7D
		16QAM	2510.0 - 2560.0	0.188	22.74	18M0W7D
		64QAM	2510.0 - 2560.0	0.151	21.79	17M9W7D
	15 MHz	QPSK	2507.5 - 2562.5	0.234	23.69	13M5G7D
		16QAM	2507.5 - 2562.5	0.193	22.86	13M5W7D
		64QAM	2507.5 - 2562.5	0.161	22.07	13M5W7D
	10 MHz	QPSK	2505.0 - 2565.0	0.243	23.85	9M03G7D
		16QAM	2505.0 - 2565.0	0.193	22.86	9M00W7D
		64QAM	2505.0 - 2565.0	0.163	22.13	8M98W7D
	5 MHz	QPSK	2502.5 - 2567.5	0.247	23.92	4M51G7D
		16QAM	2502.5 - 2567.5	0.193	22.86	4M52W7D
		64QAM	2502.5 - 2567.5	0.163	22.12	4M51W7D
LTE Band 41(PC2)	20 MHz	QPSK	2506.0 - 2680.0	0.256	24.08	18M0G7D
		16QAM	2506.0 - 2680.0	0.209	23.19	18M0W7D
		64QAM	2506.0 - 2680.0	0.162	22.10	18M1W7D
	15 MHz	QPSK	2503.5 - 2682.5	0.255	24.07	13M6G7D
		16QAM	2503.5 - 2682.5	0.222	23.46	13M6W7D
		64QAM	2503.5 - 2682.5	0.166	22.19	13M5W7D
	10 MHz	QPSK	2501.0 - 2685.0	0.266	24.25	9M01G7D
		16QAM	2501.0 - 2685.0	0.200	23.01	8M85W7D
		64QAM	2501.0 - 2685.0	0.141	21.49	8M77W7D
	5 MHz	QPSK	2498.5 - 2687.5	0.310	24.91	4M53G7D
		16QAM	2498.5 - 2687.5	0.187	22.73	4M53W7D
		64QAM	2498.5 - 2687.5	0.150	21.76	4M53W7D

FCC ID: A3LSMA426U	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 3 of 127

Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.090	19.56	96M8G7D
		QPSK	2546.0 - 2640.0	0.099	19.96	97M6G7D
		16QAM	2546.0 - 2640.0	0.074	18.68	97M4W7D
		64QAM	2546.0 - 2640.0	0.067	18.24	97M5W7D
		256QAM	2546.0 - 2640.0	0.061	17.82	97M4W7D
	80 MHz	$\pi/2$ BPSK	2536.0 - 2650.0	0.111	20.44	77M4G7D
		QPSK	2536.0 - 2650.0	0.118	20.72	77M4G7D
		16QAM	2536.0 - 2650.0	0.073	18.65	78M0W7D
		64QAM	2536.0 - 2650.0	0.060	17.81	77M4W7D
		256QAM	2536.0 - 2650.0	0.060	17.78	77M5W7D
	60 MHz	$\pi/2$ BPSK	2526.0 - 2660.0	0.118	20.71	58M0G7D
		QPSK	2526.0 - 2660.0	0.118	20.71	57M9G7D
		16QAM	2526.0 - 2660.0	0.071	18.49	58M0W7D
		64QAM	2526.0 - 2660.0	0.060	17.76	58M1W7D
		256QAM	2526.0 - 2660.0	0.072	18.59	58M1W7D
	40 MHz	$\pi/2$ BPSK	2516.0 - 2670.0	0.116	20.63	36M1G7D
		QPSK	2516.0 - 2670.0	0.124	20.92	38M0G7D
		16QAM	2516.0 - 2670.0	0.071	18.49	38M0W7D
		64QAM	2516.0 - 2670.0	0.064	18.05	37M9W7D
		256QAM	2516.0 - 2670.0	0.063	17.98	38M0W7D
20 MHz	$\pi/2$ BPSK	2506.0 - 2680.0	0.112	20.48	17M9G7D	
	QPSK	2506.0 - 2680.0	0.128	21.07	18M7G7D	
	16QAM	2506.0 - 2680.0	0.079	19.00	18M7W7D	
	64QAM	2506.0 - 2680.0	0.073	18.62	18M7W7D	
	256QAM	2506.0 - 2680.0	0.068	18.30	18M7W7D	
NR Band n77	100 MHz	$\pi/2$ BPSK	3750.0 - 3930.0	0.145	21.62	97M1G7D
		QPSK	3750.0 - 3930.0	0.132	21.22	98M1G7D
		16QAM	3750.0 - 3930.0	0.118	20.71	98M3W7D
		64QAM	3750.0 - 3930.0	0.078	18.92	98M1W7D
		256QAM	3750.0 - 3930.0	0.050	16.97	68M3W7D

FCC ID: A3LSMA426U	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 4 of 127

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.



1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

FCC ID: A3LSMA426U	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 5 of 127

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Handset FCC ID: A3LSMA426U**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 27.

Test Device Serial No.: 01719, 01685, 01800, 13623, 01776, 01875, 01792, 13276

2.2 Device Capabilities

This device contains the following capabilities:



800/850/1900 CDMA/EvDO Rev0/A, 1x Advanced (BC0, BC1, BC10), 850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, 5G NR (n5, n71, n41, n66, n2, n25, n77, n260, n261), 802.11b/g/n WLAN, 802.11a/n/ac UNII (5GHz), Bluetooth (1x, EDR, LE), NFC

2.3 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: A3LSMA426U	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 6 of 127

3.0 DESCRIPTION OF TESTS

3.1 Evaluation Procedure

The measurement procedures described in the “Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards” (ANSI/TIA-603-E-2016) and “Measurement Guidance for Certification of Licensed Digital Transmitters” (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

Deviation from Measurement Procedure.....None

3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated power measurements, substitution method is used per the guidance of ANSI/TIA-603-E-2016. A half-wave dipole is substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d [dBm] = P_g [dBm] - \text{cable loss} [dB] + \text{antenna gain} [dBd/dBi];$$

where P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g [dBm] - \text{cable loss} [dB]$.

For radiated spurious emissions measurements and calculations, conversion method is used per the formulas in KDB 971168 Section 5.8.4. Field Strength (EIRP) is calculated using the following formulas:



$$E_{[dB\mu V/m]} = \text{Measured amplitude level}_{[dBm]} + 107 + \text{Cable Loss}_{[dB]} + \text{Antenna Factor}_{[dB/m]}$$

And

$$\text{EIRP}_{[dBm]} = E_{[dB\mu V/m]} + 20\log D - 104.8; \text{ where } D \text{ is the measurement distance in meters.}$$

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 474788 D01.



Radiated power and radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI/TIA-603-E-2016.

FCC ID: A3LSMA426U	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset	Page 7 of 127

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty (\pm dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: A3LSMA426U	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset	Page 8 of 127	

5.0 TEST EQUIPMENT CALIBRATION DATA



Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	LTX2	Licensed Transmitter Cable Set	4/9/2020	Annual	4/9/2021	LTX2
-	LTX4	Licensed Transmitter Cable Set	7/9/2020	Annual	7/9/2021	LTX4
-	LTX5	Licensed Transmitter Cable Set	4/9/2020	Annual	4/6/2021	LTX5
Agilent	N9020A	MXA Signal Analyzer	8/4/2020	Annual	8/4/2021	US46470561
Agilent	N9030A	PXA Signal Analyzer (44GHz)	7/17/2020	Annual	7/17/2021	MYS2350166
Agilent	E5515C	Wireless Communications Test Set	N/A			GB45360985
Anritsu	MT8821C	Radio Communication Analyzer	N/A			6200901190
Com-Power	AL-130	9kHz - 30MHz Loop Antenna	10/10/2019	Biennial	10/10/2021	121034
Emco	3115	Horn Antenna (1-18GHz)	6/18/2020	Biennial	6/18/2022	9704-5182
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	3/12/2020	Biennial	3/12/2022	128337
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	2/22/2019	Biennial	2/22/2021	128338
Mini Circuits	TVA-11-422	RF Power Amp	N/A			QA1317001
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator	N/A			11403100002
Rohde & Schwarz	CMU200	Base Station Simulator	N/A			836371/0079
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			100976
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			112347
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	2/21/2020	Annual	2/21/2021	102133
Sunol	DRH-118	Horn Antenna (1-18GHz)	10/3/2019	Biennial	10/3/2021	A050307
Sunol	DRH-118	Horn Antenna (1-18 GHz)	8/27/2019	Biennial	8/27/2021	A042511
Sunol	JB5	Bi-Log Antenna (30M - 5GHz)	7/27/2020	Biennial	7/27/2022	A051107

Table 5-1. Test Equipment

Notes:

1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
2. Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: A3LSMA426U	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset	Page 9 of 127	

6.0 SAMPLE CALCULATIONS

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated



7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

Spurious Radiated Emission

Example: Spurious emission at 3700.40 MHz

The receive spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 3700.40 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.50 dBm so this harmonic was 25.50 dBm $- (-24.80) = 50.3$ dBc.

FCC ID: A3LSMA426U	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 10 of 127

7.0 TEST RESULTS

7.1 Summary



Company Name: Samsung Electronics Co., Ltd.
 FCC ID: A3LSMA426U
 FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
 Mode(s): LTE/NR

Test Condition	Test Description	FCC Part Section(s)	RSS Section(s)	Test Limit	Test Result	Reference
CONDUCTED	Occupied Bandwidth	2.1049	RSS-Gen(6.7)	N/A	PASS	Section 7.2
	Conducted Band Edge / Spurious Emissions (LTE Band 30)	2.1051, 27.53(a)	RSS-195(5.6)	Undesirable emissions must meet the limits detailed in 27.53(a)	PASS	Sections 7.3, 7.4
	Conducted Band Edge / Spurious Emissions (LTE Band 7)	2.1051, 27.53(m)	RSS-199(4.5)	Undesirable emissions must meet the limits detailed in 27.53(m)	PASS	Sections 7.3, 7.4
	Conducted Band Edge / Spurious Emissions (LTE Band 41)				PASS	Sections 7.3, 7.4
	Conducted Band Edge / Spurious Emissions (NR Band n41)				PASS	Sections 7.3, 7.4
	Transmitter Conducted Output Power	2.1046	RSS-199(4.4)	N/A	PASS	See RF Exposure Report
	Frequency Stability	2.1055, 27.54	RSS-199(4.3)	Fundamental emissions stay within authorized frequency block	PASS	Section 7.8
RADIATED	Effective Radiated Power / Equivalent Isotropic Radiated Power (LTE Band 30)	27.50(a)(3)	RSS-195(5.5)	< 0.25 Watts max. EIRP	PASS	Section 7.6
	Effective Radiated Power / Equivalent Isotropic Radiated Power (LTE Band 7)	27.50(h)(2)	RSS-199(4.4)	< 2 Watts max. EIRP	PASS	Section 7.6
	Effective Radiated Power / Equivalent Isotropic Radiated Power (LTE Band 41)				PASS	Section 7.6
	Effective Radiated Power / Equivalent Isotropic Radiated Power (NR Band n41)				PASS	Section 7.6
	Radiated Spurious Emissions (LTE Band 30)				2.1053, 27.53(a)	RSS-195(5.6)
	Radiated Spurious Emissions (LTE Band 7)	2.1053, 27.53(m)	RSS-199(4.5)	Undesirable emissions must meet the limits detailed in 27.53(m)	PASS	Section 7.7
	Radiated Spurious Emissions (LTE Band 41)				PASS	Section 7.7
	Radiated Spurious Emissions (NR Band n41)				PASS	Section 7.7

Table 7-1. Summary of Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) All conducted emissions measurements are performed with automated test software to capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST 2G/3G Automation Version 4.5, LTE Automation Version 5.3.

FCC ID: A3LSMA426U	 PART 27 MEASUREMENT REPORT 	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset
Page 11 of 127		

7.2 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 4.2

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.







Figure 7-1. Test Instrument & Measurement Setup

Test Notes


None.

FCC ID: A3LSMA426U	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset	Page 12 of 127

LTE Band 30




Plot 7-1. Occupied Bandwidth Plot (LTE Band 30 - 10MHz QPSK - Full RB)




Plot 7-2. Occupied Bandwidth Plot (LTE Band 30 - 10MHz 16-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 13 of 127




Plot 7-3. Occupied Bandwidth Plot (LTE Band 30 - 10MHz 64-QAM - Full RB)




Plot 7-4. Occupied Bandwidth Plot (LTE Band 30 - 5MHz QPSK - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 14 of 127




Plot 7-5. Occupied Bandwidth Plot (LTE Band 30 - 5MHz 16-QAM - Full RB)




Plot 7-6. Occupied Bandwidth Plot (LTE Band 30 - 5MHz 64-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 15 of 127

LTE Band 7




Plot 7-7. Occupied Bandwidth Plot (LTE Band 7 - 20MHz QPSK - Full RB)




Plot 7-8. Occupied Bandwidth Plot (LTE Band 7 - 20MHz 16-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 16 of 127




Plot 7-9. Occupied Bandwidth Plot (LTE Band 7 - 20MHz 64-QAM - Full RB)




Plot 7-10. Occupied Bandwidth Plot (LTE Band 7 - 15MHz QPSK - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 17 of 127




Plot 7-11. Occupied Bandwidth Plot (LTE Band 7 - 15MHz 16-QAM - Full RB)




Plot 7-12. Occupied Bandwidth Plot (LTE Band 7 - 15MHz 64-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 18 of 127




Plot 7-13. Occupied Bandwidth Plot (LTE Band 7 - 10MHz QPSK - Full RB)



Plot 7-14. Occupied Bandwidth Plot (LTE Band 7 - 10MHz 16-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 19 of 127




Plot 7-15. Occupied Bandwidth Plot (LTE Band 7 - 10MHz 64-QAM - Full RB)



Plot 7-16. Occupied Bandwidth Plot (LTE Band 7 - 5MHz QPSK - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 20 of 127




Plot 7-17. Occupied Bandwidth Plot (LTE Band 7 - 5MHz 16-QAM - Full RB)




Plot 7-18. Occupied Bandwidth Plot (LTE Band 7 - 5MHz 64-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 21 of 127

LTE Band 41(PC2)




Plot 7-19. Occupied Bandwidth Plot (LTE Band 41(PC2) - 20MHz QPSK - Full RB)




Plot 7-20. Occupied Bandwidth Plot (LTE Band 41(PC2) - 20MHz 16-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 22 of 127




Plot 7-21. Occupied Bandwidth Plot (LTE Band 41(PC2) - 20MHz 64-QAM - Full RB)




Plot 7-22. Occupied Bandwidth Plot (LTE Band 41(PC2) - 15MHz QPSK - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 23 of 127




Plot 7-23. Occupied Bandwidth Plot (LTE Band 41(PC2) - 15MHz 16-QAM - Full RB)




Plot 7-24. Occupied Bandwidth Plot (LTE Band 41(PC2) - 15MHz 64-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 24 of 127




Plot 7-25. Occupied Bandwidth Plot (LTE Band 41(PC2) - 10MHz QPSK - Full RB)




Plot 7-26. Occupied Bandwidth Plot (LTE Band 41(PC2) - 10MHz 16-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 25 of 127




Plot 7-27. Occupied Bandwidth Plot (LTE Band 41(PC2) - 10MHz 64-QAM - Full RB)



Plot 7-28. Occupied Bandwidth Plot (LTE Band 41(PC2) - 5MHz QPSK - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 26 of 127




Plot 7-29. Occupied Bandwidth Plot (LTE Band 41(PC2) - 5MHz 16-QAM - Full RB)




Plot 7-30. Occupied Bandwidth Plot (LTE Band 41(PC2) - 5MHz 64-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 27 of 127

NR Band n41



Plot 7-31. Occupied Bandwidth Plot (NR Band n41 - 100MHz $\pi/2$ BPSK - Full RB)




Plot 7-32. Occupied Bandwidth Plot (NR Band n41 - 100MHz QPSK - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 28 of 127



Plot 7-33. Occupied Bandwidth Plot (NR Band n41 - 100MHz 16-QAM - Full RB)




Plot 7-34. Occupied Bandwidth Plot (NR Band n41 - 100MHz 64-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 29 of 127




Plot 7-35. Occupied Bandwidth Plot (NR Band n41 - 100MHz 256-QAM - Full RB)




Plot 7-36. Occupied Bandwidth Plot (NR Band n41 - 80MHz $\pi/2$ BPSK - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 30 of 127




Plot 7-37. Occupied Bandwidth Plot (NR Band n41 - 80MHz QPSK - Full RB)




Plot 7-38. Occupied Bandwidth Plot (NR Band n41 - 80MHz 16-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 31 of 127




Plot 7-39. Occupied Bandwidth Plot (NR Band n41 - 80MHz 64-QAM - Full RB)




Plot 7-40. Occupied Bandwidth Plot (NR Band n41 - 80MHz 256-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 32 of 127




Plot 7-41. Occupied Bandwidth Plot (NR Band n41 - 60MHz $\pi/2$ BPSK - Full RB)



Plot 7-42. Occupied Bandwidth Plot (NR Band n41 - 60MHz QPSK - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 33 of 127




Plot 7-43. Occupied Bandwidth Plot (NR Band n41 - 60MHz 16-QAM - Full RB)




Plot 7-44. Occupied Bandwidth Plot (NR Band n41 - 60MHz 64-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 34 of 127




Plot 7-45. Occupied Bandwidth Plot (NR Band n41 - 60MHz 256-QAM - Full RB)




Plot 7-46. Occupied Bandwidth Plot (NR Band n41 - 40MHz $\pi/2$ BPSK - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 35 of 127



Plot 7-47. Occupied Bandwidth Plot (NR Band n41 - 40MHz QPSK - Full RB)



Plot 7-48. Occupied Bandwidth Plot (NR Band n41 - 40MHz 16-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 36 of 127




Plot 7-49. Occupied Bandwidth Plot (NR Band n41 - 40MHz 64-QAM - Full RB)




Plot 7-50. Occupied Bandwidth Plot (NR Band n41 - 40MHz 256-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 37 of 127




Plot 7-51. Occupied Bandwidth Plot (NR Band n41 - 20MHz $\pi/2$ BPSK - Full RB)




Plot 7-52. Occupied Bandwidth Plot (NR Band n41 - 20MHz QPSK - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 38 of 127




Plot 7-53. Occupied Bandwidth Plot (NR Band n41 - 20MHz 16-QAM - Full RB)



Plot 7-54. Occupied Bandwidth Plot (NR Band n41 - 20MHz 64-QAM - Full RB)



FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 39 of 127





Plot 7-55. Occupied Bandwidth Plot (NR Band n41 - 20MHz 256-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 40 of 127


NR Band n77



FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 41 of 127



FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 42 of 127



Plot 7-60. Occupied Bandwidth Plot (NR Band n77 - 100MHz 256-QAM - Full RB)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 43 of 127

7.3 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

For Band 30, the minimum permissible attenuation level of any spurious emission <2288MHz and >2365MHz is $70 + 10 \log_{10}(P_{[Watts]})$.

For Band 7 and 41, the minimum permissible attenuation level of any spurious emission is $55 + 10 \log_{10}(P_{[Watts]})$.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6.0

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 10GHz (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-2. Test Instrument & Measurement Setup



Test Notes

1. Per Part 27, RSS-195 and RSS-199, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset	Page 44 of 127

points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.


- For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

FCC ID: A3LSMA426U	 PART 27 MEASUREMENT REPORT 		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset	Page 45 of 127

LTE Band 30



Plot 7-61. Conducted Spurious Plot (LTE Band 30 - 10MHz QPSK - RB Size 1, RB Offset 0)



Plot 7-62. Conducted Spurious Plot (LTE Band 30 - 10MHz QPSK - RB Size 1, RB Offset 0)


FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 46 of 127




Plot 7-63. Conducted Spurious Plot (LTE Band 30 - 10MHz QPSK - RB Size 1, RB Offset 0)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 47 of 127

LTE Band 7




Plot 7-64. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-65. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 48 of 127




Plot 7-66. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-67. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 49 of 127




Plot 7-68. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-69. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 50 of 127




Plot 7-70. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-71. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 51 of 127




Plot 7-72. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 52 of 127

LTE Band 41(PC2)




Plot 7-73. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-74. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: A3LSMA426U		PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 53 of 127




Plot 7-75. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-76. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 54 of 127




Plot 7-77. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-78. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 55 of 127




Plot 7-79. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-80. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 56 of 127




Plot 7-81. Conducted Spurious Plot (LTE Band 41(PC2) - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset	Page 57 of 127

NR Band n41




Plot 7-82. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-83. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 58 of 127




Plot 7-84. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-85. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 59 of 127




Plot 7-86. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-87. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 60 of 127




Plot 7-88. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-89. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 61 of 127




Plot 7-90. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 62 of 127

NR Band n77



Plot 7-91. Conducted Spurious Plot (NR Band n77 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-92. Conducted Spurious Plot (NR Band n77 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: A3LSMA426U	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 1M2101040001-25-R2.A3L	Test Dates: 1/08 - 2/19/2021	EUT Type: Portable Handset		Page 63 of 127