



HIGH CHANNEL(892.5MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	72.434	3.34	Pk	14.6	.9	18.84	40	-21.16	0-360	400	H
3	171.12	10.56	Pk	14.9	1.4	26.86	43.52	-16.66	0-360	100	H
5	601.928	5.71	Pk	25.3	2.7	33.71	46.02	-12.31	0-360	200	H
7	848.0988	79.86	Pk	27.4	3.2	110.46	46.02	64.44	0-360	100	H
2	72.042	7.55	Pk	14.8	.9	23.25	40	-16.75	0-360	200	V
4	171.218	8.93	Pk	14.9	1.4	25.23	43.52	-18.29	0-360	100	V
6	602.222	5.05	Pk	25.3	2.7	33.05	46.02	-12.97	0-360	100	V
8	848.1213	79.18	Pk	27.4	3.2	109.78	46.02	63.76	0-360	100	V


Pk - Peak detector

Note: Unwanted emissions captured from 824MHz to 849MHz and from 869MHz to 894MHz were the TX and RX signals generated from the call-simulator.


4.3. Below 1 GHz in the LTE Band 12

LOW CHANNEL(730.5MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	59.8198	8.69	Pk	18.6	.8	28.09	40	-11.91	0-360	200	H
2	108.1739	11.81	Pk	17.3	1.1	30.21	43.52	-13.31	0-360	100	H
3	279.5139	3.63	Pk	18.8	1.8	24.23	46.02	-21.79	0-360	300	H
7	700.6748	86.63	Pk	25.6	2.9	115.13	46.02	69.11	0-360	100	H
4	56.2776	8.28	Pk	19.1	.8	28.18	40	-11.82	0-360	100	V
5	94.7468	6.05	Pk	17.1	1.1	24.25	43.52	-19.27	0-360	100	V
6	255.1309	12.27	Pk	19.2	1.7	33.17	46.02	-12.85	0-360	200	V
8	700.6748	77.28	Pk	25.6	2.9	105.78	46.02	59.76	0-360	200	V

Pk - Peak detector


Note: Unwanted emissions captured from 699MHz to 716MHz and from 729MHz to 746MHz were the TX and RX signals generated from the call-simulator.

MID CHANNEL(737.5MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	58.996	8.32	Pk	18.7	.8	27.82	40	-12.18	0-360	300	H
2	113.1164	12.13	Pk	16.5	1.1	29.73	43.52	-13.79	0-360	400	H
3	253.7305	10.74	Pk	19.1	1.7	31.54	46.02	-14.48	0-360	200	H
7	707.6093	87.12	Pk	25.5	2.9	115.52	46.02	69.5	0-360	100	H
4	59.9845	15.86	Pk	18.5	.8	35.16	40	-4.84	0-360	100	V
5	92.3579	8.18	Pk	16.5	1	25.68	43.52	-17.84	0-360	100	V
6	180.0049	11.02	Pk	15.7	1.4	28.12	43.52	-15.4	0-360	100	V
8	707.7014	78.03	Pk	25.5	2.9	106.43	46.02	60.41	0-360	200	V

Pk - Peak detector


Note: Unwanted emissions captured from 699MHz to 716MHz and from 729MHz to 746MHz were the TX and RX signals generated from the call-simulator.

HIGH CHANNEL(744.5MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	59.4903	9.46	Pk	18.6	.8	28.86	40	-11.14	0-360	400	H
2	101.4191	13.51	Pk	17.7	1.1	32.31	43.52	-11.21	0-360	200	H
3	253.8129	13.91	Pk	19.1	1.7	34.71	46.02	-11.31	0-360	100	H
7	714.7029	86.76	Pk	25.6	2.9	115.26	46.02	69.24	0-360	100	H
4	59.4079	10.97	Pk	18.6	.8	30.37	40	-9.63	0-360	300	V
5	105.4555	3.21	Pk	17.6	1.1	21.91	43.52	-21.61	0-360	200	V
6	254.8838	3.66	Pk	19.2	1.7	24.56	46.02	-21.46	0-360	200	V
8	714.7531	77.43	Pk	25.6	2.9	105.93	46.02	59.91	0-360	100	V


Pk - Peak detector

Note: Unwanted emissions captured from 699MHz to 716MHz and from 729MHz to 746MHz were the TX and RX signals generated from the call-simulator.


4.4. Below 1 GHz in the LTE Band 13

LOW CHANNEL(748.5MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	58.593	9.07	Pk	18.8	.8	28.67	40	-11.33	0-360	400	H
2	112.7785	8.76	Pk	16.6	1.1	26.46	43.52	-17.06	0-360	300	H
3	166.8758	12.44	Pk	14.9	1.4	28.74	43.52	-14.78	0-360	400	H
7	777.3046	84.13	Pk	26.7	3	113.83	46.02	67.81	0-360	100	H
4	56.9163	10.13	Pk	19	.8	29.93	40	-10.07	0-360	300	V
5	112.249	9.02	Pk	16.7	1.1	26.82	43.52	-16.7	0-360	400	V
6	161.2278	11.66	Pk	14.7	1.4	27.76	43.52	-15.76	0-360	100	V
8	777.2894	81.27	Pk	26.7	3	110.97	46.02	64.95	0-360	100	V

Pk - Peak detector


Note: Unwanted emissions captured from 777MHz to 787MHz and from 746MHz to 756MHz were the TX and RX signals generated from the call-simulator.

MID CHANNEL(751.0MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	58.7695	8.8	Pk	18.7	.8	28.3	40	-11.7	0-360	400	H
2	112.0725	8.32	Pk	16.7	1.2	26.22	43.52	-17.3	0-360	300	H
3	242.859	5.02	Pk	18.7	1.7	25.42	46.02	-20.6	0-360	100	H
7	784.1138	84.04	Pk	26.7	3	113.74	46.02	67.72	0-360	200	H
4	57.0045	9.95	Pk	19	.8	29.75	40	-10.25	0-360	300	V
5	96.1875	10.39	Pk	17.4	1.1	28.89	43.52	-14.63	0-360	100	V
6	194.0568	4.43	Pk	17.8	1.5	23.73	43.52	-19.79	0-360	100	V
8	784.2205	79.47	Pk	26.7	3	109.17	46.02	63.15	0-360	100	V

Pk - Peak detector


Note: Unwanted emissions captured from 777MHz to 787MHz and from 746MHz to 756MHz were the TX and RX signals generated from the call-simulator.

HIGH CHANNEL(753.5MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	57.7105	8.85	Pk	18.9	.8	28.55	40	-11.45	0-360	300	H
2	110.0428	14.8	Pk	17.1	1.1	33	43.52	-10.52	0-360	300	H
3	273.217	2.74	Pk	18.7	1.8	23.24	46.02	-22.78	0-360	300	H
7	786.63	83.95	Pk	26.7	3	113.65	46.02	67.63	0-360	100	H
4	53.651	14.68	Pk	19.5	.8	34.98	40	-5.02	0-360	100	V
5	126.8103	11.95	Pk	14.5	1.2	27.65	43.52	-15.87	0-360	100	V
6	166.258	16.38	Pk	14.9	1.4	32.68	43.52	-10.84	0-360	100	V
8	786.6681	79.83	Pk	26.7	3	109.53	46.02	63.51	0-360	100	V


Pk - Peak detector

Note: Unwanted emissions captured from 777MHz to 787MHz and from 746MHz to 756MHz were the TX and RX signals generated from the call-simulator.


4.5. Below 1 GHz in the LTE Band 26

LOW CHANNEL(860.5MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	60.0893	9.17	Pk	18.5	.8	28.47	40	-11.53	0-360	400	H
2	111.8505	8.89	Pk	16.8	1.2	26.89	43.52	-16.63	0-360	300	H
3	167.385	18.68	Pk	14.9	1.4	34.98	43.52	-8.54	0-360	300	H
4	813.375	87.95	Pk	27	3.1	118.05	46.02	72.03	0-360	100	H
6	57.09	9.44	Pk	19	.8	29.24	40	-10.76	0-360	300	V
7	111.4635	12.02	Pk	16.8	1.1	29.92	43.52	-13.6	0-360	100	V
8	168.6428	14.16	Pk	14.9	1.4	30.46	43.52	-13.06	0-360	100	V
5	813.375	83.45	Pk	27	3.1	113.55	46.02	67.53	0-360	200	V

Pk - Peak detector


Note: Unwanted emissions captured from 814MHz to 849MHz and from 859MHz to 894MHz were the TX and RX signals generated from the call-simulator.

MID CHANNEL(876.5MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	58.1543	8.84	Pk	18.8	.8	28.44	40	-11.56	0-360	400	H
2	110.496	8.47	Pk	17	1.1	26.57	43.52	-16.95	0-360	300	H
3	293.16	10.43	Pk	19.2	1.8	31.43	46.02	-14.59	0-360	100	H
7	831.625	88	Pk	27.1	3.1	118.2	46.02	72.18	0-360	200	H
4	59.6055	11.75	Pk	18.6	.8	31.15	40	-8.85	0-360	200	V
5	93.5648	8.12	Pk	16.8	1.1	26.02	43.52	-17.5	0-360	100	V
6	168.159	10.64	Pk	14.9	1.4	26.94	43.52	-16.58	0-360	100	V
8	831.675	84.61	Pk	27.1	3.1	114.81	46.02	68.79	0-360	100	V

Pk - Peak detector


Note: Unwanted emissions captured from 814MHz to 849MHz and from 859MHz to 894MHz were the TX and RX signals generated from the call-simulator.

HIGH CHANNEL(892.5MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	56.7998	8.34	Pk	19	.8	28.14	40	-11.86	0-360	300	H
2	111.0765	9	Pk	16.9	1.1	27	43.52	-16.52	0-360	400	H
3	342.696	3.78	Pk	20.7	2	26.48	46.02	-19.54	0-360	100	H
4	813.325	88.32	Pk	27	3.1	118.42	46.02	72.4	0-360	100	H
6	56.9933	8.62	Pk	19	.8	28.42	40	-11.58	0-360	300	V
7	95.3063	7.04	Pk	17.2	1.1	25.34	43.52	-18.18	0-360	100	V
8	253.686	10.9	Pk	19.1	1.7	31.7	46.02	-14.32	0-360	200	V
5	813.3	83.81	Pk	27	3.1	113.91	46.02	67.89	0-360	100	V

Pk - Peak detector

Note: Unwanted emissions captured from 814MHz to 849MHz and from 859MHz to 894MHz were the TX and RX signals generated from the call-simulator.