



FCC CFR47 PART 22 SUBPART H
FCC CFR47 PART 24 SUBPART E
FCC CFR47 PART 27 SUBPART M
FCC CFR47 PART 27 SUBPART F
FCC CFR47 PART 27 SUBPART L
FCC CFR47 PART 27 SUBPART H

WWAN

CERTIFICATION TEST REPORT

FOR

GSM/WCDMA/LTE Phone + BT/BLE, DTS/UNII a/b/g/n and ANT+

MODEL NUMBER : SM-A605G/DS, SM-A605G

FCC ID: A3LSMA605G

REPORT NUMBER: 4788371693-E6V1

ISSUE DATE: MAR 27, 2018

Prepared for

SAMSUNG ELECTRONICS CO., LTD.
129 SAMSUNG-RO, YEONGTONG-GU, SUWON-SI,
GYEONGGI-DO, 16677, KOREA

Prepared by

UL Korea, Ltd.

26th floor, 152, Teheran-ro, Gangnam-gu Seoul, 06236, Korea

Suwon Test Site: UL Korea, Ltd. Suwon Laboratory

218 Maeyeong-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16675, Korea

TEL: (031) 337-9902

FAX: (031) 213-5433



ACCREDITED*

Testing
Laboratory

TL-637

Revision History

<u>Rev.</u>	<u>Issue Date</u>	<u>Revisions</u>	<u>Revised By</u>
V1	03/27/18	Initial issue	Junwhan Lee

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	5
1.1. INTRODUCTION OF TEST DATA REUSE.....	6
1.2. DIFFERENCE.....	6
1.3. SPOT CHECK VERIFICATION DATA	6
1.4. REFERENCE DETAIL	7
2. TEST METHODOLOGY	8
3. FACILITIES AND ACCREDITATION	8
4. CALIBRATION AND UNCERTAINTY	8
4.1. MEASURING INSTRUMENT CALIBRATION	8
4.2. SAMPLE CALCULATION	8
4.3. MEASUREMENT UNCERTAINTY.....	9
5. EQUIPMENT UNDER TEST	10
5.1. DESCRIPTION OF EUT	10
5.2. MAXIMUM OUTPUT POWER.....	10
5.3. DESCRIPTION OF AVAILABLE ANTENNAS	14
5.4. WORST-CASE ORIENTATION	15
5.5. DESCRIPTION OF TEST SETUP.....	15
6. TEST AND MEASUREMENT EQUIPMENT	17
7. Summary Table	18
8. PEAK TO AVERAGE RATIO	20
8.1. CONDUCTED PEAK TO AVERAGE RESULT.....	20
8.2. CONDUCTED PEAK TO AVERAGE PLOTS.....	24
9. LIMITS AND CONDUCTED RESULTS	34
9.1. OCCUPIED BANDWIDTH	34
9.1.1. OCCUPIED BANDWIDTH RESULTS	34
9.1.2. OCCUPIED BANDWIDTH PLOTS.....	42
9.2. BAND EDGE EMISSIONS.....	73
9.2.1. BAND EDGE PLOTS.....	84
9.2.2. EMISSION MASK PLOTS.....	111
9.3. OUT OF BAND EMISSIONS.....	115
9.3.1. OUT OF BAND EMISSIONS PLOTS	123
9.4. FREQUENCY STABILITY.....	153
9.4.1. FREQUENCY STABILITY RESULTS	154

10.	RADIATED TEST RESULTS	165
10.1.	<i>RADIATED POWER (ERP & EIRP).....</i>	<i>165</i>
10.1.1.	ERP/EIRP Results.....	166
10.1.2.	ERP/EIRP DATA.....	173
10.2.	<i>FIELD STRENGTH OF SPURIOUS RADIATION.....</i>	<i>204</i>
10.2.1.	SPURIOUS RADIATION PLOTS.....	205
11.	SETUP PHOTOS	236

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: SAMSUNG ELECTRONICS CO., LTD.
EUT DESCRIPTION: GSM/WCDMA/LTE Phone + BT/BLE, DTS/UNII a/b/g/n and ANT+
MODEL NUMBER: SM-A605G/DS, SM-A605G
SERIAL NUMBER: R38K108QG5F, R38K104R4WF(RADIATED, Original);
R38K104QAPL (CONDUCTED, Original);
R38K10D6MJN, R38K10D6M4B (RADIATED, Spot check);
DATE TESTED: FEB 22, 2018 - MAR 19, 2018 (Original)
MAR 16, 2018 – MAR 27 , 2018 (Spot check)

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC PART 22H, 24E,27F, 27H, 27L and 27M	Pass

UL Korea, Ltd. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL Korea, Ltd. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Note: The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL Korea, Ltd. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Korea, Ltd. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by IAS, any agency of the Federal Government, or any agency of any government.

Approved & Released For
UL Korea, Ltd. By:



SungGil Park
Suwon Lab Engineer
UL Korea, Ltd.

Tested By:



Junwhan Lee
Suwon Lab Engineer
UL Korea, Ltd.

1.1. INTRODUCTION OF TEST DATA REUSE

This report referenced from the FCC ID: A3LSMA605GN WWAN(FCC CFR 47 Part 22/24/27). And the applicant takes full responsibility that the test data as referenced in this report represent compliance for this FCC ID.

1.2. DIFFERENCE

The FCC ID: A3LSMA605G shares the same enclosure and circuit board as FCC ID: A3LSMA605GN. The WWAN antennas and surrounding circuitry and layout are identical between these two units.

After confirming through preliminary radiated emissions that the performance of the FCC ID: A3LSMA605GN remains representative of FCC ID: A3LSMA605G. The test data of FCC ID: A3LSMA605GN being submitted for this application to cover WWAN features.

1.3. SPOT CHECK VERIFICATION DATA

Band	Test Item	Worst Mode	Frequency	Test Limit	Original model		Deviation	Remark
					SM-A605GN/DS Results	Spot check model		
					FCC ID : A3LSMA605GN	SM-A605G/DS Results FCC ID : A3LSMA605G		
GSM850	ERP	GPRS	824.20 MHz	38.50 dBm	27.04 dBm	27.32 dBm	0.28 dB	Spot check data measured on low Ch.(824.2MHz)
	RSE	GPRS	1697.60 MHz	-13.00 dBm	-34.10 dBm	-31.80 dBm	2.30 dB	
GSM1900	EIRP	GPRS	1880.00 MHz	33.00 dBm	29.66 dBm	29.00 dBm	-0.66 dB	
	RSE	GPRS	7520.00 MHz	-13.00 dBm	-43.80 dBm	-41.60 dBm	2.20 dB	
WCDMA Band 2	EIRP	REL99	1852.40 MHz	33.00 dBm	21.40 dBm	20.62 dBm	-0.78 dB	
	RSE	HSDPA	7630.00 MHz	-13.00 dBm	-48.00 dBm	-46.10 dBm	1.90 dB	
WCDMA Band 4	EIRP	REL99	1712.40 MHz	30.00 dBm	25.19 dBm	24.23 dBm	-0.96 dB	
	RSE	REL99	3424.80 MHz	-13.00 dBm	-46.20 dBm	-47.10 dBm	-0.90 dB	
WCDMA Band 5	ERP	REL99	826.40 MHz	38.50 dBm	17.93 dBm	17.19 dBm	-0.74 dB	
	RSE	REL99	3305.60 MHz	-13.00 dBm	-50.20 dBm	-50.60 dBm	-0.40 dB	
LTE Band 2	EIRP	5M QPSK	1855.00 MHz	33.00 dBm	20.20 dBm	19.89 dBm	-0.31 dB	
	RSE	10M 16QAM	7620.00 MHz	-13.00 dBm	-43.40 dBm	-42.70 dBm	0.70 dB	
LTE Band 5	ERP	3M QPSK	825.50 MHz	38.50 dBm	16.45 dBm	16.46 dBm	0.01 dB	
	RSE	1.4M 16QAM	1696.60 MHz	-13.00 dBm	-46.20 dBm	-45.30 dBm	0.90 dB	
LTE Band 12	ERP	10M QPSK	711.00 MHz	34.80 dBm	16.08 dBm	16.06 dBm	-0.02 dB	
	RSE	10M 16QAM	2112.00 MHz	-13.00 dBm	-49.10 dBm	-47.90 dBm	1.20 dB	
LTE Band 13	ERP	5M 16QAM	784.50 MHz	34.80 dBm	14.27 dBm	14.19 dBm	-0.08 dB	
	RSE	5M QPSK	1559.00 MHz	-40.00 dBm	-59.20 dBm	-56.80 dBm	2.40 dB	
LTE Band 41	EIRP	20M QPSK	2680.00 MHz	33.00 dBm	21.40 dBm	21.33 dBm	-0.07 dB	
	RSE	10M QPSK	8055.00 MHz	-25.00 dBm	-29.80 dBm	-28.20 dBm	1.60 dB	
LTE Band 66	EIRP	15M QPSK	1715.00 MHz	30.00 dBm	23.23 dBm	22.81 dBm	-0.42 dB	
	RSE	3M 16QAM	3423.00 MHz	-13.00 dBm	-43.60 dBm	-47.40 dBm	-3.80 dB	

Comparison of two models, higher deviation is within 3dB range and all test results are under FCC Technical Limits.

1.4. REFERENCE DETAIL

Reference application that contains the reused reference data.

Equipment Class	Reference FCC ID	Type Grant/Permissive Change	Reference Application	Folder Test/RF Exposure	Report Title / Section
DTS	A3LSMA605GN	Grant	4788371689-E1V1	Test	FCC Report DTS WLAN / All sections
			4788371689-E2V1	Test	FCC Report BLE / All sections
DSS	A3LSMA605GN	Grant	4788371689-E3V1	Test	FCC Report BT / All sections
NII	A3LSMA605GN	Grant	4788371689-E4V1	Test	FCC Report UNII WLAN / All sections
DXX	A3LSMA605GN	Grant	4788371689-E5V1	Test	FCC Report ANT+ / All sections
PCE	A3LSMA605GN	Grant	4788371689-E7V1	Test	FCC Report WWAN / All sections

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with following methods.

1. FCC CFR 47 Part 2.
2. FCC CFR 47 Part 22.
3. FCC CFR 47 Part 24.
4. FCC CFR 47 Part 27.
5. ANSI TIA-603-E, 2016
6. KDB 971168 D01 Power Meas License Digital Systems v03

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea. Line conducted emissions are measured only at the 218 address. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

218 Maeyeong-ro	
<input checked="" type="checkbox"/>	Chamber 1
<input checked="" type="checkbox"/>	Chamber 2
<input checked="" type="checkbox"/>	Chamber 3

UL Korea, Ltd. is accredited by IAS, Laboratory Code TL-637. The full scope of accreditation can be viewed at <http://www.iasonline.org/PDF/TL/TL-637.pdf>.

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

$EIRP = \text{PSA reading with EUT worst orientation (dBm)} + \text{Path loss (dB)} - \text{cable loss (between the SG and substitution antenna)} + \text{Substitution Antenna Factor (dBi)}$

$ERP = \text{PSA reading with EUT worst orientation (dBm)} + \text{Path loss (dB)} - \text{cable loss (between the SG and substitution antenna)}$

(Path loss = Signal generator output – PSA reading with substitution antenna)

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Conducted Disturbance, 0.15 to 30 MHz	2.32 dB
Radiated Disturbance, Below 1GHz	3.86 dB
Radiated Disturbance, Above 1 GHz	5.97 dB

Uncertainty figures are valid to a confidence level of 95%.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

The EUT is a GSM/WCDMA/LTE Phone + BT/BLE, DTS/UNII a/b/g/n and ANT+. This test report addresses the WWAN operational mode.

5.2. MAXIMUM OUTPUT POWER

The transmitter has a maximum average conducted and radiated ERP / EIRP output powers as follows:

Note : Conducted output power results were excerpted from RF exposure test report.(4788371693-S1V1 FCC Report SAR)

GSM

FCC Part 22/24						
Band	Frequency Range	Modulation	Conducted		Radiated	
	[MHz]		Peak	Avg [dBm]	Avg [mW]	Avg [dBm]
GSM850	824~849	GMSK	33.6	2290.87		
		GPRS	33.6	2290.87	27.04	505.82
		EGPRS	27.2	524.81	20.78	119.67
GSM1900	1850~1910	GMSK	30.2	1047.13		
		GPRS	30.1	1023.29	29.66	924.70
		EGPRS	25.7	371.54	26.30	426.58

WCDMA

FCC Part 22/24/27						
Band	Frequency Range	Modulation	Conducted		Radiated	
	[MHz]		Peak	Avg [dBm]	Avg [mW]	Avg [dBm]
Band 5	824~849	REL99	24.1	257.04	17.93	62.09
		HSDPA	23.1	204.17	17.43	55.34
		HSUPA	23.2	208.93		
		DC-HSDPA	23.1	204.17		
Band 4	1710~1755	REL99	23.6	229.09	25.19	330.37
		HSDPA	22.6	181.97	24.11	257.63
		HSUPA	22.6	181.97		
		DC-HSDPA	22.6	181.97		
Band 2	1850~1910	REL99	23.4	218.78	21.40	138.04
		HSDPA	22.4	173.78	20.43	110.41
		HSUPA	22.5	177.83		
		DC-HSDPA	22.5	177.83		

LTE Band 5

FCC Part 22							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Peak	Avg [dBm]	Avg [mW]	Avg [dBm]
Band 5	824 ~ 849	10	QPSK	24.5	281.84	16.32	42.85
			16QAM	23.4	218.78	15.50	35.48
		5	QPSK	24.5	281.84	16.08	40.55
			16QAM	23.5	223.87	15.07	32.14
		3	QPSK	24.3	269.15	16.45	44.16
			16QAM	23.7	234.42	15.42	34.83
		1.4	QPSK	24.3	269.15	13.98	25.00
			16QAM	23.6	229.09	13.14	20.61

LTE Band 2

FCC Part 24							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation Peak	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 2	1850 ~ 1910	20	QPSK	24.0	251.19	19.55	90.16
			16QAM	23.5	223.87	18.54	71.45
		15	QPSK	24.1	257.04	19.80	95.50
			16QAM	23.5	223.87	18.82	76.21
		10	QPSK	24.0	251.19	20.20	104.71
			16QAM	23.2	208.93	19.16	82.41
		5	QPSK	23.9	245.47	20.18	104.23
			16QAM	23.4	218.78	19.17	82.60
		3	QPSK	23.8	239.88	20.11	102.57
			16QAM	23.3	213.80	19.06	80.54
		1.4	QPSK	23.8	239.88	18.38	68.87
			16QAM	23.3	213.80	17.41	55.08

LTE Band 12

Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation Peak	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 12	699 ~ 716	10	QPSK	24.8	302.00	16.08	40.55
			16QAM	24.0	251.19	14.99	31.55
		5	QPSK	24.6	288.40	15.44	34.99
			16QAM	23.9	245.47	14.54	28.44
		3	QPSK	24.4	275.42	15.61	36.39
			16QAM	23.8	239.88	14.92	31.05
		1.4	QPSK	24.5	281.84	13.15	20.65
			16QAM	23.8	239.88	12.09	16.18

LTE Band 17

Due to frequency range and same output power setting, test was carried in LTE Band 12 to cover both LTE Band 12 and LTE Band 17.

LTE Band 13

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation Peak	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 13	777 ~ 787	10	QPSK	24.8	302.00	13.13	20.56
			16QAM	23.7	234.42	12.22	16.67
		5	QPSK	24.4	275.42	14.27	26.73
			16QAM	23.6	229.09	14.07	25.53

LTE Band 66

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation Peak	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 66	1710 ~ 1780	20	QPSK	24.4	275.42	22.96	197.70
			16QAM	23.5	223.87	22.15	164.06
		15	QPSK	24.5	281.84	23.23	210.38
			16QAM	23.5	223.87	22.29	169.43
		10	QPSK	24.4	275.42	22.65	184.08
			16QAM	23.5	223.87	21.61	144.88
		5	QPSK	24.2	263.03	23.79	239.33
			16QAM	23.5	223.87	22.75	188.36
		3	QPSK	24.1	257.04	23.75	237.14
			16QAM	23.5	223.87	22.74	187.93
		1.4	QPSK	24.0	251.19	21.31	135.21
			16QAM	23.4	218.78	20.22	105.20

LTE Band 4

Due to frequency range and same output power setting, test was carried in LTE Band 66 to cover both LTE Band 66 and LTE Band 4.

LTE Band 41

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation Peak	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 41	2496-2690	20	QPSK	24.5	281.84	21.17	130.92
			16QAM	23.5	223.87	20.24	105.68
		15	QPSK	24.5	281.84	21.11	129.12
			16QAM	23.5	223.87	20.66	116.41
		10	QPSK	24.5	281.84	20.11	102.57
			16QAM	23.5	223.87	18.85	76.74
		5	QPSK	24.5	281.84	20.28	106.66
			16QAM	23.4	218.78	19.29	84.92

5.3. DESCRIPTION OF AVAILABLE ANTENNAS

The radio utilizes a internal antenna for the [List the bands supported] with a maximum peak gain as follow:

Frequency (MHz)	Peak Gain (dBi)
GSM850 / WCDMA Band 5 / LTE Band 5 824 ~ 849 MHz	-4.45
GSM1900 / WCDMA Band 2 / LTE Band 2 1850 ~ 1910 MHz	-2.78
LTE Band 41 2496 ~ 2690 MHz	-2.58
LTE Band 12/17 699 ~ 716 MHz	-5.34
LTE Band 13 777 ~ 787 MHz	-6.24
WCDMA Band 4 / LTE Band 4/66 1710 ~ 1780 MHz	-2.75

5.4. WORST-CASE ORIENTATION

For GSM1900 / WCDMA Band 2 / LTE Band2 / LTE Band 12 / LTE Band 13, the fundamental of the EUT was investigated in three orthogonal orientations X, Y and Z it was determined that Z orientation was worst-case orientation; therefore, all final radiated testing was performed with the EUT in Z orientation.

For GSM850 / WCDMA Band 5 / WCDMA Band 4 / LTE Band 5 / LTE Band41/ LTE Band 66, the fundamental of the EUT was investigated in three orthogonal orientations X, Y and Z it was determined that X orientation was worst-case orientation; therefore, all final radiated testing was performed with the EUT in X orientation.

Note : All radiated spurious tests were performed connected with earphone and charger for evaluation of worst case mode.(For erp/eirp tests, the EUT didn't connected with earphone and charger)

5.5. DESCRIPTION OF TEST SETUP

SUPPORT EQUIPMENT

Support Equipment List				
Description	Manufacturer	Model	Serial Number	FCC ID
Charger	SAMSUNG	EP-TA50EWE	DW3J719AS/A- E	N/A
Data Cable	SAMSUNG	ECB-DU68WE	N/A	N/A
Earphone	SAMSUNG	EHS61ASFWE	N/A	N/A


I/O CABLES

I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	DC Power	1	Mini-USB	Shielded	1.2m	N/A
2	Audio	2	Mini-Jack	Unshielded	1.2m	N/A


TEST SETUP

The EUT is continuously communicated to the call box during the tests.

SETUP DIAGRAM FOR TESTS (CONDUCTED TEST SETUP)



SETUP DIAGRAM FOR TESTS (RADIATED TEST SETUP)



6. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

Test Equipment List				
Description	Manufacturer	Model	S/N	Cal Due
Antenna, Tuned Dipole 400~1000 MHz	ETS	3121D DB4	00164753	06-30-19
Antenna, Horn, 40 GHz	ETS	3116C	00166155	12-04-19
Preamplifier	ETS	3116C-PA	00168841	11-13-19
Antenna, Horn, 40 GHz	ETS	3116C	00168645	12-04-19
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB9163	750	08-31-19
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB9163	845	08-31-19
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB9163	749	09-14-19
Antenna, Horn, 18 GHz	ETS	3115	00167211	10-14-18
Antenna, Horn, 18 GHz	ETS	3115	00161451	03-10-19
Antenna, Horn, 18 GHz	ETS	3117	00168724	05-31-19
Antenna, Horn, 18 GHz	ETS	3117	00205959	11-29-18
Antenna, Horn, 18 GHz	ETS	3117	00168717	05-31-19
Combiner	WEINSCHTEL	1575	2152	08-08-18
Communications Test Set	R&S	CMW500	115331	08-07-18
DC Power Supply	Agilent / HP	E3640A	MY54226395	08-07-18
Preamplifier, 1000 MHz	Sonoma	310N	341282	08-09-18
Preamplifier, 1000 MHz	Sonoma	310N	370599	08-10-18
Preamplifier, 1000 MHz	Sonoma	310N	351741	08-07-18
Preamplifier, 18 GHz	Miteq	AFS42-00101800-25-S-42	1876511	08-08-18
Preamplifier, 18 GHz	Miteq	AFS42-00101800-25-S-42	2029169	08-11-18
Preamplifier, 18 GHz	Miteq	AFS42-00101800-25-S-42	1896138	08-08-18
Spectrum Analyzer, 44 GHz	Agilent / HP	N9030A	MY54490312	08-08-18
EMI Test Receive, 40 GHz	R&S	ESU40	100439	08-08-18
EMI Test Receive, 40 GHz	R&S	ESU40	100457	08-08-18
EMI Test Receive, 44 GHz	R&S	ESW40	101590	08-09-18
High Pass Filter 1.2GHz	Micro-Tronics	HPM50108-02	G005	08-09-18
High Pass Filter 1.2GHz	Micro-Tronics	HPM50108-02	G006	08-08-18
High Pass Filter 2.8GHz	Micro-Tronics	HPM50111-02	010	08-09-18
High Pass Filter 2.8GHz	Micro-Tronics	HPM50111-02	011	08-08-18
High Pass Filter 4GHz	Micro-Tronics	HPM50118-02	G001	08-09-18
High Pass Filter 4GHz	Micro-Tronics	HPM50118-02	G002	08-08-18
Attenuator	PASTERNAK	PE7087-10	A009	08-08-18
Attenuator	PASTERNAK	PE7087-10	A001	08-08-18
Attenuator	PASTERNAK	PE7087-10	A008	08-08-18
Attenuator	PASTERNAK	PE7087-10	2	08-10-18
Attenuator	PASTERNAK	PE7395-10	A011	02-12-19
Antenna, Loop, 9kHz-30MHz	R&S	HFH2-Z2	100418	10-26-19
Temperature Chamber	ESPEC	SH-642	93001109	08-08-18
UL Software				
Description	Manufacturer	Model	Version	
Antenna port test software	UL	CLT	Ver 2.4	

7. Summary Table

FCC Part Section	Test Description	Test Limit	Test Condition	Test Result
2.1049	Occupied Band width (99%)	N/A	Conducted	Pass
22.917(a) 24.238(a) 27.53(c),(g),(h)	Band Edge / Conducted Spurious Emission	-13dBm		Pass
27.53(m)	Conducted Spurious Emission	-25 dBm		Pass
27.53(m)	Emission mask	Section 9.2.2		Pass
2.1046	Conducted output power	N/A		Pass
22.355 24.235 27.54	Frequency Stability	2.5PPM		Pass
22.913(a)(2)	Effective Radiated Power	38.5 dBm		Pass
27.50(b)(10)		34.77 dBm	Pass	
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power	33dBm	Pass	
27.50(d)(4)		30dBm	Pass	
22.917(a) 24.238(a) 27.53(c),(g),(h)	Radiated Spurious Emission	-13dBm	Pass	
27.53(f)		-40dBm	Pass	
27.53 (m)		-25dBm	Pass	
				Pass

FCC Rule Part	Frequency Range [MHz]	Output Power [W]	Frequency Tolerance	Emission Designator	Emission Bandwidth [MHz]	Communication Type
GSM						
22H	824.2 - 848.8	0.506	2.5 ppm	246KGXW		GSM850
22H	824.2 - 848.8	0.120	2.5 ppm	255KG7W		EDGE850
24E	1850.2 - 1909.8	0.925	2.5 ppm	248KGXW		GSM1900
24E	1850.2 - 1909.8	0.427	2.5 ppm	246KG7W		EDGE1900
WCDMA						
22H	826.4 - 846.6	0.062	2.5 ppm	4M13F9W		WCDMA B5
27L	1712.4 - 1752.6	0.330	2.5 ppm	4M13F9W		WCDMA B4
24E	1852.4 - 1907.6	0.138	2.5 ppm	4M16F9W		WCDMA B2
LTE Band 5						
22H	829.0 - 844.0	0.043	2.5 ppm	8M97G7W	10	QPSK
22H	829.0 - 844.0	0.035	2.5 ppm	8M97D7W	10	16QAM
22H	825.5 - 847.5	0.044	2.5 ppm	2M69G7W	3	QPSK
LTE Band 41						
27M	2506.0 - 2680.0	0.131	2.5 ppm	17M9G7W	20	QPSK
27M	2506.0 - 2680.0	0.106	2.5 ppm	17M9D7W	20	16QAM
27M	2503.5 - 2682.5	0.116	2.5 ppm	13M4D7W	15	16QAM
LTE Band 13						
27F	782	0.021	2.5 ppm	8M93G7W	10	QPSK
27F	782	0.017	2.5 ppm	8M94D7W	10	16QAM
27F	779.5 - 784.5	0.027	2.5 ppm	4M50G7W	5	QPSK
27F	779.5 - 784.5	0.026	2.5 ppm	4M49D7W	5	16QAM
LTE Band 12/17						
27H	704.0 - 711.0	0.041	2.5 ppm	8M95G7W	10	QPSK
27H	704.0 - 711.0	0.032	2.5 ppm	8M97D7W	10	16QAM
LTE Band 2						
24E	1860.0 - 1900.0	0.090	2.5 ppm	17M9G7W	20	QPSK
24E	1860.0 - 1900.0	0.071	2.5 ppm	17M9D7W	20	16QAM
24E	1855.0 - 1905.0	0.105	2.5 ppm	8M96G7W	10	QPSK
24E	1852.5 - 1907.5	0.083	2.5 ppm	4M49D7W	5	16QAM
LTE Band 4/66						
27L	1720.0 - 1770.0	0.198	2.5 ppm	17M9G7W	20	QPSK
27L	1720.0 - 1770.0	0.164	2.5 ppm	17M9D7W	20	16QAM
27L	1712.5 - 1775.5	0.239	2.5 ppm	4M50G7W	5	QPSK
27L	1712.5 - 1775.5	0.188	2.5 ppm	4M50D7W	5	16QAM

8. PEAK TO AVERAGE RATIO

Test Procedure

Per KDB 971168 D01 Power Meas License Digital Systems v03;

The transmitter output was connected to a CMW500 Test Set and configured to operate at maximum power. The PAR were measured on the Spectrum Analyzer.

Test Spec

In addition, when the transmitter power is measured in terms of average value, the peak-to-average ratio of the power shall not exceed 13 dB.

8.1. CONDUCTED PEAK TO AVERAGE RESULT

GSM

Band	Channel	f [MHz]	Mode	Ratio [dB]	Limit [dB]
GSM850	190	836.6	GPRS	0.38	13.00
			EGPRS	3.45	
GSM1900	661	1880.0	GPRS	0.41	
			EGPRS	3.52	

WCDMA

Band	Channel	f [MHz]	Mode	Ratio [dB]	Limit [dB]
Band 5	4183	836.6	REL99	2.93	13.00
			HSDPA	3.08	
Band 4	1413	1732.6	REL99	2.90	
			HSDPA	3.07	
Band 2	9400	1880.0	REL99	2.89	
			HSDPA	3.04	

LTE Band 5

Band	BW [MHz]	Channel	f [MHz]	Mode	Ratio [dB]	Limit [dB]
Band 5	10	20525	836.5	QPSK	3.54	13.00
				16QAM	4.29	
	5			QPSK	3.51	
				16QAM	4.27	
	3			QPSK	3.49	
				16QAM	4.32	
	1.4			QPSK	3.48	
				16QAM	4.34	

LTE Band41

Band	BW [MHz]	Channel	f [MHz]	Mode	Ratio [dB]	Limit [dB]
Band 41	20	40620	2593	QPSK	4.73	13.00
				16QAM	5.58	
	15			QPSK	4.45	
				16QAM	5.68	
	10			QPSK	4.73	
				16QAM	5.58	
	5			QPSK	4.30	
				16QAM	5.45	

LTE

Band	BW [MHz]	Channel	f [MHz]	Mode	Ratio [dB]	Limit [dB]
Band 13	10	23230	782	QPSK	3.91	13.00
				16QAM	4.64	
	5			QPSK	3.95	
				16QAM	4.68	
Band 12	10	23095	707.5	QPSK	4.42	
				16QAM	5.21	
	5			QPSK	4.50	
				16QAM	5.23	
	3			QPSK	4.40	
				16QAM	5.18	
	1.4			QPSK	4.38	
				16QAM	5.25	
Band 66	20	132322	1745.0	QPSK	4.58	
				16QAM	5.33	
	15			QPSK	4.54	
				16QAM	5.40	
	10			QPSK	4.60	
				16QAM	5.39	
	5			QPSK	4.78	
				16QAM	5.33	
	3			QPSK	4.58	
				16QAM	5.38	
1.4	QPSK	4.54				
	16QAM	5.42				
Band 2	20	18900	1880.0	QPSK	3.58	
				16QAM	4.39	
	15			QPSK	3.58	
				16QAM	4.38	
	10			QPSK	3.58	
				16QAM	4.49	
	5			QPSK	3.74	
				16QAM	4.33	
	3			QPSK	3.57	
				16QAM	4.37	
1.4	QPSK	3.53				
	16QAM	4.46				

LTE Band 4


Due to frequency range and same output power setting, test was carried in LTE Band 66 to cover both LTE Band 66 and LTE Band 4.

LTE Band 17


Due to frequency range and same output power setting, test was carried in LTE Band 12 to cover both LTE Band 12 and LTE Band 17.

8.2. CONDUCTED PEAK TO AVERAGE PLOTS


GSM




WCDMA




LTE Band 5



LTE Band 41










LTE Band 66




<p>LTE Band 66 5 MHz</p>	<p>Average Power 23.24 dBm 43.20 % at 0dB</p> <p>10.0 % 2.84 dB 1.0 % 4.47 dB 0.1 % 4.78 dB 0.01 % 4.88 dB 0.001 % 4.96 dB 0.0001 % 5.01 dB Peak 5.03 dB 28.27 dBm</p> <p>Info BW 10.000 MHz</p>	<p>Average Power 22.76 dBm 41.48 % at 0dB</p> <p>10.0 % 3.04 dB 1.0 % 5.11 dB 0.1 % 5.33 dB 0.01 % 5.43 dB 0.001 % 5.46 dB 0.0001 % 5.47 dB Peak 5.50 dB 28.26 dBm</p> <p>Info BW 10.000 MHz</p>
<p>LTE Band 66 3 MHz</p>	<p>Average Power 23.50 dBm 44.05 % at 0dB</p> <p>10.0 % 2.76 dB 1.0 % 4.40 dB 0.1 % 4.58 dB 0.01 % 4.64 dB 0.001 % 4.68 dB 0.0001 % 4.72 dB Peak 4.74 dB 28.24 dBm</p> <p>Info BW 10.000 MHz</p>	<p>Average Power 22.85 dBm 41.49 % at 0dB</p> <p>10.0 % 3.14 dB 1.0 % 5.16 dB 0.1 % 5.38 dB 0.01 % 5.43 dB 0.001 % 5.45 dB 0.0001 % 5.47 dB Peak 5.58 dB 28.43 dBm</p> <p>Info BW 10.000 MHz</p>
<p>LTE Band 66 1.4 MHz</p>	<p>Average Power 23.56 dBm 44.07 % at 0dB</p> <p>10.0 % 2.77 dB 1.0 % 4.33 dB 0.1 % 4.54 dB 0.01 % 4.62 dB 0.001 % 4.66 dB 0.0001 % 4.69 dB Peak 4.70 dB 28.26 dBm</p> <p>Info BW 10.000 MHz</p>	<p>Average Power 22.81 dBm 40.94 % at 0dB</p> <p>10.0 % 3.06 dB 1.0 % 5.18 dB 0.1 % 5.42 dB 0.01 % 5.47 dB 0.001 % 5.49 dB 0.0001 % 5.52 dB Peak 5.52 dB 28.33 dBm</p> <p>Info BW 10.000 MHz</p>

LTE Band 2




<p>LTE Band 2 5 MHz</p>	 <p>LTE B2 5MHz QPSK Mid channel</p>	 <p>LTE B2 5MHz 16QAM Mid channel</p>
<p>LTE Band 2 3 MHz</p>	 <p>LTE B2 3MHz QPSK Mid channel</p>	 <p>LTE B2 3MHz 16QAM Mid channel</p>
<p>LTE Band 2 1.4 MHz</p>	 <p>LTE B2 1.4MHz QPSK Mid channel</p>	 <p>LTE B2 1.4MHz 16QAM Mid channel</p>

LTE Band 12



LTE Band 13



9. LIMITS AND CONDUCTED RESULTS

9.1. OCCUPIED BANDWIDTH

RULE PART(S)

FCC: §2.1049

LIMITS

For reporting purposes only

TEST PROCEDURE

The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the low, middle and high channel in each band. The -26dB bandwidth was also measured and recorded.

(KDB 971168 D01 Power Meas License Digital Systems v03)

9.1.1. OCCUPIED BANDWIDTH RESULTS

GSM

Band	Mode	Channel	f [MHz]	99% BW [KHz]	26dB BW [KHz]
GSM850	GPRS	128	824.2	244.47	315.1
		190	836.6	245.59	326.2
		251	848.8	241.08	316.9
	EGPRS	128	824.2	255.07	319.0
		190	836.6	238.34	302.6
		251	848.8	245.21	296.3
GSM1900	GPRS	512	1850.2	242.43	315.3
		661	1880.0	248.32	313.6
		810	1909.8	247.01	320.2
	EGPRS	512	1850.2	245.93	303.4
		661	1880.0	234.08	301.2
		810	1909.8	241.77	309.4

WCDMA

Band	Mode	Channel	f [MHz]	99% BW [MHz]	26dB BW [MHz]
Band 5	REL99	4132	826.4	4.1265	4.657
		4183	836.6	4.1261	4.695
		4233	846.6	4.1333	4.680
	HSDPA	4132	826.4	4.1294	4.666
		4183	836.6	4.1271	4.696
		4233	846.6	4.1328	4.679
Band 2	REL99	9262	1852.4	4.1481	4.696
		9400	1880.0	4.1353	4.682
		9538	1907.6	4.1463	4.704
	HSDPA	9262	1852.4	4.1531	4.667
		9400	1880.0	4.1562	4.684
		9538	1907.6	4.1522	4.670
Band 4	REL99	1312	1712.4	4.1297	4.688
		1413	1732.6	4.1278	4.696
		1513	1752.6	4.1249	4.659
	HSDPA	1312	1712.4	4.1320	4.696
		1413	1732.6	4.1277	4.688
		1513	1752.6	4.1345	4.680

LTE Band 5

Band	BW [MHz]	Channel	f [MHz]	Mode	99% BW [MHz]	26dB BW [MHz]
Band 5	10	20450	829.0	QPSK	8.9549	9.768
				16QAM	8.9694	9.814
		20524	836.5	QPSK	8.9428	9.812
				16QAM	8.9557	9.780
		20599	844.0	QPSK	8.9689	9.749
				16QAM	8.9419	9.729
	5	20425	826.5	QPSK	4.4985	4.970
				16QAM	4.4927	4.985
		20524	836.5	QPSK	4.4889	4.952
				16QAM	4.4881	4.952
		20624	846.5	QPSK	4.4950	4.945
				16QAM	4.4826	4.928
	3	20415	825.5	QPSK	2.6919	2.975
				16QAM	2.6949	2.948
		20524	836.5	QPSK	2.6909	2.970
				16QAM	2.6908	2.969
		20634	847.5	QPSK	2.6931	2.979
				16QAM	2.6898	2.980
	1.4	20407	824.7	QPSK	1.0952	1.296
				16QAM	1.0834	1.283
		20524	836.5	QPSK	1.0830	1.269
				16QAM	1.0842	1.283
		20624	848.3	QPSK	1.0873	1.311
				16QAM	1.0930	1.287

LTE Band 41

Band	BW [MHz]	Channel	f [MHz]	Mode	99% BW [MHz]	26dB BW [MHz]
Band 41	20	35970	2506.0	QPSK	17.901	19.34
				16QAM	17.878	19.22
		40620	2593.0	QPSK	17.879	19.31
				16QAM	17.889	19.65
		41490	2680.0	QPSK	17.858	19.46
				16QAM	17.882	19.20
	15	39725	2503.5	QPSK	13.413	14.62
				16QAM	13.409	14.52
		40620	2593.0	QPSK	13.411	14.87
				16QAM	13.428	14.97
		41515	2682.5	QPSK	13.419	14.51
				16QAM	13.424	14.66
	10	39700	2501.0	QPSK	8.9893	9.961
				16QAM	8.9718	9.812
		40620	2593.0	QPSK	8.9346	9.834
				16QAM	8.9338	9.767
		41540	2685.0	QPSK	8.9661	9.730
				16QAM	8.9290	9.755
	5	39675	2498.5	QPSK	4.4926	4.957
				16QAM	4.4768	4.949
		40620	2593.0	QPSK	4.4975	5.139
				16QAM	4.4820	4.960
		41565	2687.5	QPSK	4.4837	4.931
				16QAM	4.4876	4.914

LTE Band 66

Band	BW [MHz]	Channel	f [MHz]	Mode	99% BW [MHz]	26dB BW [MHz]
Band 66	20	132072	1720.0	QPSK	17.882	19.37
				16QAM	17.897	19.28
		132322	1745.0	QPSK	17.900	19.31
				16QAM	17.882	19.19
		132572	1770.0	QPSK	17.843	19.11
				16QAM	17.845	19.22
	15	132047	1717.5	QPSK	13.436	14.64
				16QAM	13.429	14.53
		132322	1745.0	QPSK	13.410	14.51
				16QAM	13.404	14.53
		132597	1772.5	QPSK	13.403	14.57
				16QAM	13.420	14.45
	10	132022	1715.0	QPSK	8.9754	9.806
				16QAM	8.9515	9.809
		132322	1745.0	QPSK	8.9488	9.853
				16QAM	8.9498	9.749
		132622	1775.0	QPSK	8.9306	9.809
				16QAM	8.9256	9.791
	5	131997	1712.5	QPSK	4.5019	4.997
				16QAM	4.4950	4.986
		132322	1745.0	QPSK	4.4934	4.938
				16QAM	4.4794	4.931
		132647	1775.5	QPSK	4.4869	4.931
				16QAM	4.4810	4.916
	3	131987	1711.5	QPSK	2.6894	2.975
				16QAM	2.6938	2.981
		132322	1745.0	QPSK	2.6901	2.970
				16QAM	2.6932	2.982
		132657	1778.5	QPSK	2.6935	2.988
				16QAM	2.6960	2.975
	1.4	131979	1710.7	QPSK	1.0878	1.288
				16QAM	1.0940	1.291
132322		1745.0	QPSK	1.0809	1.277	
			16QAM	1.0832	1.285	
132665		1779.3	QPSK	1.0956	1.299	
			16QAM	1.0829	1.282	

LTE Band 2

Band	BW [MHz]	Channel	f [MHz]	Mode	99% BW [MHz]	26dB BW [MHz]
Band 2	20	18700	1860.0	QPSK	17.881	19.22
				16QAM	17.863	19.33
		18900	1880.0	QPSK	17.887	19.15
				16QAM	17.894	19.16
		19099	1900.0	QPSK	17.858	19.26
				16QAM	17.870	19.29
	15	18675	1857.5	QPSK	13.417	14.56
				16QAM	13.412	14.53
		18900	1880.0	QPSK	13.452	14.51
				16QAM	13.425	14.64
		19124	1902.5	QPSK	13.416	14.49
				16QAM	13.419	14.51
	10	18650	1955.0	QPSK	8.9443	9.810
				16QAM	8.9617	9.819
		18900	1880.0	QPSK	8.9606	9.830
				16QAM	8.9388	9.729
		19149	1905.0	QPSK	8.9578	9.705
				16QAM	8.9627	9.790
	5	18625	1852.5	QPSK	4.5030	4.998
				16QAM	4.4893	4.981
		18900	1880.0	QPSK	4.4869	4.930
				16QAM	4.4862	4.939
		19175	1907.5	QPSK	4.4992	4.947
				16QAM	4.4818	4.940
	3	18615	1815.5	QPSK	2.8676	2.974
				16QAM	2.6958	2.988
		18900	1880.0	QPSK	2.6934	2.973
				16QAM	2.6878	2.946
		19184	1908.5	QPSK	2.6894	2.967
				16QAM	2.6945	2.996
	1.4	18607	1850.7	QPSK	1.0957	1.296
				16QAM	1.0840	1.278
18900		1880.0	QPSK	1.0841	1.288	
			16QAM	1.0855	1.295	
19192		1909.3	QPSK	1.0922	1.324	
			16QAM	1.0961	1.321	

LTE Band 13

Band	BW [MHz]	Channel	f [MHz]	Mode	99% BW [MHz]	26dB BW [MHz]
Band 13	10	23230	782.0	QPSK	8.9311	9.777
				16QAM	8.9365	9.750
	5	23207	779.5	QPSK	4.4933	4.952
				16QAM	4.4856	4.960
		23230	782.0	QPSK	4.4860	4.914
				16QAM	4.4775	4.913
		23255	784.5	QPSK	4.4973	4.985
				16QAM	4.4859	4.984

LTE Band 12

Band	BW [MHz]	Channel	f [MHz]	Mode	99% BW [MHz]	26dB BW [MHz]
Band 12	10	23060	704.0	QPSK	8.9434	9.832
				16QAM	8.9428	9.726
		23095	707.5	QPSK	8.9424	9.837
				16QAM	8.9320	9.716
		23130	711.0	QPSK	8.9498	9.755
				16QAM	8.9691	9.697
	5	23035	701.5	QPSK	4.5057	5.020
				16QAM	4.4875	4.992
		23095	707.5	QPSK	4.4830	4.946
				16QAM	4.4788	4.936
		23155	713.5	QPSK	4.4947	4.936
				16QAM	4.4777	4.902
	3	23025	700.5	QPSK	2.6920	2.961
				16QAM	2.6908	2.986
		23095	707.5	QPSK	2.6867	2.967
				16QAM	2.6958	2.970
		23165	714.5	QPSK	2.6917	2.958
				16QAM	2.6855	2.966
	1.4	23017	699.7	QPSK	1.0887	1.298
				16QAM	1.0915	1.292
		23095	707.5	QPSK	1.0957	1.298
				16QAM	1.0825	1.271
		23173	715.3	QPSK	1.0818	1.268
				16QAM	1.0852	1.280

LTE Band 4

Due to frequency range and same output power setting, test was carried in LTE Band 66 to cover both LTE Band 66 and LTE Band 4.

LTE Band 17

Due to frequency range and same output power setting, test was carried in LTE Band 12 to cover both LTE Band 12 and LTE Band 17.

9.1.2. OCCUPIED BANDWIDTH PLOTS


GSM 850




GSM 1900



WCDMA Band 5



WCDMA Band 2



WCDMA Band 4

