



CERTIFICATION TEST REPORT

Report Number. : 12726917-E2V3

Applicant : Samsung Electronics Co., Ltd.
129 Samsung-Ro, Yeongtong-Gu,
Suwon-Si, Gyeonggi-Do, 16677, Korea

MODEL : SM-A705W

FCC ID : A3LSMA705W

EUT Description : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n/ac, ANT+ and NFC

Test Standard(s) : FCC CFR47 PART 22 SUBPART H
FCC CFR47 PART 24 SUBPART E
FCC CFR47 PART 27 SUBPART F, H, L, and M
FCC CFR47 PART 90 SUBPART S
FCC CFR47 PART 15 SUBPART B

Date Of Issue:

MAY 14, 2019

Prepared by:

UL Verification Services Inc.
47173 Benicia Street
Fremont, CA 94538 U.S.A.
TEL: (510) 771-1000
FAX: (510) 661-0888

Revision History



NVLAP Lab code: 200065-0

Rev.	Issue Date	Revisions	Revised By
V1	5/8/2019	Initial Review	--
V2	5/9/2019	Updated Table of Contents, Sections 1, 5, and 8	Steven Tran
V3	5/14/2019	Updated Section 8.2.11 and 8.3.11	Steven Tran

TABLE OF CONTENTS

TABLE OF CONTENTS	3
1. ATTESTATION OF TEST RESULTS	8
2. TEST METHODOLOGY	9
3. FACILITIES AND ACCREDITATION	9
4. CALIBRATION AND UNCERTAINTY	10
4.1. MEASURING INSTRUMENT CALIBRATION.....	10
4.2. SAMPLE CALCULATION.....	10
4.3. MEASUREMENT UNCERTAINTY.....	10
5. EQUIPMENT UNDER TEST	11
5.1. DESCRIPTION OF EUT.....	11
5.2. MAXIMUM OUTPUT POWER.....	11
5.3. SOFTWARE AND FIRMWARE.....	17
5.4. MAXIMUM ANTENNA GAIN.....	17
5.5. WORST-CASE CONFIGURATION AND MODE.....	18
5.6. DESCRIPTION OF TEST SETUP.....	19
6. TEST AND MEASUREMENT EQUIPMENT	22
7. RF OUTPUT POWER VERIFICATION	24
7.1. GSM.....	24
7.1.1. GSM850.....	25
7.1.2. GSM1900.....	25
7.2. WCDMA.....	26
7.2.1. WCDMA BAND5.....	30
7.2.2. WCDMA BAND2.....	31
7.2.3. WCDMA BAND4.....	32
7.3. LTE.....	33
7.3.1. LTE 2.....	35
7.3.2. LTE 4.....	38
7.3.3. LTE 5.....	41
7.3.4. LTE 7.....	43
7.3.5. LTE 12.....	45
7.3.6. LTE 13.....	47

7.3.7.	LTE 17	48
7.3.8.	LTE 26 (FCC PART 90S)	49
7.3.9.	LTE 26 (FCC PART 22).....	52
7.3.10.	LTE 41 (FCC)	55
7.3.11.	LTE 66.....	57
8.	CONDUCTED TEST RESULTS	60
8.1.	OCCUPIED BANDWIDTH.....	60
8.1.1.	GSM.....	66
8.1.2.	WCDMA	67
8.1.3.	LTE BAND 2.....	68
8.1.4.	LTE BAND 4.....	70
8.1.5.	LTE BAND 5.....	72
8.1.6.	LTE BAND 7.....	74
8.1.7.	LTE BAND 12.....	76
8.1.8.	LTE BAND 13.....	78
8.1.9.	LTE BAND 26 (FCC PART 90S).....	79
8.1.10.	LTE BAND 26 (FCC PART 22)	81
8.1.11.	LTE BAND 41 (FCC).....	83
8.1.12.	LTE BAND 66	85
8.2.	BAND EDGE AND EMISSION MASK.....	87
8.2.1.	GSM850	89
8.2.2.	GSM1900	90
8.2.3.	WCDMA BAND5	91
8.2.4.	WCDMA BAND2	92
8.2.5.	WCDMA BAND4	93
8.2.6.	LTE BAND 2 BANDEDGE	94
8.2.7.	LTE BAND 4 BANDEDGE	106
8.2.8.	LTE BAND 5 BANDEDGE	118
8.2.9.	LTE BAND 7 ADJACENT CHANNEL POWER	126
8.2.10.	LTE BAND 12 BANDEDGE	134
8.2.11.	LTE BAND 13 ADJACENT CHANNEL POWER	142
8.2.12.	LTE BAND 26 EMISSION MASK (FCC PART 90S).....	150
8.2.13.	LTE BAND 26 BANDEDGE (FCC PART 22).....	158
8.2.14.	LTE BAND 41 ADJACENT CHANNEL POWER (FCC).....	168
8.2.15.	LTE BAND 66 BANDEDGE	176

8.3.	OUT OF BAND EMISSIONS	188
8.3.1.	GSM850	189
8.3.2.	GSM1900	191
8.3.3.	WCDMA BAND5	193
8.3.4.	WCDMA BAND2	195
8.3.5.	WCDMA BAND4	197
8.3.6.	LTE BAND 2.....	199
8.3.7.	LTE BAND 4.....	205
8.3.8.	LTE BAND 5.....	211
8.3.9.	LTE BAND 7.....	215
8.3.10.	LTE BAND 12	219
8.3.11.	LTE BAND 13	223
8.3.12.	LTE BAND 26 (FCC PART 90S).....	225
8.3.13.	LTE BAND 26 (FCC PART 22)	230
8.3.14.	LTE BAND 41 (FCC).....	235
8.3.15.	LTE BAND 66	239
8.4.	FREQUENCY STABILITY	245
8.4.1.	GSM.....	246
8.4.2.	WCDMA	248
8.4.3.	LTE BAND 2.....	251
8.4.4.	LTE BAND 4.....	252
8.4.6.	LTE BAND 5.....	253
8.4.7.	LTE BAND 7.....	254
8.4.8.	LTE BAND 12.....	255
8.4.9.	LTE BAND 13.....	256
8.4.10.	LTE BAND 17	257
8.4.11.	LTE BAND 26(FCC PART 90S).....	258
8.4.12.	LTE BAND 26(FCC PART 22)	259
8.4.13.	LTE BAND 41 (FCC).....	260
8.4.14.	LTE BAND 66	261
8.5.	PEAK TO AVERAGE RATIO.....	262
8.5.1.	GSM.....	263
8.5.2.	WCDMA	264
8.5.3.	LTE BAND 2.....	265
8.5.4.	LTE BAND 4.....	267

8.5.5.	LTE BAND 5.....	269
8.5.6.	LTE BAND 7.....	271
8.5.7.	LTE BAND 12.....	273
8.5.8.	LTE BAND 13.....	275
8.5.9.	LTE BAND 26 (FCC PART 90S).....	276
8.5.10.	LTE BAND 26 (FCC PART 22)	278
8.5.11.	LTE BAND 41 (FCC).....	280
8.5.12.	LTE BAND 66	282
9.	RADIATED TEST RESULTS	284
9.1.1.	GSM.....	296
9.1.2.	WCDMA	297
9.1.3.	LTE Band 2	298
9.1.4.	LTE Band 4	300
9.1.5.	LTE Band 5	302
9.1.6.	LTE Band 7	303
9.1.7.	LTE Band 12	304
9.1.8.	LTE Band 13	306
9.1.9.	LTE Band 26 (FCC PART 90S)	307
9.1.10.	LTE Band 26 (FCC PART 22).....	309
9.1.11.	LTE Band 41 (FCC)	311
9.1.12.	LTE Band 66.....	312
9.2.1.	GSM.....	315
9.2.2.	WCDMA	319
9.2.3.	LTE BAND 2.....	325
9.2.4.	LTE BAND 4.....	327
9.2.5.	LTE BAND 5.....	329
9.2.6.	LTE BAND 7.....	331
9.2.7.	LTE BAND 12.....	333
9.2.8.	LTE BAND 13.....	335
9.2.9.	LTE BAND 26 Part 90S	337
9.2.10.	LTE BAND 26 Part 22.....	339
9.2.11.	LTE BAND 41 (FCC).....	341
9.2.12.	LTE BAND 66	343
10.	APPENDIX A: PRE-SCAN DATA FOR 15B RECEIVER MODE	345
10.1.	LTE Band 12	345

10.1.1.	BELOW 1GHz.....	345
10.1.2.	ABOVE 1GHz	351
10.1.	LTE Band 13	357
10.1.1.	BELOW 1GHz.....	357
10.1.2.	ABOVE 1GHz	363
10.2.	LTE Band 26	369
10.2.1.	BELOW 1GHz.....	369
10.2.2.	ABOVE 1GHz	375
11.	SETUP PHOTOS.....	381



1. ATTESTATION OF TEST RESULTS

Applicant Name and Address	SAMSUNG ELECTRONICS CO., LTD. 129 SAMSUNG-RO, YEONGTONG-GU, SUWON-SI, GYEONGGI-DO, 16677, KOREA
MODEL:	SM-A705W
FCC ID	A3LSMA705W
EUT Description	GSM/WCDMA/LTE PHONE WITH BT, DTS/UNII a/b/g/n/ac, ANT+ AND NFC
Serial Number	R38M20ETWBY (CONDUCTED), R38M20ESQ7B (RADIATED)
Date Tested	APRIL 01, 2019 to MAY 08, 2019
Applicable Standards	FCC CFR 47 PART 22H, 24E, 27F,H,L,M and 90S
Test Results	Complies

UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. It is the manufacturer's responsibility to assure that additional production units of this model are manufactured with identical electrical and mechanical components. All samples tested were in good operating condition throughout the entire test program. Measurement Uncertainties are published for informational purposes only and were not taken into account unless noted otherwise.

This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of the U.S. government.

Approved & Released For UL Verification Services Inc. By: 	Reviewed By: 
Dan Corona Operations Leader Consumer Technology Division UL Verification Services Inc.	Steven Tran Project Engineer Consumer Technology Division UL Verification Services Inc.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with ANSI C63.26:2015, ANSI C63.4:2014, TIA-603-E, FCC CFR 47 Part 2, Part 22, Part 24, Part 27, Part 90, FCC KDB 971168 D01 v3r1.

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 47173 and 47266 Benicia Street, and 47658 Kato Road, Fremont, California, USA. Line conducted emissions are measured only at the 47173 address. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

47173 Benicia Street	47266 Benicia Street	47658 Kato Rd
<input type="checkbox"/> Chamber A (ISED:2324B-1)	<input type="checkbox"/> Chamber D (ISED:22541-1)	<input checked="" type="checkbox"/> Chamber I (ISED:2324A-5)
<input type="checkbox"/> Chamber B (ISED:2324B-2)	<input type="checkbox"/> Chamber E (ISED:22541-2)	<input checked="" type="checkbox"/> Chamber J (ISED:2324A-6)
<input type="checkbox"/> Chamber C (ISED:2324B-3)	<input type="checkbox"/> Chamber F (ISED:22541-3)	<input checked="" type="checkbox"/> Chamber K (ISED:2324A-1)
	<input type="checkbox"/> Chamber G (ISED:22541-4)	<input type="checkbox"/> Chamber L (ISED:2324A-3)
	<input type="checkbox"/> Chamber H (ISED:22541-5)	

The above test sites and facilities are covered under FCC Test Firm Registration # 208313. Chambers above are covered under Industry Canada company address and respective code

UL Verification Services Inc. is accredited by NVLAP, Laboratory Code 200065-0

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

4.2. SAMPLE CALCULATION

RADIATED EMISSIONS

Where relevant, the following sample calculation is provided:

$$\text{Field Strength (dBuV/m)} = \text{Measured Voltage (dBuV)} + \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} - \text{Preamp Gain (dB)}$$

$$36.5 \text{ dBuV} + 18.7 \text{ dB/m} + 0.6 \text{ dB} - 26.9 \text{ dB} = 28.9 \text{ dBuV/m}$$

MAINS CONDUCTED EMISSIONS

Where relevant, the following sample calculation is provided:

$$\text{Final Voltage (dBuV)} = \text{Measured Voltage (dBuV)} + \text{Cable Loss (dB)} + \text{Limiter Factor (dB)} + \text{LISN Insertion Loss.}$$

$$36.5 \text{ dBuV} + 0 \text{ dB} + 10.1 \text{ dB} + 0 \text{ dB} = 46.6 \text{ dBuV}$$

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Worst Case Conducted Disturbance, 9KHz to 0.15 MHz	3.84 dB
Worst Case Conducted Disturbance, 0.15 to 30 MHz	3.65 dB
Worst Case Radiated Disturbance, 9KHz to 30 MHz	3.15 dB
Worst Case Radiated Disturbance, 30 to 1000 MHz	5.36 dB
Worst Case Radiated Disturbance, 1000 to 18000 MHz	4.32 dB
Worst Case Radiated Disturbance, 18000 to 26000 MHz	4.45 dB
Worst Case Radiated Disturbance, 26000 to 40000 MHz	5.24 dB

Uncertainty figures are valid to a confidence level of 95%.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

The EUT is a GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n/ac, ANT+ and NFC.

5.2. MAXIMUM OUTPUT POWER

ERP/EIRP LIMIT

FCC: §2.1046, §22.913, §24.232, §27.50, §90.635

EIRP/ERP TEST PROCEDURE

ANSI C63.26:2015 Sub-Clause 5.2.7/ TIA-603-E Clause 2.2.17
KDB 971168 D01 Section 5.8
KDB 412172 D01

$$\text{ERP/EIRP} = \text{PMeas} + \text{GT} - \text{LC}$$

where: ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

The transmitter has a maximum average radiated ERP / EIRP output powers as follows:

GSM MODES

Part 22 850MHz					
Frequency range (MHz)	Modulation	Radiated ERP		99% BW (kHz)	Emission Designator
		Average (dBm)	Average (W)		
824.2-848.8	GPRS	30.37	1.0889	245.73	246KGXW
	EGPRS	24.80	0.3020	248.42	248KG7W
Part 24 1900MHz					
Frequency range (MHz)	Modulation	Radiated EIRP		99% BW (kHz)	Emission Designator
		Average (dBm)	Average (W)		
1850.2-1909.8	GPRS	29.13	0.8185	243.88	244KGXW
	EGPRS	26.57	0.4539	239.34	239KG7W

WCDMA MODES

Part 22 Band 5					
Frequency range (MHz)	Modulation	Radiated ERP		99% BW (kHz)	Emission Designator
		Average (dBm)	Average (W)		
826.4-846.6	REL 99	21.05	0.1274	4140	4M14F9W
	HSDPA	19.89	0.0975	4150	4M15F9W
Part 24 Band 2					
Frequency range (MHz)	Modulation	Radiated EIRP		99% BW (kHz)	Emission Designator
		Average (dBm)	Average (W)		
1852.4-1907.6	REL 99	23.63	0.2307	4130	4M13F9W
	HSDPA	21.56	0.1432	4130	4M13F9W
Part 27 Band 4					
Frequency range (MHz)	Modulation	Radiated EIRP		99% BW (kHz)	Emission Designator
		Average (dBm)	Average (W)		
1712.4-1752.6	REL 99	22.32	0.1706	4130	4M13F9W
	HSDPA	22.37	0.1726	4120	4M12F9W

LTE BAND 2

Part 24							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Radiated EIRP		99% BW (kHz)	Emission Designator
				Average (dBm)	Average (W)		
1.4	QPSK	1850.7	1909.3	23.32	0.2148	1100	1M10G7W
	16QAM			22.44	0.1754	1080	1M08D7W
3.0	QPSK	1851.5	1908.5	23.56	0.2270	2690	2M69G7W
	16QAM			22.61	0.1824	2690	2M69D7W
5.0	QPSK	1852.5	1907.5	23.79	0.2393	4490	4M49G7W
	16QAM			22.94	0.1968	4490	4M49D7W
10.0	QPSK	1855.0	1905.0	23.56	0.2270	8970	8M97G7W
	16QAM			22.68	0.1854	8970	8M97D7W
15.0	QPSK	1857.5	1902.5	24.04	0.2535	13360	13M4G7W
	16QAM			22.91	0.1954	13380	13M4D7W
20.0	QPSK	1860.0	1900.0	23.61	0.2296	17800	17M8G7W
	16QAM			22.76	0.1888	17800	17M8D7W

LTE BAND 4

Part 27							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Radiated EIRP		99% BW (kHz)	Emission Designator
				Average (dBm)	Average (W)		
1.4	QPSK	1710.7	1754.3	22.55	0.1799	1090	1M09G7W
	16QAM			21.79	0.1510	1080	1M08D7W
3.0	QPSK	1711.5	1753.5	22.55	0.1799	2690	2M69G7W
	16QAM			21.62	0.1452	2690	2M69D7W
5.0	QPSK	1712.5	1752.5	22.58	0.1811	4500	4M50G7W
	16QAM			21.68	0.1472	4500	4M50D7W
10.0	QPSK	1715.0	1750.0	22.68	0.1853	8940	8M94G7W
	16QAM			21.71	0.1483	8940	8M94D7W
15.0	QPSK	1717.5	1747.5	22.60	0.1820	13370	13M4G7W
	16QAM			21.71	0.1483	13400	13M4D7W
20.0	QPSK	1720.0	1745.0	22.53	0.1791	17820	17M8G7W
	16QAM			21.69	0.1476	17860	17M9D7W

LTE BAND 5

Part 22H							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Radiated ERP		99% BW (kHz)	Emission Designator
				Average (dBm)	Average (W)		
1.4	QPSK	824.7	848.3	20.45	0.1109	1090	1M09G7W
	16QAM			19.59	0.0910	1080	1M08D7W
3.0	QPSK	825.5	847.5	20.98	0.1253	2690	2M69G7W
	16QAM			20.17	0.1040	2680	2M68D7W
5.0	QPSK	826.5	846.5	20.86	0.1219	4500	4M50G7W
	16QAM			20.15	0.1035	4500	4M50D7W
10.0	QPSK	829.0	844.0	21.02	0.1265	8940	8M94G7W
	16QAM			20.22	0.1052	8930	8M93D7W

LTE BAND 7

Part 27							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Radiated EIRP		99% BW (kHz)	Emission Designator
				Average (dBm)	Average (W)		
5.0	QPSK	2502.5	2567.5	20.52	0.1127	4500	4M50G7W
	16QAM			19.72	0.0938	4500	4M50D7W
10.0	QPSK	2505.0	2565.0	20.52	0.1127	8960	8M96G7W
	16QAM			19.66	0.0925	8950	8M95D7W
15.0	QPSK	2507.5	2562.5	21.13	0.1297	13420	13M4G7W
	16QAM			20.28	0.1067	13420	13M4D7W
20.0	QPSK	2510.0	2560.0	20.92	0.1236	17830	17M8G7W
	16QAM			20.14	0.1033	17840	17M8D7W

LTE BAND 12

Part 27							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Radiated ERP		99% BW (kHz)	Emission Designator
				Average (dBm)	Average (W)		
1.4	QPSK	699.7	715.3	20.53	0.1130	1090	1M09G7W
	16QAM			19.59	0.0910	1080	1M08D7W
3.0	QPSK	700.5	714.5	20.83	0.1211	2680	2M68G7W
	16QAM			19.97	0.0993	2680	2M68D7W
5.0	QPSK	701.5	713.5	20.72	0.1180	4520	4M52G7W
	16QAM			19.91	0.0979	4490	4M49D7W
10.0	QPSK	704.0	711.0	20.58	0.1143	8950	8M95G7W
	16QAM			19.72	0.0938	8960	8M96D7W

LTE BAND 13

Part 27							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Radiated ERP		99% BW (kHz)	Emission Designator
				Average (dBm)	Average (W)		
5.0	QPSK	779.5	784.5	19.86	0.0968	4510	4M51G7W
	16QAM			19.02	0.0798	4520	4M52D7W
10.0	QPSK	782.0	782.0	20.14	0.1033	8960	8M96G7W
	16QAM			19.25	0.0841	8940	8M94D7W

LTE BAND 26 (FCC Part 90S)

Part 90S							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Radiated ERP		99% BW (kHz)	Emission Designator
				Average (dBm)	Average (W)		
1.4	QPSK	814.7	823.3	19.28	0.0847	1080	1M08G7W
	16QAM			18.37	0.0687	1080	1M08D7W
3.0	QPSK	815.5	822.5	19.54	0.0899	2690	2M69G7W
	16QAM			18.74	0.0748	2690	2M69D7W
5.0	QPSK	816.5	821.5	19.73	0.0940	4500	4M50G7W
	16QAM			19.07	0.0807	4500	4M50D7W
10.0	QPSK	819.0	819.0	19.44	0.0879	8940	8M94G7W
	16QAM			18.51	0.0710	8940	8M94D7W
15.0	QPSK	821.5	821.5	19.82	0.0959	13390	13M4G7W
	16QAM			18.89	0.0774	13390	13M4D7W

LTE BAND 26 (FCC Part 22)

Part 22							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Radiated ERP		99% BW (kHz)	Emission Designator
				Average (dBm)	Average (W)		
1.4	QPSK	824.7	848.3	19.30	0.0851	1080	1M08G7W
	16QAM			18.45	0.0700	1080	1M08D7W
3.0	QPSK	825.5	847.5	19.67	0.0927	2690	2M69G7W
	16QAM			18.88	0.0773	2680	2M68D7W
5.0	QPSK	826.5	846.5	20.09	0.1021	4510	4M51G7W
	16QAM			19.43	0.0877	4510	4M51D7W
10.0	QPSK	829.0	844.0	19.96	0.0991	8950	8M95G7W
	16QAM			19.19	0.0830	8950	8M95D7W
15.0	QPSK	831.5	841.5	20.04	0.1009	13360	13M4G7W
	16QAM			19.25	0.0841	13370	13M4D7W

LTE BAND 41 (FCC)

Part 27							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Radiated EIRP		99% BW (kHz)	Emission Designator
				Average (dBm)	Average (W)		
5.0	QPSK	2498.5	2687.5	18.20	0.0661	4510	4M51G7W
	16QAM			17.41	0.0551	4490	4M49D7W
10.0	QPSK	2501.0	2685.0	18.38	0.0689	8940	8M94G7W
	16QAM			17.51	0.0564	8930	8M93D7W
15.0	QPSK	2503.5	2682.5	18.64	0.0731	13420	13M4G7W
	16QAM			17.73	0.0593	13380	13M4D7W
20.0	QPSK	2506.0	2680.0	19.16	0.0824	17750	17M8G7W
	16QAM			18.27	0.0671	17810	17M8D7W

LTE BAND 66

Part 27							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Radiated ERP		99% BW (kHz)	Emission Designator
				Average (dBm)	Average (W)		
1.4	QPSK	1710.7	1779.3	21.82	0.1521	1080	1M08G7W
	16QAM			20.98	0.1253	1090	1M09D7W
3.0	QPSK	1711.5	1778.5	21.96	0.1570	2690	2M69G7W
	16QAM			21.11	0.1291	2680	2M68D7W
5.0	QPSK	1712.5	1777.5	22.20	0.1660	4510	4M51G7W
	16QAM			21.36	0.1368	4500	4M50D7W
10.0	QPSK	1715.0	1775.0	21.98	0.1578	8960	8M96G7W
	16QAM			21.10	0.1288	8980	8M98D7W
15.0	QPSK	1717.5	1772.5	22.26	0.1683	13390	13M4G7W
	16QAM			21.39	0.1377	13430	13M4D7W
20.0	QPSK	1720.0	1770.0	21.60	0.1445	17810	17M8G7W
	16QAM			20.83	0.1211	17860	17M9D7W

5.3. SOFTWARE AND FIRMWARE

The EUT firmware installed during testing was A705FN.001.

5.4. MAXIMUM ANTENNA GAIN

Please see table below:

LTE Bands	Antenna Gain (dBi)
GSM850, 824-849MHz	-7.39
GSM1900, 1850-1910MHz	-5.89
WCDMA Band 2, 1850-1910 MHz	-5.89
WCDMA Band 4, 1710-1755 MHz	-6.87
WCDMA Band 5, 824-849 MHz	-7.39
LTE BAND 2, 1850 - 1910 MHz	-5.89
LTE BAND 4, 1710 - 1755 MHz	-6.87
LTE BAND 5, 824-849 MHz	-7.39
LTE BAND 7, 2500 - 2570 MHz	-6.27
LTE BAND 12, 699 - 716 MHz	-7.88
LTE BAND 13, 777 - 787 MHz	-9.91
LTE BAND 17, 704-716 MHz	-7.88
LTE BAND 26 (FCC PART 22), 824 - 849 MHz	-7.39
LTE BAND 26 (FCC PART 90S), 814 - 824 MHz	-7.39
LTE BAND 41 (FCC), 2496 - 2690 MHz	-6.35
LTE BAND 66, 1710 - 1780 MHz	-6.25

5.5. WORST-CASE CONFIGURATION AND MODE

The EUT supports LTE Bands of:

Band 2, Band 4, Band 5, Band 7, Band 12, Band 13, Band 17, Band 26, Band 41 and Band 66.

The worst-case scenario for all measurements is based on the average conducted output power measurement investigation results. Output power measurements were measured on QPSK, 16QAM, and 64QAM modulations. All testing was performed using QPSK, and 16QAM modulations to represent the worst case.

The fundamental of the EUT was investigated in three orthogonal orientations X, Y, & Z, and it was determined that X-Axis for 1700 and 1900MHz, X-Axis for 700 and 800MHz, and Y-Axis for 2500MHz with AC/DC Adapter and headset was worst-case orientation.

All radios that can be transmitted simultaneously have been evaluated for radiated for all possible combinations of transmission and found to be in compliance.

LTE Band 17 (704 - 716 MHz, 5/10 MHz bandwidth) is covered by LTE Band 12 because it is a subset of LTE band 12 and they have same output power and channel bandwidth.

LTE Band 38 (2570 - 2620 MHz, 5/10/15/20 MHz bandwidth) is covered by LTE Band 41 because it is a subset of LTE band 41 and they have same output power and channel bandwidth.

For check the Part15B receiver mode (Appendix A):

For LTE B12 / LTE B13 / LTE B26, the spurious emissions was investigated in three orthogonal orientations X, Y and Z it was determined that X orientation was worst-case orientation.

In addition, LTE Band 17 (Frequency range: 734-746 MHz) is covered by LTE Band 12 (Frequency range: 729-746 MHz) due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth.

5.6. DESCRIPTION OF TEST SETUP

SUPPORT EQUIPMENT

Support Equipment List				
Description	Manufacturer	Model	Serial Number	FCC ID
AC Adapter	Samsung	EP-TA50EWE	DW3J719AS/A-E	N/A
USB Data Cable	Samsung	N/A	N/A	N/A
Earphone	Samsung	N/A	N/A	N/A

I/O CABLES (RF Conducted Test)

I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	RF Out	1	Spectrum Analyzer	Shielded	None	NA
2	Antenna Port	1	EUT	Shielded	0.1m	NA
3	RF In/Out	1	Communication Test Set	Shielded	1m	NA


I/O CABLES (RF Radiated Test)

I/O Cable List						
Cable No	Port	# of identic	Connector Type	Cable Type	Cable Length	Remarks
1	USB	1	AC Adapter	Un-shielded	1.2m	No
2	Earphone	1	USB	Un-shielded	1m	No
3	RF In/out	1	Communication Test Set	Un-shielded	2m	No


TEST SETUP

The EUT is continuously communicated to the call box during the tests

CONDUCTED TEST SETUP DIAGRAM



RADIATED TEST SETUP DIAGRAM



6. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

TEST EQUIPMENT LIST					
Description	Manufacturer	Model	ID Num	Cal Due	Last Cal
Highpass Filter, 2.7 GHz	Micro-Circuits	H2G518G6	T772	07/05/19	07/05/18
Highpass Filter, 1.5 GHz	Micro-Tronics	HPM50114	T1852	07/31/19	07/31/18
Highpass Filter, 4GHz	Micro-Tronics	HPM13351	T1240	08/31/19	08/31/18
Antenna, Horn 1-18GHz	ETS-Lindgren	3117	T344	04/30/19	04/30/18
Antenna, Horn 1-18GHz	ETS-Lindgren	3117	T863	06/21/19	06/21/18
Antenna, Horn 1-18GHz	ETS-Lindgren	3117	PRE0189055	04/20/20	04/20/19
Antenna, Horn 1-18GHz	ETS-Lindgren	3117	T862	05/24/19	05/24/18
Antenna, Horn 1-18GHz	ETS-Lindgren	3117	AT0067	04/26/19	04/26/18
Antenna, Horn 1-18GHz	ETS-Lindgren	3117	T345	04/25/19	04/25/18
Ant., Horn 18 - 26.5 GHz	ARA	MWH-1826/B	T477	06/16/2019	06/16/2018
Hybrid Antenna	SunAR rf motion	JB3	PRE0184052	10/24/19	10/24/18
Hybrid Antenna	SunAR rf motion	JB3	PRE0184971	11/13/19	11/13/18
Hybrid Antenna	SunAR rf motion	JB3	PRE0181575	08/01/19	08/01/18
Hybrid Antenna	SunAR rf motion	JB3	PRE0181574	08/01/19	08/01/18
RF Amplifier	MITEQ	AFS42-00101800-25-S-42	171460	08/01/19	08/01/18
RF Amplifier	AMPLICAL	AMP1G18-35	T1571	07/30/19	07/30/18
RF Amplifier	AMPLICAL	AMP1G18-35	T1569	06/03/19	06/03/18
RF Amplifier	MITEQ	AFS42-00101800-25-S-42	T1165	02/20/20	02/20/19
RF Amplifier 9KHz – 1GHz	SONOMA INSTR	310	PRE0180175	07/09/19	07/09/18
RF Amplifier 9KHz – 1GHz	SONOMA INSTR	310	PRE0180174	05/31/19	05/31/18
RF Amplifier 9KHz – 1GHz	SONOMA INSTR	310	175953	12/13/19	12/13/18
Amplifier 100kHz – 1GHz	Agilent	8447D	T15	10/20/19	10/20/18
Directional Coupler	KRYTAR	T922	PRE0078321	06/18/19	06/18/18
Wideband Communication Test Set, Call Box	R&S	CMW500	T375	02/18/20	02/18/19
Wideband Communication Test Set, Call Box	R&S	CMW500	T1871	02/18/20	02/18/19
Wideband Communication Test Set, Call Box	R&S	CMW500	T949	02/21/20	02/21/19
Chamber, Environmental	Thermotron	SE-600-10-10	T80	05/01/19	11/01/18
Spectrum Analyzer	Agilent (Keysight) Technologies	E4440A	T200	01/28/20	01/28/19
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	PRE0179375	05/08/19	05/08/18
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	PRE0179372	05/04/19	05/04/18
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	PRE0179377	02/15/20	02/15/19
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	PRE0179376	02/14/20	02/14/19
Spectrum Analyzer, PXA, 3Hz to 44GHz	Agilent (Keysight) Technologies	N9030A	T1454	01/25/20	01/25/19
Spectrum Analyzer, PXA, 3Hz to 44GHz	Agilent (Keysight) Technologies	N9030A	T917	01/24/20	01/24/19
DC power supply, 8 V @ 3 A or 15 V @ 2 A	Agilent / HP	E3610A	None	CNR	CNR
DC power supply 15V	Sprensen	XT15-4	T463	CNR	CNR
Power Meter	Keysight	N1911A	T1265	01/29/20	01/29/19
Power Sensor	Keysight	N1921A	T1227	02/05/20	02/05/19

UL AUTOMATION SOFTWARE			
CLT Software	UL	UL RF	Ver 7.6, November 11, 2017
Power Measurement Software	UL	UL RF	Ver 2.2, June 2017

NOTES:

1. Equipment listed above that calibrated during the testing period was set for test after the calibration.
2. Equipment listed above that has a calibration due date during the testing period, the testing is completed before equipment expiration date.