



HCT Co., Ltd.

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA  
Tel. +82 31 634 6300 Fax. +82 31 645 6401

# Appendix A: Test Setup Photo

FCC ID.  
A3LSMA908B


File No.  
HCT-SR-1908-FC006-P-R2

## REVISION HISTORY


The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	Aug. 27, 2019	Initial Release
1	Sep. 05, 2019	Revised 14, 15 page
2	Sep. 07, 2019	Revised 2page


- DUT Antenna Information




\* Diagonal dimension of display and device



\* Distance between Main antenna and edge




\* Distance between BT/WLAN antenna and edge



\* Distance between BT/WLAN antenna and edge


Front View




1. Head  
1.1 Left All




1.2 Left Touch / Left Tilt



1.3 Right All



1.4 Right Touch / Right Tilt



## 2. Body

### 2.1 Body All



2.2 Body Rear



Distance of 10 mm from the EUT



Distance of 15 mm from the EUT

### 2.3 Body Front



Distance of 10 mm from the EUT

### 2.4 Body Left



Distance of 10 mm from the EUT

2.5 Body Right



Distance of 10 mm from the EUT

2.6 Body Top



Distance of 10 mm from the EUT

2.7 Body Bottom




Distance of 10 mm from the EUT

### 3. Phablet

#### 3.1 Phablet SAR Test Setup Rear




Distance of 6 mm from the EUT



Distance of 0 mm from the EUT

### 3.2 Phablet SAR Test Setup Front



Distance of 4 mm from the EUT



Distance of 0 mm from the EUT

### 3.3 Phablet SAR Test Setup Left



Distance of 0 mm from the EUT

### 3.4 Phablet SAR Test Setup Right



Distance of 0 mm from the EUT

### 3.5 Phablet SAR Test Setup Bottom



Distance of 9 mm from the EUT



Distance of 0 mm from the EUT

### 3.6 Phablet SAR Test Setup Top



Distance of 0 mm from the EUT