

Worst Case Mode: 802.11ax OFDMA

61

Worst Case Transfer Rate: MCS0

RU Index:

Distance of Measurements: 3 Meters

Operating Frequency: 2437MHz

Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
4874.00	Avg	V	127	5	-78.58	7.34	35.76	53.98	-18.22
4874.00	Peak	V	127	5	-67.45	7.34	46.89	73.98	-27.09
7311.00	Avg	V	225	21	-77.59	12.49	41.90	53.98	-12.08
7311.00	Peak	V	225	21	-66.14	12.49	53.35	73.98	-20.63
12185.00	Avg	V	-	-	-81.91	19.42	44.51	53.98	-9.47
12185.00	Peak	V	-	-	-71.07	19.42	55.35	73.98	-18.63

Table 7-36. Radiated Measurements MIMO (242 Tones) - Half Open

Worst Case Mode: 802.11ax OFDMA

Worst Case Transfer Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters

Operating Frequency: 2462MHz

Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
4924.00	Avg	V	153	9	-79.03	7.61	35.58	53.98	-18.40
4924.00	Peak	V	153	9	-67.61	7.61	47.00	73.98	-26.98
7386.00	Avg	V	261	12	-77.50	12.37	41.87	53.98	-12.11
7386.00	Peak	V	261	12	-66.48	12.37	52.89	73.98	-21.09
12310.00	Avg	V	-	-	-81.91	19.09	44.18	53.98	-9.80
12310.00	Peak	V	-	-	-71.36	19.09	54.73	73.98	-19.25

Table 7-37. Radiated Measurements MIMO (242 Tones) - Half Open

FCC ID: A3LSMF721JPN		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Page 101 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 101 01 120



7.7.4 SISO Antenna-1 Radiated Restricted Band Edge Measurements §15.205 §15.209; RSS-Gen [8.9]

The radiated restricted band edge measurements are measured with an EMI test receiver connected to the receive antenna while the EUT is transmitting.

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:


802.11ax OFDMA

MCS0

53

3 Meters

2412MHz




Trace: MaxHold Detector: Peak Offset: 10.2 dB RBW: 100 kHz VBW: 300 kHz SWT: 2.5 ms Channel Power 65.67 dBµV/m **PASS** 140 Strength (dBµV/m) 120 100 80 Field 60 40 2388.5 2388.7 2388.9 2389.2 2389.4 2389.6 2389.8 2390.1 2390.3 2390.5 Frequency (MHz)

Plot 7-121. Radiated Restricted Lower Band Edge Measurement SISO ANT1 (Average – 106 Tones)

Plot 7-122. Radiated Restricted Lower Band Edge Measurement SISO ANT1 (Peak – 106 Tones)

Worst Case Mode:
Worst Case Transfer Rate:
RU Index:
Distance of Measurements:
Operating Frequency:
Channel:

802.11ax OFDMA
MCS0
54
3 Meters
2462MHz
11





Plot 7-123. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Average – 106 Tones)

Plot 7-124. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Peak – 106 Tones)

FCC ID: A3LSMF721JPN		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 102 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 102 of 120



Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS0

54

3 Meters

2467MHz

12



Plot 7-125. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Average – 106 Tones)




Plot 7-126. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Peak – 106 Tones)

Worst Case Mode:
Worst Case Transfer Rate:
RU Index:
Distance of Measurements:
Operating Frequency:
Channel:

802.11ax OFDMA
MCS0
54
3 Meters
2472MHz
13



Plot 7-127. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Average – 106 Tones)



Plot 7-128. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Peak – 106 Tones)

FCC ID: A3LSMF721JPN		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 102 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 103 of 120




RU Index:

Distance of Measurements:


Operating Frequency:

Channel:

802.11ax OFDMA	
MCS0	
61	
3 Meters	
2412MHz	
1	




Plot 7-129. Radiated Restricted Lower Band Edge Measurement SISO ANT1 (Average – 242 Tones)




Plot 7-130. Radiated Restricted Lower Band Edge Measurement SISO ANT1 (Peak – 242 Tones)

Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS₀ RU Index: 61 Distance of Measurements: 3 Meters 2417MHz Operating Frequency: Channel: 2



Plot 7-131. Radiated Restricted Lower Band Edge Measurement SISO ANT1 (Average – 242 Tones)



Plot 7-132. Radiated Restricted Lower Band Edge Measurement SISO ANT1 (Peak – 242 Tones)

FCC ID: A3LSMF721JPN		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 104 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 104 of 120




Worst Case Mode: 802.11ax OFDMA
Worst Case Transfer Rate: MCS0


RU Index:

Distance of Measurements:
Operating Frequency:
Channel:

MCS0 61 3 Meters 2422MHz 3



Plot 7-133. Radiated Restricted Lower Band Edge Measurement SISO ANT1 (Average – 242 Tones)



Plot 7-134. Radiated Restricted Lower Band Edge Measurement SISO ANT1 (Peak – 242 Tones)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS0

61


3 Meters

2452MHz

9



Plot 7-135. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Average – 242 Tones)



Plot 7-136. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Peak – 242 Tones)

FCC ID: A3LSMF721JPN		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 105 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 105 of 120




RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

	802.11ax OFDMA
	MCS0
•	61
•	3 Meters
	2457MHz



10


Plot 7-137. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Average – 242 Tones)

PASS Trace: MaxHold RBW: 1 MHz VBW: 3 MHz Offset: 10.5 dB SWT: 2.5 ms 140 Field Strength (dBµV/m) 120 100 80 60 2450.0 2455.6 2461.1 2466.7 2472.2 2477.8 2483.3 2488.9 2494.4 2500.0 Frequency (MHz)


2483.73 MHz 68.9 dBµV/m

Plot 7-138. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Peak – 242 Tones)

Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS0 RU Index: 61 Distance of Measurements: 3 Meters Operating Frequency: 2462MHz Channel: 11



Plot 7-139. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Average – 242 Tones)



Plot 7-140. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Peak – 242 Tones)

FCC ID: A3LSMF721JPN		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 106 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 106 of 120



RU Index:

Distance of Measurements: Operating Frequency: Channel:

802.11ax OFDMA MCS₀ 61 3 Meters 2467MHz

<u>P</u> .	ASS	Trace: Ave Detector: Offset: 14	rage RMS .8 dB	RBW: 1	MHZ 01 ms	24	88,95 .68 di	MHz BµV/m
Held Strength (dBµV/m) 80 60 60 40 2450.0	2455.6 2	2461.1 246	66.7 24	7equenty	77N8H248	3.3 248	8.9 249	4.4 2500

Plot 7-141. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Average – 242 Tones)


MCS0 61 3 Meters

2472MHz


Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate:

13

12



RU Index:



Plot 7-142. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Peak - 242 Tones)



Plot 7-143. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Average – 242 Tones)



Plot 7-144. Radiated Restricted Upper Band Edge Measurement SISO ANT1 (Peak - 242 Tones)

FCC ID: A3LSMF721JPN		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dogo 107 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 107 of 120



7.7.5 SISO Antenna-2 Radiated Restricted Band Edge Measurements §15.205 §15.209; RSS-Gen [8.9]

The radiated restricted band edge measurements are measured with an EMI test receiver connected to the receive antenna while the EUT is transmitting.

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS0

53

3 Meters

2412MHz

1



PASS Trace: MaxHold RBW: 100 kHz SW: 300 kHz SW: 300 kHz SW: 2.5 ms SW: 2.5

Plot 7-145. Radiated Restricted Lower Band Edge Measurement SISO ANT2 (Average – 106 Tones)

Plot 7-146. Radiated Restricted Lower Band Edge Measurement SISO ANT2 (Peak – 106 Tones)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS0


54

3 Meters

2462MHz

11





Plot 7-147. Radiated Restricted Upper Band Edge Measurement SISO ANT2 (Average – 106 Tones)

Plot 7-148. Radiated Restricted Upper Band Edge Measurement SISO ANT2 (Peak – 106 Tones)

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 108 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	rage 100 01 120



Channel:

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

802.11ax OFDMA

MCS0

54

3 Meters

2467MHz

12

PASS Frace: Average BBW: 1 MHZ 2494,5 MHZ/m 23.69 dBμV/m 43.69 dBμV/m 2450.0 2455.6 2461.1 2466.7 2472q2cAc7(mH2#83.3 2488.9 2494.4 2500

Plot 7-149. Radiated Restricted Lower Band Edge Measurement SISO ANT2 (Average – 106 Tones)

PASS Frace: MaxHold BBW: 1 MHZ 55.83 dBW/m 55.83 dBW/m 55.83 dBW/m 55.83 dBW/m 2450.0 2455.6 2461.1 2466.7 2470 ac Adv 7 MHZ 883.3 2488.9 2494.4 2500

Plot 7-150. Radiated Restricted Lower Band Edge Measurement SISO ANT2 (Peak – 106 Tones)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS0

54

3 Meters

2472MHz

13



Plot 7-151. Radiated Restricted Lower Band Edge Measurement SISO ANT2 (Average – 106 Tones)



Plot 7-152. Radiated Restricted Lower Band Edge Measurement SISO ANT2 (Peak – 106 Tones)

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 100 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 109 of 120



Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:


802.11ax OFDMA

MCS0


61

3 Meters

2412MHz




Plot 7-153. Radiated Restricted Lower Band Edge Measurement SISO ANT2 (Average – 242 Tones)




Plot 7-154. Radiated Restricted Lower Band Edge Measurement SISO ANT2 (Peak – 242 Tones)

Worst Case Mode:
Worst Case Transfer Rate:
RU Index:
Distance of Measurements:
Operating Frequency:
Channel:

802.11ax OFDMA
MCS0
61
3 Meters
2417MHz



Plot 7-155. Radiated Restricted Lower Band Edge Measurement SISO ANT2 (Average – 242 Tones)



Plot 7-156. Radiated Restricted Lower Band Edge Measurement SISO ANT2 (Peak – 242 Tones)

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 110 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 110 of 120



Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:


802.11ax OFDMA

MCS0


61

3 Meters

Operating Frequency: 3 Meters
Channel: 3 Meters
2422MHz
3




Plot 7-157. Radiated Restricted Lower Band Edge Measurement SISO ANT2 (Average – 242 Tones)



Plot 7-158. Radiated Restricted Lower Band Edge Measurement SISO ANT2 (Peak – 242 Tones)

Worst Case Mode:
Worst Case Transfer Rate:
RU Index:
Distance of Measurements:
Operating Frequency:
Channel:

802.11ax OFDMA
MCS0
61
3 Meters
2452MHz



Plot 7-159. Radiated Restricted Upper Band Edge Measurement SISO ANT2 (Average – 242 Tones)



Plot 7-160. Radiated Restricted Upper Band Edge Measurement SISO ANT2 (Peak – 242 Tones)

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 111 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 111 of 120




RU Index:

Distance of Measurements: Operating Frequency:

Channel:

802.11ax OFDMA MCS₀ 61 3 Meters 2457MHz



10

Field Strength (dBµV/m) 100 80 60 2450.0 2455.6 2461.1 2466.7 2472.2 2477.8 2483.3 2488.9 2494.4 250 Frequency (MHz)

2484.05 MHz 57.66 dBμV/m

Trace: MaxHold Detector: Peak Offset: 10.5 dB

PASS

140

120


Plot 7-161. Radiated Restricted Upper Band Edge Measurement SISO ANT2 (Average – 242 Tones)


Plot 7-162. Radiated Restricted Upper Band Edge Measurement SISO ANT2 (Peak – 242 Tones)

802.11ax OFDMA Worst Case Mode: Worst Case Transfer Rate: MCS0 RU Index: 61 Distance of Measurements: 3 Meters Operating Frequency:

Channel:

2462MHz 11





Plot 7-163. Radiated Restricted Upper Band Edge Measurement SISO ANT2 (Average – 242 Tones)

Plot 7-164. Radiated Restricted Upper Band Edge Measurement SISO ANT2 (Peak - 242 Tones)

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 112 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 112 of 120




RU Index:

Distance of Measurements:


Operating Frequency:

Channel:

802.11ax OFDMA	
MCS0	
61	
3 Meters	
2467MHz	
12	




Plot 7-165. Radiated Restricted Upper Band Edge Measurement SISO ANT2 (Average – 242 Tones)




Plot 7-166. Radiated Restricted Upper Band Edge Measurement SISO ANT2 (Peak - 242 Tones)

Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS0 RU Index: 61 Distance of Measurements: 3 Meters Operating Frequency: 2472MHz Channel: 13



Plot 7-167. Radiated Restricted Upper Band Edge Measurement SISO ANT2 (Average – 242 Tones)



Plot 7-168. Radiated Restricted Upper Band Edge Measurement SISO ANT2 (Peak - 242 Tones)

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 112 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 113 of 120




MIMO Radiated Restricted Band Edge Measurements §15.205 §15.209; RSS-Gen [8.9]

The radiated restricted band edge measurements are measured with an EMI test receiver connected to the receive antenna while the EUT is transmitting.

PASS

Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS₀ **RU Index:** 53 Distance of Measurements: 3 Meters Operating Frequency: 2412MHz Channel:




Trace: MaxHold Detector: Peak Offset: 10.2 dB RBW: 100 kHz VBW: 300 kHz SWT: 2.5 ms 65.69 dBµV/m 140 Field Strength (dBµV/m) 120 100 80 60 2390.1 2390.3 2390.4 2388.5 2388.7 2388.9 2389.2 2389.4 2389.6 2389.8

Channel Power


Plot 7-169. Radiated Restricted Lower Band Edge Measurement MIMO (Average – 106 Tones)

Plot 7-170. Radiated Restricted Lower Band Edge Measurement MIMO (Peak - 106 Tones)

Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS₀ RU Index: Distance of Measurements: 3 Meters Operating Frequency: 2462MHz Channel: 11







Plot 7-172. Radiated Restricted Upper Band Edge Measurement MIMO (Peak - 106 Tones)

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 114 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 114 of 120



RU Index:

Distance of Measurements: Operating Frequency:

Channel:

Channel:

802.11ax OFDMA
MCS0
54
3 Meters
2467MHz
12



Plot 7-173. Radiated Restricted Upper Band Edge Measurement MIMO (Average – 106 Tones)



Plot 7-174. Radiated Restricted Upper Band Edge Measurement MIMO (Peak - 106 Tones)

Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS0 RU Index: 54 Distance of Measurements: 3 Meters 2472MHz Operating Frequency:

13



Plot 7-175. Radiated Restricted Upper Band Edge **Measurement MIMO (Average – 106 Tones)**



Plot 7-176. Radiated Restricted Upper Band Edge Measurement MIMO (Peak - 106 Tones)

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 115 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	rage 115 01 120



Worst Case Mode:

Worst Case Transfer Rate:

RU Index:


Distance of Measurements: Operating Frequency:

Channel:

2388.52388.72388.9


802.11ax OFDMA MCS₀ 61 3 Meters 2412MHz

2390.12390.32390.5




Plot 7-177. Radiated Restricted Lower Band Edge Measurement MIMO (Average – 242 Tones)

2389.22389.42389.62389.8




Plot 7-178. Radiated Restricted Lower Band Edge Measurement MIMO (Peak - 242 Tones)

Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS0 RU Index: 61 Distance of Measurements: 3 Meters Operating Frequency: 2417MHz Channel: 2



Plot 7-179. Radiated Restricted Lower Band Edge **Measurement MIMO (Average – 242 Tones)**



Plot 7-180. Radiated Restricted Lower Band Edge Measurement MIMO (Peak - 242 Tones)

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 116 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 116 of 120




Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS0

RU Index:

61 Distance of Measurements: 3 Meters Operating Frequency: 2422MHz Channel: 3


Trace: Average Detector: RMS Offset: 10.2 dB RBW: 100 kHz VBW: 300 kHz Channel Power 51.82 dBµV/m 120 Field Strength (dBµV/m) 100 60 2388.52388.72388.9 2389.22389.42389.62389.8 Frequency (MHz)

Plot 7-181. Radiated Restricted Lower Band Edge Measurement MIMO (Average - 242 Tones)




Plot 7-182. Radiated Restricted Lower Band Edge Measurement MIMO (Peak - 242 Tones)

Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS₀ RU Index: 61 Distance of Measurements: 3 Meters Operating Frequency: 2452MHz Channel: 9



Plot 7-183. Radiated Restricted Upper Band Edge Measurement MIMO (Average - 242 Tones)



Plot 7-184. Radiated Restricted Upper Band Edge Measurement MIMO (Peak - 242 Tones)

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 117 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 117 of 120




RU Index:


Distance of Measurements: Operating Frequency:

Channel:

802.11ax OFDMA MCS₀ 61 3 Meters 2457MHz 10




Plot 7-185. Radiated Restricted Upper Band Edge Measurement MIMO (Average - 242 Tones)




Plot 7-186. Radiated Restricted Upper Band Edge Measurement SISO MIMO (Peak - 242 Tones)

Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS₀ RU Index: 61 Distance of Measurements: 3 Meters Operating Frequency: 2462MHz Channel: 11



Plot 7-187. Radiated Restricted Upper Band Edge Measurement MIMO (Average – 242 Tones)



Plot 7-188. Radiated Restricted Upper Band Edge Measurement MIMO (Peak - 242 Tones)

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 118 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 116 01 120



Worst Case Mode: 802.11ax O
Worst Case Transfer Rate: MCS0

RU Index:

Distance of Measurements: Operating Frequency: Channel: 802.11ax OFDMA MCS0 61 3 Meters 2467MHz 12



Plot 7-189. Radiated Restricted Upper Band Edge Measurement MIMO (Average – 242 Tones)



Plot 7-190. Radiated Restricted Upper Band Edge Measurement SISO MIMO (Peak – 242 Tones)

Worst Case Mode:
Worst Case Transfer Rate:
RU Index:
Distance of Measurements:
Operating Frequency:
Channel:

802.11ax OFDMA
MCS0
61
3 Meters
2472MHz
13



Plot 7-191. Radiated Restricted Upper Band Edge Measurement MIMO (Average – 242 Tones)



Plot 7-192. Radiated Restricted Upper Band Edge Measurement MIMO (Peak – 242 Tones)

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 110 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	Page 119 of 120



CONCLUSION

The data collected relate only the item(s) tested and show that the Samsung Portable Handset FCC ID: A3LSMF721JPN is in compliance with Part 15 Subpart C (15.247) of the FCC Rules.

FCC ID: A3LSMF721JPN	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 120 of 120
1M2206140073-10-R1.A3L	4/8/2022-8/1/2022	Portable Handset	