



Plot 7-130. 6dB Bandwidth Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 4) – Ch. 173)




Plot 7-131. 6dB Bandwidth Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 4) – Ch. 177)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 87 of 304




Plot 7-132. 6dB Bandwidth Plot SISO ANT1 (20MHz BW 802.11ac (UNII Band 3/4) – Ch. 169)




Plot 7-133. 6dB Bandwidth Plot SISO ANT1 (20MHz BW 802.11ac (UNII Band 4) – Ch. 173)

FCC ID: A3LSMF721U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset		Page 88 of 304




Plot 7-134. 6dB Bandwidth Plot SISO ANT1 (20MHz BW 802.11ac (UNII Band 4) – Ch. 177)




Plot 7-135. 6dB Bandwidth Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 3/4) – Ch. 169)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 89 of 304




Plot 7-136. 6dB Bandwidth Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 4) – Ch. 173)




Plot 7-137. 6dB Bandwidth Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 4) – Ch. 177)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 90 of 304




Plot 7-138. 6dB Bandwidth Plot SISO ANT1 (40MHz BW 802.11n (UNII Band 3/4) – Ch. 167)




Plot 7-139. 6dB Bandwidth Plot SISO ANT1 (40MHz BW 802.11n (UNII Band 4) – Ch. 175)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 91 of 304




Plot 7-140. 6dB Bandwidth Plot SISO ANT1 (40MHz BW 802.11ac (UNII Band 3/4) – Ch. 167)




Plot 7-141. 6dB Bandwidth Plot SISO ANT1 (40MHz BW 802.11ac (UNII Band 4) – Ch. 175)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 92 of 304




Plot 7-142. 6dB Bandwidth Plot SISO ANT1 (40MHz BW 802.11ax (UNII Band 3/4) – Ch. 167)




Plot 7-143. 6dB Bandwidth Plot SISO ANT1 (40MHz BW 802.11ax (UNII Band 4) – Ch. 175)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 93 of 304




Plot 7-144. 6dB Bandwidth Plot SISO ANT1 (80MHz BW 802.11ac (UNII Band 3/4) – Ch. 171)




Plot 7-145. 6dB Bandwidth Plot SISO ANT1 (80MHz BW 802.11ax (UNII Band 3/4) – Ch. 171)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 94 of 304



Plot 7-146. 6dB Bandwidth Plot SISO ANT1 (160MHz BW 802.11ac (UNII Band 3/4) – Ch. 163)



Plot 7-147. 6dB Bandwidth Plot SISO ANT1 (160MHz BW 802.11ax (UNII Band 3/4) – Ch. 163)


FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 95 of 304

Antenna-2 6dB Bandwidth Measurements


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured 6dB Bandwidth [MHz]
Band 3	5745	149	a	6	17.58
	5785	157	a	6	17.56
	5825	165	a	6	16.82
	5745	149	n (20MHz)	6.5/7.2 (MCS0)	17.57
	5785	157	n (20MHz)	6.5/7.2 (MCS0)	17.59
	5825	165	n (20MHz)	6.5/7.2 (MCS0)	16.90
	5745	149	ax (20MHz)	6.5/7.2 (MCS0)	18.94
	5785	157	ax (20MHz)	6.5/7.2 (MCS0)	18.92
	5825	165	ax (20MHz)	6.5/7.2 (MCS0)	18.96
	5755	151	n (40MHz)	13.5/15 (MCS0)	35.42
	5795	159	n (40MHz)	13.5/15 (MCS0)	35.62
	5755	151	ax (40MHz)	13.5/15 (MCS0)	37.94
	5795	159	ax (40MHz)	13.5/15 (MCS0)	37.94
	5775	155	ac (80MHz)	29.3/32.5 (MCS0)	75.59
	5775	155	ax (80MHz)	29.3/32.5 (MCS0)	78.03

Table 7-6. Conducted Bandwidth Measurements ANT2

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 96 of 304




Plot 7-148. 6dB Bandwidth Plot ANT2 (802.11a (UNII Band 3) – Ch. 149)




Plot 7-149. 6dB Bandwidth Plot ANT2 (802.11a (UNII Band 3) – Ch. 157)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 97 of 304




Plot 7-150. 6dB Bandwidth Plot ANT2 (802.11a (UNII Band 3) – Ch. 165)



Plot 7-151. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 3) – Ch. 149)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 98 of 304




Plot 7-152. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 3) – Ch. 157)




Plot 7-153. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 3) – Ch. 165)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 99 of 304




Plot 7-154. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 3) – Ch. 149)




Plot 7-155. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 3) – Ch. 157)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 100 of 304




Plot 7-156. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 3) – Ch. 165)




Plot 7-157. 6dB Bandwidth Plot ANT2 (40MHz BW 802.11n (UNII Band 3) – Ch. 151)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 101 of 304




Plot 7-158. 6dB Bandwidth Plot ANT2 (40MHz BW 802.11n (UNII Band 3) – Ch. 159)




Plot 7-159. 6dB Bandwidth Plot ANT2 (40MHz BW 802.11ax (UNII Band 3) – Ch. 151)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 102 of 304




Plot 7-160. 6dB Bandwidth Plot ANT2 (40MHz BW 802.11ax (UNII Band 3) – Ch. 159)



Plot 7-161. 6dB Bandwidth Plot ANT2 (80MHz BW 802.11ac (UNII Band 3) – Ch. 155)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 103 of 304




Plot 7-162. 6dB Bandwidth Plot ANT2 (80MHz BW 802.11ax (UNII Band 3) – Ch. 155)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 104 of 304


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured 6dB Bandwidth [MHz]
Band 3/4	5845	169	a	6	17.58
Band 4	5865	173	a	6	16.35
	5885	177	a	6	16.36
Band 3/4	5845	169	n (20MHz)	6.5/7.2 (MCS0)	17.59
Band 4	5865	173	n (20MHz)	6.5/7.2 (MCS0)	17.30
	5885	177	n (20MHz)	6.5/7.2 (MCS0)	17.56
Band 3/4	5845	169	ac (20MHz)	6.5/7.2 (MCS0)	17.33
Band 4	5865	173	ac (20MHz)	6.5/7.2 (MCS0)	17.53
	5885	177	ac (20MHz)	6.5/7.2 (MCS0)	17.05
Band 3/4	5845	169	ax (20MHz)	6.5/7.2 (MCS0)	18.87
Band 4	5865	173	ax (20MHz)	6.5/7.2 (MCS0)	18.98
	5885	177	ax (20MHz)	6.5/7.2 (MCS0)	19.00
Band 3/4	5835	167	n (40MHz)	13.5/15 (MCS0)	35.97
Band 4	5875	175	n (40MHz)	13.5/15 (MCS0)	36.16
Band 3/4	5835	167	ac (40MHz)	13.5/15 (MCS0)	36.06
Band 4	5875	175	ac (40MHz)	13.5/15 (MCS0)	36.37
Band 3/4	5835	167	ax (40MHz)	13.5/15 (MCS0)	37.62
Band 4	5875	175	ax (40MHz)	13.5/15 (MCS0)	38.00
Band 3/4	5855	171	ac (80MHz)	29.3/32.5 (MCS0)	75.71
	5855	171	ax (80MHz)	29.3/32.5 (MCS0)	77.83
	5815	163	ac (160MHz)	58.5/65 (MCS0)	155.80
	5815	163	ax (160MHz)	58.5/65 (MCS0)	156.10

Table 7-7. Conducted Bandwidth Measurements Band 4 ANT2

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 105 of 304




Plot 7-163. 6dB Bandwidth Plot ANT2 (802.11a (UNII Band 3/4) – Ch. 169)




Plot 7-164. 6dB Bandwidth Plot ANT2 (802.11a (UNII Band 4) – Ch. 173)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 106 of 304




Plot 7-165. 6dB Bandwidth Plot ANT2 (802.11a (UNII Band 4) – Ch. 177)




Plot 7-166. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 3/4) – Ch. 169)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 107 of 304




Plot 7-167. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 4) – Ch. 173)




Plot 7-168. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11n (UNII Band 4) – Ch. 177)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 108 of 304




Plot 7-169. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11ac (UNII Band 3/4) – Ch. 169)




Plot 7-170. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11ac (UNII Band 4) – Ch. 173)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 109 of 304




Plot 7-171. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11ac (UNII Band 4) – Ch. 177)




Plot 7-172. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 3/4) – Ch. 169)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 110 of 304




Plot 7-173. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 4) – Ch. 173)




Plot 7-174. 6dB Bandwidth Plot ANT2 (20MHz BW 802.11ax (UNII Band 4) – Ch. 177)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 111 of 304




Plot 7-175. 6dB Bandwidth Plot ANT2 (40MHz BW 802.11n (UNII Band 3/4) – Ch. 167)




Plot 7-176. 6dB Bandwidth Plot ANT2 (40MHz BW 802.11n (UNII Band 4) – Ch. 175)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 112 of 304




Plot 7-177. 6dB Bandwidth Plot ANT2 (40MHz BW 802.11ac (UNII Band 3/4) – Ch. 167)




Plot 7-178. 6dB Bandwidth Plot ANT2 (40MHz BW 802.11ac (UNII Band 4) – Ch. 175)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 113 of 304




Plot 7-179. 6dB Bandwidth Plot ANT2 (40MHz BW 802.11ax (UNII Band 3/4) – Ch. 167)




Plot 7-180. 6dB Bandwidth Plot ANT2 (40MHz BW 802.11ax (UNII Band 4) – Ch. 175)

FCC ID: A3LSMF721U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 114 of 304	




Plot 7-181. 6dB Bandwidth Plot ANT2 (80MHz BW 802.11ac (UNII Band 3/4) – Ch. 171)




Plot 7-182. 6dB Bandwidth Plot ANT2 (80MHz BW 802.11ax (UNII Band 3/4) – Ch. 171)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 115 of 304



Plot 7-183. 6dB Bandwidth Plot ANT2 (160MHz BW 802.11ac (UNII Band 3/4) – Ch. 163)



Plot 7-184. 6dB Bandwidth Plot ANT2 (160MHz BW 802.11ax (UNII Band 3/4) – Ch. 163)

FCC ID: A3LSMF721U		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 116 of 304	

7.4 UNII Output Power Measurement – 802.11a/n/ac/ax

§15.407(a.1.iv) §15.407(a.2) §15.407(a.3); RSS-247 [6.2]

Test Overview and Limits

A transmitter antenna terminal of the EUT is connected to the input of an RF pulse power sensor. Measurement is made using a broadband average power meter while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2013 and KDB 789033 D02 v02r01, and at the appropriate frequencies.

In the 5.15 – 5.25GHz band, the maximum permissible conducted output power is 250mW (23.98dBm). The maximum e.i.r.p. shall not exceed the lesser of 200 mW or $10 + 10 \log_{10}B$, dBm.

In the 5.25 – 5.35GHz band, the maximum permissible conducted output power is the lesser of 250mW (23.98dBm) or $11 \text{ dBm} + 10\log_{10}(26\text{dB BW}) = 11 \text{ dBm} + 10\log_{10}(19.76) = 23.96\text{dBm}$. The maximum e.i.r.p. shall not exceed the lesser of 1.0 W or $17 + 10 \log_{10}B$, dBm.

In the 5.47 – 5.725GHz band, the maximum permissible conducted output power is the lesser of 250mW (23.98dBm) or $11 \text{ dBm} + 10\log_{10}(26\text{dB BW}) = 11 \text{ dBm} + 10\log_{10}(19.95) = 24.00\text{dBm}$. The maximum e.i.r.p. shall not exceed the lesser of 1.0 W or $17 + 10 \log_{10}B$, dBm.

In the 5.725 – 5.850GHz band, the maximum permissible conducted output power is 1W (30dBm). The maximum e.i.r.p. is 36 dBm.

In the 5.850 – 5.895 GHz band, the maximum permissible e.i.r.p is 30dBm

Test Procedure Used

ANSI C63.10-2013 – Section 12.3.3.2 Method PM-G
 KDB 789033 D02 v02r01 – Section E)3)b) Method PM-G
 ANSI C63.10-2013 – Section 14.2 Measure-and-Sum Technique
 KDB 662911 v02r01 – Section E)1) Measure-and-Sum Technique

Test Settings

Average power measurements were performed only when the EUT was transmitting at its maximum power control level using a broadband power meter with a pulse sensor. The power meter implemented triggering and gating capabilities which were set up such that power measurements were recorded only during the ON time of the transmitter. The trace was averaged over 100 traces to obtain the final measured average power.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-3. Test Instrument & Measurement Setup

Test Notes

Per RSS-247 Section 6.2.3, transmission on channels which overlap the 5600-5650 MHz is prohibited. This device operates under these frequencies only under the control of a certified master device and does not support active scanning on these channels. This device does not transmit any beacons or initiate any transmissions in UNII Bands 2A or 2C.

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 117 of 304

SISO Antenna-1 Conducted Output Power Measurements

5GHz (20MHz Bandwidth)	Freq [MHz]	Channel	Detector	IEEE Transmission Mode				Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				802.11a	802.11n	802.11ac	802.11ax						
				5180	36	AVG	17.91						
5200	40	AVG	17.65	17.70	17.71	16.97	23.98	-6.27	-4.40	13.31	23.01	-9.70	
5220	44	AVG	17.73	17.76	17.76	16.83	23.98	-6.22	-4.40	13.36	23.01	-9.65	
5240	48	AVG	17.64	17.92	17.88	16.85	23.98	-6.06	-4.40	13.52	23.01	-9.49	
5260	52	AVG	17.74	17.94	17.89	16.71	23.98	-6.04	-4.60	13.34	30.00	-16.66	
5280	56	AVG	17.97	17.97	17.97	16.87	23.98	-6.01	-4.60	13.37	30.00	-16.63	
5300	60	AVG	17.76	17.72	17.70	16.84	23.98	-6.22	-4.60	13.16	30.00	-16.84	
5320	64	AVG	17.78	17.64	17.78	16.62	23.98	-6.20	-4.60	13.18	30.00	-16.82	
5500	100	AVG	17.86	17.90	17.91	16.83	23.98	-6.07	-4.80	13.11	30.00	-16.89	
5600	120	AVG	17.91	17.90	17.99	16.72	23.98	-5.99	-4.80	13.19	-	-	
5620	124	AVG	17.80	17.76	17.74	16.87	23.98	-6.18	-4.80	13.00	-	-	
5720	144	AVG	17.89	17.80	17.76	16.77	23.98	-6.09	-4.80	13.09	30.00	-16.91	
5745	149	AVG	17.56	17.98	17.93	16.90	30.00	-12.02	-5.00	12.98	-	-	
5765	153	AVG	17.54	17.84	17.91	16.80	30.00	-12.09	-5.00	12.91	-	-	
5785	157	AVG	17.84	17.74	17.63	16.78	30.00	-12.16	-5.00	12.84	-	-	
5805	161	AVG	17.96	17.83	17.80	16.81	30.00	-12.04	-5.00	12.96	-	-	
5825	165	AVG	17.69	17.65	17.59	16.98	30.00	-12.31	-5.00	12.69	-	-	
5845	169	AVG	17.79	17.64	17.71	16.79	-	-	-5.00	12.79	30.00	-17.21	
5865	173	AVG	17.64	17.52	17.97	16.93	-	-	-5.00	12.97	30.00	-17.03	
5885	177	AVG	17.88	17.72	17.70	16.85	-	-	-5.00	12.88	30.00	-17.12	

Table 7-8. SISO ANT1 20MHz BW (UNII) Maximum Conducted Output Power

5GHz (40MHz Bandwidth)	Freq [MHz]	Channel	Detector	IEEE Transmission Mode			Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				802.11n	802.11ac	802.11ax						
				5190	38	AVG						
5230	46	AVG	16.77	16.93	16.74	23.98	-7.05	-4.40	12.53	23.01	-10.48	
5270	54	AVG	16.61	16.73	16.96	23.98	-7.25	-4.60	12.13	30.00	-17.87	
5310	62	AVG	16.99	16.65	16.97	23.98	-6.99	-4.60	12.39	30.00	-17.61	
5510	102	AVG	16.61	16.74	16.99	23.98	-7.24	-4.80	11.94	30.00	-18.06	
5590	118	AVG	16.56	16.90	16.66	23.98	-7.08	-4.80	12.10	-	-	
5630	126	AVG	16.69	16.88	16.63	23.98	-7.10	-4.80	12.08	-	-	
5710	142	AVG	16.88	16.98	16.87	23.98	-7.00	-4.80	12.18	30.00	-17.82	
5755	151	AVG	16.96	16.44	16.75	30.00	-13.04	-5.00	11.96	-	-	
5795	159	AVG	16.84	16.97	16.66	30.00	-13.03	-5.00	11.97	-	-	
5835	167	AVG	16.72	16.71	16.98	-	-	-5.00	11.72	30.00	-18.28	
5875	175	AVG	16.63	16.64	16.85	-	-	-5.00	11.64	30.00	-18.36	

Table 7-9. SISO ANT1 40MHz BW (UNII) Maximum Conducted Output Power

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 118 of 304

5GHz (80MHz Bandwidth)	Freq [MHz]	Channel	Detector	IEEE Transmission Mode		Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				802.11ac	802.11ax						
				5210	42						
5290	58	AVG	15.78	15.58	23.98	-8.20	-4.60	11.18	30.00	-18.82	
5530	106	AVG	14.58	15.33	23.98	-9.40	-4.80	9.78	30.00	-20.22	
5610	122	AVG	15.78	16.80	23.98	-8.20	-4.80	10.98	-	-	
5690	138	AVG	15.60	16.64	23.98	-8.38	-4.80	10.80	30.00	-19.20	
5775	155	AVG	15.75	16.81	30.00	-14.25	-5.00	10.75	-	-	
5855	171	AVG	15.59	16.80	-	-	-5.00	10.59	30.00	-19.41	

Table 7-10. SISO ANT1 80MHz BW (UNII) Maximum Conducted Output Power

5GHz (160MHz Bandwidth)	Freq [MHz]	Channel	Detector	IEEE Transmission Mode		Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				802.11ac	802.11ax						
				5250	50						
5570	114	AVG	13.98	14.48	30.00	-16.02	-4.80	9.18	-	-	
5815	163	AVG	15.8	16.86	-	-	-5.00	10.80	30.00	-19.20	

Table 7-11. SISO ANT1 160MHz BW (UNII) Maximum Conducted Output Power

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 119 of 304

MIMO Maximum Conducted Output Power Measurements

5GHz (20MHz Bandwidth)	Freq [MHz]	Channel	Detector	Conducted Power [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				ANT1	ANT2	MIMO						
				5180	36	AVG						
5200	40	AVG	17.70	17.86	20.79	23.98	-3.19	-2.11	18.68	23.01	-4.33	
5220	44	AVG	17.76	17.96	20.87	23.98	-3.11	-2.11	18.76	23.01	-4.25	
5240	48	AVG	17.92	17.69	20.82	23.98	-3.16	-2.11	18.71	23.01	-4.30	
5260	52	AVG	17.94	17.65	20.81	23.98	-3.17	-2.31	18.50	30.00	-11.50	
5280	56	AVG	17.97	17.57	20.78	23.98	-3.20	-2.31	18.47	30.00	-11.53	
5300	60	AVG	17.72	17.61	20.68	23.98	-3.30	-2.31	18.37	30.00	-11.63	
5320	64	AVG	17.64	17.98	20.82	23.98	-3.16	-2.31	18.51	30.00	-11.49	
5500	100	AVG	17.90	17.71	20.82	23.98	-3.16	-2.37	18.45	30.00	-11.55	
5600	120	AVG	17.90	17.58	20.75	23.98	-3.23	-2.37	18.38	-	-	
5620	124	AVG	17.76	17.74	20.76	23.98	-3.22	-2.37	18.39	-	-	
5720	144	AVG	17.80	17.75	20.79	23.98	-3.19	-2.37	18.42	30.00	-11.58	
5745	149	AVG	17.98	17.97	20.99	30.00	-9.01	-2.48	18.51	-	-	
5765	153	AVG	17.84	17.86	20.86	30.00	-9.14	-2.48	18.38	-	-	
5785	157	AVG	17.74	17.94	20.85	30.00	-9.15	-2.48	18.37	-	-	
5805	161	AVG	17.83	17.77	20.81	30.00	-9.19	-2.48	18.33	-	-	
5825	165	AVG	17.65	17.64	20.66	30.00	-9.34	-2.48	18.18	-	-	
5845	169	AVG	17.64	17.55	20.61	-	-	-2.48	18.13	30.00	-11.87	
5865	173	AVG	17.52	17.54	20.54	-	-	-2.48	18.06	30.00	-11.94	
5885	177	AVG	17.72	17.92	20.83	-	-	-2.48	18.35	30.00	-11.65	

Table 7-12. MIMO 20MHz BW 802.11n (UNII) Maximum Conducted Output Power

5GHz (20MHz Bandwidth)	Freq [MHz]	Channel	Detector	Conducted Power [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				ANT1	ANT2	MIMO						
				5180	36	AVG						
5200	40	AVG	17.71	17.86	20.80	23.98	-3.18	-2.11	18.69	23.01	-4.32	
5220	44	AVG	17.76	17.96	20.87	23.98	-3.11	-2.11	18.76	23.01	-4.25	
5240	48	AVG	17.88	17.76	20.83	23.98	-3.15	-2.11	18.72	23.01	-4.29	
5260	52	AVG	17.89	17.67	20.79	23.98	-3.19	-2.31	18.48	30.00	-11.52	
5280	56	AVG	17.97	17.59	20.79	23.98	-3.19	-2.31	18.48	30.00	-11.52	
5300	60	AVG	17.70	17.60	20.66	23.98	-3.32	-2.31	18.35	30.00	-11.65	
5320	64	AVG	17.78	17.97	20.89	23.98	-3.09	-2.31	18.58	30.00	-11.42	
5500	100	AVG	17.91	17.80	20.87	23.98	-3.11	-2.37	18.50	30.00	-11.50	
5600	120	AVG	17.99	17.54	20.78	23.98	-3.20	-2.37	18.41	-	-	
5620	124	AVG	17.74	17.72	20.74	23.98	-3.24	-2.37	18.37	-	-	
5720	144	AVG	17.76	17.71	20.75	23.98	-3.23	-2.37	18.38	30.00	-11.62	
5745	149	AVG	17.93	17.98	20.97	30.00	-9.03	-2.48	18.49	-	-	
5765	153	AVG	17.91	17.87	20.90	30.00	-9.10	-2.48	18.42	-	-	
5785	157	AVG	17.63	17.90	20.78	30.00	-9.22	-2.48	18.30	-	-	
5805	161	AVG	17.80	17.79	20.81	30.00	-9.19	-2.48	18.33	-	-	
5825	165	AVG	17.59	17.61	20.61	30.00	-9.39	-2.48	18.13	-	-	
5845	169	AVG	17.71	17.98	20.86	-	-	-2.48	18.38	30.00	-11.62	
5865	173	AVG	17.97	17.99	20.99	-	-	-2.48	18.51	30.00	-11.49	
5885	177	AVG	17.70	17.95	20.84	-	-	-2.48	18.36	30.00	-11.64	

Table 7-13. MIMO 20MHz BW 802.11ac (UNII) Maximum Conducted Output Power

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 120 of 304

5GHz (20MHz Bandwidth)	Freq [MHz]	Channel	Detector	Conducted Power [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	ANT1	ANT2	MIMO									
	5180	36	AVG	17.91	17.88	20.91	23.98	-3.07	-2.11	18.80	23.01	-4.21
	5200	40	AVG	17.65	17.98	20.83	23.98	-3.15	-2.11	18.72	23.01	-4.29
	5220	44	AVG	17.73	17.64	20.70	23.98	-3.28	-2.11	18.59	23.01	-4.42
	5240	48	AVG	17.64	17.88	20.77	23.98	-3.21	-2.11	18.66	23.01	-4.35
	5260	52	AVG	17.74	17.78	20.77	23.98	-3.21	-2.31	18.46	30.00	-11.54
	5280	56	AVG	17.97	17.70	20.85	23.98	-3.13	-2.31	18.54	30.00	-11.46
	5300	60	AVG	17.76	17.75	20.77	23.98	-3.21	-2.31	18.46	30.00	-11.54
	5320	64	AVG	17.78	17.62	20.71	23.98	-3.27	-2.31	18.40	30.00	-11.60
	5500	100	AVG	17.86	17.86	20.87	23.98	-3.11	-2.37	18.50	30.00	-11.50
	5600	120	AVG	17.91	17.77	20.85	23.98	-3.13	-2.37	18.48	-	-
	5620	124	AVG	17.80	17.84	20.83	23.98	-3.15	-2.37	18.46	-	-
	5720	144	AVG	17.89	17.83	20.87	23.98	-3.11	-2.37	18.50	30.00	-11.50
	5745	149	AVG	17.56	17.54	20.56	30.00	-9.44	-2.48	18.08	-	-
	5765	153	AVG	17.54	17.96	20.77	30.00	-9.23	-2.48	18.29	-	-
	5785	157	AVG	17.84	17.99	20.93	30.00	-9.07	-2.48	18.45	-	-
	5805	161	AVG	17.96	17.86	20.92	30.00	-9.08	-2.48	18.44	-	-
	5825	165	AVG	17.69	17.74	20.73	30.00	-9.27	-2.48	18.25	-	-
	5845	169	AVG	17.79	17.65	20.73	-	-	-2.48	18.25	30.00	-11.75
	5865	173	AVG	17.64	17.58	20.62	-	-	-2.48	18.14	30.00	-11.86
	5885	177	AVG	17.88	17.98	20.94	-	-	-2.48	18.46	30.00	-11.54

Table 7-14. MIMO 20MHz BW 802.11a (UNII) Maximum Conducted Output Power

5GHz (20MHz Bandwidth)	Freq [MHz]	Channel	Detector	Conducted Power [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
	ANT1	ANT2	MIMO									
	5180	36	AVG	16.98	16.97	19.99	23.98	-3.99	-2.11	17.88	23.01	-5.13
	5200	40	AVG	16.97	16.92	19.96	23.98	-4.02	-2.11	17.85	23.01	-5.16
	5220	44	AVG	16.83	16.64	19.75	23.98	-4.23	-2.11	17.64	23.01	-5.37
	5240	48	AVG	16.85	16.84	19.86	23.98	-4.12	-2.11	17.75	23.01	-5.26
	5260	52	AVG	16.71	16.57	19.65	23.98	-4.33	-2.31	17.34	30.00	-12.66
	5280	56	AVG	16.87	16.51	19.70	23.98	-4.28	-2.31	17.39	30.00	-12.61
	5300	60	AVG	16.84	16.55	19.71	23.98	-4.27	-2.31	17.40	30.00	-12.60
	5320	64	AVG	16.62	16.47	19.56	23.98	-4.42	-2.31	17.25	30.00	-12.75
	5500	100	AVG	16.83	16.82	19.84	23.98	-4.14	-2.37	17.47	30.00	-12.53
	5600	120	AVG	16.72	16.70	19.72	23.98	-4.26	-2.37	17.35	-	-
	5620	124	AVG	16.87	16.97	19.93	23.98	-4.05	-2.37	17.56	-	-
	5720	144	AVG	16.77	16.99	19.89	23.98	-4.09	-2.37	17.52	30.00	-12.48
	5745	149	AVG	16.90	16.83	19.88	30.00	-10.12	-2.48	17.40	-	-
	5765	153	AVG	16.80	16.96	19.89	30.00	-10.11	-2.48	17.41	-	-
	5785	157	AVG	16.78	16.62	19.71	30.00	-10.29	-2.48	17.23	-	-
	5805	161	AVG	16.81	16.83	19.83	30.00	-10.17	-2.48	17.35	-	-
	5825	165	AVG	16.98	16.83	19.92	30.00	-10.08	-2.48	17.44	-	-
	5845	169	AVG	17.79	17.65	20.73	-	-	-2.48	18.25	30.00	-11.75
	5865	173	AVG	17.64	17.58	20.62	-	-	-2.48	18.14	30.00	-11.86
	5885	177	AVG	17.88	17.98	20.94	-	-	-2.48	18.46	30.00	-11.54

Table 7-15. MIMO 20MHz BW 802.11ax (UNII) Maximum Conducted Output Power

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 121 of 304

5GHz (40MHz Bandwidth)	Freq [MHz]	Channel	Detector	Conducted Power [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				ANT1	ANT2	MIMO						
		5190	38	AVG	15.79	15.61	18.71	23.98	-5.27	-2.11	16.60	23.01
	5230	46	AVG	16.77	16.61	19.70	23.98	-4.28	-2.11	17.59	23.01	-5.42
	5270	54	AVG	16.61	16.98	19.81	23.98	-4.17	-2.31	17.50	30.00	-12.50
	5310	62	AVG	16.99	16.99	20.00	23.98	-3.98	-2.31	17.69	30.00	-12.31
	5510	102	AVG	16.61	16.56	19.60	23.98	-4.38	-2.37	17.23	30.00	-12.77
	5590	118	AVG	16.56	16.71	19.65	23.98	-4.33	-2.37	17.28	-	-
	5630	126	AVG	16.69	16.55	19.63	23.98	-4.35	-2.37	17.26	-	-
	5710	142	AVG	16.88	16.96	19.93	23.98	-4.05	-2.37	17.56	30.00	-12.44
	5755	151	AVG	16.96	16.93	19.96	30.00	-10.04	-2.48	17.48	-	-
	5795	159	AVG	16.84	16.59	19.73	30.00	-10.27	-2.48	17.25	-	-
	5835	167	AVG	16.72	16.91	19.83	-	-	-2.48	17.35	30.00	-12.65
	5875	175	AVG	16.63	16.77	19.71	-	-	-2.48	17.23	30.00	-12.77

Table 7-16. MIMO 40MHz BW 802.11n (UNII) Maximum Conducted Output Power

5GHz (40MHz Bandwidth)	Freq [MHz]	Channel	Detector	Conducted Power [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				ANT1	ANT2	MIMO						
		5190	38	AVG	15.73	15.86	18.81	23.98	-5.17	-2.11	16.70	23.01
	5230	46	AVG	16.93	16.92	19.94	23.98	-4.04	-2.11	17.83	23.01	-5.18
	5270	54	AVG	16.73	16.88	19.82	23.98	-4.16	-2.31	17.51	30.00	-12.49
	5310	62	AVG	16.65	16.62	19.65	23.98	-4.33	-2.31	17.34	30.00	-12.66
	5510	102	AVG	16.74	16.76	19.76	23.98	-4.22	-2.37	17.39	30.00	-12.61
	5590	118	AVG	16.90	16.43	19.68	23.98	-4.30	-2.37	17.31	-	-
	5630	126	AVG	16.88	16.77	19.84	23.98	-4.14	-2.37	17.47	-	-
	5710	142	AVG	16.98	16.86	19.93	23.98	-4.05	-2.37	17.56	30.00	-12.44
	5755	151	AVG	16.44	16.92	19.70	30.00	-10.30	-2.48	17.22	-	-
	5795	159	AVG	16.97	16.93	19.96	30.00	-10.04	-2.48	17.48	-	-
	5835	167	AVG	16.71	16.58	19.66	-	-	-2.48	17.18	30.00	-12.82
	5875	175	AVG	16.64	16.90	19.78	-	-	-2.48	17.30	30.00	-12.70

Table 7-17. MIMO 40MHz BW 802.11ac (UNII) Maximum Conducted Output Power

5GHz (40MHz Bandwidth)	Freq [MHz]	Channel	Detector	Conducted Power [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				ANT1	ANT2	MIMO						
		5190	38	AVG	15.62	15.82	18.73	23.98	-5.25	-2.11	16.62	23.01
	5230	46	AVG	16.74	16.82	19.79	23.98	-4.19	-2.11	17.68	23.01	-5.33
	5270	54	AVG	16.96	16.62	19.80	23.98	-4.18	-2.31	17.49	30.00	-12.51
	5310	62	AVG	16.97	16.53	19.77	23.98	-4.21	-2.31	17.46	30.00	-12.54
	5510	102	AVG	16.99	16.90	19.96	23.98	-4.02	-2.37	17.59	30.00	-12.41
	5590	118	AVG	16.66	16.78	19.73	23.98	-4.25	-2.37	17.36	-	-
	5630	126	AVG	16.63	16.62	19.64	23.98	-4.34	-2.37	17.27	-	-
	5710	142	AVG	16.87	16.65	19.77	23.98	-4.21	-2.37	17.40	30.00	-12.60
	5755	151	AVG	16.75	16.59	19.68	30.00	-10.32	-2.48	17.20	-	-
	5795	159	AVG	16.66	16.72	19.70	30.00	-10.30	-2.48	17.22	-	-
	5835	167	AVG	16.98	16.96	19.98	-	-	-2.48	17.50	30.00	-12.50
	5875	175	AVG	16.85	16.79	19.83	-	-	-2.48	17.35	30.00	-12.65

Table 7-18. MIMO 40MHz BW 802.11ax (UNII) Maximum Conducted Output Power

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 122 of 304

5GHz (80MHz Bandwidth)	Freq [MHz]	Channel	Detector	Conducted Power [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				ANT1	ANT2	MIMO						
		5210	42	AVG	14.91	15.15	18.04	23.98	-5.94	-2.11	15.93	23.01
	5290	58	AVG	15.78	15.79	18.80	23.98	-5.18	-2.31	16.49	30.00	-13.51
	5530	106	AVG	14.58	15.11	17.86	23.98	-6.12	-2.37	15.49	30.00	-14.51
	5610	122	AVG	15.78	15.68	18.74	23.98	-5.24	-2.37	16.37	-	-
	5690	138	AVG	15.60	15.84	18.73	23.98	-5.25	-2.37	16.36	30.00	-13.64
	5775	155	AVG	15.75	15.71	18.74	30.00	-11.26	-2.48	16.26	-	-
	5855	171	AVG	15.59	15.82	18.72	-	-6.00	-2.48	16.24	30.00	-13.76

Table 7-19. MIMO 80MHz BW 802.11ac (UNII) Maximum Conducted Output Power

5GHz (80MHz Bandwidth)	Freq [MHz]	Channel	Detector	Conducted Power [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				ANT1	ANT2	MIMO						
		5210	42	AVG	15.15	14.89	18.03	23.98	-5.95	-2.11	15.92	23.01
	5290	58	AVG	15.58	15.36	18.48	23.98	-5.50	-2.31	16.17	30.00	-13.83
	5530	106	AVG	15.33	14.81	18.09	23.98	-5.89	-2.37	15.72	30.00	-14.28
	5610	122	AVG	16.80	16.99	19.91	23.98	-4.07	-2.37	17.54	-	-
	5690	138	AVG	16.64	16.70	19.68	23.98	-4.30	-2.37	17.31	30.00	-12.69
	5775	155	AVG	16.81	16.89	19.86	30.00	-10.14	-2.48	17.38	-	-
	5855	171	AVG	16.8	16.99	19.91	-	-6.00	-2.48	17.43	30.00	-12.57

Table 7-20. MIMO 80MHz BW 802.11ax (UNII) Maximum Conducted Output Power

5GHz (160MHz Bandwidth)	Freq [MHz]	Channel	Detector	Conducted Power [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				ANT1	ANT2	MIMO						
		5250	50	AVG	14.57	14.45	17.52	23.98	-6.46	-2.31	15.21	23.01
	5570	114	AVG	13.98	14.07	17.04	30.00	-12.96	-2.37	14.67	-	-
	5815	163	AVG	15.80	15.82	18.82	-	-	-2.48	16.34	30.00	-13.66

Table 7-21. MIMO 160MHz BW 802.11ac (UNII) Maximum Conducted Output Power

5GHz (160MHz Bandwidth)	Freq [MHz]	Channel	Detector	Conducted Power [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. Margin [dB]
				ANT1	ANT2	MIMO						
		5250	50	AVG	14.71	14.71	17.72	23.98	-6.26	-2.31	15.41	23.01
	5570	114	AVG	14.48	13.87	17.20	30.00	-12.80	-2.37	14.83	-	-
	5815	163	AVG	16.86	16.68	19.78	-	-	-2.48	17.30	30.00	-12.70

Table 7-22. MIMO 160MHz BW 802.11ax (UNII) Maximum Conducted Output Power

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 123 of 304



Note:

Per ANSI C63.10-2013 and KDB 662911 v02r01 Section E)1), the conducted powers at Antenna 1 and Antenna 2 were first measured separately during MIMO transmission as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.

Per ANSI C63.10-2013 Section 14.4.3, the directional gain is calculated using the following formula, where G_N is the gain of the nth antenna and N_{ANT} , the total number of antennas used.

$$\text{Directional gain} = 10 \log[(10^{G_1/20} + 10^{G_2/20} + \dots + 10^{G_N/20})^2 / N_{ANT}] \text{ dBi}$$

Sample MIMO Calculation:

At 5180MHz in 802.11n (20MHz BW) mode, the average conducted output power was measured to be 17.79 dBm for Antenna 1 and 17.88 dBm for Antenna 2.

$$\text{Antenna 1} + \text{Antenna 2} = \text{MIMO}$$

$$(17.79 \text{ dBm} + 17.88 \text{ dBm}) = (60.12 \text{ mW} + 61.38 \text{ mW}) = 121.49 \text{ mW} = 20.85 \text{ dBm}$$

Sample e.i.r.p. Calculation:

At 5180MHz in 802.11n (20MHz BW) mode, the average MIMO conducted power was calculated to be 20.85 dBm with directional gain of -2.11 dBi.

$$\text{e.i.r.p. (dBm)} = \text{Conducted Power (dBm)} + \text{Ant gain (dBi)}$$

$$20.85 \text{ dBm} + -2.11 \text{ dBi} = 18.74 \text{ dBm}$$

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 124 of 304

V9.0 02/01/2019

7.5 Maximum Power Spectral Density – 802.11a/n/ac/ax

§15.407(a.1.iv) §15.407(a.2) §15.407(a.3); RSS-247 [6.2]

Test Overview and Limit

The spectrum analyzer was connected to the antenna terminal while the EUT was operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2013 and KDB 789033 D02 v02r01, and at the appropriate frequencies. Method SA-1, as defined in ANSI C63.10-2013 and KDB 789033 D02 v02r01, was used to measure the power spectral density.

In the 5.15 – 5.25GHz, 5.25 – 5.35GHz, 5.47 – 5.725GHz bands, the maximum permissible power spectral density is 11dBm/MHz.

In the 5.725 – 5.850GHz band, the maximum permissible power spectral density is 30dBm/500kHz.

In the 5.850 – 5.895 GHz, the maximum power spectral density must not exceed 14dBm/MHz e.i.r.p.

Test Procedure Used

ANSI C63.10-2013 – Section 12.3.2.2

KDB 789033 D02 v02r01 – Section F

ANSI C63.10-2013 – Section 14.3.2.2 Measure-and-Sum Technique

KDB 662911 v02r01 – Section E)2) Measure-and-Sum Technique

Test Settings

1. Analyzer was set to the center frequency of the UNII channel under investigation
2. Span was set to encompass the entire emission bandwidth of the signal
3. RBW = 1MHz
4. VBW = 3MHz
5. Number of sweep points $\geq 2 \times (\text{span}/\text{RBW})$
6. Sweep time = auto
7. Detector = power averaging (RMS)
8. Trigger was set to free run for all modes
9. Trace was averaged over 100 sweeps
10. The peak search function of the spectrum analyzer was used to find the peak of the spectrum.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-4. Test Instrument & Measurement Setup

Test Notes

None

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 125 of 304

V9.0 02/01/2019




SISO Antenna-1 Power Spectral Density Measurements


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	a	6	6.15	11.0	-4.85
	5200	40	a	6	5.93	11.0	-5.07
	5240	48	a	6	5.66	11.0	-5.34
	5180	36	n (20MHz)	6.5/7.2 (MCS0)	6.82	11.0	-4.18
	5200	40	n (20MHz)	6.5/7.2 (MCS0)	5.72	11.0	-5.28
	5240	48	n (20MHz)	6.5/7.2 (MCS0)	5.82	11.0	-5.18
	5180	36	ax (20MHz)	6.5/7.2 (MCS0)	5.17	11.0	-5.83
	5200	40	ax (20MHz)	6.5/7.2 (MCS0)	5.03	11.0	-5.97
	5240	48	ax (20MHz)	6.5/7.2 (MCS0)	4.87	11.0	-6.13
	5190	38	n (40MHz)	13.5/15 (MCS0)	2.32	11.0	-8.68
	5230	46	n (40MHz)	13.5/15 (MCS0)	2.16	11.0	-8.84
	5190	38	ax (40MHz)	13.5/15 (MCS0)	1.96	11.0	-9.04
	5230	46	ax (40MHz)	13.5/15 (MCS0)	1.66	11.0	-9.34
	5210	42	ac (80MHz)	29.3/32.5 (MCS0)	-6.28	11.0	-17.28
5210	42	ax (80MHz)	29.3/32.5 (MCS0)	-0.52	11.0	-11.52	
Band 1/2A	5250	50	ac (160MHz)	58.5/65 (MCS0)	-3.62	11.0	-14.62
	5250	50	ax (160MHz)	58.5/65 (MCS0)	-6.96	11.0	-17.96
Band 2A	5260	52	a	6	5.41	11.0	-5.59
	5280	56	a	6	5.51	11.0	-5.49
	5320	64	a	6	5.31	11.0	-5.69
	5260	52	n (20MHz)	6.5/7.2 (MCS0)	5.78	11.0	-5.22
	5280	56	n (20MHz)	6.5/7.2 (MCS0)	5.99	11.0	-5.01
	5320	64	n (20MHz)	6.5/7.2 (MCS0)	5.23	11.0	-5.77
	5260	52	ax (20MHz)	6.5/7.2 (MCS0)	4.21	11.0	-6.79
	5280	56	ax (20MHz)	6.5/7.2 (MCS0)	4.60	11.0	-6.40
	5320	64	ax (20MHz)	6.5/7.2 (MCS0)	4.73	11.0	-6.27
	5270	54	n (40MHz)	13.5/15 (MCS0)	2.02	11.0	-8.98
	5310	62	n (40MHz)	13.5/15 (MCS0)	2.29	11.0	-8.71
	5270	54	ax (40MHz)	13.5/15 (MCS0)	2.05	11.0	-8.95
	5310	62	ax (40MHz)	13.5/15 (MCS0)	2.04	11.0	-8.96
	5290	58	ac (80MHz)	29.3/32.5 (MCS0)	-2.12	11.0	-13.12
5290	58	ax (80MHz)	29.3/32.5 (MCS0)	-1.09	11.0	-12.09	
Band 2C	5500	100	a	6	5.90	11.0	-5.11
	5600	120	a	6	6.08	11.0	-4.92
	5700	140	a	6	5.97	11.0	-5.03
	5500	100	n (20MHz)	6.5/7.2 (MCS0)	5.45	11.0	-5.55
	5600	120	n (20MHz)	6.5/7.2 (MCS0)	5.94	11.0	-5.06
	5720	144	n (20MHz)	6.5/7.2 (MCS0)	5.93	11.0	-5.07
	5500	100	ax (20MHz)	6.5/7.2 (MCS0)	4.51	11.0	-6.49
	5600	120	ax (20MHz)	6.5/7.2 (MCS0)	4.87	11.0	-6.13
	5720	144	ax (20MHz)	6.5/7.2 (MCS0)	4.66	11.0	-6.34
	5510	102	n (40MHz)	13.5/15 (MCS0)	1.95	11.0	-9.05
	5590	118	n (40MHz)	13.5/15 (MCS0)	2.24	11.0	-8.76
	5710	142	n (40MHz)	13.5/15 (MCS0)	2.07	11.0	-8.93
	5510	102	ax (40MHz)	13.5/15 (MCS0)	2.11	11.0	-8.89
	5590	118	ax (40MHz)	13.5/15 (MCS0)	2.14	11.0	-8.86
	5710	142	ax (40MHz)	13.5/15 (MCS0)	2.37	11.0	-8.63
	5530	106	ac (80MHz)	29.3/32.5 (MCS0)	-2.22	11.0	-13.22
	5610	122	ac (80MHz)	29.3/32.5 (MCS0)	-2.18	11.0	-13.18
	5690	138	ac (80MHz)	29.3/32.5 (MCS0)	-2.60	11.0	-13.60
	5530	106	ax (80MHz)	29.3/32.5 (MCS0)	-1.19	11.0	-12.19
5610	122	ax (80MHz)	29.3/32.5 (MCS0)	-1.29	11.0	-12.29	
5690	138	ax (80MHz)	29.3/32.5 (MCS0)	-1.12	11.0	-12.12	
5570	114	ac (160MHz)	29.3/32.5 (MCS0)	-3.37	11.0	-14.37	
5570	114	ax (160MHz)	29.3/32.5 (MCS0)	-6.50	11.0	-17.50	

Table 7-23. Bands 1, 2A, 2C Conducted Power Spectral Density Measurements SISO ANT1

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 126 of 304




Plot 7-185. Power Spectral Density Plot SISO ANT1 (802.11a (UNII Band 1) – Ch. 36)




Plot 7-186. Power Spectral Density Plot SISO ANT1 (802.11a (UNII Band 1) – Ch. 40)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 127 of 304




Plot 7-187. Power Spectral Density Plot SISO ANT1 (802.11a (UNII Band 1) – Ch. 48)




Plot 7-188. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 1) – Ch. 36)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 128 of 304




Plot 7-189. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 1) – Ch. 40)




Plot 7-190. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 1) – Ch. 48)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 129 of 304




Plot 7-191. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 1) – Ch. 36)




Plot 7-192. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 1) – Ch. 40)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 130 of 304




Plot 7-193. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 1) – Ch. 48)




Plot 7-194. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11n (UNII Band 1) – Ch. 38)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 131 of 304




Plot 7-195. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11n (UNII Band 1) – Ch. 46)




Plot 7-196. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax (UNII Band 1) – Ch. 38)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 132 of 304




Plot 7-197. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax (UNII Band 1) – Ch. 46)




Plot 7-198. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ac (UNII Band 1) – Ch. 42)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 133 of 304




Plot 7-199. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax (UNII Band 1) – Ch. 42)




Plot 7-200. Power Spectral Density Plot SISO ANT1 (160MHz BW 802.11ac (UNII Band 1/2A) – Ch. 50)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 134 of 304




Plot 7-201. Power Spectral Density Plot SISO ANT1 (160MHz BW 802.11ax (UNII Band 1/2A) – Ch. 50)




Plot 7-202. Power Spectral Density Plot SISO ANT1 (802.11a (UNII Band 2A) – Ch. 52)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 135 of 304




Plot 7-203. Power Spectral Density Plot SISO ANT1 (802.11a (UNII Band 2A) – Ch. 56)




Plot 7-204. Power Spectral Density Plot SISO ANT1 (802.11a (UNII Band 2A) – Ch. 64)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 136 of 304




Plot 7-205. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 2A) – Ch. 52)




Plot 7-206. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 2A) – Ch. 56)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 137 of 304




Plot 7-207. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 2A) – Ch. 64)




Plot 7-208. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 2A) – Ch. 52)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 138 of 304




Plot 7-209. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 2A) – Ch. 56)




Plot 7-210. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 2A) – Ch. 64)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 139 of 304




Plot 7-211. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11n (UNII Band 2A) – Ch. 54)




Plot 7-212. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11n (UNII Band 2A) – Ch. 62)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 140 of 304




Plot 7-213. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax (UNII Band 2A) – Ch. 54)




Plot 7-214. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax (UNII Band 2A) – Ch. 62)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 141 of 304




Plot 7-215. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ac (UNII Band 2A) – Ch. 58)




Plot 7-216. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 142 of 304




Plot 7-217. Power Spectral Density Plot SISO ANT1 (802.11a (UNII Band 2C) – Ch. 100)




Plot 7-218. Power Spectral Density Plot SISO ANT1 (802.11a (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 143 of 304




Plot 7-219. Power Spectral Density Plot SISO ANT1 (802.11a (UNII Band 2C) – Ch. 144)




Plot 7-220. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 2C) – Ch. 100)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 144 of 304




Plot 7-221. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 2C) – Ch. 120)




Plot 7-222. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 2C) – Ch. 144)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 145 of 304




Plot 7-223. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 2C) – Ch. 100)




Plot 7-224. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 146 of 304




Plot 7-225. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 2C) – Ch. 144)




Plot 7-226. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11n (UNII Band 2C) – Ch. 102)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 147 of 304




Plot 7-227. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11n (UNII Band 2C) – Ch. 118




Plot 7-228. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11n (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 148 of 304




Plot 7-229. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax (UNII Band 2C) – Ch. 102)




Plot 7-230. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax (UNII Band 2C) – Ch. 118)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 149 of 304




Plot 7-231. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax (UNII Band 2C) – Ch. 142)




Plot 7-232. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ac (UNII Band 2C) – Ch. 106)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 150 of 304




Plot 7-233. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ac (UNII Band 2C) – Ch. 122)




Plot 7-234. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ac (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 151 of 304




Plot 7-235. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax (UNII Band 2C) – Ch. 106)




Plot 7-236. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 152 of 304




Plot 7-237. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax (UNII Band 2C) – Ch. 138)



Plot 7-238. Power Spectral Density Plot SISO ANT1 (160MHz BW 802.11ac (UNII Band 2C) – Ch. 114)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 153 of 304




Plot 7-239. Power Spectral Density Plot SISO ANT1 (160MHz BW 802.11ax (UNII Band 2C) – Ch. 114)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 154 of 304


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	a	6	1.72	30.0	-28.28
	5785	157	a	6	3.02	30.0	-26.98
	5825	165	a	6	2.87	30.0	-27.13
	5745	149	n (20MHz)	6.5/7.2 (MCS0)	3.21	30.0	-26.79
	5785	157	n (20MHz)	6.5/7.2 (MCS0)	2.99	30.0	-27.01
	5825	165	n (20MHz)	6.5/7.2 (MCS0)	2.86	30.0	-27.14
	5745	149	ax (20MHz)	6.5/7.2 (MCS0)	1.81	30.0	-28.19
	5785	157	ax (20MHz)	6.5/7.2 (MCS0)	1.86	30.0	-28.14
	5825	165	ax (20MHz)	6.5/7.2 (MCS0)	2.27	30.0	-27.73
	5755	151	n (40MHz)	13.5/15 (MCS0)	-0.43	30.0	-30.43
	5795	159	n (40MHz)	13.5/15 (MCS0)	-0.62	30.0	-30.62
	5755	151	ax (40MHz)	13.5/15 (MCS0)	-1.11	30.0	-31.11
	5795	159	ax (40MHz)	13.5/15 (MCS0)	-0.96	30.0	-30.96
	5775	155	ac (80MHz)	29.3/32.5 (MCS0)	-5.78	30.0	-35.78
	5775	155	ax (80MHz)	29.3/32.5 (MCS0)	-5.73	30.0	-35.73

Table 7-24. Band 3 Conducted Power Spectral Density Measurements SISO ANT1

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 155 of 304




Plot 7-240. Power Spectral Density Plot SISO ANT1 (802.11a (UNII Band 3) – Ch. 149)




Plot 7-241. Power Spectral Density Plot SISO ANT1 (802.11a (UNII Band 3) – Ch. 157)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 156 of 304




Plot 7-242. Power Spectral Density Plot SISO ANT1 (802.11a (UNII Band 3) – Ch. 165)




Plot 7-243. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 3) – Ch. 149)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 157 of 304




Plot 7-244. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 3) – Ch. 157)




Plot 7-245. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11n (UNII Band 3) – Ch. 165)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 158 of 304




Plot 7-246. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 3) – Ch. 149)




Plot 7-247. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 3) – Ch. 157)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 159 of 304




Plot 7-248. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax (UNII Band 3) – Ch. 165)




Plot 7-249. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11n (UNII Band 3) – Ch. 151)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 160 of 304




Plot 7-250. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11n (UNII Band 3) – Ch. 159)




Plot 7-251. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax (UNII Band 3) – Ch. 151)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 161 of 304




Plot 7-252. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax (UNII Band 3) – Ch. 159)



Plot 7-253. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ac (UNII Band 3) – Ch. 155)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 162 of 304




Plot 7-254. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax (UNII Band 3) – Ch. 155)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 163 of 304


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]	Antenna Gain [dBi]	EIRP Power Density [dBm/MHz]	Max EIRP Power Density [dBm/MHz]	Margin [dB]
Band 3/4	5845	169	a	6	6.38	30.00	-23.62	-5.00	1.38	14.00	-12.62
Band 4	5865	173	a	6	6.36			-5.00	1.36	14.00	-12.64
	5885	177	a	6	6.67			-5.00	1.67	14.00	-12.33
Band 3/4	5845	169	n (20MHz)	6.5/7.2 (MCS0)	5.91	30.00	-24.09	-5.00	0.91	14.00	-13.09
Band 4	5865	173	n (20MHz)	6.5/7.2 (MCS0)	5.89			-5.00	0.89	14.00	-13.11
	5885	177	n (20MHz)	6.5/7.2 (MCS0)	6.18			-5.00	1.18	14.00	-12.82
Band 3/4	5845	169	ac (20MHz)	6.5/7.2 (MCS0)	5.94	30.00	-24.06	-5.00	0.94	14.00	-13.06
Band 4	5865	173	ac (20MHz)	6.5/7.2 (MCS0)	5.91			-5.00	0.91	14.00	-13.09
	5885	177	ac (20MHz)	6.5/7.2 (MCS0)	6.38			-5.00	1.38	14.00	-12.62
Band 3/4	5845	169	ax (20MHz)	6.5/7.2 (MCS0)	4.98	30.00	-25.02	-5.00	-0.02	14.00	-14.02
Band 4	5865	173	ax (20MHz)	6.5/7.2 (MCS0)	5.25			-5.00	0.25	14.00	-13.75
	5885	177	ax (20MHz)	6.5/7.2 (MCS0)	5.32			-5.00	0.32	14.00	-13.68
Band 3/4	5835	167	n (40MHz)	13.5/15 (MCS0)	2.50	30.00	-27.50	-5.00	-2.50	14.00	-16.50
Band 4	5875	175	n (40MHz)	13.5/15 (MCS0)	2.52			-5.00	-2.48	14.00	-16.48
Band 3/4	5835	167	ac (40MHz)	13.5/15 (MCS0)	2.50	30.00	-27.50	-5.00	-2.50	14.00	-16.50
Band 4	5875	175	ac (40MHz)	13.5/15 (MCS0)	2.63			-5.00	-2.37	14.00	-16.37
Band 3/4	5835	167	ax (40MHz)	13.5/15 (MCS0)	2.23	30.00	-27.77	-5.00	-2.77	14.00	-16.77
Band 4	5875	175	ax (40MHz)	13.5/15 (MCS0)	2.24			-5.00	-2.76	14.00	-16.76
Band 3/4	5855	171	ac (80MHz)	29.3/32.5 (MCS0)	-1.97	30.00	-31.97	-5.00	-6.97	14.00	-20.97
	5855	171	ax (80MHz)	29.3/32.5 (MCS0)	-0.86	30.00	-30.86	-5.00	-5.86	14.00	-19.86
	5815	163	ac (160MHz)	58.5/65 (MCS0)	-6.78	30.00	-36.78	-5.00	-11.78	14.00	-25.78
	5815	163	ax (160MHz)	58.5/65 (MCS0)	-5.41	30.00	-35.41	-5.00	-10.41	14.00	-24.41

Table 7-25. Band 4 e.i.r.p Power Spectral Density Measurements SISO ANT1

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 164 of 304




Plot 7-255. Power Spectral Density SISO ANT1 (802.11a (UNII Band 3/4) – Ch. 169)




Plot 7-256. Power Spectral Density SISO ANT1 (802.11a (UNII Band 4) – Ch. 173)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 165 of 304




Plot 7-257. Power Spectral Density SISO ANT1 (802.11a (UNII Band 4) – Ch. 177)




Plot 7-258. Power Spectral Density SISO ANT1 (20MHz BW 802.11n (UNII Band 3/4) – Ch. 169)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 166 of 304



Plot 7-259. Power Spectral Density SISO ANT1 (20MHz BW 802.11n (UNII Band 4) – Ch. 173)



Plot 7-260. Power Spectral Density SISO ANT1 (20MHz BW 802.11n (UNII Band 4) – Ch. 177)

FCC ID: A3LSMF721U	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1M2204080051-14-R1.A3L	Test Dates: 4/8/2022 – 7/12/2022	EUT Type: Portable Handset	Page 167 of 304