Sub6 n25_15 M_Band Edge_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_15 M_Band Edge_Low_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_15 M_Extended Band Edge_Low_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_15 M_Band Edge_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_15 M_Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_15 M_Extended Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_20 M_Band Edge_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_20 M_Band Edge_Low_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_20 M_Extended Band Edge_Low_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_20 M_Band Edge_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_20 M_Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_20 M_Extended Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_25 M_Band Edge_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_25 M_Band Edge_Low_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_25 M_Extended Band Edge_Low_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_25 M_Band Edge_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_25 M_Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_25 M_Extended Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_30 M_Band Edge_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_30 M_Band Edge_Low_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_30 M_Extended Band Edge_Low_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_30 M_Band Edge_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_30 M_Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_30 M_Extended Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_35 M_Band Edge_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_35 M_Band Edge_Low_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_35 M_Extended Band Edge_Low_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_35 M_Band Edge_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_35 M_Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_35 M_Extended Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_40 M_Band Edge_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_40 M_Band Edge_Low_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_40 M_Extended Band Edge_Low_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_40 M_Band Edge_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_40 M_Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25_40 M_Extended Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

13. TEST PLOTS(ANT I_n25(2))

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_PAR_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_PAR_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_PAR_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_PAR_Mid_QPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_PAR_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_PAR_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_PAR_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_PAR_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_PAR_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_OBW_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_OBW_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_OBW_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_OBW_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_OBW_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_OBW_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_OBW_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_OBW_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_OBW_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_OBW_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_OBW_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_OBW_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_OBW_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_OBW_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_OBW_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_OBW_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_OBW_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_OBW_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_OBW_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_OBW_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_OBW_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_OBW_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_OBW_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_OBW_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_OBW_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_OBW_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_OBW_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_OBW_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_OBW_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_OBW_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_OBW_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_OBW_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_OBW_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_OBW_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_OBW_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_OBW_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_OBW_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_OBW_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_OBW_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_OBW_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_Conducted Spurious(Above10 G)_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_Conducted Spurious(Above10 G)_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_Conducted Spurious(Above10 G)_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_15 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_Conducted Spurious(Above10 G)_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_20 M_Conducted Spurious(Above10 G)_High_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_Conducted Spurious(Above10 G)_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_25 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_Conducted Spurious(Above10 G)_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_30 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_Conducted Spurious(Above10 G)_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_35 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_Conducted Spurious(Above10 G)_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_40 M_Conducted Spurious(Above10 G)_High_BPSK_1RB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_Band Edge_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_Band Edge_Low_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_Extended Band Edge_Low_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_Band Edge_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_Band Edge_High_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_5 M_Extended Band Edge_High_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Sub6 n25(2)_10 M_Band Edge_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.