

Test Technology:

Test Method(s) ²:

LTE

3GPP TS 36.521-1; 3GPP TS 36.521-3; 3GPP TS 36.523-1;
 3GPP 37.571-1; 3GPP 37.571-2; 3GPP TS 34.229;
 3GPP Carrier Aggregation;
 PTCRB NAPRD.03; PTCRB PPMD;
 PTCRB Cat-M (per RFT132 eMTC);
 PVG.09 LTE Data Throughput & TR 37.901 Data Throughput Performance;
 PVG.04 PTCRB Radiated Spurious Emissions;
 Global Certification Forum (GCF-CC) Certification / LTE Field Test (TS.11) ³;
 3GPP Cat-NB & Cat-M;
 MetroPCS Lab Conformance; AT&T LTE Conformance;
 AT&T IoT Accelerator Conformance, 19263;
 VZW Lab Conformance; VZW Supl RF;
 VZW FR2 Supplementary RF, VZW FR1 Supplementary RF;
 VZW Supl Signaling Conformance;
 VZW Supl RRM;
 VZW LTE LBS Performance;
 VZW Safe for Network (SFN), VZW Phase 1, VZW Open Development and Field Interoperability Testing (FIT) ³;
 VZW Network Extender; VZW PCO; VZW Data Retry;
 VZW Data Throughput; VZW SMS; VZW AT Commands;
 VZW CMAS; VZW eMBMS; VZW APN; VZW Cat-M VoLTE;
 Live Network Extender and Android Test Plan;
 Sprint LTE Test Plan; Sprint LTE Safe for Network (SFN);
 Sprint LTE Conformance; Sprint LTE IoT;
 Sprint Lab Conformance; USCC Lab Conformance;
 KDDI LTE Device Testing; SoftBank LTE Testing

WCDMA (UTRA)

3GPP TS 34.121-1; 3GPP TS 34.123-1;
 SoftBank Mobile WCDMA Testing

SVLTE / Multimode

CDMA-LTE Inter-RAT (iRAT); CDMA-LTE Inter-RAT SVD;
 SVLTE: 1x RF with LTE Data Cal;
 SVLTE: LTE RF with 1x Voice Call;
 SVD and SVLTE: LTE Data Throughput with 1x Voice Call;
 eHRPD; GMSS; SVD GMSS; E911 Data Call Processing;
 Stress Testing; RSSI for MM Devices; SVD Interband;
 LTE LBS Performance; VZW Multimode Supl Signaling;
 VZW Multimode SMS; VZW Multimode Data Retry

VoLTE

IMS VoIP; Rich Communication Services (RCS);
 VoLTE to 1xRTT Fallback for SVLTE (1xRTT Fallback);
 IMS Registration and Retry; ePDG Live Network;
 E911 for VoLTE; VZW hVoLTE;
 VZW VoIP and VT Performance;
 VZW Interband RRM and Protocol

(A2LA Cert. No. 2041.01) Revised 05/20/2022



Page 4 of 13

| | | | |
|---|--|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF936U | PART 30 MEASUREMENT REPORT (Class II Permissive Change) | | Approved by: Technical Manager |
| Test Report S/N: 1M2208220092-01.A3L | Test Dates: 08/23 - 09/13/2022 | EUT Type: Portable Handset | Page 132 of 142 |

V1.0

| | |
|--------------------------------|--|
| <u>Test Technology:</u> | <u>Test Method(s) ²:</u> |
| Carrier Aggregation | VZW Carrier Aggregation Supplementary RF; VZW Carrier Aggregation Data Throughout |
| UICC | USIM/USAT/CSIM/ISIM Interaction Test Plan (LTE/WCDMA/GSM/CDMA/MM); 3GPP TS 31.121; 3GPP TS 31.124; ETSI TS 102 230; SIM Application Interaction Test Plan; UICC USIM ISIM Electrical; UICC USIM ISIM Protocol (LTE/WCDMA/GSM/CDMA); SWP/HCI ETSI TS 102 694-1; ETSI TS 102 695-1 |
| SunSpec Alliance | SunSpec – CSIP (Common Smart Inverter Profile) Conformance Test Procedures; SunSpec – Advanced Function Inverter Test Lab Specification; SunSpec – UL1741 Supplement SA/Rule 21 Implementation Guide; IEEE 2030.5-2018 Smart Energy Profile Application Protocol |
| CBRS (OnGo) / WinnForum | CBRS Alliance Certification Test Plan; WinnForum Conformance and Performance Test Technical Standards |

¹ This accreditation covers testing performed at the main laboratory listed above, and the three satellite laboratories listed below:

| | | | |
|--|--|--------------------------------------|--|
| FCC ID: A3LSMF936U | PART 30 MEASUREMENT REPORT (Class II Permissive Change) | | Approved by: Technical Manager |
| Test Report S/N: 1M2208220092-01.A3L | Test Dates: 08/23 - 09/13/2022 | EUT Type: Portable Handset | Page 133 of 142 |

7195 Oakland Mills Rd, Suite A
Columbia, MD 21046

Test Technology:

Test Method(s) ²:

Wireless

3GPP2 C.S0011-C 20-Feb-2006 (TIA-98D/E/F)
(excluding Sections 3.2.1.3, 3.2.3.2, 3.3.3, 3.3.4, 3.3.5, 3.3.6,
3.4.6, 3.4.8, 3.4.10, 3.4.11, 3.4.12, 3.4.13, 3.7.2, 4.4.8, 4.4.9.2.1,
4.4.10, 4.4.11);
3GPP2 C.S0043-0 24-Sep-2004 (TIA-1035);
3GPP2 C.S0036-0 11-Mar-2002 (TIA-916);
3GPP2 C.S0036-A 23-May-2011 (TIA-916-A);
3GPP2 C.S0037-0 19-Apr-2002 (TIA-918);
3GPP2 C.S0056-0 22-Jul-2005 (TIA-1042);
3GPP2 C.S0059-0 20-Aug-2008 (TIA-1038);
3GPP2 C.S0060-0 06-Dec-2005 (TIA-1044);
3GPP2 C.S0061-0 22-Jun-2005 (TIA-1045);
3GPP2 C.S0062-0 14-May-2007 (TIA-1046);
3GPP2 C.S0073-0 26-Sep-2005 (TIA-1084);
3GPP2 C.S0073-B 21-Aug-2009 (TIA n/a);
3GPP2 C.S0094-0 30-Oct-2008 (TIA-1157);
CTIA Conformance Test Plan for CDMA Wireless Devices;
GCF Certification Criteria 2 (CAG2) Test Plan;
VZW Wireless Priority Services (WPS);
VZW Safe for Network (SFN);
VZW Open Development (OD) Device Specifications;
VZW Location Based Services (LBS);
VZW CMAS; VZW NBPCD; VZW Phase I

EVDO

3GPP2 C.S0033-0 12-Dec-2003 (TIA-866);
3GPP2 C.S0033-A 14-Dec-2005 (TIA-866);
3GPP2 C.S0038-0 19-Apr-2002 (TIA-919);
3GPP2 C.S0038-A 26-Sep-2005 (TIA-919);
3GPP2 C.S0038-B 30-Mar-2009 (TIA n/a);
3GPP2 C.S0037-0 19-Apr-2002 (TIA-918);
CTIA Conformance Test Plan for CDMA Wireless Devices;
GCF Certification Criteria 2 (CAG2) Test Plan

(A2LA Cert. No. 2041.01) Revised 05/20/2022



Page 6 of 13

| | | | |
|---|--|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF936U | PART 30 MEASUREMENT REPORT (Class II Permissive Change) | | Approved by: Technical Manager |
| Test Report S/N: 1M2208220092-01.A3L | Test Dates: 08/23 - 09/13/2022 | EUT Type: Portable Handset | Page 134 of 142 |

V1.0

Test Technology:

Test Method(s) ²:

Emissions
Radiated and Conducted

CFR 47, FCC Parts 15B/C/D/E/F/G/H (using ANSI C63.4:2014, ANSI C63.10:2020, ANSI C63.10:2013; ANSI C63.17:2013, FCC KDB 905462, and KDB 987594, 18 (using MP-5:1986); ANSI C63.10:2013; ETSI TS 134 124 Universal Mobile Telecommunications System (UMTS); (3GPP TS 34.124); ETSI TS 136 124 LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); (3GPP TS 36.124); (3GPP TS38.124 NR; Electromagnetic Compatibility (EMC) Requirements for Mobile Terminals and Ancillary Equipment); ETSI TS 151 010-1 Digital Cellular Telecommunications System (Phase 2+) (GSM); 3GPP TS 51.010-1, Section 12 (Conducted and Radiated Spurious Emissions); EN55011; EN 55032; CNS 13438 (up to 6 GHz); AS/NZS CISPR 11; IEC/CISPR 11; CISPR 32; FCC OET/MP-5; ICES-003; KN 11; KN 32; VCCI V-3(2016.11); VCCI V-3 (2015.04); VCCI 32-1: VCCI-CISPR 32

Accessibility

CFR 47, FCC Part 14

Transmitter/Receiver

RSS 111; RSS 112; RSS 117; RSS 119; RSS 123; RSS 125; RSS 127; RSS 130; RSS 131; RSS 132; RSS 133; RSS 134; RSS 135; RSS 137; RSS 139; RSS 140; RSS 141; RSS 142; RSS 170; RSS 181; RSS 182; RSS 191; RSS 192; RSS 194; RSS 195; RSS 196; RSS 197; RSS 199; RSS 210; RSS 211; RSS 213; RSS 215; RSS 216; RSS 220; RSS 222; RSS 236; RSS 238; RSS 243; RSS 244; RSS 246; RSS 247; RSS 248; RSS 251; RSS 252; RSS 287; RSS 288; RSS 310; RSS Gen

Hearing Aid Compatibility

ANSI C63.19:2007; ANSI C63.19:2011; ANSI C63.19:2019; CTIA Test Plan for Hearing Aid Compatibility v.3.1.1 (2017); FCC KDB 285076, D01 & D02; RSS-HAC

United States Radio

47 CFR FCC Parts 20, 22, 24, 25, 27, 30, 73, 74, 80, 87, 90, 95, 96, 97, 101 (using ANSI/TIA-603-E, TIA-102.CAAA-E, ANSI C63.26:2015); FCC KDB 935210;

European Radio

ETSI EN 302 065-1 Version 2.1.1 (2016-11);
ETSI EN 302 065-2 Version 2.1.1 (2016-11);
ETSI EN 302 065-3 Version 2.1.1 (2016-11);
ETSI EN 302 065-4 Version 1.1.1 (2016-11);
ETSI EN 302 291-1 Version 1.1.1 (2005-07);
ETSI EN 302 291-2 Version 1.1.1 (2005-07);
ETSI EN 302 502 Version 2.1.3 (2017-07);
ETSI EN 302 510-1 Version 1.1.1;
ETSI EN 302 510-2 Version 1.1.1;
ETSI EN 302 537 Version 2.1.1 (2016-10);
ETSI EN 301 511 Version 12.5.1 (2017-03);
ETSI EN 301 839 Version 2.1.1 (2016-04);
ETSI EN 301 893 Version 2.1.1 (2017-05);
ETSI EN 301 893 Version 1.8.1 (2015-03);

(A2LA Cert. No. 2041.01) Revised 05/20/2022



Page 7 of 13

| | | | |
|---|--|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF936U | PART 30 MEASUREMENT REPORT (Class II Permissive Change) | | Approved by: Technical Manager |
| Test Report S/N: 1M2208220092-01.A3L | Test Dates: 08/23 - 09/13/2022 | EUT Type: Portable Handset | Page 135 of 142 |

V1.0

Test Technology:

Test Method(s) ²:

European Radio (cont'd)

ETSI EN 301 908-1 Version 13.1.1 (2019-11);
 ETSI EN 301 908-13 Version 13.1.1 (2019-11);
 ETSI EN 300 220-1 Version 3.1.1 (2017-02);
 ETSI EN 300 220-2 Version 3.2.1 (2018-06);
 ETSI EN 300 328 Version 2.1.1 (2016-11);
 ETSI EN 300 328 Version 2.2.2 (2019-07);
 ETSI EN 300 330 Version 2.1.1 (2017-02);
 ETSI EN 300 440 Version 2. (22.1 (2018-07);
 ETSI EN 300 440-2 Version 1.4.1 (2010-08);
 KS X 3123, KS X 3142, KS X 3270, KS X 3271;
 LP0002; DGT LP0002;

Korean Radio

Regulations on Radio Equipment
 (MSIT Ordinance MSIT No. 1 July 26, 2017);
 Unlicensed Radio Equipment Established Without Notice
 (MSIT Public Notification 2019-105, December 23, 2019);
 Technical Requirements for the Human Protection against
 Electromagnetic Waves
 (MSIT Public Notification 2019-4, January 16, 2019);
 Equipment to be Subject of the Test Procedure for
 Electromagnetic Field Strength and Specific Absorption Rate
 (RRA Public Notification 2019-1, January 17, 2019);
 Technical Requirements for Radio Equipment for
 Telecommunication Services
 (RRA Public Notification 2019-9, June 3, 2019);
 Technical Requirements for Measurement of Electromagnetic
 Field Strength (RRA Public Notification 2019-3, March 4, 2019)

Australia/New Zealand Radio

AS/NZS 4268:2017

Licensed Wireless Devices

ANSI C63.26:2015

(A2LA Cert. No. 2041.01) Revised 05/20/2022



Page 8 of 13

| | | | | |
|---|-----------------------------------|--|--|-----------------------------------|
| FCC ID: A3LSMF936U | | PART 30 MEASUREMENT REPORT (Class II Permissive Change) | | Approved by: Technical Manager |
| Test Report S/N: 1M2208220092-01.A3L | Test Dates: 08/23 - 09/13/2022 | EUT Type: Portable Handset | | Page 136 of 142 |

V1.0

Test Technology:

OTA
OTA Anechoic Chambers

Test Method(s) ²:

CTIA Test Plan for Wireless Device Over-the-Air Performance for CDMA, 1xEVDO Rev0/A, GSM, GPRS, EGPRS, UMTS (W-CDMA), LTE, CDMA A-GPS, GSM A-GPS, UMTS WCDMA A-GPS;
LTE A-GPS A-Glonass and SIB8 / SIB16;
PTCRB NAPRD03; PTCRB PPMD;
OTA Carrier Aggregation;
OTA ECC Measurements;
VZW OTA Radiated Performance for CDMA & LTE Multimode Devices;
VZW Location Determination Test Plan;
VZW LTE-LBS Performance Test Plan;
SPRINT OTA Antenna Performance Test Plan;
AT&T 13340 OTA;
AT&T IoT Accelerator;
USCC CDMA Over The Air Radiated Test Plan;
USCC LTE Over The Air Radiated Test Plan;
CTIA Test Plan for RF Performance Evaluation of Wi-Fi Mobile Converged Devices (Wi-Fi Alliance);
GSMA TS.24 Operator Acceptance Values for Device Antenna Performance;
3GPP TS 34.114 Technical Specification UE/MS OTA Antenna Performance;
3GPP TS 37.544 Technical Specification UTRA & E-UTRA UE OTA Antenna Performance

CTIA IoT Security

CTIA Cybersecurity Certification Test Plan for IoT Devices

SunSpec Alliance

SunSpec – CSIP (Common Smart Inverter Profile) Conformance Test Procedures;
SunSpec – Advanced Function Inverter Test Lab Specification;
SunSpec – UL1741 Supplement SA/Rule 21 Implementation Guide;
IEEE 2030.5-2018 Smart Energy Profile Application Protocol

CBRS (OnGo) / WinnForum

CBRS Alliance Certification Test Plan;
WinnForum Conformance and Performance Test Technical Standards



| | | | |
|--|--|--------------------------------------|--|
| FCC ID: A3LSMF936U | PART 30 MEASUREMENT REPORT (Class II Permissive Change) | | Approved by: Technical Manager |
| Test Report S/N: 1M2208220092-01.A3L | Test Dates: 08/23 - 09/13/2022 | EUT Type: Portable Handset | Page 137 of 142 |

9017-F/G Mendenhall Court
Columbia, MD 21045

Test Technology:

Test Method(s) ²:

Battery Safety

IEEE 1725 Standard for Rechargeable Batteries for Cellular Telephones;
CTIA Certification Requirements for Battery System Compliance to IEEE 1725;
IEEE 1625 Standard for Rechargeable Batteries for Multi-Cell Mobile Computing Devices;
CTIA Certification Requirements for Battery System Compliance to IEEE 1625;
UL1642 Standard for Lithium Batteries;
UL 2054 Household and Commercial Batteries;

UL 62133; IEC 62133 Secondary Cells and Batteries containing Alkaline or other Non-Acid Electrolytes – Safety Requirements for Portable Sealed Secondary Cells & Batteries made from them, for use in Portable Applications

UNDOT
Battery Transportation Safety

United Nations Document ST/SG/AC.10/11/Section 38.3 Recommendations on the Transport of Dangerous Goods; Manual of Tests and Criteria;
IEC 62281 – Safety of Primary and Secondary Lithium Cells and Batteries During Transport
Altitude Simulation
Temperature Cycling
Mechanical Shock
Vibration
Short Circuit
Overcharge
Impact/Crush
Forced Discharge

Aerospace
Battery Performance and Safety

NASA Specification for Acceptance Testing of Commercial Lithium Ion Cell Lots Engineering Directorate Propulsion & Power Division, EP-WI-031

Hardware Reliability

CTIA Device Hardware Reliability Test Plan

Determining Battery Life

CTIA Battery Life Test Plan

Safety Requirement for Portable Sealed Secondary Cells

IEC 62133; EN 62133

CEC: Energy Efficient Battery Charger System

Uniform Test Method for Measuring the Energy Consumption of Battery Chargers

Immunity

EN/IEC 61000-4-2

(A2LA Cert. No. 2041.01) Revised 05/20/2022

 Page 10 of 13

| | | | | |
|---|-----------------------------------|--|--|-----------------------------------|
| FCC ID: A3LSMF936U | | PART 30 MEASUREMENT REPORT (Class II Permissive Change) | | Approved by: Technical Manager |
| Test Report S/N: 1M2208220092-01.A3L | Test Dates: 08/23 - 09/13/2022 | EUT Type: Portable Handset | | Page 138 of 142 |

V1.0

3801 E. Plano Parkway, Ste 150
Plano, TX 75074

Test Technology:

Radiated Emissions
(10 Meter Test Distance)
(Frequency Range, 30 MHz – 1 GHz)

Test Method(s) ²:

CFR 47, FCC Parts 15B (using ANSI C63.4:2014)
EN55011; EN 55032; CNS 13438 (up to 6 GHz); AS/NZS CISPR
11; IEC/CISPR 11; CISPR 32; FCC OET/MP-5; ICES-003; KN 11;
KN 32; VCCI V-3(2016.11);
VCCI V-3 (2015.04); VCCI 32-1: VCCI-CISPR 32

² When the date, revision or edition of a test method standard is not identified on the scope of accreditation, the laboratory is expected to be using the current version within one year of the date of publication, per part C., Section 1 of A2LA R101 - *General Requirements - Accreditation of ISO-IEC 17025 Laboratories*.

³ This laboratory meets A2LA R104 – *General Requirements: Accreditation of Field Testing and Field Calibration Laboratories* for these tests.

Testing Activities Performed in Support of FCC Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1⁴:

| Rule Subpart/Technology | Test Method | Maximum Frequency |
|--|--------------------------|--------------------------|
| Unintentional Radiators Part 15B | ANSI C63.4:2014 | 40000 MHz |
| Industrial, Scientific, and Medical Equipment Part 18 | FCC MP-5 (February 1986) | 333000 MHz |
| Intentional Radiators Part 15C | ANSI C63.10:2013 | 333000 MHz |
| Unlicensed Personal Communication Systems Devices Part 15D | ANSI C63.17:2013 | 20000 MHz |
| U-NIII without DFS Intentional Radiators Part 15E | ANSI C63.10:2013 | 40000 MHz |
| U-NIII with DFS Intentional Radiators Part 15E | FCC KDB 905462 D02 (v02) | 40000 MHz |
| UWB Intentional Radiators Part 15F | ANSI C63.10:2013 | 200000 MHz |

(A2LA Cert. No. 2041.01) Revised 05/20/2022

 Page 11 of 13

| | | | |
|--|--|--------------------------------------|--|
| FCC ID: A3LSMF936U | PART 30 MEASUREMENT REPORT (Class II Permissive Change) | | Approved by: Technical Manager |
| Test Report S/N: 1M2208220092-01.A3L | Test Dates: 08/23 - 09/13/2022 | EUT Type: Portable Handset | Page 139 of 142 |

V1.0

Testing Activities Performed in Support of FCC Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1⁴:

| Rule Subpart/Technology | Test Method | Maximum Frequency |
|--|---|-------------------|
| BPL Intentional Radiators Part 15G | ANSI C63.10:2013 | 40000 MHz |
| White Space Device Intentional Radiators Part 15H | ANSI C63.10:2013 | 40000 MHz |
| Commercial Mobile Services (FCC Licensed Radio Service Equipment) Parts 22 (cellular), 24, 25 (below 3 GHz), and 27 | ANSI/TIA-603-E; TIA-102.CAAA-E; ANSI C63.26:2015 | 333000 MHz |
| General Mobile Radio Services (FCC Licensed Radio Service Equipment) Parts 22 (non-cellular), 90 (below 3 GHz), 95, 97 (below 3 GHz), and 101 (below 3 GHz) | ANSI/TIA-603-E; TIA-102.CAAA-E; ANSI C63.26:2015 | 333000 MHz |
| Citizens Broadband Radio Services (FCC Licensed Radio Service Equipment) Part 96 | ANSI/TIA-603-E; TIA-102.CAAA-E; ANSI C63.26:2015 | 333000 MHz |
| Maritime and Aviation Radio Services Parts 80 and 87 | ANSI/TIA-603-E; ANSI C63.26:2015 | 333000 MHz |
| Microwave and Millimeter Bands Radio Services Parts 25, 30, 74, 90 (M, DSRC, Y, Z), 95 (M and L), and 101 | ANSI/TIA-603-E; TIA-102.CAAA-E; ANSI C63.26:2015 | 333000 MHz |
| Broadcast Radio Services Parts 73 and 74 (below 3 GHz) | ANSI/TIA-603-E; TIA-102.CAAA-E; ANSI C63.26:2015 | 333000 MHz |
| RF Exposure Devices Subject to SAR Requirements | IEEE Std 1528:2013 | 6000 MHz |
| Hearing Aid Compatibility Part 20 (HAC for Commercial Mobile Services) | ANSI C63.19:2011 | 6000 MHz |
| Signal Boosters Part 20 (Wideband Consumer Signal Boosters, Provider-specific signal boosters, and Industrial Signal Boosters) Section 90.219 | ANSI C63.26:2015 | 333000 MHz |

(A2LA Cert. No. 2041.01) Revised 05/20/2022

 Page 12 of 13

| | | | |
|---|--|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF936U | PART 30 MEASUREMENT REPORT (Class II Permissive Change) | | Approved by: Technical Manager |
| Test Report S/N: 1M2208220092-01.A3L | Test Dates: 08/23 - 09/13/2022 | EUT Type: Portable Handset | Page 140 of 142 |

V1.0

⁴Accreditation does not imply acceptance to the FCC equipment authorization program. Please see the FCC website (<https://apps.fcc.gov/oetcf/eas/>) for a listing of FCC approved laboratories.

(A2LA Cert. No. 2041.01) Revised 05/20/2022

 Page 13 of 13

| | | | |
|---|--|-------------------------------|--|
| FCC ID: A3LSMF936U | PART 30 MEASUREMENT REPORT (Class II Permissive Change) | | Approved by: Technical Manager |
| Test Report S/N: 1M2208220092-01.A3L | Test Dates: 08/23 - 09/13/2022 | EUT Type: Portable Handset | Page 141 of 142 |

V1.0



Accredited Laboratory

A2LA has accredited

ELEMENT MATERIALS TECHNOLOGY WASHINGTON DC LCC

Columbia, MD

for technical competence in the field of

Electrical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 29th day of September 2020.



Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 2041.01
Valid to September 30, 2022
Revised May 20, 2022

For the tests to which this accreditation applies, please refer to the laboratory's Electrical Scope of Accreditation.

| | | | |
|---|--|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF936U | PART 30 MEASUREMENT REPORT (Class II Permissive Change) | | Approved by: Technical Manager |
| Test Report S/N: 1M2208220092-01.A3L | Test Dates: 08/23 - 09/13/2022 | EUT Type: Portable Handset | Page 142 of 142 |

V1.0