

Appendix J. – P_{max} Conducted Power

[LTE Band 2 Conducted Power _ P_{max}] Ant. F

LTE Band 2 _ 1.4 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	24.04	23.89	24.36	0	0
		1	3	24.00	24.03	24.35	0	0
		1	5	23.93	23.91	24.31	0	0
		3	0	23.92	23.87	24.41	0	0
		3	1	24.08	23.96	24.38	0	0
		3	3	24.03	23.88	24.34	0	0
	16QAM	6	0	22.96	22.97	23.37	0-1	1
		1	0	23.15	23.21	23.57	0-1	1
		1	3	23.18	23.17	23.67	0-1	1
		1	5	23.28	23.14	23.51	0-1	1
		3	0	23.15	22.97	23.52	0-1	1
		3	1	23.18	23.16	23.45	0-1	1
	64QAM	3	3	23.06	23.00	23.52	0-1	1
		6	0	21.98	21.98	22.36	0-2	2
		1	0	22.07	22.01	22.41	0-2	2
		1	3	22.08	22.09	22.83	0-2	2
		1	5	22.07	22.03	22.46	0-2	2
		3	0	22.08	21.98	22.41	0-2	2
	256QAM	3	1	22.16	21.97	22.39	0-2	2
		3	3	22.02	21.98	22.40	0-2	2
		6	0	20.99	20.91	21.37	0-3	3
		1	0	19.14	19.01	19.25	0-5	5
		1	3	19.05	18.99	19.38	0-5	5
		1	5	18.99	18.97	19.38	0-5	5
		3	0	19.04	19.00	19.38	0-5	5
		3	1	19.01	18.92	19.34	0-5	5
		3	3	19.05	18.89	19.42	0-5	5
		6	0	18.97	18.88	19.34	0-5	5

LTE Band 2 _ 3 Mhz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 Mhz	QPSK	1	0	23.93	23.93	24.17	0	0
		1	7	23.99	24.00	24.32	0	0
		1	14	23.92	23.83	24.22	0	0
		8	0	22.92	22.96	23.25	0-1	1
		8	3	22.94	22.99	23.35	0-1	1
		8	7	22.93	22.94	23.33	0-1	1
	16QAM	15	0	22.96	22.90	23.32	0-1	1
		1	0	23.25	23.13	23.50	0-1	1
		1	7	23.24	23.20	23.54	0-1	1
		1	14	23.33	23.02	23.52	0-1	1
		8	0	21.99	22.00	22.26	0-2	2
		8	3	22.04	22.07	22.39	0-2	2
	64QAM	8	7	21.93	21.96	22.30	0-2	2
		15	0	22.01	22.00	22.33	0-2	2
		1	0	22.15	22.06	22.40	0-2	2
		1	7	22.10	22.10	22.48	0-2	2
		1	14	22.02	22.11	22.46	0-2	2
		8	0	20.97	20.98	21.38	0-3	3
	256QAM	8	3	20.99	20.96	21.43	0-3	3
		8	7	20.98	20.96	21.41	0-3	3
		15	0	20.96	20.93	21.27	0-3	3
		1	0	18.98	19.09	19.18	0-5	5
		1	7	19.11	18.99	19.44	0-5	5
		1	14	19.01	19.02	19.36	0-5	5
		8	0	19.01	18.94	19.31	0-5	5
		8	3	18.98	19.02	19.33	0-5	5
		8	7	18.98	18.92	19.35	0-5	5
	15	0	19.00	18.97	19.31	0-5	5	

LTE Band 2 _ 5 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	23.91	23.88	24.20	0	0
		1	12	24.01	24.04	24.37	0	0
		1	24	23.90	23.91	24.27	0	0
		12	0	23.07	22.95	23.26	0-1	1
		12	6	23.01	22.94	23.35	0-1	1
		12	11	22.98	22.97	23.32	0-1	1
		25	0	22.91	22.95	23.23	0-1	1
	16QAM	1	0	23.31	23.16	23.65	0-1	1
		1	12	23.25	23.29	23.47	0-1	1
		1	24	23.13	23.20	23.54	0-1	1
		12	0	21.99	21.96	22.28	0-2	2
		12	6	22.01	22.00	22.40	0-2	2
		12	11	22.02	21.98	22.35	0-2	2
		25	0	21.99	21.92	22.16	0-2	2
	64QAM	1	0	21.85	22.16	22.48	0-2	2
		1	12	22.19	21.99	22.51	0-2	2
		1	24	22.09	22.08	22.53	0-2	2
		12	0	21.02	20.94	21.27	0-3	3
		12	6	21.04	20.98	21.39	0-3	3
		12	11	21.02	20.95	21.31	0-3	3
		25	0	20.91	20.95	21.27	0-3	3
	256QAM	1	0	19.12	19.02	19.25	0-5	5
		1	12	19.07	19.13	19.44	0-5	5
		1	24	19.09	19.05	19.35	0-5	5
		12	0	18.96	18.94	19.18	0-5	5
		12	6	19.06	19.02	19.37	0-5	5
		12	11	18.98	18.98	19.39	0-5	5
		25	0	18.95	18.90	19.23	0-5	5

LTE Band 2 _ 10 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	23.99	23.90	24.31	0	0
		1	24	23.98	23.87	24.35	0	0
		1	49	23.92	23.88	24.30	0	0
		25	0	23.04	22.93	23.20	0-1	1
		25	12	23.03	22.98	23.16	0-1	1
		25	24	22.99	22.98	23.30	0-1	1
	16QAM	50	0	22.97	22.97	23.17	0-1	1
		1	0	23.29	23.04	23.28	0-1	1
		1	24	23.26	23.21	23.38	0-1	1
		1	49	23.05	23.22	23.36	0-1	1
		25	0	21.92	21.98	22.18	0-2	2
		25	12	22.02	22.03	22.26	0-2	2
	64QAM	25	24	21.98	21.96	22.31	0-2	2
		50	0	21.93	21.99	22.22	0-2	2
		1	0	22.10	22.06	22.30	0-2	2
		1	24	22.13	22.14	22.36	0-2	2
		1	49	22.08	22.11	22.39	0-2	2
		25	0	20.96	20.95	21.22	0-3	3
	256QAM	25	12	21.06	20.98	21.21	0-3	3
		25	24	21.03	20.99	21.30	0-3	3
		50	0	21.00	20.94	21.22	0-3	3
		1	0	19.02	18.95	19.38	0-5	5
		1	24	19.17	19.15	19.36	0-5	5
		1	49	19.05	19.01	19.30	0-5	5
		25	0	18.96	18.94	19.20	0-5	5
		25	12	19.02	19.04	19.27	0-5	5
		25	24	19.00	18.96	19.31	0-5	5
	50	0	19.04	18.91	19.19	0-5	5	

LTE Band 2 _ 15 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	23.82	23.97	23.93	0	0
		1	36	24.04	23.74	23.97	0	0
		1	74	23.78	23.89	24.05	0	0
		36	0	22.84	22.82	23.00	0-1	1
		36	18	22.83	22.85	23.08	0-1	1
		36	39	22.84	22.82	23.19	0-1	1
		75	0	22.85	22.84	23.12	0-1	1
	16QAM	1	0	23.21	22.92	23.27	0-1	1
		1	36	23.03	22.83	23.24	0-1	1
		1	74	22.93	22.88	23.22	0-1	1
		36	0	21.85	21.81	22.06	0-2	2
		36	18	21.85	21.83	22.09	0-2	2
		36	39	21.83	21.81	22.12	0-2	2
		75	0	21.83	21.80	22.16	0-2	2
	64QAM	1	0	21.98	21.78	22.08	0-2	2
		1	36	21.93	21.85	22.18	0-2	2
		1	74	22.10	21.80	22.24	0-2	2
		36	0	20.96	20.77	21.02	0-3	3
		36	18	20.79	20.85	21.07	0-3	3
		36	39	20.83	20.84	21.15	0-3	3
		75	0	20.82	20.86	21.12	0-3	3
	256QAM	1	0	18.98	18.89	19.12	0-5	5
		1	36	18.82	18.89	19.19	0-5	5
		1	74	18.88	18.74	19.33	0-5	5
		36	0	18.86	18.73	18.96	0-5	5
		36	18	18.77	18.80	19.12	0-5	5
		36	39	18.79	18.76	19.08	0-5	5
		75	0	18.82	18.79	19.18	0-5	5

LTE Band 2 _ 20 Mhz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]	
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz			
20 Mhz	QPSK	1	0	24.01	23.92	23.94	0	0	
		1	49	23.87	23.72	24.09	0	0	
		1	99	23.74	23.78	24.05	0	0	
		50	0	22.88	22.71	22.99	0-1	1	
		50	25	22.86	22.83	23.09	0-1	1	
		50	49	22.83	22.84	23.12	0-1	1	
	16QAM	100	0	22.84	22.89	23.12	0-1	1	
		1	0	23.03	22.78	23.01	0-1	1	
		1	49	23.15	22.85	23.07	0-1	1	
		1	99	22.98	23.29	23.23	0-1	1	
		50	0	21.92	21.73	21.94	0-2	2	
		50	25	21.86	21.91	22.09	0-2	2	
	64QAM	50	49	21.91	21.89	22.10	0-2	2	
		100	0	21.82	21.82	22.09	0-2	2	
		1	0	21.94	21.83	22.07	0-2	2	
		1	49	21.92	21.96	22.14	0-2	2	
		1	99	21.80	21.94	22.10	0-2	2	
		50	0	20.87	20.64	20.91	0-3	3	
	256QAM	50	25	20.85	20.84	21.12	0-3	3	
		50	49	20.83	20.85	21.12	0-3	3	
		100	0	20.84	20.81	21.14	0-3	3	
		1	0	19.01	18.99	19.10	0-5	5	
		1	49	19.00	18.68	19.25	0-5	5	
		1	99	18.99	19.01	19.38	0-5	5	
		256QAM	50	0	18.85	18.68	19.02	0-5	5
			50	25	18.88	18.80	19.14	0-5	5
			50	49	18.81	18.72	19.11	0-5	5
			100	0	18.83	18.86	19.09	0-5	5

[LTE Band 4 Conducted Power _ P_{max}] Ant. F

LTE Band 4 _ 1.4 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	23.86	24.37	24.46	0	0
		1	3	23.95	24.51	24.29	0	0
		1	5	23.88	24.66	24.40	0	0
		3	0	23.85	24.58	24.43	0	0
		3	1	23.94	24.50	24.47	0	0
		3	3	23.89	24.56	24.49	0	0
	16QAM	6	0	22.95	23.37	23.40	0-1	1
		1	0	23.00	23.67	23.58	0-1	1
		1	3	23.05	23.95	23.66	0-1	1
		1	5	23.12	23.76	23.59	0-1	1
		3	0	22.98	23.65	23.70	0-1	1
		3	1	23.01	23.63	23.59	0-1	1
	64QAM	3	3	22.94	23.59	23.49	0-1	1
		6	0	22.07	22.21	22.50	0-2	2
		1	0	21.99	22.43	22.50	0-2	2
		1	3	22.14	22.61	22.60	0-2	2
		1	5	22.05	22.71	22.63	0-2	2
		3	0	21.91	22.54	22.52	0-2	2
	256QAM	3	1	21.93	22.46	22.49	0-2	2
		3	3	21.91	22.59	22.47	0-2	2
		6	0	20.91	21.40	21.44	0-3	3
		1	0	18.91	19.46	19.48	0-5	5
		1	3	19.00	19.53	19.65	0-5	5
		1	5	18.85	19.56	19.59	0-5	5
		3	0	18.90	19.42	19.50	0-5	5
		3	1	18.94	19.33	19.40	0-5	5
		3	3	19.00	19.41	19.52	0-5	5
		6	0	18.87	19.28	19.51	0-5	5

LTE Band 4 _ 3 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	23.84	24.42	24.40	0	0
		1	7	24.00	24.46	24.55	0	0
		1	14	23.90	24.40	24.36	0	0
		8	0	22.96	23.38	23.47	0-1	1
		8	3	23.03	23.52	23.57	0-1	1
		8	7	23.00	23.54	23.57	0-1	1
	16QAM	15	0	22.94	23.45	23.47	0-1	1
		1	0	23.10	23.72	23.76	0-1	1
		1	7	23.09	23.74	23.90	0-1	1
		1	14	23.15	23.62	23.64	0-1	1
		8	0	22.01	22.46	22.49	0-2	2
		8	3	22.04	22.52	22.57	0-2	2
	64QAM	8	7	22.03	22.57	22.52	0-2	2
		15	0	21.95	22.45	22.47	0-2	2
		1	0	22.11	22.48	22.67	0-2	2
		1	7	22.02	22.66	22.54	0-2	2
		1	14	21.95	22.83	22.52	0-2	2
		8	0	20.90	21.40	21.52	0-3	3
	256QAM	8	3	21.00	21.48	21.51	0-3	3
		8	7	20.97	21.57	21.58	0-3	3
		8	7	20.97	21.57	21.58	0-3	3
		15	0	21.01	21.44	21.52	0-3	3
		1	0	18.82	19.50	19.39	0-5	5
		1	7	19.09	19.60	19.55	0-5	5
		1	14	19.00	19.42	19.42	0-5	5
		8	0	18.86	19.36	19.45	0-5	5
		8	3	18.95	19.39	19.51	0-5	5
		8	7	18.95	19.50	19.48	0-5	5
		8	7	18.95	19.50	19.48	0-5	5
		15	0	18.95	19.46	19.45	0-5	5

LTE Band 4 _ 5 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	23.91	24.33	24.41	0	0
		1	12	24.01	24.54	24.53	0	0
		1	24	23.98	24.33	24.41	0	0
		12	0	22.90	23.36	23.46	0-1	1
		12	6	23.07	23.44	23.48	0-1	1
		12	11	23.05	23.40	23.52	0-1	1
		25	0	22.99	23.43	23.51	0-1	1
	16QAM	1	0	23.14	23.58	23.77	0-1	1
		1	12	23.41	23.95	23.74	0-1	1
		1	24	23.05	23.56	23.59	0-1	1
		12	0	21.99	22.47	22.45	0-2	2
		12	6	22.09	22.46	22.60	0-2	2
		12	11	22.07	22.48	22.51	0-2	2
		25	0	22.02	22.46	22.54	0-2	2
	64QAM	1	0	22.10	22.77	22.68	0-2	2
		1	12	22.05	22.66	22.63	0-2	2
		1	24	22.09	22.77	22.58	0-2	2
		12	0	20.90	21.37	21.49	0-3	3
		12	6	21.03	21.44	21.53	0-3	3
		12	11	21.00	21.40	21.49	0-3	3
		25	0	21.02	21.40	21.47	0-3	3
	256QAM	1	0	19.05	19.53	19.65	0-5	5
		1	12	19.14	19.58	19.52	0-5	5
		1	24	19.02	19.47	19.53	0-5	5
		12	0	18.99	19.37	19.43	0-5	5
		12	6	18.99	19.46	19.58	0-5	5
		12	11	18.98	19.41	19.46	0-5	5
		25	0	18.92	19.38	19.48	0-5	5

LTE Band 4 _ 10 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	24.01	24.30	24.42	0	0
		1	24	24.03	24.41	24.46	0	0
		1	49	24.13	24.33	24.38	0	0
		25	0	22.94	23.42	23.44	0-1	1
		25	12	23.15	23.48	23.57	0-1	1
		25	24	23.07	23.36	23.49	0-1	1
	16QAM	50	0	23.11	23.46	23.56	0-1	1
		1	0	23.12	23.86	23.85	0-1	1
		1	24	23.07	23.78	23.82	0-1	1
		1	49	23.53	23.94	23.66	0-1	1
		25	0	21.96	22.40	22.49	0-2	2
		25	12	22.05	22.42	22.55	0-2	2
	64QAM	25	24	22.07	22.40	22.52	0-2	2
		50	0	22.10	22.47	22.55	0-2	2
		1	0	22.33	22.53	22.64	0-2	2
		1	24	22.19	22.70	22.64	0-2	2
		1	49	22.44	22.65	22.66	0-2	2
		25	0	20.94	21.48	21.49	0-3	3
	256QAM	25	12	21.16	21.42	21.59	0-3	3
		25	24	21.10	21.48	21.51	0-3	3
		50	0	21.06	21.39	21.53	0-3	3
		1	0	18.99	19.37	19.55	0-5	5
		1	24	19.02	19.52	19.48	0-5	5
		1	49	19.14	19.51	19.55	0-5	5
		25	0	18.94	19.31	19.51	0-5	5
		25	12	19.06	19.43	19.54	0-5	5
		25	24	19.04	19.42	19.53	0-5	5
	50	0	19.04	19.39	19.44	0-5	5	

LTE Band 4 _ 15 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	24.02	24.22	24.03	0	0
		1	36	24.09	24.18	24.38	0	0
		1	74	24.03	24.56	24.55	0	0
		36	0	22.86	23.30	23.34	0-1	1
		36	18	22.92	23.34	23.34	0-1	1
		36	39	23.04	23.36	23.38	0-1	1
		75	0	22.92	23.27	23.41	0-1	1
	16QAM	1	0	22.71	23.22	23.70	0-1	1
		1	36	23.15	23.51	23.48	0-1	1
		1	74	23.20	23.55	23.49	0-1	1
		36	0	21.84	22.27	22.31	0-2	2
		36	18	21.96	22.34	22.38	0-2	2
		36	39	22.01	22.29	22.43	0-2	2
		75	0	21.91	22.29	22.41	0-2	2
	64QAM	1	0	21.87	22.18	22.44	0-2	2
		1	36	21.88	22.38	22.55	0-2	2
		1	74	22.26	22.50	22.40	0-2	2
		36	0	20.81	21.21	21.35	0-3	3
		36	18	20.95	21.29	21.35	0-3	3
		36	39	21.03	21.32	21.40	0-3	3
		75	0	20.92	21.29	21.46	0-3	3
	256QAM	1	0	18.84	19.22	19.25	0-5	5
		1	36	18.99	19.34	19.68	0-5	5
		1	74	19.24	19.31	19.28	0-5	5
		36	0	18.86	19.21	19.37	0-5	5
		36	18	18.95	19.30	19.31	0-5	5
		36	39	19.01	19.34	19.42	0-5	5
		75	0	18.95	19.26	19.30	0-5	5

LTE Band 4 _ 20 Mhz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
					20175 Ch. 1732.5 Mhz			
20 Mhz	QPSK	1	0		24.24		0	0
		1	49		24.51		0	0
		1	99		24.39		0	0
		50	0		23.21		0-1	1
		50	25		23.29		0-1	1
		50	49		23.32		0-1	1
	16QAM	100	0		23.33		0-1	1
		1	0		23.67		0-1	1
		1	49		23.45		0-1	1
		1	99		23.39		0-1	1
		50	0		22.12		0-2	2
		50	25		22.37		0-2	2
	64QAM	50	49		22.36		0-2	2
		100	0		22.33		0-2	2
		1	0		22.11		0-2	2
		1	49		22.39		0-2	2
		1	99		22.62		0-2	2
		50	0		21.18		0-3	3
	256QAM	50	25		21.36		0-3	3
		50	49		21.34		0-3	3
		100	0		21.31		0-3	3
		1	0		19.20		0-5	5
		1	49		19.41		0-5	5
		1	99		19.34		0-5	5
		50	0		19.16		0-5	5
		50	25		19.28		0-5	5
		50	49		19.28		0-5	5
	100	0		19.22		0-5	5	

[LTE Band 25 Conducted Power _ P_{max}] Ant. F

LTE Band 25 _ 1.4 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]	
				26047 Ch. 1850.7 MHz	26365 Ch. 1882.5 MHz	26683 Ch. 1914.3 MHz			
1.4 MHz	QPSK	1	0	23.41	23.48	23.94	0	0	
		1	3	23.59	23.54	24.05	0	0	
		1	5	23.44	23.47	23.85	0	0	
		3	0	23.55	23.52	23.99	0	0	
		3	1	23.62	23.58	23.86	0	0	
		3	3	23.55	23.56	23.76	0	0	
	16QAM	6	0	22.55	22.58	22.88	0-1	1	
		1	0	22.80	22.69	23.11	0-1	1	
		1	3	22.81	22.87	22.97	0-1	1	
		1	5	22.82	22.78	22.98	0-1	1	
		3	0	22.68	22.80	22.98	0-1	1	
		3	1	22.58	22.74	22.97	0-1	1	
	64QAM	3	3	22.78	22.75	22.92	0-1	1	
		6	0	21.68	21.73	21.93	0-2	2	
		1	0	21.65	21.67	22.02	0-2	2	
		1	3	21.70	21.70	22.08	0-2	2	
		1	5	21.66	21.74	21.92	0-2	2	
		3	0	21.56	21.72	21.85	0-2	2	
	256QAM	3	1	21.68	21.64	21.91	0-2	2	
		3	3	21.64	21.71	21.90	0-2	2	
		6	0	20.61	20.65	20.93	0-3	3	
		1	0	18.57	18.78	18.87	0-5	5	
		1	3	18.55	18.75	18.81	0-5	5	
		1	5	18.52	18.66	18.90	0-5	5	
			3	0	18.54	18.58	18.82	0-5	5
			3	1	18.64	18.73	18.90	0-5	5
			3	3	18.57	18.65	18.87	0-5	5
			6	0	18.52	18.54	18.78	0-5	5

LTE Band 25 _ 3 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26055 Ch. 1851.5 MHz	26365 Ch. 1882.5 MHz	26675 Ch. 1913.5 MHz		
3 MHz	QPSK	1	0	23.38	23.73	23.94	0	0
		1	7	23.44	23.70	23.84	0	0
		1	14	23.41	23.47	23.76	0	0
		8	0	22.52	22.65	22.80	0-1	1
		8	3	22.58	22.65	22.79	0-1	1
		8	7	22.60	22.68	22.90	0-1	1
	16QAM	15	0	22.56	22.61	22.78	0-1	1
		1	0	22.66	22.92	23.17	0-1	1
		1	7	22.79	22.88	23.03	0-1	1
		1	14	22.84	22.90	23.03	0-1	1
		8	0	21.62	21.74	21.88	0-2	2
		8	3	21.60	21.74	21.90	0-2	2
	64QAM	8	7	21.59	21.65	21.93	0-2	2
		15	0	21.61	21.63	21.81	0-2	2
		1	0	21.59	21.75	22.08	0-2	2
		1	7	21.66	21.70	22.08	0-2	2
		1	14	21.58	21.90	21.93	0-2	2
		8	0	20.61	20.66	20.74	0-3	3
	256QAM	8	3	20.57	20.68	20.76	0-3	3
		8	7	20.63	20.56	20.89	0-3	3
		8	7	20.63	20.56	20.89	0-3	3
		15	0	20.52	20.64	20.79	0-3	3
		1	0	18.43	18.58	18.87	0-5	5
		1	7	18.54	18.76	19.02	0-5	5
		1	14	18.58	18.66	18.86	0-5	5
		8	0	18.50	18.63	18.71	0-5	5
		8	3	18.66	18.64	18.84	0-5	5
8		7	18.56	18.60	18.92	0-5	5	
8		7	18.56	18.60	18.92	0-5	5	
15		0	18.61	18.61	18.82	0-5	5	

LTE Band 25 _ 5 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26065 Ch. 1852.5 MHz	26365 Ch. 1882.5 MHz	26665 Ch. 1912.5 MHz		
5 MHz	QPSK	1	0	23.52	23.82	24.01	0	0
		1	12	23.44	23.73	23.91	0	0
		1	24	23.52	23.57	23.82	0	0
		12	0	22.58	22.60	22.81	0-1	1
		12	6	22.57	22.67	22.79	0-1	1
		12	11	22.56	22.60	22.89	0-1	1
		25	0	22.55	22.65	22.83	0-1	1
	16QAM	1	0	22.73	22.81	23.09	0-1	1
		1	12	22.74	22.78	23.08	0-1	1
		1	24	22.70	22.84	23.13	0-1	1
		12	0	21.65	21.69	21.73	0-2	2
		12	6	21.62	21.68	21.85	0-2	2
		12	11	21.59	21.73	21.90	0-2	2
		25	0	21.60	21.62	21.80	0-2	2
	64QAM	1	0	21.65	21.63	21.93	0-2	2
		1	12	21.68	21.83	22.19	0-2	2
		1	24	21.79	21.65	21.90	0-2	2
		12	0	20.52	20.60	20.69	0-3	3
		12	6	20.61	20.70	20.89	0-3	3
		12	11	20.56	20.61	20.91	0-3	3
		25	0	20.62	20.67	20.84	0-3	3
	256QAM	1	0	18.55	18.63	18.74	0-5	5
		1	12	18.65	18.69	18.97	0-5	5
		1	24	18.48	18.71	18.85	0-5	5
		12	0	18.52	18.60	18.80	0-5	5
		12	6	18.53	18.65	18.80	0-5	5
		12	11	18.56	18.60	18.83	0-5	5
		25	0	18.51	18.64	18.68	0-5	5

LTE Band 25 _ 10 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26090 Ch. 1855 MHz	26365 Ch. 1882.5 MHz	26640 Ch. 1910 MHz		
10 MHz	QPSK	1	0	23.40	23.81	23.90	0	0
		1	24	23.45	23.65	23.73	0	0
		1	49	23.47	23.69	23.80	0	0
		25	0	22.52	22.57	22.77	0-1	1
		25	12	22.66	22.69	22.93	0-1	1
		25	24	22.60	22.72	22.87	0-1	1
	16QAM	50	0	22.58	22.65	22.85	0-1	1
		1	0	22.63	22.70	23.36	0-1	1
		1	24	22.80	22.87	23.13	0-1	1
		1	49	22.83	22.81	23.27	0-1	1
		25	0	21.55	21.53	21.79	0-2	2
		25	12	21.60	21.70	21.93	0-2	2
	64QAM	25	24	21.65	21.71	21.89	0-2	2
		50	0	21.62	21.66	21.92	0-2	2
		1	0	21.70	21.61	21.94	0-2	2
		1	24	21.67	21.84	21.94	0-2	2
		1	49	21.74	21.68	21.99	0-2	2
		25	0	20.57	20.55	20.81	0-3	3
	256QAM	25	12	20.63	20.70	20.89	0-3	3
		25	24	20.60	20.67	20.86	0-3	3
		50	0	20.63	20.69	20.89	0-3	3
		1	0	18.58	18.57	18.81	0-5	5
		1	24	18.59	18.84	18.91	0-5	5
		1	49	18.59	18.70	18.98	0-5	5
		25	0	18.60	18.54	18.73	0-5	5
		25	12	18.58	18.60	18.87	0-5	5
		25	24	18.58	18.63	18.85	0-5	5
50		0	18.52	18.58	18.86	0-5	5	

LTE Band 25 _ 15 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26115 Ch. 1857.5 MHz	26365 Ch. 1882.5 MHz	26615 Ch. 1907.5 MHz		
15 MHz	QPSK	1	0	23.49	23.82	23.95	0	0
		1	36	23.30	23.38	23.64	0	0
		1	74	23.42	23.31	23.63	0	0
		36	0	22.42	22.43	22.66	0-1	1
		36	18	22.51	22.50	22.75	0-1	1
		36	39	22.50	22.58	22.73	0-1	1
	16QAM	75	0	22.54	22.55	22.75	0-1	1
		1	0	22.58	22.56	22.78	0-1	1
		1	36	22.92	22.63	22.84	0-1	1
		1	74	22.60	22.63	23.25	0-1	1
		36	0	21.41	21.43	21.63	0-2	2
		36	18	21.46	21.52	21.72	0-2	2
	64QAM	36	39	21.49	21.53	21.77	0-2	2
		75	0	21.40	21.50	21.73	0-2	2
		1	0	21.43	21.46	21.65	0-2	2
		1	36	21.47	21.57	21.70	0-2	2
		1	74	21.44	21.55	21.75	0-2	2
		36	0	20.43	20.46	20.62	0-3	3
	256QAM	36	18	20.41	20.56	20.60	0-3	3
		36	39	20.51	20.47	20.78	0-3	3
		75	0	20.42	20.54	20.74	0-3	3
		1	0	18.51	18.57	18.58	0-5	5
		1	36	18.36	18.68	18.78	0-5	5
		1	74	18.57	18.68	19.07	0-5	5
		36	0	18.39	18.45	18.60	0-5	5
		36	18	18.51	18.48	18.66	0-5	5
		36	39	18.43	18.47	18.70	0-5	5
		75	0	18.47	18.51	18.68	0-5	5

LTE Band 25 _ 20 Mhz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26140 Ch. 1860 MHz	26365 Ch. 1882.5 MHz	26590 Ch. 1905 MHz		
20 Mhz	QPSK	1	0	23.49	23.87	24.01	0	0
		1	49	23.26	23.35	23.55	0	0
		1	99	23.37	23.33	23.50	0	0
		50	0	22.49	22.39	22.57	0-1	1
		50	25	22.47	22.60	22.72	0-1	1
		50	49	22.52	22.57	22.80	0-1	1
	16QAM	100	0	22.51	22.56	22.72	0-1	1
		1	0	22.38	22.38	22.69	0-1	1
		1	49	22.53	22.44	22.78	0-1	1
		1	99	22.50	22.68	22.92	0-1	1
		50	0	21.53	21.40	21.54	0-2	2
		50	25	21.51	21.55	21.72	0-2	2
	64QAM	50	49	21.51	21.50	21.69	0-2	2
		100	0	21.57	21.62	21.71	0-2	2
		1	0	21.37	21.39	21.69	0-2	2
		1	49	21.50	21.54	21.64	0-2	2
		1	99	21.68	21.52	21.78	0-2	2
		50	0	20.54	20.44	20.63	0-3	3
	256QAM	50	25	20.55	20.52	20.70	0-3	3
		50	49	20.47	20.52	20.72	0-3	3
		100	0	20.60	20.57	20.75	0-3	3
		1	0	18.55	18.47	18.60	0-5	5
		1	49	18.46	18.56	18.65	0-5	5
		1	99	18.48	18.69	18.87	0-5	5
		50	0	18.52	18.44	18.56	0-5	5
		50	25	18.52	18.52	18.64	0-5	5
		50	49	18.47	18.53	18.76	0-5	5
100		0	18.55	18.54	18.75	0-5	5	

[LTE Band 41 Conducted Power_ P_{max}] - Power Class 3 Ant.F

LTE Band 41_ 5 MHz Bandwidth - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
5 MHz	QPSK	1	0	23.19	23.64	23.84	23.74	23.91	0	0
		1	12	23.28	23.73	23.93	23.86	24.00	0	0
		1	24	23.20	23.71	23.78	23.79	23.85	0	0
		12	0	22.20	22.64	22.91	22.79	22.86	0-1	1
		12	6	22.29	22.83	22.98	22.82	22.96	0-1	1
		12	11	22.29	22.76	22.91	22.93	22.93	0-1	1
		25	0	22.27	22.75	22.89	22.81	22.93	0-1	1
	16QAM	1	0	22.19	22.63	22.79	22.83	22.79	0-1	1
		1	12	22.27	22.77	22.83	22.86	22.98	0-1	1
		1	24	22.09	22.72	22.79	22.78	22.79	0-1	1
		12	0	21.20	21.66	21.90	21.79	21.90	0-2	2
		12	6	21.32	21.77	21.93	21.82	21.97	0-2	2
		12	11	21.27	21.77	21.90	21.87	21.93	0-2	2
		25	0	21.26	21.78	21.92	21.82	21.95	0-2	2
	64QAM	1	0	21.26	21.73	21.96	21.86	21.90	0-2	2
		1	12	21.31	21.85	22.01	21.89	22.04	0-2	2
		1	24	21.34	21.73	21.90	21.88	21.84	0-2	2
		12	0	20.22	20.69	20.94	20.94	20.37	0-3	3
		12	6	20.33	20.77	20.94	20.95	20.38	0-3	3
		12	11	20.26	20.83	20.90	20.96	20.33	0-3	3
		25	0	20.26	20.81	20.91	20.92	20.34	0-3	3
	256QAM	1	0	18.06	18.49	18.69	18.75	18.47	0-5	5
		1	12	18.36	18.78	18.92	18.89	18.32	0-5	5
		1	24	18.20	18.64	18.87	18.78	18.36	0-5	5
		12	0	18.18	18.64	18.86	18.88	18.52	0-5	5
		12	6	18.34	18.83	18.98	18.92	18.40	0-5	5
		12	11	18.36	18.74	18.88	18.98	18.38	0-5	5
		25	0	18.28	18.76	18.91	18.90	18.45	0-5	5

LTE Band 41_ 10 MHz Bandwidth - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
10 MHz	QPSK	1	0	23.21	23.66	23.81	23.84	23.91	0	0
		1	24	23.32	23.81	24.02	23.87	23.97	0	0
		1	49	23.13	23.67	23.87	23.78	23.90	0	0
		25	0	22.12	22.57	22.97	22.82	22.90	0-1	1
		25	12	22.25	22.88	23.06	22.85	22.98	0-1	1
		25	24	22.29	22.80	22.86	22.88	22.94	0-1	1
		50	0	22.20	22.72	22.81	22.81	22.96	0-1	1
	16QAM	1	0	22.20	22.59	22.79	22.83	22.78	0-1	1
		1	24	22.22	22.76	22.89	22.82	22.84	0-1	1
		1	49	22.19	22.72	22.75	22.74	22.82	0-1	1
		25	0	21.29	21.76	21.91	21.84	21.91	0-2	2
		25	12	21.26	21.71	22.03	21.88	21.97	0-2	2
		25	24	21.37	21.68	22.00	21.91	21.96	0-2	2
		50	0	21.16	21.87	22.02	21.84	21.98	0-2	2
	64QAM	1	0	21.25	21.66	21.90	21.89	21.99	0-2	2
		1	24	21.34	21.84	22.11	21.90	21.99	0-2	2
		1	49	21.39	21.79	21.82	21.87	21.88	0-2	2
		25	0	20.23	20.68	20.95	20.92	20.57	0-3	3
		25	12	20.31	20.84	20.92	20.95	20.39	0-3	3
		25	24	20.27	20.80	20.89	21.03	20.38	0-3	3
		50	0	20.31	20.81	20.93	20.93	20.46	0-3	3
	256QAM	1	0	18.13	18.68	18.68	18.90	18.81	0-5	5
		1	24	18.18	18.78	18.86	19.07	18.36	0-5	5
		1	49	18.20	18.70	18.76	18.89	18.42	0-5	5
		25	0	18.25	18.66	18.90	18.91	18.66	0-5	5
		25	12	18.35	18.78	18.97	18.91	18.50	0-5	5
		25	24	18.31	18.81	18.94	19.03	18.44	0-5	5
		50	0	18.32	18.79	18.92	18.90	18.56	0-5	5

LTE Band 41_ 15 MHz Bandwidth- Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
15 MHz	QPSK	1	0	23.11	23.54	23.85	23.66	23.80	0	0
		1	36	23.30	23.67	24.00	23.65	23.78	0	0
		1	74	23.27	23.79	23.68	23.68	23.78	0	0
		36	0	22.16	22.69	22.86	22.67	22.77	0-1	1
		36	18	22.36	22.93	22.92	22.68	22.74	0-1	1
		36	39	22.29	22.76	23.00	22.75	22.82	0-1	1
		75	0	22.33	22.76	22.99	22.68	22.83	0-1	1
	16QAM	1	0	22.21	22.54	22.73	22.61	22.67	0-1	1
		1	36	22.26	22.82	22.77	22.74	22.66	0-1	1
		1	74	22.04	22.64	22.82	22.66	22.62	0-1	1
		36	0	21.27	21.60	21.87	21.67	21.74	0-2	2
		36	18	21.29	21.83	22.02	21.66	21.71	0-2	2
		36	39	21.27	21.84	22.00	21.74	21.77	0-2	2
		75	0	21.18	21.80	21.85	21.67	21.78	0-2	2
	64QAM	1	0	21.31	21.68	22.06	21.70	21.86	0-2	2
		1	36	21.29	21.81	22.11	21.76	21.89	0-2	2
		1	74	21.40	21.69	21.81	21.71	21.81	0-2	2
		36	0	20.08	20.57	20.74	20.81	20.51	0-3	3
		36	18	20.13	20.55	20.76	20.75	20.30	0-3	3
		36	39	20.10	20.60	20.75	20.84	20.22	0-3	3
		75	0	20.15	20.64	20.81	20.81	20.39	0-3	3
	256QAM	1	0	18.10	18.50	18.62	18.67	18.74	0-5	5
		1	36	18.05	18.54	18.60	18.77	18.20	0-5	5
		1	74	18.10	18.59	18.76	18.95	18.22	0-5	5
		36	0	18.07	18.59	18.76	18.79	18.63	0-5	5
		36	18	18.15	18.60	18.80	18.78	18.41	0-5	5
		36	39	18.15	18.69	18.79	18.86	18.33	0-5	5
		75	0	18.14	18.68	18.81	18.79	18.51	0-5	5

LTE Band 41_ 20 Mhz Bandwidth - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 Mhz	40185 Ch. 2549.5 Mhz	40620 Ch. 2593.0 Mhz	41055 Ch. 2636.5 Mhz	41490 Ch. 2680.0 Mhz		
20 Mhz	QPSK	1	0	23.15	23.66	23.88	23.72	23.86	0	0
		1	49	23.31	23.64	23.85	23.62	23.76	0	0
		1	99	23.24	23.62	23.86	23.64	23.72	0	0
		50	0	22.27	22.66	23.00	22.68	22.74	0-1	1
		50	25	22.36	22.74	22.89	22.68	22.83	0-1	1
		50	49	22.31	22.72	22.83	22.78	22.76	0-1	1
		100	0	22.28	22.65	22.92	22.68	22.69	0-1	1
	16QAM	1	0	22.17	22.58	22.78	22.72	22.65	0-1	1
		1	49	22.25	22.67	22.89	22.69	22.62	0-1	1
		1	99	22.02	22.76	22.71	22.68	22.54	0-1	1
		50	0	21.20	21.68	21.97	21.64	21.70	0-2	2
		50	25	21.38	21.68	21.89	21.68	21.81	0-2	2
		50	49	21.19	21.73	21.91	21.72	21.75	0-2	2
		100	0	21.29	21.72	21.90	21.65	21.70	0-2	2
	64QAM	1	0	21.16	21.70	21.90	21.82	21.74	0-2	2
		1	49	21.32	21.86	22.09	21.73	21.74	0-2	2
		1	99	21.36	21.71	21.84	21.81	21.81	0-2	2
		50	0	20.14	20.56	20.73	20.76	20.75	0-3	3
		50	25	20.18	20.69	20.84	20.80	20.50	0-3	3
		50	49	20.14	20.66	20.80	20.87	20.41	0-3	3
		100	0	20.17	20.67	20.83	20.75	20.56	0-3	3
	256QAM	1	0	18.13	18.42	18.75	18.69	18.71	0-5	5
		1	49	18.23	18.61	18.73	18.60	18.49	0-5	5
		1	99	18.09	18.78	18.67	18.81	18.48	0-5	5
		50	0	18.07	18.59	18.78	18.81	18.82	0-5	5
		50	25	18.14	18.66	18.86	18.77	18.56	0-5	5
		50	49	18.17	18.68	18.74	18.90	18.46	0-5	5
		100	0	18.16	18.70	18.80	18.78	18.65	0-5	5

Note; LTE Band 41 has 5 required test channels per FCC KDB 447498 D04v01.

[LTE Band 41 Conducted Power_ P_{max}] - Power Class 2 Ant.F

LTE Band 41_ 5 MHz Bandwidth - Power Class 2

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
5 MHz	QPSK	1	0	24.67	25.14	25.31	25.46	24.99	0	0
		1	12	24.66	25.16	25.43	25.54	24.73	0	0
		1	24	24.69	25.15	25.31	25.46	24.74	0	0
		12	0	23.67	24.13	24.38	24.40	23.94	0-1	1
		12	6	23.80	24.26	24.42	24.40	23.87	0-1	1
		12	11	23.73	24.25	24.39	24.47	23.83	0-1	1
		25	0	23.73	24.26	24.39	24.41	23.86	0-1	1
	16QAM	1	0	23.95	24.36	24.55	24.63	24.21	0-1	1
		1	12	23.93	24.44	24.72	24.76	24.03	0-1	1
		1	24	23.98	24.50	24.62	24.73	24.04	0-1	1
		12	0	22.73	23.21	23.40	23.43	23.06	0-2	2
		12	6	22.86	23.31	23.43	23.46	22.99	0-2	2
		12	11	22.77	23.35	23.41	23.52	22.94	0-2	2
		25	0	22.78	23.26	23.43	23.46	22.96	0-2	2
	64QAM	1	0	23.08	23.49	23.53	23.73	23.36	0-2	2
		1	12	23.18	23.57	23.70	23.87	23.23	0-2	2
		1	24	23.02	23.59	23.71	23.77	23.19	0-2	2
		12	0	21.75	22.24	22.44	22.41	22.07	0-3	3
		12	6	21.85	22.36	22.48	22.45	22.04	0-3	3
		12	11	21.74	22.30	22.43	22.50	21.98	0-3	3
		25	0	21.81	22.26	22.43	22.45	21.99	0-3	3
	256QAM	1	0	19.61	20.22	20.39	20.52	20.39	0-5	5
		1	12	19.94	20.40	20.58	20.63	20.01	0-5	5
		1	24	19.90	20.48	20.51	20.54	20.17	0-5	5
		12	0	19.73	20.20	20.47	20.43	20.07	0-5	5
		12	6	19.85	20.32	20.48	20.47	20.02	0-5	5
		12	11	19.80	20.28	20.42	20.53	20.00	0-5	5
		25	0	19.80	20.32	20.43	20.40	20.03	0-5	5

LTE Band 41_ 10 MHz Bandwidth - Power Class 2

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]	
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz			
10 MHz	QPSK	1	0	24.77	25.18	25.46	25.52	24.73	0	0	
		1	24	24.73	25.25	25.44	25.51	24.23	0	0	
		1	49	24.74	25.23	25.37	25.49	24.27	0	0	
		25	0	23.71	24.17	24.38	24.43	23.60	0-1	1	
		25	12	23.80	24.30	24.43	24.45	23.42	0-1	1	
		25	24	23.76	24.31	24.43	24.47	23.37	0-1	1	
	16QAM	50	0	23.74	24.27	24.36	24.39	23.48	0-1	1	
		1	0	24.01	24.48	24.53	24.69	23.94	0-1	1	
		1	24	24.04	24.51	24.61	24.73	23.50	0-1	1	
		1	49	23.98	24.56	24.56	24.72	23.69	0-1	1	
		25	0	22.72	23.20	23.45	23.44	22.67	0-2	2	
		25	12	22.83	23.33	23.45	23.41	22.53	0-2	2	
	64QAM	25	24	22.79	23.32	23.42	23.49	22.48	0-2	2	
		50	0	22.81	23.27	23.43	23.41	22.59	0-2	2	
		1	0	23.04	23.55	23.75	23.75	23.18	0-2	2	
		1	24	23.08	23.56	23.73	23.90	22.78	0-2	2	
		1	49	23.05	23.54	23.61	23.76	22.75	0-2	2	
		25	0	21.75	22.23	22.45	22.43	21.70	0-3	3	
	256QAM	25	12	21.83	22.33	22.46	22.47	21.54	0-3	3	
		25	24	21.83	22.33	22.41	22.50	21.51	0-3	3	
		50	0	21.79	22.31	22.44	22.41	21.63	0-3	3	
		1	0	19.85	20.24	20.39	20.54	20.04	0-5	5	
		1	24	19.95	20.45	20.61	20.59	19.60	0-5	5	
		1	49	19.91	20.46	20.34	20.52	19.79	0-5	5	
		256QAM	25	0	19.73	20.22	20.45	20.44	19.75	0-5	5
			25	12	19.82	20.36	20.48	20.48	19.59	0-5	5
			25	24	19.81	20.32	20.47	20.52	19.56	0-5	5
			50	0	19.82	20.30	20.45	20.44	19.65	0-5	5

LTE Band 41 _ 15 MHz Bandwidth- Power Class 2

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
15 MHz	QPSK	1	0	24.50	24.99	25.30	25.45	24.80	0	0
		1	36	24.60	24.95	25.14	25.25	24.22	0	0
		1	74	24.67	25.14	25.29	25.46	24.22	0	0
		36	0	23.52	24.03	24.22	24.27	23.55	0-1	1
		36	18	23.63	24.04	24.26	24.27	23.34	0-1	1
		36	39	23.63	24.18	24.26	24.35	23.26	0-1	1
		75	0	23.63	24.11	24.25	24.30	23.40	0-1	1
	16QAM	1	0	23.89	24.27	24.48	24.49	24.02	0-1	1
		1	36	23.78	24.38	24.39	24.51	23.47	0-1	1
		1	74	23.77	24.44	24.41	24.65	23.47	0-1	1
		36	0	22.56	23.03	23.22	23.31	22.64	0-2	2
		36	18	22.67	23.06	23.25	23.30	22.42	0-2	2
		36	39	22.62	23.20	23.26	23.32	22.34	0-2	2
		75	0	22.65	23.16	23.30	23.28	22.49	0-2	2
	64QAM	1	0	22.87	23.34	23.57	23.50	23.10	0-2	2
		1	36	22.90	23.27	23.57	23.67	22.66	0-2	2
		1	74	22.87	23.48	23.54	23.66	22.65	0-2	2
		36	0	21.60	22.05	22.25	22.25	21.66	0-3	3
		36	18	21.68	22.10	22.29	22.29	21.44	0-3	3
		36	39	21.63	22.13	22.26	22.36	21.37	0-3	3
		75	0	21.64	22.17	22.26	22.28	21.53	0-3	3
	256QAM	1	0	19.70	20.16	20.28	20.50	20.01	0-5	5
		1	36	19.75	20.22	20.42	20.34	19.61	0-5	5
		1	74	19.89	20.37	20.47	20.51	19.45	0-5	5
		36	0	19.61	20.06	20.28	20.30	19.69	0-5	5
		36	18	19.69	20.13	20.34	20.30	19.46	0-5	5
		36	39	19.65	20.20	20.31	20.35	19.36	0-5	5
		75	0	19.70	20.21	20.30	20.31	19.54	0-5	5

LTE Band 41_ 20 Mhz Bandwidth - Power Class 2

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 Mhz	40185 Ch. 2549.5 Mhz	40620 Ch. 2593.0 Mhz	41055 Ch. 2636.5 Mhz	41490 Ch. 2680.0 Mhz		
20 Mhz	QPSK	1	0	24.60	24.97	25.30	25.47	24.92	0	0
		1	49	24.66	25.01	25.31	25.43	24.20	0	0
		1	99	24.61	25.10	25.24	25.39	24.20	0	0
		50	0	23.58	24.02	24.22	24.27	23.64	0-1	1
		50	25	23.66	24.10	24.27	24.26	23.38	0-1	1
		50	49	23.66	24.10	24.28	24.32	23.29	0-1	1
		100	0	23.65	24.11	24.28	24.26	23.45	0-1	1
	16QAM	1	0	23.81	24.31	24.41	24.57	24.17	0-1	1
		1	49	24.01	24.49	24.39	24.73	23.51	0-1	1
		1	99	23.78	24.27	24.40	24.64	23.54	0-1	1
		50	0	22.59	23.10	23.26	23.27	22.71	0-2	2
		50	25	22.68	23.19	23.29	23.30	22.46	0-2	2
		50	49	22.66	23.13	23.22	23.38	22.37	0-2	2
		100	0	22.64	23.13	23.27	23.26	22.55	0-2	2
	64QAM	1	0	23.00	23.36	23.63	23.63	23.37	0-2	2
		1	49	22.85	23.34	23.57	23.72	22.77	0-2	2
		1	99	22.90	23.41	23.56	23.61	22.62	0-2	2
		50	0	21.60	22.09	22.24	22.29	21.76	0-3	3
		50	25	21.70	22.16	22.31	22.32	21.49	0-3	3
		50	49	21.68	22.15	22.25	22.33	21.40	0-3	3
		100	0	21.71	22.18	22.25	22.28	21.60	0-3	3
	256QAM	1	0	19.79	20.26	20.42	20.39	20.18	0-5	5
		1	49	19.74	20.31	20.37	20.51	19.52	0-5	5
		1	99	19.84	20.27	20.41	20.52	19.53	0-5	5
50		0	19.62	20.10	20.29	20.34	19.77	0-5	5	
50		25	19.72	20.22	20.35	20.33	19.51	0-5	5	
50		49	19.68	20.22	20.32	20.41	19.41	0-5	5	
100		0	19.73	20.19	20.30	20.32	19.61	0-5	5	

Note; LTE Band 41 has 5 required test channels per FCC KDB 447498 D04v01.

[LTE Band 66 Conducted Power_ P_{max}](Head mode) Ant. F

LTE Band 66 _ 1.4 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	23.87	24.56	24.25	0	0
		1	3	23.90	24.44	24.37	0	0
		1	5	23.80	24.52	24.36	0	0
		3	0	23.85	24.53	24.31	0	1
		3	1	23.86	24.47	24.34	0	1
		3	3	23.89	24.65	24.41	0	1
		6	0	22.87	23.44	23.28	0-1	1
	16QAM	1	0	23.68	23.64	23.54	0-1	1
		1	3	22.96	23.82	23.60	0-1	1
		1	5	23.13	23.81	23.45	0-1	1
		3	0	23.02	23.69	23.54	0-1	2
		3	1	23.07	23.55	23.48	0-1	2
		3	3	22.92	23.73	23.45	0-1	2
		6	0	21.90	22.46	22.33	0-2	2
	64QAM	1	0	22.03	22.63	22.70	0-2	2
		1	3	22.04	22.72	22.43	0-2	2
		1	5	21.90	22.66	22.43	0-2	2
		3	0	22.04	22.55	22.32	0-2	3
		3	1	21.93	22.56	22.42	0-2	3
		3	3	21.90	22.56	22.38	0-2	3
		6	0	20.83	21.37	21.31	0-3	3
	256QAM	1	0	18.85	19.29	19.35	0-5	5
		1	3	18.90	19.66	19.34	0-5	5
		1	5	18.86	19.54	19.37	0-5	5
		3	0	18.94	19.43	19.37	0-5	5
		3	1	18.94	19.39	19.29	0-5	5
		3	3	18.86	19.58	19.31	0-5	5
		6	0	18.89	19.42	19.30	0-5	5

LTE Band 66 _ 3 Mhz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 Mhz	132322 Ch. 1745 Mhz	132657 Ch. 1778.5 Mhz		
3 Mhz	QPSK	1	0	23.84	24.38	24.30	0	0
		1	7	23.98	24.55	24.36	0	0
		1	14	23.81	24.48	24.28	0	0
		8	0	22.91	23.52	23.34	0-1	1
		8	3	23.00	23.53	23.39	0-1	1
		8	7	22.95	23.51	23.37	0-1	1
	16QAM	15	0	22.91	23.51	23.37	0-1	1
		1	0	23.14	23.95	23.72	0-1	1
		1	7	23.10	23.71	23.63	0-1	1
		1	14	23.05	23.74	23.55	0-1	1
		8	0	21.96	22.52	22.35	0-2	2
		8	3	21.96	22.48	22.46	0-2	2
	64QAM	8	7	21.91	22.49	22.38	0-2	2
		15	0	21.94	22.45	22.34	0-2	2
		1	0	22.09	22.74	22.38	0-2	2
		1	7	22.19	22.72	22.46	0-2	2
		1	14	22.00	22.60	22.49	0-2	2
		8	0	20.89	21.41	21.34	0-3	3
	256QAM	8	3	20.99	21.53	21.31	0-3	3
		8	7	20.91	21.49	21.35	0-3	3
		15	0	20.88	21.46	21.35	0-3	3
		1	0	18.84	19.49	19.37	0-5	5
		1	7	18.94	19.64	19.41	0-5	5
		1	14	18.92	19.32	19.40	0-5	5
		8	0	18.87	19.49	19.33	0-5	5
		8	3	18.95	19.45	19.32	0-5	5
		8	7	18.93	19.45	19.33	0-5	5
		15	0	18.91	19.41	19.32	0-5	5

LTE Band 66 _ 5 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	23.87	24.47	24.26	0	0
		1	12	23.96	24.51	24.42	0	0
		1	24	23.95	24.54	24.32	0	0
		12	0	22.85	23.43	23.38	0-1	1
		12	6	23.00	23.51	23.48	0-1	1
		12	11	22.95	23.50	23.38	0-1	1
	16QAM	25	0	22.96	23.47	23.33	0-1	1
		1	0	23.10	23.88	23.72	0-1	1
		1	12	23.62	23.86	23.71	0-1	1
		1	24	23.05	23.72	23.64	0-1	1
		12	0	21.88	22.48	22.38	0-2	2
		12	6	22.01	22.50	22.43	0-2	2
	64QAM	12	11	22.06	22.43	22.41	0-2	2
		25	0	21.97	22.43	22.32	0-2	2
		1	0	22.19	22.54	22.73	0-2	2
		1	12	22.10	22.74	22.60	0-2	2
		1	24	21.99	22.58	22.43	0-2	2
		12	0	20.84	21.48	21.37	0-3	3
	256QAM	12	6	20.95	21.53	21.43	0-3	3
		12	11	20.90	21.40	21.37	0-3	3
		25	0	20.92	21.45	21.32	0-3	3
		1	0	18.89	19.45	19.37	0-5	5
		1	12	19.00	19.70	19.51	0-5	5
		1	24	19.06	19.54	19.24	0-5	5
		12	0	18.81	19.41	19.36	0-5	5
		12	6	18.96	19.49	19.39	0-5	5
		12	11	18.96	19.49	19.38	0-5	5
	25	0	18.99	19.51	19.31	0-5	5	

LTE Band 66 _ 10 MHz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	24.01	24.45	24.41	0	0
		1	24	23.93	24.66	24.42	0	0
		1	49	23.99	24.36	24.35	0	0
		25	0	22.92	23.46	23.42	0-1	1
		25	12	23.09	23.52	23.45	0-1	1
		25	24	22.98	23.45	23.37	0-1	1
	16QAM	50	0	22.96	23.50	23.40	0-1	1
		1	0	23.22	23.81	23.55	0-1	1
		1	24	23.26	23.85	23.55	0-1	1
		1	49	23.40	23.66	23.43	0-1	1
		25	0	21.93	22.45	22.38	0-2	2
		25	12	22.00	22.52	22.45	0-2	2
	64QAM	25	24	22.00	22.47	22.38	0-2	2
		50	0	21.96	22.44	22.42	0-2	2
		1	0	22.29	22.48	22.43	0-2	2
		1	24	22.17	22.74	22.62	0-2	2
		1	49	22.11	22.68	22.62	0-2	2
		25	0	20.88	21.48	21.33	0-3	3
	256QAM	25	12	20.98	21.59	21.39	0-3	3
		25	24	21.03	21.54	21.36	0-3	3
		50	0	20.99	21.37	21.40	0-3	3
		1	0	18.90	19.40	19.38	0-5	5
		1	24	18.99	19.72	19.52	0-5	5
		1	49	19.14	19.50	19.40	0-5	5
		25	0	18.90	19.40	19.43	0-5	5
		25	12	19.01	19.48	19.41	0-5	5
		25	24	18.94	19.46	19.35	0-5	5
50		0	19.02	19.45	19.40	0-5	5	

LTE Band 66 _ 15 Mhz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]	
				132047 Ch. 1717.5 Mhz	132322 Ch. 1745 Mhz	132597 Ch. 1772.5 Mhz			
15 Mhz	QPSK	1	0	23.87	24.36	24.33	0	0	
		1	36	23.82	24.36	24.04	0	0	
		1	74	24.08	24.45	24.21	0	0	
		36	0	22.86	23.27	23.25	0-1	1	
		36	18	22.89	23.31	23.23	0-1	1	
		36	39	22.93	23.32	23.18	0-1	1	
	16QAM	75	0	22.86	23.38	23.24	0-1	1	
		1	0	22.73	23.34	23.39	0-1	1	
		1	36	22.94	23.61	23.36	0-1	1	
		1	74	23.55	23.56	23.18	0-1	1	
		36	0	21.83	22.35	22.22	0-2	2	
		36	18	21.95	22.29	22.20	0-2	2	
	64QAM	36	39	21.85	22.32	22.30	0-2	2	
		75	0	21.86	22.28	22.23	0-2	2	
		1	0	21.86	22.38	22.34	0-2	2	
		1	36	21.87	22.54	22.37	0-2	2	
		1	74	21.95	22.65	22.19	0-2	2	
		36	0	20.79	21.26	21.28	0-3	3	
	256QAM	36	18	20.93	21.23	21.27	0-3	3	
		36	39	20.92	21.36	21.18	0-3	3	
		75	0	20.84	21.32	21.19	0-3	3	
		1	0	18.75	19.24	19.21	0-5	5	
		1	36	18.85	19.57	19.20	0-5	5	
		1	74	19.13	19.23	19.19	0-5	5	
			36	0	18.88	19.26	19.28	0-5	5
			36	18	18.90	19.28	19.22	0-5	5
			36	39	18.98	19.30	19.16	0-5	5
			75	0	18.90	19.29	19.26	0-5	5

LTE Band 66 _ 20 Mhz Bandwidth

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 Mhz	QPSK	1	0	23.60	24.39	24.20	0	0
		1	49	23.97	24.22	24.30	0	0
		1	99	24.15	24.26	24.29	0	0
		50	0	22.86	23.28	23.26	0-1	1
		50	25	22.95	23.34	23.33	0-1	1
		50	49	23.01	23.30	23.19	0-1	1
		100	0	22.97	23.28	23.27	0-1	1
	16QAM	1	0	22.87	23.69	23.36	0-1	1
		1	49	23.04	23.60	23.31	0-1	1
		1	99	23.01	23.70	23.32	0-1	1
		50	0	21.82	22.30	22.33	0-2	2
		50	25	21.97	22.33	22.31	0-2	2
		50	49	21.94	22.35	22.28	0-2	2
		100	0	21.97	22.27	22.26	0-2	2
	64QAM	1	0	22.00	22.33	22.29	0-2	2
		1	49	21.96	22.52	22.36	0-2	2
		1	99	22.13	22.51	22.18	0-2	2
		50	0	20.81	21.28	21.29	0-3	3
		50	25	20.94	21.28	21.28	0-3	3
		50	49	20.96	21.23	21.14	0-3	3
		100	0	20.88	21.33	21.28	0-3	3
	256QAM	1	0	18.95	19.39	19.43	0-5	5
		1	49	18.90	19.38	19.16	0-5	5
		1	99	19.14	19.34	19.15	0-5	5
		50	0	18.81	19.28	19.26	0-5	5
		50	25	18.94	19.37	19.34	0-5	5
		50	49	19.00	19.36	19.23	0-5	5
100		0	18.97	19.30	19.29	0-5	5	

[NR Band n2 Conducted Power _ P_{max}] Ant. F

NR Band n2 _ 5 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.46	23.42	23.15	0
				1	13	23.43	23.37	23.09	0
				1	23	23.41	23.33	23.01	0
				12	0	22.99	22.95	22.67	0.5
				12	7	23.45	23.37	23.10	0
				12	13	22.92	22.82	22.49	0.5
				25	0	22.97	22.88	22.63	0.5
			QPSK	1	1	23.52	23.46	23.14	0
				1	13	23.43	23.36	23.13	0
				1	23	23.39	23.34	22.97	0
				12	0	22.55	22.48	22.17	1
				12	7	23.47	23.42	23.12	0
				12	13	22.46	22.39	21.97	1
			25	0	22.48	22.42	22.11	1	
		16QAM	1	1	22.56	22.50	22.14	1	
		64QAM	1	1	21.17	21.08	20.82	2.5	
		256QAM	1	1	18.30	18.41	18.13	4.5	
CP	QPSK	1	1	21.96	22.01	21.66	1.5		

NR Band n2 _ 10 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.94	23.48	23.21	0
				1	26	23.51	23.45	23.16	0
				1	50	23.47	23.24	23.06	0
				25	0	23.09	22.99	22.77	0.5
				25	14	23.53	23.46	23.18	0
				25	27	23.01	22.92	22.72	0.5
				50	0	23.02	22.94	22.74	0.5
			QPSK	1	1	23.58	23.52	23.27	0
				1	26	23.51	23.44	23.22	0
				1	50	23.46	23.32	23.09	0
				25	0	22.59	22.49	22.27	1
				25	14	23.56	23.48	23.22	0
				25	27	22.49	22.45	22.16	1
			50	0	22.56	22.52	22.27	1	
		16QAM	1	1	22.65	22.57	22.35	1	
		64QAM	1	1	21.32	21.16	20.90	2.5	
		256QAM	1	1	18.56	18.44	18.23	4.5	
CP	QPSK	1	1	22.20	22.13	21.86	1.5		

NR Band n2 _ 15 Mhz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.79	23.64	23.24	0
				1	40	23.67	23.56	23.12	0
				1	77	23.73	23.58	23.02	0
				36	0	23.23	23.13	22.71	0.5
				36	22	23.73	23.60	23.12	0
				36	43	23.27	23.11	22.69	0.5
				75	0	23.28	23.09	22.66	0.5
			QPSK	1	1	23.84	23.65	23.31	0
				1	40	23.79	23.64	23.13	0
				1	77	23.73	23.66	23.06	0
				36	0	22.75	22.64	22.28	1
				36	22	23.77	23.60	23.13	0
				36	43	22.78	22.61	22.17	1
			75	0	22.81	22.63	22.19	1	
			16QAM	1	1	22.81	22.67	22.27	1
		64QAM	1	1	21.41	21.27	20.93	2.5	
256QAM	1	1	18.80	18.66	18.23	4.5			
CP	QPSK	1	1	22.35	22.26	22.48	1.5		

NR Band n2 _ 20 Mhz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.68	23.59	23.46	0
				1	53	23.68	23.56	23.34	0
				1	104	23.66	23.44	23.15	0
				50	0	23.21	23.07	22.88	0.5
				50	28	23.76	23.60	23.39	0
				50	56	23.22	23.14	22.82	0.5
				100	0	23.24	23.12	22.93	0.5
			QPSK	1	1	23.79	23.64	23.50	0
				1	53	23.73	23.60	23.36	0
				1	104	23.68	23.50	23.15	0
				50	0	22.79	22.63	22.44	1
				50	28	23.72	23.63	23.39	0
				50	56	22.72	22.62	22.29	1
			100	0	22.76	22.62	22.42	1	
			16QAM	1	1	22.73	22.65	22.47	1
		64QAM	1	1	21.47	21.31	21.12	2.5	
256QAM	1	1	18.73	18.65	18.43	4.5			
CP	QPSK	1	1	22.31	22.22	22.00	1.5		

[NR Band n25 Conducted Power_ P_{max}] Ant. F

NR Band n25 _ 5 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.36	23.48	23.35	0
				1	13	23.27	23.23	23.54	0
				1	23	23.44	23.33	23.45	0
				12	0	22.86	22.97	23.03	0.5
				12	7	23.28	23.34	23.61	0
				12	13	22.86	22.78	23.10	0.5
				25	0	22.83	22.77	23.10	0.5
			QPSK	1	1	23.33	23.42	23.51	0
				1	13	23.41	23.24	23.53	0
				1	23	23.24	23.37	23.50	0
				12	0	22.31	22.28	22.58	1
				12	7	23.30	23.24	23.65	0
				12	13	22.37	22.33	22.55	1
				25	0	22.27	22.31	22.61	1
		16QAM	1	1	22.29	22.40	22.56	1	
		64QAM	1	1	20.97	21.09	21.16	2.5	
		256QAM	1	1	18.53	18.34	18.56	4.5	
CP	QPSK	1	1	21.83	21.95	21.89	1.5		

NR Band n25 _ 10 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.32	23.49	23.67	0
				1	26	23.34	23.61	23.74	0
				1	50	23.43	23.58	23.79	0
				25	0	22.90	23.10	23.29	0.5
				25	14	23.49	23.62	23.84	0
				25	27	23.00	23.15	23.33	0.5
				50	0	22.99	23.12	23.37	0.5
			QPSK	1	1	23.39	23.50	23.73	0
				1	26	23.43	23.59	23.78	0
				1	50	23.46	23.62	23.81	0
				25	0	22.45	22.61	22.82	1
				25	14	23.49	23.60	23.77	0
				25	27	22.50	22.67	22.81	1
				50	0	22.50	22.66	22.81	1
		16QAM	1	1	22.37	22.45	22.65	1	
		64QAM	1	1	21.08	21.16	21.30	2.5	
		256QAM	1	1	18.40	18.45	18.67	4.5	
CP	QPSK	1	1	21.95	22.07	21.95	1.5		

NR Band n25 _ 15 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.48	23.69	23.86	0
				1	40	23.48	23.62	23.92	0
				1	77	23.60	23.69	23.82	0
				36	0	23.07	23.26	23.47	0.5
				36	22	23.56	23.77	24.01	0
				36	43	23.16	23.31	23.54	0.5
				75	0	23.12	23.28	23.54	0.5
			QPSK	1	1	23.62	23.76	23.95	0
				1	40	23.51	23.71	24.00	0
				1	77	23.69	23.81	23.92	0
				36	0	22.60	22.77	23.02	1
				36	22	23.58	23.75	24.04	0
				36	43	22.74	22.83	23.08	1
				75	0	22.62	22.81	23.02	1
			16QAM	1	1	22.55	22.75	22.82	1
			64QAM	1	1	21.27	21.40	21.49	2.5
		256QAM	1	1	18.59	18.73	19.24	4.5	
CP	QPSK	1	1	22.13	22.32	22.41	1.5		

NR Band n25 _ 20 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.44	23.57	23.82	0
				1	53	23.59	23.62	23.85	0
				1	104	23.54	23.62	23.80	0
				50	0	23.01	23.13	23.46	0.5
				50	28	23.64	23.68	24.03	0
				50	56	23.12	23.23	23.56	0.5
				100	0	23.17	23.20	23.50	0.5
			QPSK	1	1	23.52	23.66	23.93	0
				1	53	23.62	23.64	23.83	0
				1	104	23.61	23.69	23.84	0
				50	0	22.57	22.74	22.91	1
				50	28	23.67	23.71	23.89	0
				50	56	22.71	22.74	22.98	1
				100	0	22.72	22.81	23.01	1
			16QAM	1	1	22.47	22.71	22.90	1
			64QAM	1	1	21.18	21.32	21.52	2.5
		256QAM	1	1	18.39	18.74	18.91	4.5	
CP	QPSK	1	1	21.95	22.23	22.05	1.5		

NR Band n25 _ 25 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376500		
							1882.5 MHz		
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.32		0
				1	66		23.42		0
				1	131		23.43		0
				64	0		22.84		0.5
				64	35		23.41		0
				64	69		22.80		0.5
				128	0		22.90		0.5
			QPSK	1	1		23.30		0
				1	66		23.29		0
				1	131		23.25		0
				64	0		22.26		1
				64	35		23.34		0
				64	69		22.27		1
			128	0		22.27		1	
			16QAM	1	1		22.22		1
		64QAM	1	1		21.10		2.5	
256QAM	1	1		18.32		4.5			
CP	QPSK	1	1		21.91		1.5		

NR Band n25 _ 30 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376500		
							1882.5 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.47		0
				1	80		23.52		0
				1	158		23.43		0
				80	0		23.21		0.5
				80	40		23.57		0
				80	80		23.18		0.5
				160	0		23.23		0.5
			QPSK	1	1		23.54		0
				1	80		23.44		0
				1	158		23.65		0
				80	0		22.62		1
				80	40		23.58		0
				80	80		22.73		1
				160	0		22.78		1
			16QAM	1	1		22.75		1
			64QAM	1	1		21.21		2.5
			256QAM	1	1		18.85		4.5
		CP	QPSK	1	1		22.31		1.5

NR Band n25 _ 40 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376500 1882.5 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.32		0
				1	108		23.30		0
				1	214		23.27		0
				108	0		22.80		0.5
				108	54		23.41		0
				108	108		22.70		0.5
			216	0		22.87		0.5	
			QPSK	1	1		23.25		0
				1	108		23.28		0
				1	214		23.24		0
				108	0		22.22		1
				108	54		23.25		0
				108	108		22.29		1
			216	0		22.24		1	
			16QAM	1	1		22.24		1
64QAM	1	1		21.01		2.5			
256QAM	1	1		18.31		4.5			
CP	QPSK	1	1		21.87		1.5		

[NR Band n41 Conducted Power_ P_{max} (Power Class 3)] Ant. B

NR Band n41 _ 10 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.94	23.91	24.00	24.18	23.95	0
				1	12	23.92	23.92	23.99	24.26	23.76	0
				1	22	23.93	23.98	24.06	24.29	23.44	0
				12	0	23.52	23.46	23.59	23.82	23.44	0.5
				12	6	23.99	23.96	24.09	24.30	23.74	0
				12	12	23.51	23.48	23.63	23.82	23.42	0.5
			24	0	23.50	23.44	23.59	23.81	23.41	0.5	
			QPSK	1	1	23.71	23.83	23.94	24.12	23.86	0
				1	12	23.79	23.84	23.99	24.20	23.67	0
				1	22	23.90	23.90	24.07	24.17	23.36	0
				12	0	23.01	22.93	22.95	23.29	22.94	1
				12	6	23.90	23.94	24.05	24.28	23.59	0
				12	12	22.91	22.95	23.08	23.31	22.90	1
			24	0	23.01	22.94	23.08	23.27	22.89	1	
			16QAM	1	1	22.84	22.76	23.04	23.12	22.84	1
64QAM	1	1	21.49	21.42	21.46	21.61	21.41	2.5			
256QAM	1	1	19.37	19.24	19.41	19.53	19.31	4.5			
CP	QPSK	1	1	22.39	22.37	22.54	22.67	22.39	1.5		

NR Band n41_15 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.92	23.92	24.04	24.27	23.90	0
				1	18	23.98	24.01	24.06	24.18	23.71	0
				1	36	24.03	24.03	24.07	24.25	23.36	0
				18	0	23.45	23.36	23.58	23.73	23.46	0.5
				18	9	24.02	23.91	24.01	24.24	23.75	0
				18	18	23.49	23.46	23.55	23.81	23.46	0.5
				36	0	23.46	23.42	23.66	23.83	23.32	0.5
			QPSK	1	1	23.66	23.75	24.00	24.20	23.81	0
				1	18	23.77	23.77	24.07	24.24	23.64	0
				1	36	24.00	23.82	24.17	24.22	23.26	0
				18	0	22.92	22.85	22.85	23.32	22.95	1
				18	9	23.82	23.93	24.06	24.28	23.64	0
				18	18	22.97	22.91	23.16	23.30	22.86	1
			36	0	23.10	22.87	23.01	23.34	22.87	1	
			16QAM	1	1	22.85	22.70	23.01	23.08	22.76	1
		64QAM	1	1	21.51	21.47	21.56	21.65	21.43	2.5	
256QAM	1	1	19.34	19.34	19.36	19.45	19.30	4.5			
CP	QPSK	1	1	22.30	22.40	22.53	22.62	22.40	1.5		

NR Band n41_20 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02 MHz	2549.49 MHz	2592.99 MHz	2636.49 MHz	2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.90	23.83	23.98	24.26	24.05	0
				1	26	23.96	23.89	24.00	24.18	23.71	0
				1	49	23.90	24.00	24.11	24.31	23.50	0
				25	0	23.46	23.50	23.52	23.79	23.40	0.5
				25	13	24.00	24.02	24.02	24.31	23.84	0
				25	26	23.51	23.41	23.61	23.74	23.52	0.5
				50	0	23.59	23.43	23.66	23.76	23.41	0.5
			QPSK	1	1	23.73	23.77	24.04	24.11	23.76	0
				1	26	23.74	23.91	24.04	24.14	23.64	0
				1	49	24.00	23.85	24.12	24.22	23.38	0
				25	0	23.04	22.85	23.02	23.27	22.87	1
				25	13	23.84	24.02	24.02	24.37	23.49	0
				25	26	22.95	22.96	23.14	23.41	22.84	1
			50	0	23.01	23.01	23.18	23.18	22.95	1	
			16QAM	1	1	22.76	22.70	23.11	23.21	22.89	1
		64QAM	1	1	21.58	21.45	21.38	21.62	21.44	2.5	
256QAM	1	1	19.31	19.26	19.34	19.60	19.39	4.5			
CP	QPSK	1	1	22.37	22.38	22.60	22.61	22.45	1.5		

NR Band n41_30 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.03	23.90	23.98	24.13	23.98	0
				1	39	23.91	23.92	24.01	24.30	23.67	0
				1	76	23.97	23.99	24.06	24.38	23.54	0
				36	0	23.44	23.38	23.66	23.84	23.41	0.5
				36	21	24.04	24.06	24.00	24.36	23.74	0
				36	42	23.53	23.38	23.59	23.80	23.47	0.5
				75	0	23.41	23.36	23.49	23.77	23.36	0.5
			QPSK	1	1	23.64	23.81	23.87	24.16	23.84	0
				1	39	23.87	23.93	24.05	24.30	23.57	0
				1	76	23.88	23.85	24.00	24.25	23.38	0
				36	0	22.93	22.99	22.89	23.32	22.85	1
				36	21	23.92	23.99	24.13	24.30	23.59	0
				36	42	23.00	22.96	23.15	23.33	23.00	1
			75	0	23.07	22.84	23.07	23.22	22.99	1	
		16QAM	1	1	22.81	22.66	22.95	23.02	22.74	1	
		64QAM	1	1	21.54	21.33	21.50	21.57	21.45	2.5	
256QAM	1	1	19.33	19.14	19.43	19.48	19.38	4.5			
CP	QPSK	1	1	22.34	22.36	22.51	22.72	22.29	1.5		

NR Band n41_40 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.85	23.99		24.27	23.99	0
				1	53	23.93	23.98		24.28	23.66	0
				1	104	24.02	23.99		24.33	23.41	0
				50	0	23.54	23.41		23.83	23.47	0.5
				50	28	24.00	23.88		24.36	23.78	0
				50	56	23.41	23.55		23.91	23.36	0.5
				100	0	23.57	23.37		23.81	23.45	0.5
			QPSK	1	1	23.80	23.90		24.18	23.92	0
				1	53	23.87	23.83		24.12	23.61	0
				1	104	23.82	23.85		24.09	23.28	0
				50	0	23.06	22.93		23.20	22.92	1
				50	28	23.95	23.84		24.34	23.60	0
				50	56	22.94	22.87		23.23	22.91	1
			100	0	22.91	22.98		23.31	22.80	1	
		16QAM	1	1	22.74	22.76		23.14	22.88	1	
		64QAM	1	1	21.59	21.33		21.65	21.50	2.5	
256QAM	1	1	19.38	19.25		19.57	19.35	4.5			
CP	QPSK	1	1	22.39	22.44		22.57	22.40	1.5		

NR Band n41_50 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						504204	518598	532998	
						2521.02 MHz	2592.99 MHz	2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.87	24.03	23.89	0
				1	67	23.90	24.05	23.75	0
				1	131	23.99	24.01	23.46	0
				64	0	23.61	23.64	23.39	0.5
				64	35	23.98	24.10	23.78	0
				64	69	23.57	23.65	23.32	0.5
				128	0	23.49	23.63	23.36	0.5
			QPSK	1	1	23.73	23.92	23.77	0
				1	67	23.73	24.02	23.61	0
				1	131	23.89	24.04	23.43	0
				64	0	22.97	23.01	22.98	1
				64	35	23.80	24.04	23.68	0
				64	69	22.82	23.17	22.85	1
			128	0	22.99	23.02	22.90	1	
		16QAM	1	1	22.86	23.00	22.92	1	
		64QAM	1	1	21.49	21.39	21.45	2.5	
		256QAM	1	1	19.38	19.48	19.40	4.5	
CP	QPSK	1	1	22.43	22.57	22.36	1.5		

NR Band n41_60 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						505200	518598	531996	
						2526 MHz	2592.99 MHz	2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	23.92	24.03	23.99	0
				1	81	24.02	24.02	23.80	0
				1	160	24.00	24.01	23.36	0
				81	0	23.49	23.53	23.43	0.5
				81	41	23.97	24.06	23.76	0
				81	81	23.60	23.65	23.41	0.5
				162	0	23.52	23.56	23.36	0.5
			QPSK	1	1	23.75	23.94	23.86	0
				1	81	23.72	23.99	23.67	0
				1	160	23.82	23.97	23.44	0
				81	0	23.00	23.01	22.96	1
				81	41	23.96	23.95	23.57	0
				81	81	22.93	23.04	22.92	1
			162	0	23.05	23.00	22.86	1	
		16QAM	1	1	22.89	23.07	22.89	1	
		64QAM	1	1	21.47	21.49	21.39	2.5	
		256QAM	1	1	19.37	19.33	19.37	4.5	
CP	QPSK	1	1	22.39	22.64	22.29	1.5		

NR Band n41_70 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208			530994		
						2531.04 MHz			2654.97 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1	23.86				23.98	0
				1	81	23.89				23.83	0
				1	160	23.95				23.47	0
				81	0	23.52				23.43	0.5
				81	41	24.09				23.80	0
				81	81	23.45				23.33	0.5
				162	0	23.55				23.35	0.5
			QPSK	1	1	23.78				23.84	0
				1	81	23.86				23.58	0
				1	160	23.88				23.32	0
				81	0	22.98				23.01	1
				81	41	23.81				23.56	0
				81	81	23.01				22.80	1
			162	0	22.99				22.88	1	
		16QAM	1	1	22.78				22.76	1	
		64QAM	1	1	21.46				21.37	2.5	
		256QAM	1	1	19.31				19.35	4.5	
CP	QPSK	1	1	22.40				22.30	1.5		

NR Band n41_80 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204			529998		
						2536.02 MHz			2649.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	23.96				23.86	0
				1	109	23.86				23.70	0
				1	215	23.85				23.44	0
				108	0	23.47				23.35	0.5
				108	55	24.02				23.70	0
				108	109	23.51				23.48	0.5
				216	0	23.47				23.38	0.5
			QPSK	1	1	23.62				23.85	0
				1	109	23.78				23.69	0
				1	215	23.88				23.28	0
				108	0	23.01				23.00	1
				108	55	23.94				23.65	0
				108	109	22.86				22.85	1
			216	0	23.00				22.94	1	
		16QAM	1	1	22.87				22.86	1	
		64QAM	1	1	21.50				21.32	2.5	
		256QAM	1	1	19.29				19.35	4.5	
CP	QPSK	1	1	22.40				22.33	1.5		

NR Band n41_90 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200			528996		
						2541 MHz			2644.98 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	23.92				23.93	0
				1	123	23.84				23.70	0
				1	243	23.96				23.50	0
				120	0	23.59				23.49	0.5
				120	63	24.06				23.68	0
				120	125	23.59				23.34	0.5
			243	0	23.51				23.51	0.5	
			QPSK	1	1	23.63				23.93	0
				1	123	23.79				23.66	0
				1	243	23.82				23.43	0
				120	0	22.99				22.84	1
				120	63	23.88				23.49	0
		120		125	22.96				22.90	1	
		243	0	23.11				22.92	1		
		16QAM	1	1	22.74				22.80	1	
		64QAM	1	1	21.43				21.36	2.5	
256QAM	1	1	19.29				19.23	4.5			
CP	QPSK	1	1	22.42				22.47	1.5		

NR Band n41_100 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
								518598			
								2592.99 MHz			
100 MHz	30	DFT-s	pi/2 BPSK	1	1			23.94			0
				1	137			23.91			0
				1	271			24.05			0
				135	0			23.54			0.5
				135	69			24.17			0
				135	138			23.68			0.5
			270	0			23.52			0.5	
			QPSK	1	1			23.86			0
				1	137			23.98			0
				1	271			24.11			0
				135	0			22.98			1
				135	69			23.95			0
		135		138			23.16			1	
		270	0			23.17			1		
		16QAM	1	1			22.99			1	
		64QAM	1	1			21.38			2.5	
256QAM	1	1			19.48			4.5			
CP	QPSK	1	1			22.53			1.5		

[NR Band n41 Conducted Power_ P_{max} (Power Class 3)] Ant. F

NR Band n41 _10 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	24.41	24.52	24.79	24.62	24.21	0
				1	12	24.43	24.55	24.76	24.64	24.20	0
				1	22	24.47	24.53	24.75	24.62	24.19	0
				12	0	24.01	24.11	24.36	24.18	23.74	0.5
				12	6	24.51	24.57	24.80	24.66	24.23	0
				12	12	24.02	24.11	24.30	24.19	23.77	0.5
				24	0	24.00	24.12	24.32	24.19	23.75	0.5
			QPSK	1	1	24.45	24.54	24.75	24.60	24.17	0
				1	12	24.43	24.53	24.74	24.60	24.15	0
				1	22	24.46	24.53	24.74	24.62	24.17	0
				12	0	23.51	23.61	23.84	23.68	23.34	1
				12	6	24.50	24.59	24.82	24.69	24.23	0
				12	12	23.52	23.60	23.81	23.71	23.23	1
				24	0	23.51	23.59	23.84	23.69	23.24	1
			16QAM	1	1	23.37	23.46	23.68	23.52	23.18	1
			64QAM	1	1	21.95	22.05	22.30	22.17	21.67	2.5
			256QAM	1	1	19.78	19.94	20.16	20.01	19.54	4.5
CP	QPSK	1	1	22.95	23.08	23.33	23.22	22.74	1.5		

NR Band n41 _15 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	24.69	24.58	24.88	24.72	24.51	0
				1	18	24.60	24.60	24.88	24.61	24.41	0
				1	36	24.66	24.61	24.86	24.62	24.41	0
				18	0	24.28	24.22	24.44	24.30	24.06	0.5
				18	9	24.71	24.69	24.94	24.72	24.48	0
				18	18	24.24	24.18	24.47	24.21	24.01	0.5
				36	0	24.21	24.18	24.40	24.25	24.03	0.5
			QPSK	1	1	24.71	24.59	24.93	24.72	24.52	0
				1	18	24.61	24.58	24.88	24.61	24.40	0
				1	36	24.67	24.63	24.87	24.64	24.40	0
				18	0	23.77	23.72	23.93	23.81	23.41	1
				18	9	24.68	24.69	24.71	24.74	24.49	0
				18	18	23.69	23.68	23.93	23.75	23.49	1
				36	0	23.75	23.70	23.98	23.75	23.49	1
			16QAM	1	1	23.65	23.48	23.83	23.62	23.44	1
			64QAM	1	1	22.22	22.13	22.40	22.33	22.01	2.5
			256QAM	1	1	20.04	19.92	20.23	20.07	19.83	4.5
CP	QPSK	1	1	23.28	23.10	23.48	23.32	23.10	1.5		

NR Band n41_20 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02 MHz	2549.49 MHz	2592.99 MHz	2636.49 MHz	2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	24.53	24.62	24.91	24.76	24.56	0
				1	26	24.44	24.60	24.91	24.58	24.43	0
				1	49	24.59	24.65	24.95	24.61	24.47	0
				25	0	24.11	24.24	24.45	24.25	24.06	0.5
				25	13	24.55	24.75	24.98	24.71	24.48	0
				25	26	24.19	24.21	24.47	24.19	23.97	0.5
			50	0	24.07	24.20	24.41	24.23	24.02	0.5	
			QPSK	1	1	24.50	24.60	24.91	24.72	24.50	0
				1	26	24.46	24.61	24.84	24.57	24.33	0
				1	49	24.58	24.64	24.91	24.61	24.39	0
				25	0	23.63	23.76	23.96	23.79	23.55	1
				25	13	24.59	24.69	24.97	24.72	24.46	0
		25		26	23.70	23.69	23.95	23.73	23.48	1	
		50	0	23.62	23.73	23.92	23.74	23.52	1		
		16QAM	1	1	23.51	23.46	23.81	23.65	23.45	1	
		64QAM	1	1	22.10	22.20	22.46	22.32	22.09	2.5	
		256QAM	1	1	19.93	20.00	20.30	20.13	19.88	4.5	
		CP	QPSK	1	1	23.15	23.20	23.49	23.32	23.10	1.5

NR Band n41_30 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.64	24.76	24.93	24.99	24.66	0
				1	39	24.58	24.74	24.90	24.92	24.56	0
				1	76	24.78	24.80	24.94	24.81	24.58	0
				36	0	24.20	24.27	24.44	24.43	24.21	0.5
				36	21	24.77	24.83	24.97	24.87	24.60	0
				36	42	24.34	24.35	24.46	24.37	24.13	0.5
				75	0	24.30	24.38	24.40	24.40	24.15	0.5
			QPSK	1	1	24.65	24.74	24.92	24.93	24.69	0
				1	39	24.63	24.72	24.88	24.92	24.51	0
				1	76	24.80	24.81	24.93	24.83	24.54	0
				36	0	23.71	23.79	23.95	23.97	23.69	1
				36	21	24.77	24.84	24.98	24.86	24.62	0
				36	42	23.81	23.88	23.97	23.90	23.65	1
			75	0	23.82	23.87	23.94	23.95	23.64	1	
		16QAM	1	1	23.57	23.66	23.85	23.84	23.58	1	
		64QAM	1	1	22.13	22.30	22.41	22.49	22.26	2.5	
256QAM	1	1	20.02	20.11	20.34	20.28	20.04	4.5			
CP	QPSK	1	1	23.22	23.35	23.40	23.38	23.24	1.5		

NR Band n41_40 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	24.63	24.89		24.83	24.68	0
				1	53	24.58	24.75		24.80	24.43	0
				1	104	24.85	24.95		24.79	24.51	0
				50	0	24.11	24.36		24.36	24.13	0.5
				50	28	24.67	24.89		24.86	24.57	0
				50	56	24.23	24.41		24.37	24.07	0.5
				100	0	24.24	24.44		24.41	24.13	0.5
			QPSK	1	1	24.61	24.90		24.84	24.69	0
				1	53	24.60	24.81		24.81	24.41	0
				1	104	24.81	24.96		24.83	24.46	0
				50	0	23.94	23.85		23.67	23.66	1
				50	28	24.68	24.90		24.88	24.59	0
				50	56	23.76	23.92		23.88	23.60	1
			100	0	23.71	23.94		23.94	23.62	1	
		16QAM	1	1	23.63	23.83		23.77	23.66	1	
		64QAM	1	1	22.07	22.49		22.36	22.27	2.5	
256QAM	1	1	20.00	20.26		20.23	20.07	4.5			
CP	QPSK	1	1	23.21	23.49		23.40	23.28	1.5		

NR Band n41_50 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						504204		518598			532998
						2521.02 MHz		2592.99 MHz			2664.99 MHz
50 MHz	30	DFT-s	pi/2 BPSK	1	1	24.63		24.89		24.93	0
				1	67	24.70		24.92		24.75	0
				1	131	24.74		24.96		24.65	0
				64	0	24.29		24.46		24.38	0.5
				64	35	24.75		24.97		24.78	0
				64	69	24.36		24.47		24.21	0.5
				128	0	24.27		24.49		24.34	0.5
			QPSK	1	1	24.61		24.85		24.86	0
				1	67	24.64		24.90		24.74	0
				1	131	24.76		24.94		24.57	0
				64	0	23.82		23.91		23.92	1
				64	35	24.74		24.99		24.84	0
				64	69	23.85		23.94		23.72	1
			16QAM	1	1	23.59		23.86		23.86	1
		64QAM		1	1	22.18		22.44		22.48	2.5
		256QAM		1	1	20.01		20.29		20.25	4.5
		CP	QPSK	1	1	23.22		23.41		23.48	1.5

NR Band n41_60 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	24.55		24.86		24.88	0
				1	81	24.72		24.94		24.64	0
				1	160	24.77		24.90		24.57	0
				81	0	24.21		24.41		24.36	0.5
				81	41	24.78		24.91		24.79	0
				81	81	24.27		24.49		24.17	0.5
				162	0	24.28		24.42		24.28	0.5
			QPSK	1	1	24.50		24.86		24.86	0
				1	81	24.62		24.89		24.66	0
				1	160	24.77		24.95		24.50	0
				81	0	23.73		23.91		23.86	1
				81	41	24.74		24.92		24.74	0
				81	81	23.81		23.93		23.67	1
			16QAM	1	1	23.53		23.81		23.75	1
		64QAM		1	1	22.11		22.47		22.38	2.5
		256QAM		1	1	19.89		20.25		20.24	4.5
		CP	QPSK	1	1	23.15		23.40		23.45	1.5

NR Band n41_70 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208			530994		
						2531.04 MHz			2654.97 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1	24.47				24.85	0
				1	81	24.60				24.66	0
				1	160	24.76				24.40	0
				81	0	24.20				24.39	0.5
				81	41	24.75				24.80	0
				81	81	24.25				24.17	0.5
				162	0	24.21				24.29	0.5
			QPSK	1	1	24.48				24.86	0
				1	81	24.63				24.65	0
				1	160	24.74				24.36	0
				81	0	23.71				23.96	1
				81	41	24.72				24.75	0
				81	81	23.78				23.67	1
			162	0	23.76				23.81	1	
		16QAM	1	1	23.42				23.79	1	
		64QAM	1	1	22.04				22.45	2.5	
		256QAM	1	1	19.82				20.25	4.5	
CP	QPSK	1	1	23.08				23.46	1.5		

NR Band n41_80 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204			529998		
						2536.02 MHz			2649.99 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	24.35				24.80	0
				1	109	24.46				24.58	0
				1	215	24.60				24.38	0
				108	0	24.07				24.36	0.5
				108	55	24.61				24.67	0
				108	109	24.12				24.06	0.5
				216	0	24.11				24.20	0.5
			QPSK	1	1	24.39				24.79	0
				1	109	24.42				24.56	0
				1	215	24.59				24.32	0
				108	0	23.59				23.88	1
				108	55	24.60				24.67	0
				108	109	23.65				23.57	1
			216	0	23.62				23.75	1	
		16QAM	1	1	23.35				23.73	1	
		64QAM	1	1	21.93				22.37	2.5	
		256QAM	1	1	19.76				19.98	4.5	
CP	QPSK	1	1	22.96				23.34	1.5		

NR Band n41_90 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200			528996		
						2541 MHz			2644.98 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	24.46				24.80	0
				1	123	24.70				24.69	0
				1	243	24.59				24.36	0
				120	0	24.16				24.39	0.5
				120	63	24.78				24.80	0
				120	125	24.13				24.11	0.5
				243	0	24.14				24.35	0.5
			QPSK	1	1	24.46				24.80	0
				1	123	24.68				24.73	0
				1	243	24.58				24.32	0
				120	0	23.67				23.90	1
				120	63	24.79				24.83	0
				120	125	23.67				23.68	1
			243	0	23.69				23.90	1	
		16QAM	1	1	23.44				23.75	1	
		64QAM	1	1	22.03				22.39	2.5	
		256QAM	1	1	19.84				20.19	4.5	
CP	QPSK	1	1	23.04				23.40	1.5		

NR Band n41_100 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			24.97		0
				1	137			24.92		0
				1	271			24.68		0
				135	0			24.46		0.5
				135	69			24.92		0
				135	138			24.40		0.5
				270	0			24.48		0.5
			QPSK	1	1			24.95		0
				1	137			24.91		0
				1	271			24.79		0
				135	0			23.98		1
				135	69			24.98		0
				135	138			23.94		1
			270	0			23.93		1	
		16QAM	1	1			23.86		1	
		64QAM	1	1			22.48		2.5	
		256QAM	1	1			20.28		4.5	
CP	QPSK	1	1			23.47		1.5		

[NR Band n66 Conducted Power _ P_{max}] Ant. F

NR Band n66 _5 Mhz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.15	23.07	23.11	0
				1	13	23.32	23.11	23.18	0
				1	23	23.21	23.24	23.04	0
				12	0	22.72	22.63	22.62	0.5
				12	7	23.11	23.11	22.92	0
				12	13	22.74	22.68	22.48	0.5
				25	0	22.81	22.54	22.69	0.5
			QPSK	1	1	23.12	23.20	23.04	0
				1	13	23.22	23.38	23.00	0
				1	23	23.25	23.12	22.99	0
				12	0	22.21	22.05	22.17	1
				12	7	23.13	23.12	23.11	0
				12	13	22.29	22.16	22.08	1
				25	0	22.23	22.09	22.05	1
			16QAM	1	1	22.16	22.06	22.02	1
			64QAM	1	1	20.80	20.74	20.58	2.5
			256QAM	1	1	18.26	18.13	17.99	4.5
CP	QPSK	1	1	21.84	21.79	21.59	1.5		

NR Band n66 _ 10 Mhz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.11	22.91	22.97	0
				1	26	23.09	23.07	22.98	0
				1	50	22.96	23.13	22.82	0
				25	0	22.64	22.55	22.38	0.5
				25	14	22.86	23.04	22.60	0
				25	27	22.44	22.61	22.37	0.5
				50	0	22.77	22.40	22.44	0.5
			QPSK	1	1	23.12	22.98	22.96	0
				1	26	23.09	23.18	22.91	0
				1	50	23.10	22.92	22.86	0
				25	0	21.99	21.95	21.98	1
				25	14	22.82	22.85	23.03	0
				25	27	22.07	22.03	21.83	1
				50	0	22.02	21.96	21.79	1
			16QAM	1	1	22.14	21.78	21.97	1
			64QAM	1	1	20.51	20.62	20.52	2.5
			256QAM	1	1	17.96	17.96	17.70	4.5
CP	QPSK	1	1	21.55	21.39	21.46	1.5		

NR Band n66 _ 15 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.16	23.23	23.11	0
				1	40	23.28	23.25	23.04	0
				1	77	22.98	23.36	23.11	0
				36	0	22.93	22.84	22.64	0.5
				36	22	23.21	23.17	22.93	0
				36	43	22.59	22.64	22.59	0.5
				75	0	22.88	22.56	22.72	0.5
			QPSK	1	1	23.21	23.06	23.00	0
				1	40	23.24	23.32	23.07	0
				1	77	23.19	23.20	23.17	0
				36	0	22.40	22.13	22.25	1
				36	22	23.03	23.27	23.23	0
				36	43	22.36	22.23	22.04	1
				75	0	22.23	22.11	21.99	1
			16QAM	1	1	22.28	22.00	22.20	1
			64QAM	1	1	20.86	21.00	20.59	2.5
		256QAM	1	1	18.15	18.14	17.87	4.5	
CP	QPSK	1	1	21.65	21.68	21.60	1.5		

NR Band n66 _ 20 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.19	23.22	23.16	0
				1	53	23.14	23.27	23.23	0
				1	104	23.00	23.36	22.94	0
				50	0	22.80	22.64	22.58	0.5
				50	28	23.14	23.21	22.88	0
				50	56	22.71	22.72	22.57	0.5
				100	0	22.89	22.61	22.62	0.5
			QPSK	1	1	23.21	23.17	23.08	0
				1	53	23.26	23.29	23.15	0
				1	104	23.31	23.17	23.00	0
				50	0	22.32	22.17	22.07	1
				50	28	23.29	23.00	23.15	0
				50	56	22.34	22.44	22.08	1
				100	0	22.16	22.06	21.95	1
			16QAM	1	1	22.30	22.10	22.23	1
			64QAM	1	1	20.85	20.75	20.63	2.5
		256QAM	1	1	18.27	18.10	17.85	4.5	
CP	QPSK	1	1	21.86	21.65	21.69	1.5		

NR Band n66 _ 25 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
25 MHz	15	DFT-s	pi/2 BPSK	1	1		23.16		0
				1	80		23.24		0
				1	158		23.17		0
				80	0		22.86		0.5
				80	40		23.20		0
				80	80		22.69		0.5
				160	0		22.63		0.5
			QPSK	1	1		23.25		0
				1	80		23.26		0
				1	158		23.15		0
				80	0		22.05		1
				80	40		23.26		0
				80	80		22.27		1
			160	0		22.13		1	
			16QAM	1	1		22.09		1
		64QAM	1	1		20.87		2.5	
256QAM	1	1		18.22		4.5			
CP	QPSK	1	1		21.81		1.5		

NR Band n66 _ 30 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
30 MHz	15	DFT-s	pi/2 BPSK	1	1		23.11		0
				1	80		23.11		0
				1	158		23.20		0
				80	0		22.81		0.5
				80	40		23.15		0
				80	80		22.73		0.5
				160	0		22.74		0.5
			QPSK	1	1		23.20		0
				1	80		23.28		0
				1	158		23.07		0
				80	0		22.07		1
				80	40		23.17		0
				80	80		22.29		1
			160	0		21.98		1	
			16QAM	1	1		22.06		1
		64QAM	1	1		20.87		2.5	
256QAM	1	1		18.06		4.5			
CP	QPSK	1	1		21.68		1.5		

NR Band n66 _ 40 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
40 MHz	15	DFT-s	pi/2 BPSK	1	1		23.09		0
				1	108		23.16		0
				1	214		23.25		0
				108	0		22.72		0.5
				108	54		23.18		0
				108	108		22.81		0.5
				216	0		22.64		0.5
			QPSK	1	1		23.23		0
				1	108		23.50		0
				1	214		23.15		0
				108	0		22.22		1
				108	54		23.04		0
				108	108		22.17		1
			216	0		22.15		1	
			16QAM	1	1		22.12		1
		64QAM	1	1		20.90		2.5	
256QAM	1	1		18.09		4.5			
CP	QPSK	1	1		21.57		1.5		

[NR Band n77 Conducted Power _ P_{max}] – Power Class 3 Ant.F

NR Band n77_ 10MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	24.16	24.29	23.98	23.64	23.88	23.78	0
				1	12	24.18	24.35	23.94	23.67	23.94	23.81	0
				1	22	24.18	24.27	23.93	23.67	23.88	23.86	0
				12	0	23.76	23.90	23.44	23.16	23.42	23.38	0.5
				12	6	24.24	24.37	23.94	23.70	23.91	23.87	0
				12	12	23.76	23.88	23.42	23.17	23.39	23.39	0.5
				24	0	23.76	23.85	23.45	23.22	23.40	23.37	0.5
			QPSK	1	1	24.16	24.31	23.97	23.64	23.78	23.75	0
				1	12	24.19	24.36	23.93	23.68	23.81	23.77	0
				1	22	24.16	24.29	23.86	23.67	23.76	23.82	0
				12	0	23.25	23.37	22.93	22.68	22.92	22.88	1
				12	6	24.24	24.38	23.93	23.69	23.88	23.89	0
				12	12	23.24	23.34	22.96	22.69	22.87	22.91	1
			24	0	23.24	23.37	22.95	22.69	22.89	22.91	1	
			16QAM	1	1	23.10	23.20	22.87	22.52	22.74	22.70	1
		64QAM	1	1	21.70	21.87	21.56	21.16	21.39	21.30	2.5	
		256QAM	1	1	19.51	19.65	19.31	18.96	19.18	19.12	4.5	
		CP	QPSK	1	1	22.71	22.85	22.53	22.15	22.41	22.36	1.5

NR Band n77_ 15MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	24.38	24.52	24.17	23.77	23.88	24.02	0
				1	18	24.26	24.41	23.97	23.72	23.93	23.99	0
				1	36	24.27	24.38	24.03	23.82	24.00	24.03	0
				18	0	23.85	24.03	23.60	23.31	23.43	23.55	0.5
				18	9	24.32	24.47	24.03	23.82	24.00	24.05	0
				18	18	23.84	23.89	23.54	23.35	23.53	23.54	0.5
			QPSK	36	0	23.84	24.03	23.54	23.34	23.50	23.57	0.5
				1	1	24.36	24.47	24.14	23.76	23.92	24.01	0
				1	18	24.26	24.36	23.95	23.70	23.89	23.96	0
				1	36	24.30	24.36	24.04	23.85	24.03	24.00	0
				18	0	23.38	23.53	23.10	22.81	22.91	23.05	1
				18	9	24.33	24.48	24.04	23.77	23.98	24.05	0
			16QAM	18	18	23.36	23.40	23.08	22.84	22.99	23.07	1
				36	0	23.36	23.52	23.06	22.84	23.00	23.07	1
				1	1	23.26	23.42	23.06	22.69	22.84	22.94	1
		64QAM	1	1	21.91	22.03	21.72	21.31	21.44	21.55	2.5	
256QAM	1	1	19.70	19.83	19.48	19.12	19.22	19.37	4.5			
CP	QPSK	1	1	22.93	23.08	22.94	22.30	22.47	22.60	1.5		

NR Band n77_ 20 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.42	24.50	23.31	23.57	23.83	24.08	0
				1	26	24.28	24.27	23.95	23.68	23.92	24.03	0
				1	49	24.31	24.31	24.01	23.81	24.00	24.11	0
				25	0	23.88	24.05	23.57	23.31	23.41	23.54	0.5
				25	13	24.34	24.40	24.08	23.79	23.93	24.05	0
				25	26	23.90	23.90	23.56	23.37	23.52	23.56	0.5
			QPSK	50	0	23.88	23.92	23.55	23.34	23.46	23.55	0.5
				1	1	24.39	24.46	24.08	23.72	23.85	24.03	0
				1	26	24.27	24.25	23.94	23.70	23.93	24.00	0
				1	49	24.27	24.29	23.99	23.80	23.99	24.06	0
				25	0	23.39	23.55	23.10	22.81	22.91	23.07	1
				25	13	24.34	24.39	24.07	23.83	23.89	24.04	0
			16QAM	25	26	23.35	23.40	23.08	22.84	23.04	23.07	1
				50	0	23.36	23.42	23.11	22.83	22.92	23.07	1
				1	1	23.38	23.37	23.02	22.65	22.77	22.90	1
		64QAM	1	1	21.94	22.04	21.70	21.30	21.36	21.57	2.5	
256QAM	1	1	19.69	19.79	19.44	19.06	19.18	19.34	4.5			
CP	QPSK	1	1	22.96	23.05	22.67	22.29	22.39	22.57	1.5		

NR Band n77_30 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02 MHz	3765 MHz	3815.01 MHz	3864.99 MHz	3915 MHz	3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.38	24.50	24.13	23.99	23.90	24.28	0
				1	39	24.33	24.37	24.06	23.94	23.92	24.21	0
				1	76	24.42	24.33	24.05	23.89	24.14	24.05	0
				36	0	23.95	24.06	23.62	23.57	23.53	23.75	0.5
				36	21	24.38	24.42	24.11	23.99	24.00	24.19	0
				36	42	23.94	23.96	23.58	23.48	23.65	23.62	0.5
				75	0	23.92	23.96	23.63	23.54	23.56	23.75	0.5
			QPSK	1	1	24.37	24.46	24.13	24.01	23.93	24.26	0
				1	39	24.31	24.32	24.06	23.93	23.94	24.15	0
				1	76	24.39	24.31	24.05	23.92	24.10	24.04	0
				36	0	23.46	23.59	23.12	23.07	23.02	23.25	1
				36	21	24.42	24.41	24.12	23.96	24.00	24.21	0
				36	42	23.43	23.48	23.09	22.98	23.17	23.13	1
			75	0	23.42	23.49	23.17	23.04	23.05	23.24	1	
			16QAM	1	1	23.44	23.44	23.04	22.91	22.85	23.19	1
		64QAM	1	1	21.90	22.04	21.68	21.56	21.48	21.81	2.5	
256QAM	1	1	19.74	19.83	19.48	19.31	19.24	19.57	4.5			
CP	QPSK	1	1	22.97	23.07	22.68	22.54	22.50	22.83	1.5		

NR Band n77_40 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720 MHz	3768 MHz	3816 MHz	3864 MHz	3912 MHz	3960 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.65	24.67	24.29	24.12	24.19	24.22	0
				1	53	24.35	24.39	24.09	23.94	23.98	24.14	0
				1	104	24.40	24.35	24.14	23.91	24.09	24.14	0
				50	0	24.01	24.14	23.68	23.56	23.65	23.72	0.5
				50	28	24.44	24.47	24.14	24.01	24.05	24.20	0
				50	56	23.97	23.86	23.62	23.48	23.68	23.84	0.5
				100	0	23.96	23.99	23.67	23.57	23.58	23.73	0.5
			QPSK	1	1	24.69	24.64	24.25	24.10	24.19	24.19	0
				1	53	24.35	24.35	24.05	23.91	23.91	24.13	0
				1	104	24.42	24.34	24.09	23.91	24.09	24.14	0
				50	0	23.58	23.63	23.16	23.07	23.12	23.20	1
				50	28	24.45	24.46	24.15	23.98	24.08	24.18	0
				50	56	23.48	23.39	23.12	23.01	23.15	23.25	1
			100	0	23.45	23.52	23.20	23.03	23.09	23.22	1	
			16QAM	1	1	23.56	23.60	23.16	23.04	23.10	23.17	1
		64QAM	1	1	22.25	22.22	21.79	21.66	21.67	21.74	2.5	
256QAM	1	1	20.00	20.06	19.57	19.45	19.49	19.55	4.5			
CP	QPSK	1	1	23.24	23.26	22.83	22.66	22.73	22.75	1.5		

NR Band n77_50MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						648334	652166	656000		659834		663666
						3725.01 MHz	3782.49 MHz	3840 MHz		3897.51 MHz		3954.99 MHz
50MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.13	24.31	23.82		23.69	23.80	0
				1	67	24.14	24.04	23.73		23.71	23.84	0
				1	131	23.97	23.93	23.77		23.85	23.76	0
				64	0	23.72	23.75	23.33		23.28	23.46	0.5
				64	35	24.15	24.11	23.79		23.76	23.91	0
				64	69	23.61	23.55	23.29		23.33	23.33	0.5
			128	0	23.69	23.62	23.27		23.24	23.41	0.5	
			QPSK	1	1	24.11	24.30	23.82		23.66	23.90	0
				1	67	24.11	24.01	23.72		23.70	23.82	0
				1	131	23.95	23.91	23.76		23.89	23.74	0
				64	0	23.20	23.25	22.84		22.74	22.97	1
				64	35	24.16	24.11	23.84		23.78	23.90	0
				64	69	23.08	23.06	22.81		22.82	22.86	1
			128	0	23.16	23.11	22.88		22.73	22.90	1	
			16QAM	1	1	23.05	23.27	22.74		22.64	22.84	1
		64QAM	1	1	21.68	21.91	21.33		21.19	21.46	2.5	
256QAM	1	1	19.46	19.67	19.15		19.00	19.27	4.5			
CP	QPSK	1	1	22.71	22.91	22.38		22.25	22.52	1.5		

NR Band n77_60MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						648668	653556			658444		663332
						3730.02 MHz	3803.34 MHz			3876.66 MHz		3949.98 MHz
60MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.17	24.14			23.72	23.74	0
				1	81	24.02	23.95			23.77	23.87	0
				1	160	23.98	23.68			23.87	23.94	0
				81	0	23.73	23.64			23.24	23.34	0.5
				81	41	24.15	23.99			23.82	23.95	0
				81	81	23.57	23.38			23.35	23.50	0.5
			162	0	23.66	23.49			23.29	23.37	0.5	
			QPSK	1	1	24.16	24.14			23.63	23.74	0
				1	81	24.02	23.92			23.71	23.88	0
				1	160	24.00	23.67			23.80	23.90	0
				81	0	23.26	23.13			22.74	22.86	1
				81	41	24.13	24.02			23.77	23.94	0
				81	81	23.05	22.91			22.83	22.98	1
			162	0	23.16	23.03			22.80	22.86	1	
			16QAM	1	1	23.10	23.07			22.52	22.75	1
		64QAM	1	1	21.75	21.71			21.17	21.30	2.5	
256QAM	1	1	19.52	19.52			18.95	19.09	4.5			
CP	QPSK	1	1	22.76	22.73			22.18	22.30	1.5		

NR Band n77_70 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649000	654336			658334		663000
						3750 MHz	3804.99 MHz			3875.01 MHz		3945 MHz
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.05	24.20			23.58	23.72	0
				1	95	24.01	23.95			23.66	23.92	0
				1	187	23.98	23.54			23.81	23.98	0
				90	0	23.60	23.63			23.06	23.23	0.5
				90	50	24.05	24.01			23.74	23.81	0
				90	99	23.56	23.29			23.29	23.46	0.5
			180	0	23.59	23.47			23.20	23.30	0.5	
			QPSK	1	1	24.05	24.18			23.53	23.64	0
				1	95	24.00	23.93			23.66	23.82	0
				1	187	24.00	23.51			23.78	23.96	0
				90	0	23.12	23.25			22.55	22.48	1
				90	50	24.13	23.97			23.73	23.77	0
				90	99	23.02	22.81			22.78	22.91	1
			180	0	23.09	23.02			22.72	22.81	1	
			16QAM	1	1	22.97	23.14			22.52	22.65	1
			64QAM	1	1	21.59	21.72			21.09	21.14	2.5
256QAM	1	1	19.38	19.58			18.89	19.00	4.5			
CP	QPSK	1	1	22.64	22.80			22.14	22.23	1.5		

NR Band n77_80MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.07		23.82		23.62		0
				1	109	24.02		23.72		23.78		0
				1	215	23.88		23.67		23.85		0
				108	0	23.66		23.32		23.32		0.5
				108	55	24.13		23.74		23.82		0
				108	109	23.47		23.11		23.42		0.5
			216	0	23.56		23.22		23.32		0.5	
			QPSK	1	1	24.13		23.83		23.58		0
				1	109	24.01		23.74		23.72		0
				1	215	23.88		23.69		23.81		0
				108	0	23.18		22.84		22.84		1
				108	55	24.10		23.76		23.81		0
				108	109	22.96		22.65		22.93		1
			216	0	23.08		22.77		22.82		1	
			16QAM	1	1	23.00		22.80		22.62		1
			64QAM	1	1	21.69		21.37		21.17		2.5
256QAM	1	1	19.46		19.20		18.95		4.5			
CP	QPSK	1	1	22.69		22.38		22.19		1.5		

NR Band n77_ 90MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						649668		656000			662332	
						3745.02 MHz		3840 MHz			3934.98 MHz	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.01		23.03		23.69		0
				1	123	23.93		23.67		23.76		0
				1	243	24.04		23.64		23.76		0
				120	0	23.53		23.29		23.35		0.5
				120	63	23.96		23.69		23.77		0
				120	125	23.47		23.08		23.31		0.5
			243	0	23.50		23.20		23.26		0.5	
			QPSK	1	1	24.04		23.86		23.62		0
				1	123	23.96		23.63		23.79		0
				1	243	24.09		23.67		23.74		0
				120	0	23.10		22.83		22.88		1
				120	63	23.99		23.73		23.79		0
				120	125	22.99		22.64		22.82		1
			243	0	23.06		22.73		22.83		1	
			16QAM	1	1	22.95		22.83		22.61		1
		64QAM	1	1	21.57		21.42		21.23		2.5	
256QAM	1	1	19.38		19.21		19.00		4.5			
CP	QPSK	1	1	22.62		22.41		22.26		1.5		

NR Band n77_ 100MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						650000					662000	
						3750 MHz					3930 MHz	
100MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.10				23.62		0
				1	137	24.07				23.78		0
				1	271	23.97				23.92		0
				135	0	23.67				23.20		0.5
				135	69	24.01				23.81		0
				135	138	23.50				23.36		0.5
			270	0	23.53				23.29		0.5	
			QPSK	1	1	24.10				23.51		0
				1	137	24.06				23.68		0
				1	271	23.94				23.89		0
				135	0	23.21				22.76		1
				135	69	24.04				23.81		0
				135	138	23.07				22.88		1
			270	0	23.06				22.76		1	
			16QAM	1	1	23.02				22.54		1
		64QAM	1	1	21.69				21.12		2.5	
256QAM	1	1	19.45				18.92		4.5			
CP	QPSK	1	1	22.68				22.09		1.5		

[NR Band n77 DOD Conducted Power_ P_{max}] – Power Class 3 Ant. F

NR Band n77_10 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01MHz	3544.98MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.64	23.75	24.12	0
				1	12	23.61	23.73	24.20	0
				1	22	23.64	23.74	24.27	0
				12	0	23.23	23.35	23.63	0.5
				12	6	23.69	23.79	24.24	0
				12	12	23.22	23.33	23.75	0.5
				24	0	23.23	23.29	23.76	0.5
			QPSK	1	1	23.64	23.69	24.04	0
				1	12	23.62	23.70	24.12	0
				1	22	23.65	23.72	24.17	0
				12	0	22.73	22.81	23.14	1
				12	6	23.70	23.82	24.22	0
				12	12	22.73	22.83	23.25	1
				24	0	22.68	22.79	23.26	1
		16QAM	1	1	22.54	22.61	22.91	1	
		64QAM	1	1	21.16	21.29	21.59	2.5	
		256QAM	1	1	18.97	19.06	19.40	4.5	
		CP	QPSK	1	1	22.17	22.28	22.60	1.5

NR Band n77_15 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01MHz	3542.49MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.70	23.90	24.12	0
				1	18	23.80	23.88	24.15	0
				1	36	23.86	23.97	24.33	0
				18	0	23.23	23.43	23.64	0.5
				18	9	23.82	23.87	24.17	0
				18	18	23.35	23.44	23.71	0.5
				36	0	23.35	23.43	23.66	0.5
			QPSK	1	1	23.74	23.81	24.07	0
				1	18	23.81	23.82	24.11	0
				1	36	23.89	23.90	24.33	0
				18	0	22.77	22.87	22.67	1
				18	9	23.84	23.89	24.15	0
				18	18	22.87	22.95	23.20	1
				36	0	22.84	22.93	23.18	1
		16QAM	1	1	22.60	22.71	23.04	1	
		64QAM	1	1	21.23	21.41	21.58	2.5	
		256QAM	1	1	19.00	19.20	19.39	4.5	
		CP	QPSK	1	1	22.25	22.38	22.64	1.5

NR Band n77_20 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02MHz	3500.01MHz	3540MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.86	23.93	24.12	0
				1	26	23.85	23.84	24.07	0
				1	49	23.84	23.90	24.15	0
				25	0	23.41	23.39	23.56	0.5
				25	13	23.89	23.89	24.08	0
				25	26	23.40	23.42	23.68	0.5
				50	0	23.44	23.44	23.64	0.5
			QPSK	1	1	23.83	23.92	24.05	0
				1	26	23.79	23.81	24.01	0
				1	49	23.82	23.88	24.08	0
				25	0	22.91	22.93	23.09	1
				25	13	23.86	23.89	24.09	0
				25	26	22.92	23.15	23.18	1
			50	0	22.92	22.89	23.13	1	
			16QAM	1	1	22.79	22.93	22.99	1
		64QAM	1	1	21.40	21.40	21.65	2.5	
		256QAM	1	1	19.21	19.27	19.44	4.5	
		CP	QPSK	1	1	22.46	22.50	22.66	1.5

NR Band n77_30 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465MHz	3500.01MHz	3534.99MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.87	23.97	24.27	0
				1	39	23.79	23.95	24.22	0
				1	76	23.94	24.03	24.33	0
				36	0	23.35	23.55	23.81	0.5
				36	21	23.88	23.98	24.26	0
				36	42	23.45	23.59	23.87	0.5
				75	0	23.45	23.57	23.84	0.5
			QPSK	1	1	23.87	23.92	24.30	0
				1	39	23.82	23.90	24.23	0
				1	76	23.92	24.01	24.34	0
				36	0	22.86	23.07	23.34	1
				36	21	23.88	24.01	24.29	0
				36	42	22.95	23.11	23.37	1
			75	0	22.94	23.08	23.36	1	
			16QAM	1	1	22.85	22.88	23.19	1
		64QAM	1	1	21.38	21.47	21.83	2.5	
		256QAM	1	1	19.17	19.27	19.54	4.5	
		CP	QPSK	1	1	22.43	22.51	22.84	1.5

NR Band n77_40 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01MHz		3529.98MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	24.00		24.12	0
				1	53	23.91		24.10	0
				1	104	24.15		24.35	0
				50	0	23.58		23.62	0.5
				50	28	24.00		24.21	0
				50	56	23.56		23.77	0.5
				100	0	23.57		23.76	0.5
			QPSK	1	1	24.00		24.08	0
				1	53	23.91		24.04	0
				1	104	24.14		24.27	0
				50	0	23.12		23.11	1
				50	28	24.02		24.20	0
				50	56	23.07		23.27	1
			16QAM	100	0	23.08		23.25	1
				1	1	22.96		23.07	1
				1	1	21.56		21.63	2.5
			256QAM	1	1	19.35		19.42	4.5
CP	QPSK	1		1	22.59		22.68	1.5	

NR Band n77_50 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02MHz		3525MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.69		23.69	0
				1	67	23.54		23.71	0
				1	131	23.68		23.97	0
				64	0	23.21		23.32	0.5
				64	35	23.63		23.81	0
				64	69	23.24		23.32	0.5
				128	0	23.16		23.33	0.5
			QPSK	1	1	23.72		23.68	0
				1	67	23.52		23.70	0
				1	131	23.68		23.93	0
				64	0	22.72		22.81	1
				64	35	23.65		23.80	0
				64	69	22.73		22.87	1
			16QAM	128	0	22.67		22.86	1
				1	1	22.63		22.64	1
				1	1	21.29		21.28	2.5
			256QAM	1	1	19.04		19.04	4.5
CP	QPSK	1		1	22.29		22.30	1.5	

NR Band n77_60 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		23.63		0
				1	81		23.79		0
				1	160		23.86		0
				81	0		23.32		0.5
				81	41		23.80		0
				81	81		23.44		0.5
				162	0		23.36		0.5
			QPSK	1	1		23.67		0
				1	81		23.76		0
				1	160		23.82		0
				81	0		22.86		1
				81	41		23.80		0
				81	81		22.89		1
			162	0		22.83		1	
		16QAM	1	1		22.59		1	
		64QAM	1	1		21.22		2.5	
		256QAM	1	1		19.00		4.5	
CP	QPSK	1	1		22.26		1.5		

NR Band n77_70 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		23.63		0
				1	95		23.66		0
				1	187		23.78		0
				90	0		23.27		0.5
				90	50		23.71		0
				90	99		23.39		0.5
				180	0		23.25		0.5
			QPSK	1	1		23.63		0
				1	95		23.65		0
				1	187		23.82		0
				90	0		22.77		1
				90	50		23.76		0
				90	99		22.93		1
				180	0		22.81		1
		16QAM	1	1		22.59		1	
		64QAM	1	1		21.18		2.5	
		256QAM	1	1		18.97		4.5	
CP	QPSK	1	1		22.19		1.5		

NR Band n77_80 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		23.60		0
				1	109		23.65		0
				1	215		23.87		0
				108	0		23.25		0.5
				108	55		23.73		0
				108	109		23.36		0.5
				216	0		23.34		0.5
			QPSK	1	1		23.62		0
				1	109		23.66		0
				1	215		23.86		0
				108	0		23.24		1
				108	55		23.70		0
				108	109		22.84		1
			216	0		22.76		1	
			16QAM	1	1		22.58		1
		64QAM	1	1		21.14		2.5	
256QAM	1	1		18.92		4.5			
CP	QPSK	1	1		22.22		1.5		

NR Band n77_90 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		23.67		0
				1	123		23.65		0
				1	243		24.05		0
				120	0		23.29		0.5
				120	63		23.82		0
				120	125		23.41		0.5
				243	0		23.31		0.5
			QPSK	1	1		23.62		0
				1	123		23.69		0
				1	243		24.03		0
				120	0		22.80		1
				120	63		23.75		0
				120	125		22.91		1
			243	0		22.80		1	
			16QAM	1	1		22.55		1
		64QAM	1	1		21.19		2.5	
256QAM	1	1		18.96		4.5			
CP	QPSK	1	1		22.19		1.5		

NR Band n77_100 MHz Bandwidth

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]	
							633334			
100 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01MHz		0	
				1	137				23.65	0
				1	271				23.72	0
				135	0				24.14	0
				135	69				23.21	0.5
				135	138				23.79	0
				270	0				23.40	0.5
			QPSK	1	1				23.33	0.5
				1	137				23.61	0
				1	271				23.70	0
				135	0				24.08	0
				135	69				22.69	1
				135	138				23.76	0
			270	0				22.93	1	
			16QAM	1	1				22.84	1
			64QAM	1	1				22.54	1
			256QAM	1	1				21.18	2.5
			CP	QPSK	1	1			18.94	4.5
								22.16	1.5	

[NR Band n41 SRS Conducted Power_ P_{max}]

NR Band n41_ 100MHzBandwidth – Ant. C : SRS 3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power (dBm)				MPR [dB]
				518598			
				2592.99 MHz			
100MHz	30	CW		18.77			0

NR Band n41_ 100MHzBandwidth – Ant. H : SRS 4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power (dBm)				MPR [dB]
				518598			
				2592.99 MHz			
100MHz	30	CW		17.87			0

[NR Band n77 Conducted Power_ P_{max}]

NR Band n77_ 100MHzBandwidth – Ant. D : SRS 2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power (dBm)						MPR [dB]
			650000				662000		
			3750 MHz				3930 MHz		
100MHz	30	CW	17.66				16.75		0

NR Band n77_ 100MHzBandwidth - Ant. G : SRS 3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power (dBm)						MPR [dB]
			650000				662000		
			3750 MHz				3930 MHz		
100MHz	30	CW	22.49				20.92		0

NR Band n77_ 100MHzBandwidth - Ant. A : SRS 4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power (dBm)						MPR [dB]
			650000				662000		
			3750 MHz				3930 MHz		
100MHz	30	CW	17.73				16.59		0

[NR Band n77 DOD Conducted Power_ P_{max}]

NR Band n77 DoD_ 100MHzBandwidth – Ant. D : SRS 2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power (dBm)			MPR [dB]
				633334		
				3500.01MHz		
100MHz	30	CW		16.39		0

NR Band n77 DoD_ 100MHzBandwidth – Ant. G : SRS 3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power (dBm)			MPR [dB]
				633334		
				3500.01MHz		
100MHz	30	CW		22.21		0

NR Band n77 DoD_ 100MHzBandwidth – Ant. A : SRS 4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power (dBm)			MPR [dB]
				633334		
				3500.01MHz		
100MHz	30	CW		17.02		0