Measurement performed on April 25

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4066	July 12, 2023	DAE4 Sn1343	June 30, 2023


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
CD835	CW	50	835.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
20.0	180.0	5.0	5.0	15.0

Dipole Type	Dipole Serial Number	Emax [V/m]	Drift [dB]
CD835	1000	105.5	-0.03



Measurement performed on April 25

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4066	July 12, 2023	DAE4 Sn1343	June 30, 2023


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
CD1880	CW	50	1880.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
20.0	90.0	5.0	5.0	15.0

Dipole Type	Dipole Serial Number	Emax [V/m]	Drift [dB]
CD1880	1000	88.05	-0.03



Measurement performed on April 25

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4066	July 12, 2023	DAE4 Sn1343	June 30, 2023


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
CD2600V3	CW	50	2600.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
20.0	90.0	5.0	5.0	15.0

Dipole Type	Dipole Serial Number	Emax [V/m]	Drift [dB]
CD2600	1009	87.2	0.03



Measurement performed on April 25

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4066	July 12, 2023	DAE4 Sn1343	June 30, 2023

Communication Systems

Band Name Communication Systems Name		Channel	Frequency [MHz]
CD3500V3	CW	50	3500.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
20.0	60.0	5.0	5.0	15.0

Dipole Type	Dipole Serial Number	Emax [V/m]	Drift [dB]
CD3500	1011	85.4	0.03

