

Page: 1 of 131

# FCC TAS validation - Part 2:

# Tests under dynamic transmit power scenarios

The following samples were submitted and identified on behalf of the client as:

**Product Name** SAMSUNG Mobile Phone

**Brand Name** Galaxy A Series

Model No. SM-G556B

**Applicant** SAMSUNG Electronics Co., Ltd.

129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do,

16677, Rep. of Korea

**FCC ID** A3LSMG556B Date of Receipt Oct. 31, 2023

Date of Test(s) Nov. 08, 2023 ~ Nov. 15, 2023

Date of Issue Nov. 21. 2023

In the configuration tested, the EUT complied with the standards specified above.

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Ltd. Central RF Lab or testing done by SGS Taiwan Ltd. Central RF Lab in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Ltd. Central RF Lab in writing.

### Signed on behalf of SGS

Clerk / Cindy Chou	PM / Kiki Lin	Approved By / John Yeh
Cindy Chou	Ziki Lin	John Teh

Date: Nov. 21, 2023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 2 of 131

# **Revision History**

Report Number	Revision	Description	Issue Date	Revised By	Remark
TESA2311000663ES	00	Initial creation of document	Nov. 21, 2023	Cindy Chou	

N	oto	
N	$\cup$	

1. The mark " \* " is the revised version of the report due to comments submitted by the certification.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此想华红用魔影测验之缘具色素,同时此缘只属是2000子。太想华土领太公司事面纯可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 3 of 131

### **Contents**

1.General Information	_
1.1 Testing Laboratory	
1.2 Details of Applicant	
2.Overview	6
3. MediaTek TAS feature Operation Description	7
3.1 Operating Parameters for Algorithm Validation	
3.2 Overview of TA-SAR Test Proposal	
4.TA-SAR Test Scenarios and Test Procedures	
4.1 Test Sequences for All Scenarios	
4.2 Test Configuration and Procedure for Scenario 1: Range of TA-SAR Parameters	
Conducted Power Measurements	
4.3 Test Configuration and Procedure for Scenario 2: Time-Varying TX Power via Conduc	cted
Power Measurements	17
4.4 Test Configuration and Procedure for Scenario 3: Call Disconnection	and
Re-establishment via Conducted Power Measurements	19
4.5 Test Configuration and Procedure for Scenario 4: Band Handover via Conducted Po	wer
Measurements	21
4.6 Test Configuration and Procedure for Scenario 5: Exposure Condition Index (E Change via Conducted Power Measurements	-CI)
4.7 Test Configuration and Procedure for Scenario 6 Antenna Switching via Conduc	∠J rted
Power Measurements	74
4.8 Test Configuration and Procedure for Scenario 7: Time Window Switching via Conduc	
Power Measurements	25
4.9 Test Configuration and Procedure for Scenario 8: SAR Exposure Switching	via
Conducted Power Measurements	
4.10Test Configuration and Procedure for Scenario 2: Time-Varying TX Power via S	
Measurements	
5.TA-SAR Validation via Conducted Power Measurements	
5.1 Measurement Setup	
5.2 Conducted Power Measurement Results for Scenario1: Range of TA-SAR Parameter	
5.3 Conducted Power Measurement Results for Scenario 2: Time-Varying TX Power	
5.4 Conducted Power Measurement Results for Scenario 3: Call Disconnection	
Re-establishment	
5.6 Conducted Power Measurement Results for Scenario 5: ECI Change	
5.7Conducted Power Measurement Results for Scenario 7: Time Window Switching	80
5.8 Conducted Power Measurement Results for Scenario 8: SAR Exposure Switching	
6 TA-SAR Validation via SAR Measurements	
6.4 Measurement Setup	
6.5 SAR Measurement Results for Scenario 2: Time-Varying TX Power	101
7 Conclusions	
Appendix A. cDASY6 System Verification	
• •	
Appendix B. Instruments List	
Appendix C Tissue and System Verification	123

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be responsible to the full extent of the low. prosecuted to the fullest extent of the law.



Page: 4 of 131

<b>Append</b>	dix D Measurement uncertainty	126
	SYSTEM CHECK RESULTS	
9.APPE	NDIXES	131
	SAR Appendix E Photographs	
	SAR Appendix F DAE & Probe Cal. Certificate	
	SAR_Appendix G Phantom Description & Dipole Cal. Certificate	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be responsible to the full extent of the low. prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 5 of 131

## 1.General Information

### 1.1 Testing Laboratory

Laboratory	Test Site Address	Test Site Name	FCC Designation number	IC CAB identifier
	1F, No. 8, Alley 15, Lane 120, Sec. 1, NeiHu Road, Neihu District, Taipei City, 11493, Taiwan.	SAR 2	TW0029	
SGS Taiwan Ltd.		SAR 6		
	Central RF Lab. Township, Taoyuan County,	SAR 1		
(TAF code 3702)		SAR 4	TW0028	TW3702
No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan				
	SAR 7	TW0027		

**Note:** Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

### 1.2 Details of Applicant

Company Name	SAMSUNG Electronics Co., Ltd.		
Company Address	129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do,		
Company Addices	16677, Rep. of Korea		

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

303 Idiwali Etd.



Page: 6 of 131

## 2. Overview

FCC regulation allows time averaged RF power to demonstrate compliance to RF exposure safety limits. Because RF exposure is correlated to transmission power (TX power), e.g., lower RF exposure is correlated to lower TX power, the TX power can be controlled to meet FCC RF exposure limits defined specific absorption rate (SAR) limit for transmit frequencies < 6GHz. For SAR limit, the proposed Time-Averaged Specific Absorption Rate (TA-SAR) algorithm manages TX power to ensure that at all times the time-averaged RF exposure is compliant with the FCC SAR requirement. In the FCC regulation, the averaging window of SAR is 100 seconds for transmit frequencies less than 3GHz, 60 seconds for transmit frequencies between 3GHz and 6GHz.

This document describes the test plan, test procedures, measurement setup, and measurement results for the verification of the proposed TA-SAR/TA-PD algorithm being able to make RF exposure meet FCC requirement.

The equipment under test (EUT) is a mobile phone, it contains supports 2G/3G/4G/5G bands. These modems are enabled with MediaTek TAS feature to control and manage transmitting power in real time and to ensure at all times the time-averaged RF exposure is in compliance with the FCC requirement.

This purpose of the Part 2 report is to demonstrate the EUT complies with FCC RF exposure requirement under Tx varying transmission scenarios, thereby validity of MediaTek TAS feature for FCC equipment authorization



Page: 7 of 131

# 3. MediaTek TAS feature Operation Description

### 3.1 Operating Parameters for Algorithm Validation

Mediatek developed the TA-SAR algorithm to control instantaneous TX power for transmit frequencies less than 6GHz, so that the time-averaged RF exposures are less than FCC requirement. TA-SAR algorithm validation has been performed for 2G, 3G, LTE, 5G NR according to cases with different combinations of operating parameters listed in Table 3-1.

Table 3-1 TA-SAR operating parameters

Operating parameters	Description
$P_{sub6\_limit}$	The time-averaged maximum power level limit for different band in sub6.
$P_{LowThresh\_offset}$	To calculate $P_{LowThresh}$ . $(P_{LowThresh} = P_{sub6\_limit} - P_{LowThresh\_offset})$
$P_{\mathit{UE\_backoff\_offset}}$	To calculate $P_{UE\_backoff}$ . $(P_{UE\_backoff} = P_{sub6\_limit} - P_{UE\_backoff\_offset})$
$P_{UE\_m{m}ax\_cust\_offset}$	To calculate $P_{UE\_max\_cust}$ . $P_{UE\_max}$ is maximum TX power at which a UE can possibly transmit in sub6. $P_{UE\_max\_cust} = \min (P_{UE\_max}, P_{sub6\_limit} + P_{UE\_max\_cust\_offset})$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents. Subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> at <a href=

documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 8 of 131

### 3.2 Overview of TA-SAR Test Proposal

For the completeness of verifying that the proposed TA-SAR algorithm can realize FCC compliance regarding RF exposure, several test scenarios are constructed as below:

Scenario 1: test under different TA-SAR parameters to verify that the TA-SAR algorithm meets compliance requirements with different combinations of operating parameters.

Scenario 2: test under time-varying TX power to verify that the TA-SAR algorithm ensures SAR compliance through dynamic TX power.

Scenario 3: test under call drop and re-establishment conditions to ensure the TA-SAR algorithm control continuity and SAR compliance.

Scenario 4: test under RAT/band handover to ensure the TA-SAR algorithm control continuity and correctness.

Scenario 5: test under different ECIs (Exposure Condition Index) to ensure the TA-SAR algorithm control behaves as expected during ECI switching from one ECI to another. (e.g., head → body worn)

Scenario 6: test under different transmission antennae to ensure the TA-SAR algorithm control works correctly during antenna switching from one antenna to another.

Scenario 7: test under different time windows to ensure the TA-SAR algorithm control functions correctly during time window switching from one time window setting to another. (e.g., time window  $100s \rightarrow 60s$ )

Scenario 8: test under SAR exposure switching between two active radios (radio#1 only, radio#1+radio#2, and radio#2 only) to ensure the TA-SAR algorithm control continuity and SAR compliance.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 9 of 131

### 4. TA-SAR Test Scenarios and Test Procedures

In order to demonstrate that TA-SAR algorithm performs as expected under various operating scenarios, Table 4-1 lists the test scenarios and expected test sequences to validate TA-SAR algorithm in these scenarios. The test sequences 0, 1, 2 are defined in section 4.1. The details of each test procedures via conducted power and SAR measurements are described in section 4.2~4.9 and section 4.10, respectively.

Table 4-1 Test scenario list of TA-SAR validation

Test scenario		Test sequences #	Description
1	Range of TA-SAR parameters	0	Adjust parameters
2	Time-varying TX power	1 and 2	Test under time-varying TX power
3	Call disconnection and re- establishment	0	Test call drop and re- establishment
4	Band handover	0	Test band change
5	ECI (Exposure Condition Index) change	0	Test under ECI transition (e.g., head—→ body worn)
6	Antenna switching	0	Change antenna
7	Time window switching	0	Switch frequency bands with larger frequency separation (e.g., time window 100s—>60s)
8	SAR exposure switching	0	Switch RATs when testing (e.g., LTE—→NR)

### 4.1 Test Sequences for All Scenarios

Three test sequences having possibly time-varying TX power are predefined for TA-SAR validation:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 10 of 131

- Test sequence 0: EUT's TX power is requested to be maximum.
- **Test sequence 1**: EUT's TX power is requested to be at power less than *PLowThresh* for 300s, then at maximum power for 200s, and finally at *PLowThresh* -2dB for the remaining time.
- **Test sequence 2**: EUT's TX power to vary with time. This sequence is generated relative to measured  $P_{UE\_max}$ , measured  $P_{sub6\_limit}$  and calculated  $P_{UE\_backoff}$  (= measured  $P_{sub6\_limit}$  in dBm  $P_{UE\_backoff\_offset}$  in dB) of EUT based on measured  $P_{sub6\_limit}$ .
- Test sequence is generated based on below parameters of the EUT:
  - A. Measured maximum power ( $PUE_max$ )
  - B. Measured Tx\_power\_at\_SAR\_design\_limit (Psub6\_limit)
  - C. Threshold of dynamic power reduction status determination: reserve hysteresis margin for instantaneous power (*PLowThresh*)
  - D. SAR\_time\_window (FCC: 100s for f < 3GHz, 60s for 3GHz < f <6GHz)

The test sequence 0, 1, and 2 are illustrated in Figure 4-1, Figure 4-2, and Figure 4-3, respectively. The waveforms of the three test sequences are listed in Table 4-2, Table 4-3, and Table 4-4.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 11 of 131




Figure 4-1 Test sequence 0

Table 4-2 Test sequence 0

Time	Duration	Power (dBm)	Note
720	720	23	PuE_max

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 12 of 131




Figure 4-2 Test sequence 1

Table 4-3 Test sequence 1

Time	Duration	Power (dBm)	Note
300	300	5	< PLowThresh
500	200	23	P <sub>UE_max</sub>
870	370	13	PLowThresh - 2dB

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 13 of 131




Figure 4-3 Test sequence 2

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 14 of 131

### Table 4-4 Test sequence 2

Time	Duration	Power (dBm)	Note
300	300	5	< PLowThresh
315	15	14	P <sub>sub6_limit</sub> - 4dB
335	20	18	P <sub>sub6_limit</sub>
355	20	20.5	$(P_{sub6\_limit} + P_{UE\_max})/2$
365	10	10	P <sub>sub6_limit</sub> - 8dB
385	20	23	P <sub>UE_max</sub>
400	15	18	P <sub>sub6_limit</sub>
415	15	11	P <sub>sub6_limit</sub> - 7dB
435	20	23	P <sub>UE_max</sub>
455	20	13	P <sub>sub6_limit</sub> - 5dB
470	15	18	P <sub>sub6_limit</sub>
480	10	12	P <sub>sub6_limit</sub> - 6dB
490	10	20.5	$(P_{sub6\_limit} + P_{UE\_max})/2$
510	20	11	P <sub>sub6_limit</sub> - 7dB
520	10	20.5	(P <sub>sub6_limit</sub> + P <sub>UE_max</sub> )/2
540	20	11	$P_{sub6\_limit}$ - $7  ext{dB}$
550	10	20.5	(Psub6_limit + PUE_max)/2
560	10	12	P <sub>sub6_limit</sub> - 6dB
575	15	18	Psub6_limit
595	20	13	Psub6_limit - 5dB
615	20	23	P <sub>UE_max</sub>
625	10	11	$P_{sub6\_limit}$ - 7dB
640	15	18	P <sub>sub6_limit</sub>
660	20	23	P <sub>UE_max</sub>
675	15	10	P <sub>sub6_limit</sub> - 8dB
695	20	20.5	(Psub6_limit + PUE_max)/2
715	20	18	Psub6_limit
730	15	14	P <sub>sub6_limit</sub> - 4dB
870	140	5	< PLowThresh

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 15 of 131

### 4.2 Test Configuration and Procedure for Scenario 1: Range of TA-SAR Parameters via **Conducted Power Measurements**

### 4.2.1 Configuration

This test is performed by changing the parameters (PLowThresh offset, PUE backoff offset, Pue max cust offset) for the selected RAT (Radio Access Technologies) and band. Since Mediatek's TA algorithm operation is independent of RATs/bands/channels, any one RAT can be selected for this test and the selected band of the RAT has the least Psub6\_limit. In principle, two sets of the parameters are determined for this test (if applicable). If the parameters of the EUT are fixed (without a support of dynamic change), only the set of the default parameters needs to be tested.

### 4.2.2 Procedure

TX power is measured, recorded, and processed by the following steps:

• Step 1~4: measure and record TX power versus time for test scenario 1 Step 1 Measure Measure P<sub>sub6, limit</sub> for the selected RAT/band. Measure P<sub>sub6, limit</sub> with TA-SAR enabled and Pue backoff offset set to 0 dB, callbox set to request maximum power. Step 2 Setting Set Pue backoff offset to actual (intended) value and reset power on EUT to enable TA-SAR. Step 3 Establish link Establish radio link with callbox in the selected RAT/band. Measure and record the conducted Tx power versus time for the full duration of this test Step 4 Test sequence Configure callbox to request the EUT's Tx power to be at 0 dBm at least one time window Then request pre-defined test sequence 0 (max power) for a certain time

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 16 of 131

 Step 5: convert the measured conducted TX power into SAR Convert the measured conducted TX power from step 4 into 1gSAR or 10gSAR value using the

following equation. Perform the running time average to power and 1gSAR or 10g SAR to determine time-averaged value versus time as follows,



- Step 6: plot results
  - A. Make one power perspective plot containing
    - 1. Instantaneous TX power
    - 2. Requested power
    - Calculated time-averaged power
    - Calculated time-averaged power limits
  - B. Make one SAR perspective plot containing
    - Calculated time-averaged 1gSAR or 10gSAR
    - 2. FCC limit of 1.6 W/kg (1gSAR) or 4.0 W/kg (10gSAR)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 17 of 131

### 4.3 Test Configuration and Procedure for Scenario 2: Time-Varying TX Power via **Conducted Power Measurements**

### 4.3.1 Configuration

Since Mediatek's TA-SAR feature operation is independent of bands and channels for a given RAT, selecting one band per RAT is sufficient to validate this feature. Two bands per RAT are proposed for this test. The criteria for band selection for each RAT is based on the Psub6\_limit values (corresponding to SAR\_design\_limit) and is described as below:

- Select two bands, among the ones whose *Psub6\_limit* values are below *Pue\_max*, which correspond to least and highest *Psub6\_limit* values respectively.
  - o Only one band needs to be tested if all the bands have same Psub6 limit.
  - o Only one band needs to be tested if only the band has Psub6 limit below PUE max.
- o If the same least Psub6\_limit applies to multiple bands, select the band with the highest

measured 1gSAR at Psub6\_limit.


o If Psub6\_limit values of all bands are all over PUE\_max (i.e., TA-SAR feature is not enabled),

there is no need to test this RAT.

### 4.3.2 Procedure

TX power is measured, recorded, and processed by the following steps:

• Step 1~4: measure and record TX power versus time for test scenario 2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




the

Report No.: TESA2311000663ES

Page: 18 of 131

• Step 5: convert the measured conducted TX power into SAR Convert the measured conducted TX power from step 4 into 1gSAR or 10gSAR value using

following equation. Perform the running time average to power and 1gSAR or 10g SAR to determine time-averaged value versus time as below:



- Step 6: plot results
  - A. Make one power perspective plot containing
    - 1. Instantaneous TX power
    - 2. Requested power (test sequence1)
    - 3. Calculated time-averaged power
    - Calculated time-averaged power limits
  - B. Make one SAR perspective plot containing
    - 1. Calculated time-averaged 1gSAR or 10gSAR
    - FCC limit of 1.6 W/kg (1gSAR) or 4.0 W/kg (10gSAR)
- Step 7: repeat steps 2~6 for test sequence 2 Repeat steps 2 ~ 6 for pre-defined test sequence 2 and replace test sequence 1 in step 4 with test sequence 2.
- Step 8: repeat steps 2~7 for different bands

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 19 of 131

### 4.4 Test Configuration and Procedure for Scenario 3: Call Disconnection and Re-establishment via Conducted Power Measurements

### 4.4.1 Configuration

For call disconnection measurement, the criteria of selecting the test configuration is:

- Select the RAT/band with least *Psub6 limit* among all supported RATs/bands.
- Select the RAT/band having the highest measured 1gSAR at Psub6\_limit if multiple RATs/bands having same least Psub6 limit.
- Select the radio configuration in this RAT/band that corresponds to the highest measured 1gSAR at Psub6 limit.

### 4.4.2 Procedure

TX power is measured, recorded, and processed by the following steps:

• Step 1~4: measure and record TX power versus time for test scenario 3

### Measure / setting Measure P<sub>sub6\_limit</sub> with TA-SAR enabled and P<sub>UE\_backoff\_offset</sub> set to 0 dB for the selected RAT/band, then Step 1 callbox set to request maximum power. Step 2 Apply actual (intended) value to PUE\_backoff\_offset and reset power on EUT to enable TA-SAR Step 3 Establish radio link in the selected RAT/band with callbox. Measure and record the conducted Tx power versus time for the full duration of this test Step 4 Initial request Request EUT's Tx power at 0 dBm for at least one time window specified for the selected RAT/band Then request EUT's Tx power to be at maximum power for at least one time window. Drop the call Drop the call for ~10 seconds. Re-establish Re-establish another call in the same radio configuration as first link (i.e., same RAT/band/channel) For the remaining time, continue callbox requesting EUT's Tx power to be at maximum power for at least one time window.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 20 of 131

Step 5: convert the measured conducted TX power into SAR
 Convert the measured conducted TX power from step 4 into 1gSAR or 10gSAR value using
 the following equation. Perform the running time average to power and 1gSAR or 10g SAR
 to determine time-averaged value versus time as follows,



- Step 6: plot results
  - A. Make one power perspective plot containing
    - 1. Instantaneous TX power
    - 2. Requested power
    - 3. Calculated time-averaged power
    - 4. Calculated time-averaged power limits
  - B. Make one SAR perspective plot containing
    - 1. Calculated time-averaged 1gSAR or 10gSAR
    - 2. FCC limit of 1.6 W/kg (1gSAR) or 4.0 W/kg (10gSAR)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 21 of 131

### 4.5 Test Configuration and Procedure for Scenario 4: Band Handover via Conducted **Power Measurements**

### 4.5.1 Configuration

For a given TX antenna, select a RAT/band with the lowest Psub6\_limit and the other RAT/band with the highest  $P_{sub6\_limit}$ . Both of them have  $P_{sub6\_limit}$  values less than  $P_{UE\_max}$  if possible.

- Select the RAT/band having the highest measured 1gSAR at Psub6\_limit if multiple RATs/bands have the same lowest Psub6 limit.
- Select the RAT/band having the lowest measured 1gSAR at Psub6\_limit if multiple RATs/bands have the same highest Psub6\_limit.

### 4.5.2 Procedure

TX power is measured, recorded, and processed by the following steps:

• Step 1~4: measure and record TX power versus time for test scenario 4

#### Step 1 Measure / setting

- Measure P<sub>sub6\_limit</sub> for both the selected RATs and bands. Measure P<sub>sub6\_limit</sub> with TA-SAR enabled and  $P_{UE\_backoff\_offset}$  set to 0 dB, callbox set to request maximum power.
- Step 2
- Apply actual (intended) value to PuE backoff offset and reset power on EUT to enable TA-SAR.
- Step 3
- Establish radio link in first selected RAT/band with callbox .

### Step 4

- Initial request
  - Request EUT's Tx power at 0 dBm for at least one time window specified for the selected RAT/band

Measure and record the conducted Tx power versus time for the full duration of this test

Then request EUT's Tx power to be at maximum power for at least one time window.

# RAT/Band switch



- Switch the radio link to second RAT/band selected.
- For the remaining time, continue callbox requesting EUT's Tx power to be at maximum power for at least one time window,

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 22 of 131

 Step 5: convert the measured conducted TX power into SAR Convert the measured conducted TX power from step 4 into 1gSAR or 10gSAR value using the following equation. Perform the running time average to power and 1gSAR or 10g SAR to determine time-averaged value versus time as follows,



- Step 6: plot results
  - A. Make one power perspective plot containing
    - 1. Instantaneous TX power
    - Requested power
    - Calculated time-averaged power
    - 4. Calculated time-averaged power limits
  - B. Make one SAR perspective plot containing
    - 1. Calculated time-averaged 1gSAR or 10gSAR
    - FCC limit of 1.6 W/kg (1gSAR) or 4.0 W/kg (10gSAR)
    - 3. Normalized time-averaged 1gSAR/1.6 or 10gSAR/4.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 23 of 131

# 4.6 Test Configuration and Procedure for Scenario 5: Exposure Condition Index (ECI) Change via Conducted Power Measurements

### 4.6.1 Configuration

Select any one RAT/band, which has at least two ECIs whose  $P_{Sub6\_limit}$  values are different and are below  $P_{UE\_max}$ .

### 4.6.2 Procedure

The test procedure is identical to section 4.5.2 except the following 2 changes:

- 1. Replace band switch operation with ECI switch.
- 2. In Step 4, the second ECI switching is arranged after the first one lasts for at least one time window, i.e., switch the second ECI back to the first ECI, and then continue with callbox requesting EUT's Tx power to be at maximum power for at least one time window.

It is noted that the following operations are done as well for this scenario:

- The correct power control is controlled by TA\_SAR during ECI switches from one ECI to another.
- The validation criteria are, at all times, the time-averaged 1gSAR or 10gSAR versus time shall not exceed FCC limit of 1.6 W/kg for 1gSAR or 4.0 W/kg for 10gSAR.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 24 of 131

# 4.7 Test Configuration and Procedure for Scenario 6 Antenna Switching via Conducted Power Measurements

### 4.7.1 Configuration

Among RATs/bands supporting TX antenna switches, select the RAT/band with the highest  $P_{Sub6\_limit}$  difference between a pair of supported TX antennas.

- Select the RAT/band having the highest measured 1gSAR at  $P_{sub6\_limit}$  if multiple RATs/bands having the same  $P_{sub6\_limit}$  difference between the supported TX antennas.
- Antenna selection order o Select the configuration with two antennas having  $P_{sub6\_limit}$  values less than  $P_{UE\_max}$ .
  - o If the previous configuration does not exist, select the configuration with one antenna having  $P_{Sub6\_limit}$  value less than  $P_{UE\_max}$ .
  - o If the above two cannot be found, select one configuration with the two antennas having the least difference between their  $P_{sub6\_limit}$  and  $P_{UE\_max}$  (i.e.,  $P_{sub6\_limit}$  can be greater than  $P_{UE\_max}$ ).

### 4.7.2 Procedure

The test procedure is identical to section 4.5.2 except the following 2 changes:

- 1. Replace band switch operation with antenna switch.
- 2. In Step 4, the second antenna switching is arranged after the first one lasts for at least one time window, i.e., switch the second antenna back to the first antenna, and then continue with callbox requesting EUT's Tx power to be at maximum power for at least one time window.

It is noted that the following operations are done as well for this scenario:

- The correct power control is controlled by TA\_SAR during antenna switches from one antenna to another.
- The validation criteria are, at all times, the time-averaged 1gSAR or 10gSAR versus time shall not exceed FCC limit of 1.6 W/kg for 1gSAR or 4.0 W/kg for 10gSAR.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非口方的吧,此就生生用做影响建立转星点素,同时此样里做是现的工。大规处主领太公司隶而选可,无可知公询制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

JOJ laiwan Etu.

SS Talwan Ltd. <sub>|</sub> No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 25 of 131

### 4.8 Test Configuration and Procedure for Scenario 7: Time Window Switching via **Conducted Power Measurements**

### 4.8.1 Configuration

Select one RAT/band with 60-second time averaging window, and the other RAT/band with 100-second time averaging window. Both of them have P<sub>sub6\_limit</sub> values less than P<sub>UE\_max</sub> if possible.

At least one of the selected RAT/band has its Psub6 limit less than PUE max.

### 4.8.2 Procedure

TX power is measured, recorded, and processed by the following steps:

• Step 1~4: measure and record TX power versus time for test scenario 7

### Step 1

### Measure / setting

 Measure P<sub>sub6 limit</sub> for both the selected RATs and bands. Measure P<sub>sub6 limit</sub> with TA-SAR enabled and PuE backoff offset set to 0 dB, callbox set to request maximum power.

### Step 2

Apply actual (intended) value to PUE\_backoff\_offset and enable TA-SAR.

Transition from 100s time window to 60s time window, and vice versa (step3 to step 6)

### Step 3

Establish radio link in the RAT/band having 100s time window selected with callbox.

### Measure and record the conducted Tx power versus time for the full duration of this test

#### Initial request

- Request EUT's Tx power to be at 0 dBm for at least one time window
- Then request EUT's Tx power to be at maximum power for at least one time window (100 seconds)

### Step 4

### Tech/Band switch

- Switch the radio link to second RAT/band (having 60s time window) selected.
- In this second RAT/band, let callbox request EUT's Tx power to be at maximum power for at least one time window (60 seconds )

### Switch back



- Switch the radio link back to the first RAT/band.
- For the remaining time, continue with callbox requesting EUT's Tx power to be at maximum power for at least another time window (100 seconds)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 26 of 131

 Step 5: convert the measured conducted TX power into SAR Convert the measured conducted TX power from step 4 into 1gSAR or 10gSAR value using the following equation. Perform the running time average to power and 1gSAR or 10g SAR to determine time-averaged value versus time as follows,



- Step 6: plot results
  - A. Make one power perspective plot containing
    - 1. Instantaneous TX power
    - 2. Requested power
    - 3. Calculated time-averaged power
    - 4. Calculated time-averaged power limits
  - B. Make one SAR perspective plot containing
    - 1. Calculated time-averaged 1gSAR or 10gSAR
    - 2. FCC limit of 1.6 W/kg (1gSAR) or 4.0 W/kg (10gSAR)
    - Normalized time-averaged 1gSAR/1.6 or 10gSAR/4.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279




Page: 27 of 131

Step 7~8: measure and record TX power versus time in another time window change
 Transition from 60s time window to 100s time window, and vice versa (step7 to step 9)

Step 7

. Establish radio link with callbox in the RAT/band having 60s time window selected.



 Step 9: convert the measurement and plot results
 Convert the measured conducted TX power from step 8 into 1gSAR or 10gSAR value using the equation in step 5.

Repeat step 6 to generate the plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 28 of 131

### 4.9 Test Configuration and Procedure for Scenario 8: SAR Exposure Switching via **Conducted Power Measurements**

### 4.9.1 Configuration

If supported, SAR exposure switch with two active radios having the same and different time averaging windows should be covered in this test. Mediatek's TA algorithm operation is independent of the source of SAR exposure (e.g., LTE vs. NR FR1) and ensures total time-averaged RF exposure compliance for SAR exposure among the scenarios of radio 1 only, radio 1 + radio 2, and radio 2 only.

 Select any two < 6GHz RATs/bands that the EUT supports for simultaneous transmission</li> (e.g.,

LTE+NR FR1).

- The selection order among all supported simultaneous transmission configurations is
  - o Select one configuration with Psube\_limit values of radio1 and radio2 less than their corresponding *Pue\_max*, and their *Psub6\_limit* values are different if possible.
  - o If the previous configuration does not exist, at least one radio has its Psub6\_limit less than *Pue\_max*.
  - o If above two cannot be found, select one configuration that has P<sub>sub6</sub> limit of radio1 and radio2 with the least difference between P<sub>sub6</sub> limit and P<sub>UE</sub> max (i.e., P<sub>sub6</sub> limit can be greater than *PUE\_max*).
- One test with two active radios in any two different time windows is sufficient to cover this
- One SAR switching is sufficient because the TA algorithm operation is the same.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 29 of 131

### 4.9.2 Procedure

• Step 1~3: measure and record TX power versus time for test scenario 8

A.Measure conducted TX power corresponding to radio1 Psub6 limit

- Establish device in call with the callbox for radio1 band.
- Measure conducted TX power corresponding to radio1 Psub6 limit with TA SAR enabled and Pue backoff offset set to 0 dB, callbox set to request maximum power.
  - B. measure conducted TX power corresponding to radio2 *Psub6 limit* 
    - Repeat above step to measure conducted TX power corresponding to radio2 Psub6\_limit.
    - If radio2 is dependent on radio1 (for example, non-standalone mode of NR FR1 requiring radio1 LTE as anchor), then establish radio1 + radio2 call with callbox, and request all down bits for radio1 LTE.
    - In this scenario, with callbox requesting maximum power from radio2 NR FR1, measured conducted TX power corresponds to radio2 P<sub>sub6\_limit</sub> (as radio1 LTE is at all-down bits)

### Step 1

### Measure / setting

- Measure conducted Tx power corresponding to Psub6. Ilmit for radio1 and radio2 in selected band
- Test condition to measure conducted Psub6 limit is in step 1.A and 1.B
- Apply actual (intended) value to  $P_{UE\_backoff\_offset}$  with EUT setup for radio1 + radio2 call.
- (In this description, it is assumed that radio2 has lower priority than radio1)

### Step 2

### Establish link

Establish device in radio1+radio2 call, and request low power (all-down bits) on radio1

### Step 3

### Measure and record the conducted Tx power for both radio1 and radio2 for the full duration of this test

#### Radio 2 predominant

- let callbox request EUT's Tx power to be at 0 dBm in radio2 for at least one time window
- Then let callbox request EUT's Tx power to be at maximum power in radio2 for at least one time window

### Radio 1+2



- set callbox to request EUT's Tx power to be at maximum power on radio1, i.e., all-up bits
- Continue radio1+radio2 call with both radios at maximum power for at least one time window

### Radio 1 predominant

- drop (or request all-down bits on) radio2
- Continue radio1 at maximum power for at least one time window.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 30 of 131

Step 4: convert the measured conducted TX power into SAR
 Convert the measured conducted TX power from step 3 into 1gSAR or 10gSAR value using
 the following equation. Perform the running time average to power and 1gSAR or 10g SAR
 to determine time-averaged value versus time as follows,



- Step 5: plot results
  - A. Make one power perspective plot containing
    - 1. Instantaneous TX power
    - Requested power
    - 3. Calculated time-averaged power
    - 4. Calculated time-averaged power limits
  - B. Make one SAR perspective plot containing
    - 1. Calculated time-averaged 1gSAR or 10gSAR
    - 2. FCC limit of 1.6 W/kg (1gSAR) or 4.0 W/kg (10gSAR)
    - 3. Normalized time-averaged 1gSAR/1.6 or 10gSAR/4.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司




Page: 31 of 131

# 4.10Test Configuration and Procedure for Scenario 2: Time-Varying TX Power via SAR Measurements

SAR is measured and recorded by the following steps:

• Step 1~4: measure and record SAR versus time



Step 5: convert the measured SAR into time-averaged SAR
 Convert the instantaneous measured SAR from step 4 into 1gSAR or 10gSAR value.
 Perform the running time average to 1gSAR or 10g SAR to determine time-averaged value versus time as follows,

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 32 of 131



where, meas\_SAR\_P<sub>sub6\_limit</sub> is the value determined in step 1, and meas\_SAR(t) is the instantaneous measured SAR measured in step 4.

- Step 6: plot result
  - A. Calculated time-averaged 1gSAR or 10gSAR
  - B. FCC limit of 1.6 W/kg (1gSAR) or 4.0 W/kg (10gSAR)
- Step 7: repeat steps 2 ~ 6 for pre-defined test sequence 2

Repeat steps 2 ~ 6 for pre-defined test sequence 2 and replace test sequence 1 in step 4 with test sequence 2.

• Step 8: repeat steps 2 ~ 7 for all the selected bands

The time-averaged SAR versus time shall not exceed FCC limit at all times.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 33 of 131

## 5. TA-SAR Validation via Conducted Power Measurements

### 5.1 Measurement Setup

### 5.1.1 Test Bench Introduction

All of the test cases defined in this chapter are conducted by using the phone device, whose antenna placement for each RAT is illustrated in Figure 5-1.



ANT			TYPE
Main1	LB	LB TRX 2G: 850,900 3G: 5,8 LTE: 5,8,12,13,17,20,26,28 NR: 5,8,20,26,28,71	SCI
Main2	MB / HB / uhb PRX MIMO	MB/HB TRX, UHB PRX MIMO 26: 1800,1900 3G: 1,2,4 LTE: 1,2,3,47,32,66,38,40,41 NR: 1,3,7,66,38,40,41,77,78	
Main3	mb / hb PRX MIMO , uhb DRX MIMO	MB/HB PRX MIMO, UHB DRX MIMO LTE: 1,3,4,7,66,38,41 NR: 1,3,7,38,41,77,78	MFA
Sub1	lb / mb / hb DRX	LB/MB/HB DRX 2G: 850,900,1800,1900 3G: 1,2,4,5,8 LTE: 1,2,3,4,5,7,8,12,13,17,20,26,28,32,66,38,40,41 NR: 1,3,5,7,8,20,26,28,66,71,38,40,41 MB TX M(LTE)+M(NR), M(LTE)+H(NR), H(LTE)+M(NR), L(LTE)+L(NR) LTE, NR: B1,2,3,4,20,66	SCI
Sub2	GPS / WiFi1 2.4/5G	Connectivity GPS WiFi 2.4G/5G	SCI
Sub3	UHB	UHB TRX NR: 77,78	
Sub5	mb / hb DRX MIMO , uhb DRX	MB/HB DRX MIMO, UHB DRX LTE: 1,3,47,66,38,41 NR: 1,3,7,38,41,77,78	SCI

Figure 5- 1 Antenna placement of the phone

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 34 of 131

The call boxes KeySight UXM (supporting sub6 NR and LTE) and Rohde & Schwarz CMW500 (supporting LTE, WCDMA, C2K and 2G) are used to validate the proposed TA-SAR mechanism. Figure 5-2 shows the block diagram of the measurement bench, which supports the following test scenarios.

- Test scenario 1: range of TA-SAR parameters
- Test scenario 2: time-varying TX power
- Test scenario 3: call disconnection and re-establishment
- Test scenario 5: ECI change

For these measurements, RF port of the call box is connected to the EUT's antenna port, and the call box establishes a connection link through the test script console tool and the power meter measures the conducted output power of the EUT.




Figure 5- 2 TA-SAR conductive power test setup block diagram for scenarios 1/2/3/5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 35 of 131

Figure 5-3 shows the block diagram of the measurement bench, which support test scenario 4 (band handover) and scenario 7 (time window switching). For these measurements, the RF port of the call box is connected with a 1-to-2 power divider, which allows the call box to transmit/receive signals from the two different system configurations set in these two test scenarios. Figure 5-4 shows the setup, which is highly similar to Figure 5-3, to support test scenario 6 (antenna switching); as seen in the figure, two EUT's antenna ports are individually connected with a RF cable.




Figure 5-3 TA-SAR conductive power test setup block diagram for scenarios 4 and 7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 36 of 131




Figure 5- 4 TA-SAR conductive power test setup block diagram for scenario 6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 37 of 131

Figure 5-5 shows the setup for test scenario 4 (RAT handover) and scenario 8 (SAR exposure switching). Since two RATs need to be controlled in these two scenarios, RF port of RAT #1 and RF port of RAT #2 of the call box are individually connected to an antenna port of the EUT through a directional coupler. It is noted that each of the two RATs individually transmit signals though one antenna port. The antenna port assignment of each RAT for these two scenarios is described in Figure 5-1.




Figure 5-5 TA-SAR conductive power test setup block diagram for scenarios 4/8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 38 of 131

# 5.1.2 sub6 NR/LTE/3G/2G Power Limit Table and Test Configurations

For the supported bands/channels/antennas of each technology, the measured power limit (Psub6\_limit), corresponding to SAR design limit, is listed in the table 5-1. The SAR\_design\_limit is determined by taking 1-dB device uncertainty into consideration. Please note that for TDD bands with TX duty cycles less than or equal to 100%, the measured power limit corresponds to the burst averaged power level which does not account for TX duty cycle.

Table 5-1 Summary table of nower limit (Psubs limit) for all supported RAT

Table	5-1 Summa	ı y ta		i pov	VCI II			Bm) Settin		ı sup	port		71
RAT	RAT Band		Duty cycle (%)		ECI 1 RCV		ECI 2 HOTSPOT		ECI 3 EarJack		ECI 0 Free		n (dBm) ting
				burst-power	frame- averaged power								
2G GSM	850	M1	12.5	33.00	23.97	29.50	20.47	29.50	20.47	29.50	20.47	33.00	23.97
2G GPRS	850 1Tx	M1	12.5	33.00	23.97	29.50	20.47	29.50	20.47	29.50	20.47	33.00	23.97
2G GPRS	850 2Tx	M1	25	30.50	24.48	29.00	22.98	29.00	22.98	29.00	22.98	30.50	24.48
2G GPRS	850 3Tx	M1	37.5	28.50	24.24	28.50	24.24	28.50	24.24	28.50	24.24	28.50	24.24
2G GPRS	850 4Tx	M1	50	34.21	31.20	29.51	26.50	29.51	26.50	29.51	26.50	27.50	24.49
2G GSM	1900	M2	12.5	30.00	20.97	27.50	18.47	27.50	18.47	27.50	18.47	30.00	20.97
2G GPRS	1900 1Tx	M2	12.5	30.00	20.97	27.50	18.47	27.50	18.47	27.50	18.47	30.00	20.97
2G GPRS	1900 2Tx	M2	25	27.50	21.48	27.50	21.48	27.50	21.48	27.50	21.48	27.50	21.48
2G GPRS	1900 3Tx	M2	37.5	26.00	21.74	26.00	21.74	26.00	21.74	26.00	21.74	26.00	21.74
2G GPRS	1900 4Tx	M2	50	32.41	29.40	27.91	24.90	27.91	24.90	27.91	24.90	25.00	21.99
3G WCDMA	II	M2	100	22.60	22.60	21.60	21.60	21.60	21.60	21.60	21.60	23.60	23.60
3G WCDMA	IV	M2	100	27.40	27.40	20.00	20.00	20.00	20.00	20.00	20.00	23.00	23.00
3G WCDMA	V	M1	100	30.40	30.40	23.50	23.50	23.50	23.50	23.50	23.50	24.50	24.50
	B2	M2	100	28.40	28.40	20.00	20.00	20.00	20.00	20.00	20.00	23.00	23.00
	B2	S1	100	16.50	16.50	16.50	16.50	16.50	16.50	16.50	16.50	22.00	22.00
	B4	M2	100	27.10	27.10	19.50	19.50	19.50	19.50	19.50	19.50	23.00	23.00
	B4	S1	100	18.50	18.50	18.50	18.50	18.50	18.50	18.50	18.50	23.00	23.00
	B5	M1	100	30.70	30.70	27.70	27.70	27.70	27.70	27.70	27.70	24.50	24.50
	В7	M2	100	23.00	23.00	19.00	19.00	19.00	19.00	19.00	19.00	23.00	23.00
4G LTE	B12	M1	100	31.30	31.30	29.80	29.80	29.80	29.80	29.80	29.80	24.50	24.50
4G LIE	B13	M1	100	30.00	30.00	28.20	28.20	28.20	28.20	28.20	28.20	24.00	24.00
	B17	M1	100	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50
	B26	M1	100	30.70	30.70	27.70	27.70	27.70	27.70	27.70	27.70	24.50	24.50
	B38	M2	63.3	27.10	25.11	23.90	21.91	23.90	21.91	23.90	21.91	23.00	21.01
	B41 PC3	M2	63.3	27.10	25.11	23.90	21.91	23.90	21.91	23.90	21.91	23.00	21.01
	B66	M2	100	27.10	27.10	19.50	19.50	19.50	19.50	19.50	19.50	23.00	23.00
	B66	S1	100	18.50	18.50	18.50	18.50	18.50	18.50	18.50	18.50	23.00	23.00
	n5	M1	100	30.20	30.20	26.70	26.70	26.70	26.70	26.70	26.70	24.00	24.00
	n7	M2	100	23.00	23.00	20.00	20.00	20.00	20.00	20.00	20.00	23.00	23.00
	n26	M1	100	30.20	30.20	26.80	26.80	26.80	26.80	26.80	26.80	24.00	24.00
	n38	M2	100	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	23.00	23.00
5G NR	n41	M2	100	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	23.00	23.00
JUIN	n66	M2	100	27.30	27.30	20.50	20.50	20.50	20.50	20.50	20.50	23.00	23.00
	n66	S1	100	21.50	21.50	21.50	21.50	21.50	21.50	21.50	21.50	23.00	23.00
	n71	M1	100	31.20	31.20	29.40	29.40	29.40	29.40	29.40	29.40	23.00	23.00
	n77	S3	100	17.50	17.50	17.50	17.50	17.50	17.50	17.50	17.50	23.50	23.50
	n77 DoD	S3	100	17.50	17.50	17.50	17.50	17.50	17.50	17.50	17.50	23.50	23.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 39 of 131

Table 5-2 summarizes the test configurations of all RATs, and the corresponding worst-case measured SAR for each RAT under the power limit.

Table 5-2 Test configurations of radio technologies and worst-case measured SAR

Test Case	Test Scenario	Test Tech	Test band	Test Sequence	BW (MHz)	Modulation	duty cycle	RB size		Test Position	Gap (mm)	ANT	ANT Index	ANT state (TX/RX)		UL Channel	UL Freq (MHz)	DL Channel	DL Freq (MHz)	Part 1, SAR@Plimit 1-g SAR (W/kg)	SAR reg.	Plimit, frame- averaged	Pmax, frame- averaged	min power duration	1	drop call	duration a	duration 3
. 0	Range of TA-SAR parameters	FR1	n41	0	100	QPSK(CP-OFDM)	100.00%	1	1	N/A	10	M2	1	0/1	2	518598	2592.99	518598	2592.99	0.233	1.6	16.45	22.71	300	570	$\Box$		
1		2G	GPRS 850 1Tx	1	N/A	GMSK		N/A		Rear	10	M1	0	0/0	2	190	836.6	190	881.6	0.297	1.6	20.80	23.66	150	720	$\vdash$	-	
2		2G	GPRS 1900 1Tx	1	N/A	GMSK				Rear	10	M2	1	0/0	2	661	1880	661	1960	0.126	1.6	19.55	20.31	150	720	$\vdash$	-	
3		WCDMA	Band IV	1	N/A	RMC	100.00%	N/A N/A		Rear	10	M2	1	0/0	2	1412	1732.4	1637	2132.4	0.423	1.6	20.44	22.67	150	720	$\vdash$	-	_
- 4		WCDMA	Band V	1	N/A	RMC		N/A		Rear	10	M1	0	0/0	2	4132	826.4	4357	871.4	0.375	1.6	22.18	23.52	150	720	$\vdash$	-	
5		LTE	Band 2 Band 66	1	20	QPSK QPSK	100.00%	1	49	Bottom	10	M2 M2	1	0/0	2	18700	1860	700	1940	0.284	1.6	19.41	22.35	150 150	720 720	$\vdash$	-	
ь		LTE		1	20		100.00%	1	U	Bottom	10		1		- 4	132322	1745	66786	2145		1.6	19.43				$\vdash$	-	
7	ł	FR1	n66	1	40	QPSK(CP-OFDM)		1	1	Front	10	M2	1	0/0	2	349000	1745	429000	2145	0.492	1.6	20.45	22.92	150	720	$\vdash$	-	_
- 8	2. Time-varying TX power	FR1 2G	n41	1	100 N/A	QPSK(CP-OFDM)	100.00%	N/A	1	Front	10	M2	0	0/1	2	518598	2592.99 836.6	518598	2592.99	0.233	1.6	16.44	22.71	150	720 720	$\vdash$	$\overline{}$	_
10	1	2G	GPRS 850 1Tx GPRS 1900 1Tx	2	N/A N/A	GMSK GMSK		N/A		Rear Rear	10	M1 M2	0	0/0	2	190 661	1880	190 661	881.6 1960	0.297	1.6	20.80 19.55	23.66	150 150	720	$\vdash$	-	_
10	1	WCDMA	Band IV	- 4	N/A	RMC		N/A		Rear	10	M2	1	0/0	2	1412	1732.4	1637	2132.4	0.126	1.6	20.44	22.67	150	720	$\vdash$	-	_
12	1	WCDMA	Rand V	2	N/A	RMC	100.00%	N/A		Rear	10	M1	0	0/0	2	4137	826.4	4357	871.4	0.425	1.6	22.18	23.52	150	720	$\vdash$	=	
13	1	LTE	Band 2	2	20	OPSK	100.00%	IN/A	49	Bottom	10	M2		0/0	2	18700	1860	700	1940	0.373	1.6	19.41	22.35	150	720	$\vdash$	$\rightarrow$	$\overline{}$
14	1 I	LTE	Rand 66	2	20	QPSK	100.00%	1	-49	Bottom	10	M2	1	0/0	2	132322	1745	66786	2145	0.284	1.6	19.41	22.97	150	720	$\vdash$	$\rightarrow$	
15	1	FR1	066		40	OPSK(CP-OFDM)	100.00%	1	1	Front	10	M2	1	0/0	2	349000	1745	429000	2145	0.337	1.6	20.45	22.92	150	720	$\vdash$	-	
25	1	FR1	n41	-	100	QPSK(CP-OFDM)	100.00%	-	-	Front	10	M2	<b>+</b> :	0/1	2	518598	2592 99	518598	2592.99	0.432	1.6	16.44	22.71	150	720	$\vdash$	-	-
17	3. Call disconnection and re-establishment	FR1	n41	0	100	QPSK(CP-OFDM)	100.00%	1	1	N/A	10	M2	1	0/1	2	518598	2592.99	518598	2592.99	0.233	1.6	16.44	22.71	300	200	10	200	_
- 27		WCDMA	Band IV	ŭ	N/A	RMC		N/A	N/A			M2	1	0/0	ŕ	1412	1732.4	1637	2132.4	0.423		20.44	22.67			10		_
18	4. band handover	LTE	Band 2	0	20	QPSK	100.00%	1	49	N/A	10	M2	1	0/0	2	18700	1860	700	1940	0.284	1.6	19.45	22.35	300	200		200	200
19	5. Change in operating state	FR1	n66	0	40	QPSK(CP-OFDM)	100.00%	1	1	N/A N/A	10	M2	1 1	0/0	2	349000	1745	429000	2145	0.492	1.6	20.45	22.92	300	200		200	200
		FR1	n77		100	OPSK(DFT-s-OFDM)	100.00%	135	69			53	4	0/1		633334	3500.01	633334	3500.01	0.068		16.68				П	-	-
20		FR1	n66	1 0	40	OPSK(CP-OFDM)	100.00%	1	0	N/A	10	M2	1	0/0	2	349000	1745	429000	2145	0.492	1.6	20.45	23.25	300	120	ll	200	120
	7. Time window switching	FR1	n66	0	40	QPSK(CP-OFDM)	100.00%	1	0			M2	1	0/0	١.	349000	1745	429000	2145	0.492		20.45						
21		FR1	n77	1 0	100	OPSK(DFT-s-OFDM)	100.00%	135	69	N/A	10	53	4	0/1	1 4	633334	3500.01	633334	3500.01	0.068	1.6	16.68	23.25	300	200		120	200
		LTE	Band 2	-	20	QPSK	100.00%	1	49			M2	1	0/0		18700	1860	700	1940	0.284		19.41	22.35			П		
22	8. SAR exposure switching (ENDC)	FR1	n77	0	100	QPSK(DFT-s-OFDM)	100.00%	135	69	N/A	10	53	4	0/1	1 ²	633334	3500.01	633334	3500.01	0.068	1.6	16.69	22.58	300	200	ıl	200	200
23	a can access a challes (CNDC)	LTE	Band 2		20	QPSK	100.00%	1	49	N/A	10	M2	1	0/0	١,	18700	1860	700	1940	0.284	1.6	19.41	22.35	300	200		200	200
23	8. SAR exposure switching (ENDC)	FR1	n5		20	QPSK(DFT-s-OFDM)	100.00%	50	28	N/A	10	M1	0	0/0	1 ′	167300	836.5	176300	881.5	0.42	1.6	23.65	23.72	300	200		200	200

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 40 of 131

### 5.2 Conducted Power Measurement Results for Scenario1: Range of TA-SAR **Parameters**

In this scenario, two TA-SAR parameters are swept to validate Mediatek's TA-SAR algorithm. The parameter sets are summarized in Table 5-3, and the test procedure follows section 4.2.2. The measurement setup is shown in Figure 5-2. The high-level summary of the final validation results are also listed in the last column of the table, which concludes that Mediatek's TA-SAR algorithm can maintain the time-averaged SAR is always below the FCC requirement for all test cases. The following section will demonstrate case-by-case to show how Mediatek's TA-SAR algorithm behaves for different parameters.

Table 5-3 TA-SAR parameters setting for scenario 1

					_		_			
Test case	RAT	Test band	Test seq.	ECI	Max power (dBm)	Psub6_limit	PLowThresh (dBm)	PUE_backoff (dBm)	PUE_max _cust (dBm)	Pass /Fail SAR limit
0	FR1	n41	0	2	23.00	17.00	16.50	14.00	23.00	Pass

These test cases are for 4G LTE and are conducted under LTE band B2 with ECI = 2. The corresponding detailed test procedure is described in 4.2.2. For the figure set of each case, the first figure demonstrates the EUT's instantaneous conducted TX power, the time-averaged conducted TX power behavior over time, and the power limit (P reg sub6 limit =  $P_{sub6\_limit}$  + 1dB device uncertainty). The second figure illustrates the corresponding time-averaged SAR over time converted from the TX time-averaged power by using the equation listed in section 4.2.2. For all test cases, the time-averaged SAR does not exceed the FCC limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 41 of 131

**TA-SAR Conducted power** Scenario 1, Tech: NR FR1, Band41




Figure 5- 6 Time-averaged conducted TX power over time for case 0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 42 of 131




Figure 5- 7 Time-averaged SAR for case 0

Time (s)

1.94.00 1.11110 4.10	14904 07 11 101 0400 0
FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.277 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 t (886-2) 2299-3279

www.sgs.com.tw



Page: 43 of 131

## 5.3 Conducted Power Measurement Results for Scenario 2: Time-Varying TX Power

In this scenario, Mediatek's TA-SAR algorithm is tested under more dynamic power test sequences. The test sequence #1 is shown in section 4.1 and test sequence #2 is tabulated in table 4.4. All of the test cases for this scenario are relegated in Table 5-4, and the test procedure follows section 4.3.2. The measurement setup is shown in Figure 5-2. The high-level summary of the final validation results are also listed in the last column of the table, which concludes that Mediatek's TA-SAR algorithm can maintain the time-averaged SAR is always below the FCC requirement for all test cases. The following sections will demonstrate case-by-case to show how Mediatek's TA-SAR algorithm behaves for each RAT.

Table 5-4 TA-SAR parameters setting for scenario 2

Test case	RAT	Test band	Test seq.	ECI	Max power (dBm)	Psub6_limit (dBm)	PLowThresh (dBm)	PUE_backoff (dBm)	PUE_max _cust (dBm)	Pass /Fail SAR limit
1	2G	GPRS 850 1Tx	1	2	33.00	29.50	29.00	26.50	33.00	Pass
2	2G	GPRS 1900 1Tx	1	2	30.00	27.50	27.00	24.50	30.00	Pass
3	WCDMA	Band IV	1	2	23.00	20.00	19.50	17.00	23.00	Pass
4	WCDMA	Band V	1	2	24.50	23.50	23.00	20.50	24.5.00	Pass
5	LTE	Band 2	1	2	23.00	20.00	19.50	17.00	23.00	Pass
6	LTE	Band 66	1	2	23.00	19.50	19.00	16.50	23.00	Pass
7	FR1	n66	1	2	23.00	20.50	20.00	17.50	23.00	Pass
8	FR1	n41	1	2	23.00	17.00	16.50	14.00	23.00	Pass
9	2G	GPRS 850 1Tx	2	2	33.00	29.50	29.00	26.50	33.00	Pass
10	2G	GPRS 1900 1Tx	2	2	30.00	27.50	27.00	24.50	30.00	Pass
11	WCDMA	Band IV	2	2	23.00	20.00	19.50	17.00	23.00	Pass
12	WCDMA	Band V	2	2	24.50	23.50	23.00	20.50	24.50	Pass
13	LTE	Band 2	2	2	23.00	20.00	19.50	17.00	23.00	Pass
14	LTE	Band 66	2	2	23.00	19.50	19.00	16.50	23.00	Pass
15	FR1	n66	2	2	23.00	20.50	20.00	17.50	23.00	Pass
16	FR1	n41	2	2	23.00	17.00	16.50	14.00	23.00	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 44 of 131

#### 5.3.1 Measurement results for NR

These test cases are for sub6 NR and is conducted under NR bands n66 and n5 with ECI = 2. The corresponding detailed test procedure is described in 4.3.2. For the figure set of each case, the first figure demonstrates the EUT's instantaneous conducted TX power, the time-averaged conducted TX power behavior over time, and the power limit (P\_reg\_sub6\_limit = Psub6\_limit + 1dB device uncertainty). The second figure illustrates the corresponding time-averaged SAR over time converted from the TX time-averaged power by using the equation listed in section 4.3.2. For all test cases, the time-averaged SAR does not exceed the FCC limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 45 of 131

• Case 7 in table 5-4: NR n66 result for test sequence 1




Figure 5- 10 Time-averaged conducted TX power over time for case 7 (sub6 NR n66)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 46 of 131




Figure 5- 11 Time-averaged SAR for case 7 (sub6 NR n66)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.582 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 47 of 131

Case 8 in table 5-4: NR n41 result for test sequence 1




Figure 5- 12 Time-averaged conducted TX power over time for case 8 (sub6 NR n41)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 48 of 131




Figure 5- 13 Time-averaged SAR for case 8 (sub6 NR n41)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.254 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 49 of 131

•Case 15 in table 5-4: NR n66 result for test sequence 2




Figure 5- 14 Time-averaged conducted TX power over time for case 15 (sub6 NR n66)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 50 of 131




Figure 5- 15 Time-averaged SAR for case 15 (sub6 NR n66)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.584 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 51 of 131

• Case 16 in table 5-4: NR n5 result for test sequence 2




Figure 5- 16 Time-averaged conducted TX power over time for case 16 (sub6 NR n41)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 52 of 131




Figure 5- 17 Time-averaged SAR for case 16 (sub6 NR n41)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.253 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 53 of 131

#### 5.3.2 Measurement results for LTE

These test cases are for 4G LTE and are conducted under LTE bands B2 and B66 with ECI = 2. The corresponding detailed test procedure is described in 4.3.2. For the figure set of each case, the first figure demonstrates the EUT's instantaneous conducted TX power, the time-averaged conducted TX power behavior over time, and the power limit ( $P_{reg_sub6_limit} = P_{sub6_limit} + 1$ dB device uncertainty). The second figure illustrates the corresponding time-averaged SAR over time converted from the TX time-averaged power by using the equation listed in section 4.3.2. For all test cases, the time-averaged SAR does not exceed the FCC limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 54 of 131

• Case 5 in table 5-4: LTE B2 result for test sequence 1




Figure 5- 18 Time-averaged conducted TX power over time for case 5 (LTE B2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.8

1.6

1.4

1.2

SAR (W/kg) 0'8

0.6

0,2

0.0


200

Report No.: TESA2311000663ES

100s time-avg SAR Reg SAR limit

800

Page: 55 of 131



600

700

Figure 5- 19 Time-averaged SAR for case 5 (LTE B2)

500

Time (s)

400

300

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.283 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 56 of 131

• Case 6 in table 5-4: LTE B66 result for test sequence 1




Figure 5- 20 Time-averaged conducted TX power over time for case 6 (LTE B66)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 57 of 131




Figure 5-21 Time-averaged SAR for case 6 (LTE B66)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.382 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 58 of 131

•Case 13 in table 5-4: LTE B2 result for test sequence 2




Figure 5- 22 Time-averaged conducted TX power over time for case 13 (LTE B2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 59 of 131




Figure 5-23 Time-averaged SAR for case 13 (LTE B2)

Time (s)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.284 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.sgs.com.tw



Page: 60 of 131

Case 14 in table 5-4: LTE B66 result for test sequence 2




Figure 5- 24 Time-averaged conducted TX power over time for case 14 (LTE B66)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 61 of 131




Figure 5-25 Time-averaged SAR for case 14 (LTE B66)

FCC 1gSAR limit	1.6 W/kg	
Max 100s-time averaged 1gSAR	0.399W/kg	
Validation result: pass		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 62 of 131

### 5.3.3 Measurement results for WCDMA

These test cases are for 3G WCDMA and are conducted under WCDMA bands B4 and B2 with ECI = 2. The corresponding detailed test procedure is described in 4.3.2. For the figure set of each case, the first figure demonstrates the EUT's instantaneous conducted TX power, the time-averaged conducted TX power behavior over time, and the power limit ( $P_{reg_sub6_limit} = P_{sub6_limit} + 1dB$  device uncertainty). The second figure illustrates the corresponding time-averaged SAR over time converted from the TX time-averaged power by using the equation listed in section 4.3.2. For all test cases, the time-averaged SAR does not exceed the FCC limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 63 of 131

• Case 3 in table 5-4: WCDMA B4 result for test sequence 1




Figure 5- 26 Time-averaged conducted TX power over time for case 3 (WCDMA B4)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 64 of 131




Figure 5- 27 Time-averaged SAR for case 3 (WCDMA B4)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.511 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

www.sgs.com.tw



Page: 65 of 131

Case 4 in table 5-4: WCDMA B5 result for test sequence 1




Figure 5- 28 Time-averaged conducted TX power over time for case 4 (WCDMA B5)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 66 of 131




Figure 5- 29 Time-averaged SAR for case 4 (WCDMA B5)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.477 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

> t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 67 of 131

## •Case 11 in table 5-4: WCDMA B4 result for test sequence 2




Figure 5- 30 Time-averaged conducted TX power over time for case 11 (WCDMA B4)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 68 of 131




Figure 5- 31 Time-averaged SAR for case 11 (WCDMA B4)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.512 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 69 of 131

• Case 12 in table 5-4: WCDMA B5 result for test sequence 2




Figure 5- 32 Time-averaged conducted TX power over time for case 12 (WCDMA B5)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 70 of 131




Figure 5-33 Time-averaged SAR for case 12 (WCDMA B5)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.395 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 71 of 131

#### 5.3.5 Measurement results for 2G

These test cases are for 2G and are conducted under 2G band GPRS 850 4Tx with ECI = 2. The corresponding detailed test procedure is described in 4.3.2. For the figure set of each case, the first figure demonstrates the EUT's instantaneous conducted TX power, the time-averaged conducted TX power behavior over time, and the power limit (P reg sub6 limit = P<sub>sub6\_limit</sub> + 1dB device uncertainty). The second figure illustrates the corresponding time-averaged SAR over time converted from the TX time-averaged power by using the equation listed in section 4.3.2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 72 of 131

Case 1 in table 5-4: 2G GPRS 850 1TX result for test sequence 1




Figure 5- 34 Time-averaged conducted TX power over time for case 1 (2G GPRS 850 1TX)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 73 of 131




Figure 5- 35 Time-averaged SAR for case 1 (2G GPRS 850 1TX)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.408 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 74 of 131

Case 2 in table 5-4: 2G GPRS 1900 1TX result for test sequence 1



Figure 5- 36 Time-averaged conducted TX power over time for case 2 (2G GPRS 1900 1TX)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 75 of 131




Figure 5- 37 Time-averaged SAR for case 2 (2G GPRS 1900 1TX)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.112 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 76 of 131

•Case 9 in table 5-4: 2G GPRS 850 1Tx result for test sequence 2




Figure 5- 38 Time-averaged conducted TX power over time for case 9 (2G GPRS 850 1Tx)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 77 of 131




Figure 5- 39 Time-averaged SAR for case 9 (2G GPRS 850 1Tx)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.266 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 78 of 131

•Case 10 in table 5-4: 2G GPRS 1900 1Tx result for test sequence 2




Figure 5- 40 Time-averaged conducted TX power over time for case 10 (2G GPRS 1900 1Tx)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 79 of 131




Figure 5- 41 Time-averaged SAR for case 10 (2G GPRS 2900 1Tx)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.105 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 80 of 131

# 5.4 Conducted Power Measurement Results for Scenario 3: Call Disconnection and Re-establishment

In this scenario, the test power sequence #0 (i.e., maximum TX power is requested by a call box for each RAT) is used, and the call drop is manually configured for a pre-defined period and then the call is re-established to continue data transmission. The test case for this scenario is relegated in Table 5-5, and the test procedure follows section 4.4.2. The measurement setup is shown in Figure 5-2. The high-level summary of the final validation results is also listed in the last column of the table, which concludes that Mediatek's TA-SAR algorithm can maintain the time-averaged SAR is always below the FCC requirement. The following section will demonstrate how Mediatek's TA-SAR algorithm behaves.

Table 5-5 TA-SAR parameters setting for scenario 3

Test case	RAT	Test band	Test seq.	ECI	Max power (dBm)	Psub6_limit (dBm)	PLowThresh (dBm)	PUE_backoff (dBm)	PUE_max _cust (dBm)	Pass /Fail SAR limit
17	FR1	n41	0	2	23.00	17.00	16.50	14.00	23.00	Pass

This test is for LTE and is conducted under LTE band 2 with ECI = 2. The corresponding detailed test procedure is described in 4.4.2. Figure 5-42 demonstrates the EUT's instantaneous conducted TX power, the time-averaged conducted TX power behavior over time, and the power limit ( $P_{reg_sub6_limit} = P_{sub6_limit} + 1dB$  device uncertainty). Figure 5-43 illustrates the corresponding time-averaged SAR over time converted from the TX time-averaged power by using the equation listed in section 4.4.2. As seen in this figure, the time-averaged SAR does not exceed the FCC limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非口方的吧,此就生生用做影响建立种具有表,同时也稀早做是现现了一个大概生生使大公司表面适宜,不可知必有制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

JOJ Idiwali Etd.



Page: 81 of 131

•Case 17 in table 5-5: call drop happens at the time instance of 500 seconds.




Figure 5- 42 Time-averaged conducted TX power over time for case 17 (sub6 NR n41)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest extent of the law.

台灣檢驗科技股份有限公司



Page: 82 of 131




Figure 5- 43 Time-averaged SAR for case 17 (sub6 NR n41)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.274 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 83 of 131

#### 5.5 Conducted Power Measurement Results for Scenario 4: Band Handover

In this scenario, the test power sequence #0 (i.e., maximum TX power is requested by a call box for each RAT) is used, and band (and RAT) handover is manually configured at a specific time instance. The test case widely cover handover scenarios between two RATs. The test case for this scenario is relegated in Table 5-6, and the test procedure follows section 4.5.2. The measurement setup is shown in Figure 5-3 (band handover) and Figure 5-5 (RAT handover). The high-level summary of the final validation results is also listed in the last column of the table, which concludes that Mediatek's TA-SAR algorithm can maintain the time-averaged SAR is always below the FCC requirement. The following section will demonstrate how Mediatek's TA-SAR algorithm behaves.

Table 5-6 TA-SAR parameters setting for scenario 4

Test case	RAT	Test band	Test seq.	ECI	Max power (dBm)	P <sub>sub6_limit</sub> (dBm)	PLowThresh (dBm)	PUE_backoff (dBm)	PUE_max _cust (dBm)	Pass /Fail SAR limit
	WCDMA	Band 4	0	2	23.00	20.00	19.50	17.00	23.00	_
18	LTE	Band 2	0	2	23.00	20.00	19.50	17.00	23.00	Pass

This test aims to validate the TA-SAR algorithm with a handover from LTE band B2 to 5G NR band B5 and ECI = 2. The corresponding detailed test procedure is described in 4.5.2. The first figure demonstrates the EUT's instantaneous conducted TX power and the time-averaged conducted TX power behavior over time, and the power limit ( $P_reg_sub6_limit = P_{sub6_limit} + 1$  dB device uncertainty). The handover is configured at the time instance of 500 seconds. It is observed in the figure that the time-averaged TX power of the individual RAT is below its own  $P_{sub6_limit}$ . The second figure illustrates the corresponding time-averaged normalized SAR over time converted from the TX time-averaged power by using the equation listed in section 4.5.2. The figure shows that the time-averaged normalized SAR does not exceed the normalized FCC limit of 1.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

505 lawan Eta.



Page: 84 of 131

•Case 18 in table 5-6: band handover happens at the time instance of 500 seconds.




Figure 5- 44 Time-averaged conducted TX power over time for case 18 (WCDMA B4, LTE B2)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 85 of 131

## Total normailized Time-averaged RF exposure Scenario 4, Tech: WCDMA, Band4




Figure 5- 45 Normalized time-averaged SAR for case 18 (WCDMA B4, LTE B2)

FCC limit of total RF exposure (normalized)	1.0						
Max total normalized time-averaged RF	0.259						
exposure							
Validation result: pass							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 86 of 131

## 5.6 Conducted Power Measurement Results for Scenario 5: ECI Change

In this scenario, the test power sequence #0 (i.e., maximum TX power is requested by a call box for each RAT) is used, and ECI change at the EUT side is manually configured at a specific time instance. The test case cover ECI switching scenario between two ECIs. The test case for this scenario is relegated in Table 5-7, and the test procedure follows section 4.6.2. The measurement setup is shown in Figure 5-2. The high-level summary of the final validation results is also listed in the last column of the table, which concludes that Mediatek's TA-SAR algorithm can maintain the time-averaged SAR is always below the FCC requirement. The following section will demonstrate how Mediatek's TA-SAR algorithm behaves.

Table 5-7 TA-SAR parameters setting for scenario 5

Test case	RAT	Test band	Test seq.	ECI	Max power (dBm)	Psub6_limit (dBm)	PLowThresh (dBm)	PUE_backoff (dBm)	PUE_max _cust (dBm)	Pass /Fail SAR limit
19	FR1	n66	0	2	23.00	20.50	20.00	17.50	23.00	Pass
				1		27.30	26.80	24.30	23.00	

This test aims to validate the TA-SAR algorithm with ECI change from 4G LTE band B2 with ECI = 2 to ECI = 1. The corresponding detailed test procedure is described in 4.6.2. The first figure demonstrates the EUT's instantaneous conducted TX power and the time-averaged conducted TX power behavior over time, and the power limit (P reg sub6 limit =  $P_{sub6\_limit}$  + 1dB device uncertainty). During the test period, there are two ECI change events configured individually at the time instances 500 seconds and 700 seconds. The 1st change is from ECI = 2 to ECI = 1 and the 2nd change is from ECI = 1 back to ECI = 2. It is observed in the figure that the time-averaged TX power of the individual RAT is below its own Psub6\_limit. The second figure illustrates the corresponding time-averaged normalized SAR over time converted from the TX time-averaged power by using the equation listed in section 4.6.2. The figure shows that the time-averaged normalized SAR does not exceed the normalized FCC limit of 1.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 87 of 131

•Case 19 in table 5-7: two ECI changes happen at the time instances of 500 and 700 seconds, respectively.




Figure 5- 46 Time-averaged conducted TX power over time for case 19 (sub NR n66) NOTE: The inst. TX power should be compared with P\_reg\_sub6\_limit of the corresponding configuration, then transformed and averaged in SAR perspective to check compliance. Therefore, even though the time-averaged TX power seems to exceed P\_reg\_sub6\_limit after configuration changed (from 700s to 730s), the time-averaged SAR pass regulation as a matter of fact.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 88 of 131

#### Total normailized Time-averaged RF exposure Scenario 5, Tech: NR FR1, ECI1






Figure 5- 47 Normalized time-averaged SAR for case 19 (sub NR n66)

FCC limit of total RF exposure (normalized)	1.0
Max total normalized time-averaged RF	0.346
exposure	
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 89 of 131

## 5.7Conducted Power Measurement Results for Scenario 7: Time Window Switching

In this scenario, the test power sequence #0 (i.e., maximum TX power is requested by a call box for each RAT) is used, and band handover events within a RAT are manually configured at specific time instances. This scenario aims to validate the correctness of the TA-SAR algorithm with existence of moving average time window change. The two test cases for this scenario are relegated in Table 5-9, and the test procedure follows section 4.8.2. The measurement setup is shown in Figure 5-3. The high-level summary of the final validation results are also listed in the last column of the table, which concludes that Mediatek's TA-SAR algorithm can maintain the time-averaged SAR is always below the FCC requirement for all the cases. The following sections will demonstrate how Mediatek's TA-SAR algorithm behaves.

Table 5-9 TA-SAR parameters setting for scenario 7

Table 5-5 TA-OAR par							ig ioi scei			
Test case	RAT	Test band	Test seq.	ECI	Max power (dBm)	Psub6_limit (dBm)	PLowThresh (dBm)	PUE_backoff (dBm)	PUE_max _cust (dBm)	Pass /Fail SAR limit
22	FR1	n77	0	2	23.50	17.50	17.00	14.50	23.50	_
20	FR1	n66	0	2	23.00	20.50	20.00	17.50	23.00	Pass
0.4	FR1	n66	0	2	23.00	20.50	20.00	17.50	23.00	
21	FR1	n77	0	2	23.50	17.50	17.00	14.50	23.50	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 90 of 131

### 5.8.1 Measurement results for test case 20

This test case is conducted for sub6 NR n77 and n66 with ECI =2. The corresponding detailed test procedure is described in 4.8.2. During the test period, there are two band handover events configured individually at the time instances 500 seconds and 620 seconds. The 1st handover is from n77 to n66 and the 2nd handover is from n66 back to n77. The first figure demonstrates the EUT's instantaneous conducted TX power and the time-averaged conducted TX power behavior over time, and the power limit (P\_reg\_sub6\_limit = Psub6\_limit + 1dB device uncertainty). It is observed in the figure that the time-averaged TX power during the transitions of the band changes is maintained below the power limitation. The second figure illustrates the corresponding time-averaged normalized SAR over time converted from the TX time-averaged power by using the equation listed in section 4.8.2. The figure shows that the time-averaged normalized SAR does not exceed the normalized FCC limit of 1.



Page: 91 of 131

•Case 20 in table 5-9: band handover happens at the time instances of 500 and 620 seconds. TA-SAR Conducted power




Figure 5- 50 Time-averaged conducted TX power over time for case 20 (sub6 NR n77 and n66)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 92 of 131

## Total normailized Time-averaged RF exposure Scenario 7, Tech: NR FR1, Band77




Figure 5- 51 Normalized time-averaged SAR for case case 20 (sub6 NR n77 and n66)

FCC I	imit of	total RF expos	sure (normalized)	1.0				
Max	total	normalized	time-averaged	0.346				
expos	sure							
Validation result: pass								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 93 of 131

### 5.8.2 Measurement results for test case 21

This test case is conducted for sub6 NR n66 and n77 with ECI = 2. The corresponding detailed test procedure is described in 4.8.2. During the test period, there are two band handover events configured individually at the time instances 420 seconds and 620 seconds. The 1st handover is from n66 to n77 and the 2nd handover is from n77 back to n66. The first figure demonstrates the EUT's instantaneous conducted TX power and the time-averaged conducted TX power behavior over time, and the power limit (P\_reg\_sub6\_limit = Psub6\_limit + 1dB device uncertainty). It is observed in the figure that the time-averaged TX power during the transitions of the band changes is maintained below the power limitation. The second figure illustrates the corresponding time-averaged normalized SAR over time converted from the TX time-averaged power by using the equation listed in section 4.8.2. The figure shows that the time-averaged normalized SAR does not exceed the normalized FCC limit of 1.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 94 of 131

•Case 21 in table 5-9: band handover happens at the time instances of 420 and 620 seconds. . TA-SAR Conducted power




Figure 5- 52 Time-averaged conducted TX power over time for case 21 (sub6 NR n66 and n77)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 95 of 131

## Total normailized Time-averaged RF exposure Scenario 7, Tech: NR FR1, Band66




Figure 5- 53 Normalized time-averaged SAR for case 21 (sub6 NR n66 and n77)

FCC limit of total RF exposure (normalized)	1.0
Max total normalized time-averaged RF	0.344
exposure	
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 96 of 131

# 5.8 Conducted Power Measurement Results for Scenario 8: SAR Exposure Switching

In this scenario, the test power sequence #0 (i.e., maximum TX power is requested by a call box for each RAT) is used, and LTE and sub6 NR are turned on at the same time for a pre-defined period during the test. This scenario aims to validate whether the TA-SAR algorithm is able to maintain TER below the FCC limit when the two radios change TX power dynamically. The experiment parameters are summarized in Table 5-10, and the test procedure follows section 4.9.2. The measurement setup is shown in Figure 5-5.

Table 5-10 TA-SAR parameters setting for scenario 8

Test case	RAT	Test band	Test seq.	ECI	Max power (dBm)	Psub6_limit (dBm)	PLowThresh (dBm)	PUE_backoff (dBm)	PUE_max _cust (dBm)	Pass /Fail SAR limit
	LTE	Band 2	0	2	23	20	19.5	17	23	
22	FR1	n77	0	2	23.5	17.5	17	14.5	23.5	Pass
	LTE	Band 2	0	2	23	20	19.5	17	23	
23	FR1	n5	0	2	24	26.7	26.2	23.7	24	Pass

### During the test period,

- Time = 300s~500s: NR sub5-only scenario.
- Time = 500s~700s: LTE+ NR sub6 scenario.
- Time = 700s~900s: LTE-only scenario.

The first figure demonstrates the EUT's instantaneous conducted TX power and the time-averaged conducted TX power behavior over time, and the power limit ( $P_{reg_sub6_limit} = P_{sub6_limit} + 1dB$  device uncertainty). It is observed in the figure that the time-averaged TX power in all time periods is maintained below the power limitation. The second figure illustrates the corresponding time-averaged normalized SAR over time converted from the TX time-averaged power by using the equation listed in section 4.9.2. The figure shows that the time-averaged normalized SAR does not exceed the normalized FCC limit of 1.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

303 laiwan Eta.



Page: 97 of 131

TA-SAR Conducted power Scenario 8, Tech: LTE, Band2 / Tech: NR FR1, Band77




Figure 5- 54 Time-averaged conducted TX power over time for case 22 (LTE B2, sub6 NR n77)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 98 of 131

## Total normailized Time-averaged RF exposure Scenario 8, Tech: LTE, Band2




Figure 5- 55 Normalized time-averaged SAR for case 22 (LTE B2, sub6 NR n77)

FCC limit of total RF exposure (normalized)	1.0
Max total normalized time-averaged RF	0.121
exposure	
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 99 of 131






Figure 5- 56 Time-averaged conducted TX power over time for case 23 (LTE B2, sub6 NR n5)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 100 of 131

### Total normailized Time-averaged RF exposure Scenario 8, Tech: LTE, Band2




Figure 5- 57 Normalized time-averaged SAR for case 23 (LTE B2, sub6 NR n5)

FCC limit of total RF exposure (normalized)	1.0
Max total normalized time-averaged RF	0.681
exposure	
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 101 of 131

# 6 TA-SAR Validation via SAR Measurements

## 6.4 Measurement Setup

The measurement setup is similar to normal fixed power SAR measurement. The difference in SAR measurement setup for time averaging feature validation is that the call box operates under the close loop power control mode and is connected to the PC, so that the PC can control the call box based on the test sequence to configure EUT's TX target power. The same test procedure used in conducted power setup for time-varying TX power measurement is also used in this section for time-averaging SAR measurements. Since the SAR chamber is an uncontrolled environment, the path loss between call box antenna and the EUT are well calibrated. The test setup is illustrated in Figure 6-1.




Figure 6-1 TA-SAR wireless test environment

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 102 of 131

## 6.5 SAR Measurement Results for Scenario 2: Time-Varying TX Power

In this scenario, Mediatek's TA-SAR algorithm is tested under more dynamic power test sequences. The test sequence #1 is shown in section 4.1 and test sequence #2 is tabulated in table 4.4. All of the test cases for this scenario are relegated in Table 6-1, and the test procedure follows section 4.10.2. The measurement setup is shown in Figure 6-1, 6-2(a) and 6-2(b). All of the measurements are conduct by using DASY6. The high-level summary of the final validation results is given in the last column of the table, which concludes that Mediatek's TA-SAR algorithm can maintain the time-averaged SAR is always below the FCC requirement for all test cases. The following sections will demonstrate case-by-case to show how Mediatek's TA-SAR algorithm behaves for each RAT.

Table 6-1 Operating parameters for different TA-SAR parameters setting

		Table 6-1 Op	<del>501 atiii</del>	<u>9 Pui</u>	<u> </u>	101 all101	0116 17 6 07 6	· paramoti	3.0 00ttg	
Test case	RAT	Test band	Test seq.	ECI	Max power (dBm)	Psub6_li mit (dBm)	PLowThres h (dBm)	PUE_back  off (dBm)	PUE_max _cust (dBm)	Pass /Fail SAR limit
1	2G	GPRS 850 1Tx	1	2	33.00	29.50	29.00	26.50	33.00	Pass
2	2G	GPRS 1900 1Tx	1	2	30.00	27.50	27.00	24.50	30.00	Pass
3	WCDMA	Band IV	1	2	23.00	20.00	19.50	17.00	23.00	Pass
4	WCDMA	Band V	1	2	24.50	23.50	23.00	20.50	24.5.00	Pass
5	LTE	Band 2	1	2	23.00	20.00	19.50	17.00	23.00	Pass
6	LTE	Band 66	1	2	23.00	19.50	19.00	16.50	23.00	Pass
7	FR1	n66	1	2	23.00	20.50	20.00	17.50	23.00	Pass
8	FR1	n41	1	2	23.00	17.00	16.50	14.00	23.00	Pass
9	2G	GPRS 850 1Tx	2	2	33.00	29.50	29.00	26.50	33.00	Pass
10	2G	GPRS 1900 1Tx	2	2	30.00	27.50	27.00	24.50	30.00	Pass
11	WCDMA	Band IV	2	2	23.00	20.00	19.50	17.00	23.00	Pass
12	WCDMA	Band V	2	2	24.50	23.50	23.00	20.50	24.50	Pass
13	LTE	Band 2	2	2	23.00	20.00	19.50	17.00	23.00	Pass
14	LTE	Band 66	2	2	23.00	19.50	19.00	16.50	23.00	Pass
15	FR1	n66	2	2	23.00	20.50	20.00	17.50	23.00	Pass
16	FR1	n41	2	2	23.00	17.00	16.50	14.00	23.00	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股份有限公司

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 103 of 131

### 6.2.1 SAR Measurement results for NR

•Case 7 in table 6-1: NR n66 result for test sequence 1




Figure 6-3 Time-averaged SAR for case 7 in table 6-1 (sub6 NR n66)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.472 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 104 of 131

•Case 8 in table 6-1: NR n41 result for test sequence 1




Figure 6-4 Time-averaged SAR for case 8 in table 6-1 (sub6 NR n41)

FCC 1gSAR limit	1.6 W/kg	
Max 100s-time averaged 1gSAR	0.244 W/kg	
Validation result: pass		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

下いています。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 105 of 131

## •Case 15 in table 6-1: NR n66 result for test sequence 2




Figure 6-5 Time-averaged SAR for case 15 in table 6-1 (sub6 NR n66)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.465 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 106 of 131

•Case 16 in table 6-1: NR n41 result for test sequence 2

## Figure 6-6 Time-averaged SAR for case 16 in table 6-1 (sub6 NR 41)

FCC 1gSAR limit	1.6 W/kg	
Max 100s-time averaged 1gSAR	0.367 W/kg	
Validation result: pass		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 107 of 131

### 6.2.2 SAR Measurement results for LTE

•Case 5 in table 6-1: LTE B2 result for test sequence 1




Figure 6-7 Time-averaged SAR for case 5 in table 6-1 (LTE B2)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.294 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 108 of 131

## •Case 6 in table 6-1: LTE B66 result for test sequence 2




Figure 6-8 Time-averaged SAR for case 6 in table 6-1 (LTE B66)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.331 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 109 of 131

•Case 13 in table 6-1: LTE B2 result for test sequence 2




Figure 6-9 Time-averaged SAR for case 13 in table 6-1 (LTE B2)

FCC 1gSAR limit	1.6 W/kg	
Max 100s-time averaged 1gSAR	0.258 W/kg	
Validation result: pass		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 110 of 131

### •Case 14 in table 6-1: LTE B66 result for test sequence 2




Figure 6-10 Time-averaged SAR for case 14 in table 6-1 (LTE B66)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.353 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 111 of 131

#### 6.2.3 SAR Measurement results for 3G WCDMA

•Case 3 in table 6-1: WCDMA B4 result for test sequence 1




Figure 6-11 Time-averaged SAR for case 3 in table 6-1 (WCDMA B4)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.425 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Page: 112 of 131

## •Case 4 in table 6-1: WCDMA B5 result for test sequence 1




Figure 6-12 Time-averaged SAR for case 4 in table 6-1 (WCDMA B5)

FCC 1gSAR limit	1.6 W/kg	
Max 100s-time averaged 1gSAR	0.384 W/kg	
Validation result: pass		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 113 of 131

## •Case 11 in table 6-1: WCDMA B4 result for test sequence 1




Figure 6-13 Time-averaged SAR for case 11 in table 6-1 (WCDMA B4)

FCC 1gSAR limit	1.6 W/kg	
Max 100s-time averaged 1gSAR	0.333 W/kg	
Validation result: pass		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 114 of 131

•Case 12 in table 6-1: WCDMA B5 result for test sequence 2




Figure 6-14 Time-averaged SAR for case 12 in table 6-1 (WCDMA B5)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.346 W/kg
Validation result: pass	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 115 of 131

#### 6.2.5 SAR Measurement results for 2G

Case 1 in table 6-1: 2G GPRS 850 1Tx result for test sequence 1




Figure 6-17 Time-averaged SAR for case 1 in table 6-1 (2G GPRS 850 1Tx)

FCC 1gSAR limit	1.6 W/kg	
Max 100s-time averaged 1gSAR	0.382 W/kg	
Validation result: pass		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 116 of 131

•Case 2 in table 6-1: 2G GPRS 1900 1Tx result for test sequence 1




Figure 6-18 Time-averaged SAR for case 2 in table 6-1 (2G GPRS 1900 1Tx)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.155 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 117 of 131

•Case 9 in table 6-1: 2G GPRS 850 1Tx result for test sequence 2




Figure 6-19 Time-averaged SAR for case 9 in table 6-1 (2G GPRS 850 1Tx)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.281 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 118 of 131

•Case 10 in table 6-1: 2G GPRS 1900 1Tx result for test sequence 2




Figure 6-20 Time-averaged SAR for case 10 in table 6-1 (2G GPRS 1900 1Tx)

FCC 1gSAR limit	1.6 W/kg
Max 100s-time averaged 1gSAR	0.124 W/kg
Validation result: pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 119 of 131

# 7 Conclusions

This document proposes TA-SAR test scenarios and procedures, and further proves Mediatek's TA-SAR algorithms can meet the FCC SAR regulations with the proposed test scenarios and procedures. As shown in Chapters 6, Mediatek's TA-SAR algorithms are able to maintain SAR over time below the FCC regulatory limits (based on the agreed TX-power-to-SAR translation). Furthermore, the near-field measurements are also done in an FCC certified lab to further validate the proposed test methodologies, and the results shown demonstrate that Mediatek's TA-SAR algorithms really can maintain SAR over time below the FCC regulatory limits under the proposed test procedures. Based on the provided measurement evidences, it is concluded that Mediatek's TA-SAR algorithms can be tested by using the proposed test methodology for FCC compliance.



Page: 120 of 131

## Appendix A. cDASY6 System Verification

#### **EX3DV4 E-Field Probe**

Construction	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)	
Calibration	Basic Broad Band Calibration in air Conversion Factors (CF) for HSL 835/1750/1900/2600 MHz Additional CF for other liquids and frequencies upon request	
Frequency	10 MHz to > 6 GHz	
Directivity	± 0.3 dB in HSL (rotation around probe axis)	
	± 0.5 dB in tissue material (rotation normal to probe axis)	
Dynamic	10 μW/g to > 100 mW/g	
Range	Linearity: ± 0.2 dB (noise: typically < 1 μW/g)	
Dimensions	Tip diameter: 2.5 mm	
Application	High precision dosimetric measurements in any exposure scenario	
	(e.g., very strong gradient fields). Only probe which enables	
	compliance testing for frequencies up to 6 GHz with precision of	
	better 30%.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 121 of 131

#### **Phantom**

Filantoni		
Model	Twin SAM	
Construction	Anthropomorphic Mannequin (SA and IEC 62209. It enables the dosimetric evaluations usage as well as body mounted to cover prevents evaporation of the phantom allow the complete	e specifications of the Specific AM) phantom defined in IEEE 1528 ation of left and right hand phone usage at the flat phantom region. A he liquid. Reference markings on a setup of all predefined phantom rids by manually teaching three
Shell Thickness		
Filling Volume	Approx. 25 liters	( The second
Dimensions	Height: 850 mm;	
	Length: 1000 mm;	
	Width: 500 mm	

#### **DEVICE HOLDER**

DEVIOL HOL	
Construction	In combination with the Twin SAM Phantom
	V4.0/V4.0C or Twin SAM, the Mounting
	Device (made from POM) enables the
	rotation of the mounted transmitter in
	spherical coordinates, whereby the rotation
	point is the ear opening. The devices can
	be easily and accurately positioned
	according to IEC, IEEE, CENELEC, FCC or
	other specifications. The device holder can
	be locked at different phantom locations
	(left head, right head, flat phantom).



**Device Holder** 

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 122 of 131

Appendix B. Instruments List

Equipment List										
Manufacturer	Device	Туре	Serial number	Date of last calibration	Date of next calibration					
SPEAG	Data acquisition Electronics	DAE4	856	Apr/26/2023	Apr/25/2024					
SPEAG	SPEAG Dosimetric E-Field Probe		7712	Apr/14/2023	Apr/13/2024					
SPEAG	System Validation Dipole	D835V2	4d063	Sep/20/2023	Sep/19/2024					
SPEAG	System Validation Dipole	D1750V2	1158	Aug/25/2023	Aug/24/2024					
SPEAG	System Validation Dipole	D1900V2	5d173	Apr/26/2023	Apr/25/2024					
SPEAG	System Validation Dipole	D2600V2	1005	Jan/11/2023	Jan/10/2024					
SPEAG	Dielectric Assessment Kit	DAKS-3.5	1053	Feb/27/2023	Feb/26/2024					
R&S	MXG Analog Signal Generator	SMB100A03	182012	May/23/2023	May/22/2024					
Agilent	Dual-directional coupler	772D	MY52180142	Oct/23/2023	Oct/22/2024					
Agilent	Dual-directional coupler	778D	MY52180302	Oct/23/2023	Oct/22/2024					
EMCI	Amplifier	ZHL-42	980189	Calibration not required	Calibration not required					
EMCI	Amplifier	ZVE-8G	980190	Calibration not required	Calibration not required					
R&S	Power Sensor	NRP18S	109065	Oct/23/2023	Oct/22/2024					
R&S	Power Meter	NRX	102034	Jan/11/2023	Jan/10/2024					
R&S	Power Sensor	NRP18S	109066	Oct/23/2023	Oct/22/2024					
SPEAG	Software	DASY 6 V16.0.2.136	N/A	Calibration not required	Calibration not required					
SPEAG	Phantom	SAM	N/A	Calibration not required	Calibration not required					
R&S	Radio Communication Test	CMW 500	165070	Oct/21/2023	Oct/20/2024					
Keysight	UXM 5G Wireless Test Platform	E7515B	MY60101215	Feb/07/2023	Feb/06/2024					
TECPEL	Digital thermometer	DTM-303A	TP130075	Jan/11/2023	Jan/10/2024					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 123 of 131

# **Appendix C Tissue and System Verification**

#### Tissue Verification

The following tissue formulations are provided for reference only as some of the parameters have not been thoroughly verified. The composition of ingredients may be modified accordingly to achieve the desired target tissue parameters required for routine SAR evaluation.

The composition of the brain tissue simulating liquid is:

Simulating Liquids for 600 MHz -10 GHz. Manufactured by SPEAG:

	<u>,                                    </u>		· · · · · · · · · · · · · · · · · · ·
Broad-band head	SPEAG Product	Frequency range (MHz)	Main Ingredients
tissue simulating	HBBL600-10000V6	600 - 10000	Water, Oil
liquids	TIDDEGGG TGGGGVG	10000	water, on

#### Tissue Simulant Fluid for the Frequency Band

The dielectric properties for this Head-simulant fluid were measured by using the SPEAG Dielectric Assessment Kit (DAKS-3.5)

All dielectric parameters of tissue simulates were measured within 24 hours of SAR measurements. The measured conductivity and permittivity are all within ± 5% of the target values.

The depth of the tissue simulant in the flat section of the phantom was  $\geq 15$  cm  $\pm 5$  mm during all tests (Fig. 2)

a	i iesis. į	1 19. Z)								
Measured Frequency (MHz)	Target Dielectric Constant, εr	Target Conductivity, σ (S/m)	Measured Dielectric Constant, εr	Measured Conductivity, σ (S/m)	% devεr	% dev σ	Limit	Measurement Date	Liquid Temp. (°C)	Ambient Temp (°C)
826.4	41.540	0.899	42.547	0.872	2.42%	-3.00%	± 5%	Nov. 09, 2023	22.0	22.4
835	41.500	0.900	42.532	0.889	2.49%	-1.22%	± 5%	Nov. 09, 2023	22.0	22.4
836.6	41.500	0.902	42.526	0.891	2.47%	-1.19%	± 5%	Nov. 09, 2023	22.0	22.4
1732.4	40.097	1.361	40.670	1.367	1.43%	0.41%	± 5%	Nov. 09, 2023	21.9	22.2
1745	40.079	1.369	40.656	1.379	1.44%	0.76%	± 5%	Nov. 09, 2023	21.9	22.2
1750	40.071	1.371	40.645	1.382	1.43%	0.77%	± 5%	Nov. 09, 2023	21.9	22.2
1860	40.000	1.400	38.772	1.410	-3.07%	0.71%	± 5%	Nov. 10, 2023	21.9	21.6
1880	40.000	1.400	38.766	1.447	-3.09%	3.36%	± 5%	Nov. 10, 2023	21.9	21.6
1900	40.000	1.400	38.753	1.452	-3.12%	3.71%	± 5%	Nov. 10, 2023	21.6	21.6
2592.99	39.009	1.953	38.853	1.968	-0.40%	0.79%	± 24%	Nov. 10, 2023	21.7	21.5
2600	39.000	1.960	38.842	1.972	-0.41%	0.61%	± 25%	Nov. 10, 2023	21.7	21.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 124 of 131

#### System Verification

The microwave circuit arrangement for system verification is sketched in Fig. b. The daily system accuracy verification occurs within the flat section of the SAM phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10% from the target SAR values. These tests were done at 1900/2600MHz. The tests were conducted on the same days as the measurement of the DUT. The obtained results from the system accuracy verification are displayed in the table 1 (SAR values are normalized to 1W forward power delivered to the dipole). During the tests, the liquid depth above the ear reference points was above 15 cm in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.




Fig. b The block diagram of system verification

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 125 of 131

Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=250mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D835V2	4d063	835	9.53	2.3	9.2	-3.46	± 10%	Nov.09,2023
D1750V2	1008	1750	36.4	8.8	35.2	-3.30	± 10%	Nov.09,2023
D1900V2	5d056	1900	40.5	9.24	36.96	-8.74	± 10%	Nov.10,2023
D2600V2	1005	2600	55.4	13.8	55.2	-0.36	± 10%	Nov.10,2023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a> and for electronic format documents, and subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a> and for electronic format document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be proved to the full light extent of the law. prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 126 of 131

# **Appendix D Measurement uncertainty**

Measurement Uncertainty evaluation template for DUT SAR test (3-6G)

		1	i	1		1	1	1	
Α	С	D	е		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.55%	N	1	1	1	1	6.55%	6.55%	∞
Isotropy , Axial	3.50%	R	√3	1.732	1	1	2.02%	2.02%	00
Isotropy, Hemispherical	9.60%	R	√3	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	8
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	œ
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	œ
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	œ
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	œ
Measurement drift (class A evaluation)	1.75%	R	√3	1.732	1	1	1.01%	1.01%	œ
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	œ
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	œ
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	œ
Probe Positioning with respect to phantom shell	2.90%	R	√3	1.732	1	1	1.67%	1.67%	œ
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	œ
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	œ
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	00
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	00
Liquid permittivity (mea.)	3.27%	N	1	1	0.64	0.43	2.09%	1.41%	М
Liquid Conductivity (mea.)	1.44%	N	1	1	0.6	0.49	0.86%	0.71%	М
Combined standard uncertainty		RSS					11.93%	11.81%	
Expant uncertainty (95% confidence interval), K=2							23.87%	23.62%	_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 127 of 131

# **8 SAR SYSTEM CHECK RESULTS**

Date: 2023/11/9

**Report No. :TESA2311000663ES** Dipole 835 MHz SN:4d063

Communication System: CW; Frequency: 835 MHz; Duty cycle= 1:1

Medium parameters used: f = 835 MHz;  $\sigma = 0.889 \text{ S/m}$ ;  $\varepsilon_r = 42.532$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 22.0°C

### DASY5 Configuration:

Probe: EX3DV4 - SN7712; ConvF(10.16, 10.16, 10.16); Calibrated: 2023/4/14

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2023/4/26

Phantom: SAM

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x121x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 2.98 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 59.19 V/m; Power Drift = -0.01 dB


Peak SAR (extrapolated) = 3.58 W/kg

SAR(1 g) = 2.3 W/kg; SAR(10 g) = 1.46 W/kg

Smallest distance from peaks to all points 3 dB below = 19.2 mm

Ratio of SAR at M2 to SAR at M1 = 64.1%

Maximum value of SAR (measured) = 2.99 W/kg



0 dB = 2.99 W/kg = 4.76 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 128 of 131

Date: 2023/11/9

# **Report No. :TESA2311000663ES Dipole 1750 MHz SN:1008**

Communication System: CW; Frequency: 1750 MHz; Duty cycle= 1:1

Medium parameters used: f = 1750 MHz;  $\sigma = 1.382 \text{ S/m}$ ;  $\epsilon_r = 40.645$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.9°C

### DASY5 Configuration:

Probe: EX3DV4 - SN7712; ConvF(8.77, 8.77, 8.77); Calibrated: 2023/4/14

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2023/4/26

Phantom: SAM

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x71x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 12.6 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 93.45 V/m; Power Drift = 0.09 dB


Peak SAR (extrapolated) = 15.5 W/kg

SAR(1 g) = 8.8 W/kg; SAR(10 g) = 4.81 W/kg

Smallest distance from peaks to all points 3 dB below = 10 mm

Ratio of SAR at M2 to SAR at M1 = 54.5%

Maximum value of SAR (measured) = 12.1 W/kg



0 dB = 12.1 W/kg = 10.83 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 129 of 131

Date: 2023/11/10

**Report No. :TESA2311000663ES Dipole 1900 MHz SN:5d056** 

Communication System: CW; Frequency: 1900 MHz; Duty cycle= 1:1

Medium parameters used: f = 1900 MHz;  $\sigma = 1.452 \text{ S/m}$ ;  $\epsilon_r = 38.753$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

### DASY5 Configuration:

Probe: EX3DV4 - SN7712; ConvF(8.47, 8.47, 8.47); Calibrated: 2023/4/14

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2023/4/26

Phantom: SAM

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x61x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 12.1 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 99.94 V/m: Power Drift = 0.01 dB


Peak SAR (extrapolated) = 15.1 W/kg

SAR(1 g) = 9.24 W/kg; SAR(10 g) = 5.11 W/kg

Smallest distance from peaks to all points 3 dB below = 10 mm

Ratio of SAR at M2 to SAR at M1 = 58.9%

Maximum value of SAR (measured) = 12.1 W/kg



0 dB = 12.1 W/kg = 10.83 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279



Page: 130 of 131

Date: 2023/11/10

**Report No. :TESA2311000663ES Dipole 2600 MHz SN:1005** 

Communication System: CW; Frequency: 2600 MHz; Duty cycle= 1:1

Medium parameters used: f = 2600 MHz;  $\sigma = 1.972 \text{ S/m}$ ;  $\epsilon_r = 38.842$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.5°C; Liquid temperature: 21.7°C

### DASY5 Configuration:

Probe: EX3DV4 - SN7712; ConvF(7.66, 7.66, 7.66); Calibrated: 2023/4/14

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2023/4/26

Phantom: SAM

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x61x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 21.8 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 104.9 V/m; Power Drift = -0.04 dB


Peak SAR (extrapolated) = 29.1 W/kg

SAR(1 g) = 13.8 W/kg; SAR(10 g) = 6.38 W/kg

Smallest distance from peaks to all points 3 dB below = 10 mm

Ratio of SAR at M2 to SAR at M1 = 47.5%

Maximum value of SAR (measured) = 21.2 W/kg



0 dB = 21.2 W/kg = 13.26 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 131 of 131

# 9.APPENDIXES

## Refer to separated files for the following appendixes.

- 9.1 SAR\_Appendix E Photographs
- 9.2 SAR Appendix F DAE & Probe Cal. Certificate
- 9.3 SAR\_Appendix G Phantom Description & Dipole Cal. Certificate

- End of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.