

FCC Part 22/24 Test Results Summary

1.0 Administrative Data

1.1 Applicant

Company name	SAMSUNG Electronics, Co. Ltd.
Address	129, Samsung-ro, Maetan dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 16677, Korea
Contact person	Yongil Heo
Phone	+82-10-7192-7350
E-mail	yongil89.heo@samsung.com

1.2 Test Engineer

Engineer	DH Ju, IH Park
----------	----------------

2.0 Test Sample Description

Manufacturer	SAMSUNG Electronics, Co. Ltd.
Model	SM-G600FY
FCCID	A3LSMG600FY
DUT Type	BAR

- End of this page -

3.0 Summary of Test Result

3.1 FCC Part 22/24

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Tested Band
TRANSMITTER MODE (TX)					
2.1046	Transmitter Conducted Output Power	N/A	CONDUCTED	PASS	GSM850/1900 WCDMA850/1900 LTE Band5
2.1049	Occupied Bandwidth	N/A		PASS	GSM850/1900 WCDMA850/1900 LTE Band5
2.1051 22.917(a) 24.238(a)	Conducted Band Edge / Spurious Emissions	> 43 + 10log ₁₀ (P[Watts]) at Band Edge and for all out-of-band emissions		PASS	GSM850/1900 WCDMA850/1900 LTE Band5
24.232(d)	Peak-Average Ratio	< 13 dB		PASS	GSM1900, WCDMA1900
2.1055 22.355 24.235	Frequency Stability	< 2.5 ppm (part 22) Emission must remain in band (Part 24)		PASS	GSM850, WCDMA850 LTE Band5
24.232(c)	Effective Isotropic Radiated Power	< 2 Watts max. EIRP	RADIATED	PASS	GSM1900, WCDMA1900
22.913(a.2)	Effective Radiated Power	< 7 Watts max. ERP		PASS	GSM850, WCDMA850 LTE Band5
2.1051 22.917(a) 24.238(a)	Radiated Spurious Emissions	> 43 + 10log ₁₀ (P[Watts]) for all out-of-band emissions		PASS	GSM850/1900 WCDMA850/1900 LTE Band5

- End of this document -