



7.14. Below 1 GHz in the LTE Band 26

LOW CHANNEL(860.5 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	69.5708	9.57	Pk	15.6	.9	26.07	40	-13.93	0-360	400	H
2	92.2103	8.06	Pk	16.5	1.1	25.66	43.52	-17.86	0-360	200	H
3	97.338	7.36	Pk	17.5	1.1	25.96	43.52	-17.56	0-360	200	H
4	815.025	75.93	Pk	27.1	3.2	106.23	46.02	60.21	0-360	100	H
5	55.7355	11.94	Pk	19.2	.8	31.94	40	-8.06	0-360	100	V
6	70.4415	14.24	Pk	15.3	.9	30.44	40	-9.56	0-360	100	V
7	178.8983	11.14	Pk	15.6	1.5	28.24	43.52	-15.28	0-360	100	V
8	820.425	65.48	Pk	27	3.2	95.68	46.02	49.66	0-360	200	V

Pk - Peak detector


Note: Unwanted emissions captured from 814MHz to 849MHz and from 859MHz to 894MHz were the TX and RX signals generated from the call-simulator.

MID CHANNEL(876.5 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	86.5988	14.54	Pk	14.2	1	29.74	40	-10.26	0-360	200	H
2	102.6593	13.26	Pk	17.8	1.1	32.16	43.52	-11.36	0-360	300	H
3	128.0078	15.33	Pk	14.4	1.3	31.03	43.52	-12.49	0-360	200	H
4	832.9375	76.78	Pk	27.1	3.3	107.18	46.02	61.16	0-360	100	H
5	55.3485	10.76	Pk	19.3	.8	30.86	40	-9.14	0-360	100	V
6	128.5883	14.92	Pk	14.4	1.3	30.62	43.52	-12.9	0-360	100	V
7	256.9755	11.86	Pk	19	1.8	32.66	46.02	-13.36	0-360	100	V
8	829.625	66.03	Pk	27.1	3.3	96.43	46.02	50.41	0-360	200	V

Pk - Peak detector


Note: Unwanted emissions captured from 814MHz to 849MHz and from 859MHz to 894MHz were the TX and RX signals generated from the call-simulator.

HIGH CHANNEL(892.5 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	67.926	15.5	Pk	16.3	.9	32.7	40	-7.3	0-360	200	H
2	102.1755	13.07	Pk	17.8	1.1	31.97	43.52	-11.55	0-360	300	H
3	216.921	10.1	Pk	17.2	1.7	29	46.02	-17.02	0-360	100	H
4	842.4	77.68	Pk	27.1	3.3	108.08	46.02	62.06	0-360	100	H
5	49.8338	15.1	Pk	19.7	.8	35.6	40	-4.4	0-360	100	V
6	70.0545	18.59	Pk	15.5	.9	34.99	40	-5.01	0-360	100	V
7	184.413	10.86	Pk	16.3	1.5	28.66	43.52	-14.86	0-360	100	V
8	840.65	67.15	Pk	27.1	3.3	97.55	46.02	51.53	0-360	200	V

Pk - Peak detector

Radiated Emissions

Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
49.8338	8.35	Qp	19.7	.8	28.85	40	-11.15	146	113	V


Qp - Quasi-Peak detector

Note: Unwanted emissions captured from 814MHz to 849MHz and from 859MHz to 894MHz were the TX and RX signals generated from the call-simulator.


7.15. Below 1 GHz in the LTE Band 14

LOW CHANNEL(759.8 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	70.4773	17.94	Pk	15.3	.9	34.14	40	-5.86	0-360	300	H
2	104.9413	12.57	Pk	17.6	1.2	31.37	43.52	-12.15	0-360	300	H
3	427.772	11.05	Pk	22.1	2.3	35.45	46.02	-10.57	0-360	100	H
4	790.87	73.59	Pk	26.7	3.2	103.49	46.02	57.47	0-360	100	H
5	50.7323	16.61	Pk	19.7	.8	37.11	40	-2.89	0-360	100	V
6	68.413	18.37	Pk	16.1	.9	35.37	40	-4.63	0-360	100	V
7	100.8128	11.07	Pk	17.7	1.1	29.87	43.52	-13.65	0-360	100	V
8	790.8325	73.01	Pk	26.7	3.2	102.91	46.02	56.89	0-360	100	V

Pk - Peak detector

Radiated Emissions


Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
50.7323	12.65	Qp	9	.8	33.15	40	-6.85	300	100	V
68.413	10.74	Qp	16.1	.9	27.74	40	-12.26	152	107	V

Qp - Quasi-Peak detector


Note: Unwanted emissions captured from 758MHz to 768MHz and from 788MHz to 798MHz were the TX and RX signals generated from the call-simulator.

MID CHANNEL(763 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	72.4518	19.27	Pk	14.6	1	34.87	40	-5.13	0-360	300	H
2	101.8898	13.93	Pk	17.8	1.1	32.83	43.52	-10.69	0-360	400	H
3	206.1793	17.47	Pk	17.1	1.6	36.17	43.52	-7.35	0-360	200	H
4	793.4725	74.49	Pk	26.7	3.2	104.39	46.02	58.37	0-360	100	H
5	50.7323	16.42	Pk	19.7	.8	36.92	40	-3.08	0-360	100	V
6	68.1438	17.53	Pk	16.2	.9	34.63	40	-5.37	0-360	200	V
7	401.6548	11.02	Pk	21.3	2.3	34.62	46.02	-11.4	0-360	100	V
8	792.79	73.52	Pk	26.7	3.2	103.42	46.02	57.4	0-360	200	V

Pk - Peak detector

Radiated Emissions


Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
50.7323	10	Qp	19.7	.8	30.5	40	-9.5	165	102	V

Qp - Quasi-Peak detector


Note: Unwanted emissions captured from 758MHz to 768MHz and from 788MHz to 798MHz were the TX and RX signals generated from the call-simulator.

HIGH CHANNEL(766.2 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	71.3748	18.3	Pk	15	1	34.3	40	-5.7	0-360	200	H
2	101.3513	10.59	Pk	17.7	1.1	29.39	43.52	-14.13	0-360	300	H
3	206.8075	9.75	Pk	17.1	1.6	28.45	43.52	-15.07	0-360	200	H
4	795.3475	75.84	Pk	26.7	3.2	105.74	46.02	59.72	0-360	100	H
5	52.976	15.31	Pk	19.6	.8	35.71	40	-4.29	0-360	100	V
6	71.1953	19.62	Pk	15	.9	35.52	40	-4.48	0-360	100	V
7	127.648	11.89	Pk	14.5	1.3	27.69	43.52	-15.83	0-360	100	V
8	795.4375	74.33	Pk	26.7	3.2	104.23	46.02	58.21	0-360	200	V

Pk - Peak detector

Radiated Emissions

Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
52.976	11.19	Qp	19.6	.8	31.59	40	-8.41	282	100	V
71.1953	15.59	Qp	15	.9	31.49	40	-8.51	90	100	V


Qp - Quasi-Peak detector

Note: Unwanted emissions captured from 758MHz to 768MHz and from 788MHz to 798MHz were the TX and RX signals generated from the call-simulator.


7.16. Below 1 GHz in the LTE Band 71

LOW CHANNEL(618.8 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	68.082	13.39	Pk	16.2	.9	30.49	40	-9.51	0-360	400	H
2	100.6825	11.92	Pk	17.7	1.1	30.72	43.52	-12.8	0-360	300	H
3	133.2109	12.99	Pk	14.1	1.3	28.39	43.52	-15.13	0-360	200	H
4	672.8268	68.26	Pk	25.5	2.9	96.66	46.02	50.64	0-360	100	H
5	51.2048	10.63	Pk	19.7	.8	31.13	40	-8.87	0-360	100	V
6	70.8228	13.04	Pk	15.2	.9	29.14	40	-10.86	0-360	100	V
7	126.1426	14.47	Pk	14.6	1.3	30.37	43.52	-13.15	0-360	100	V
8	672.5111	65.43	Pk	25.5	2.9	93.83	46.02	47.81	0-360	100	V

Pk - Peak detector


Note: Unwanted emissions captured from 617MHz to 652MHz and from 663MHz to 698MHz were the TX and RX signals generated from the call-simulator.

MID CHANNEL(634.5 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	68.659	18.02	Pk	16	.9	34.92	40	-5.08	0-360	200	H
2	100.8268	13.13	Pk	17.7	1.1	31.93	43.52	-11.59	0-360	300	H
3	280.7065	8.11	Pk	18.9	1.9	28.91	46.02	-17.11	0-360	100	H
4	680.6669	65.44	Pk	25.6	2.9	93.94	46.02	47.92	0-360	100	H
5	50.3393	15.43	Pk	19.7	.8	35.93	40	-4.07	0-360	100	V
6	68.082	19.13	Pk	16.2	.9	36.23	40	-3.77	0-360	300	V
7	243.9949	12.89	Pk	18.7	1.8	33.39	46.02	-12.63	0-360	100	V
8	680.6543	59.91	Pk	25.6	2.9	88.41	46.02	42.39	0-360	100	V

Pk - Peak detector

Radiated Emissions


Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
50.3393	8.01	Qp	19.7	.8	28.51	40	-11.49	263	100	V
68.082	9.72	Qp	16.2	.9	26.82	40	-13.18	117	100	V

Qp - Quasi-Peak detector


Note: Unwanted emissions captured from 617MHz to 652MHz and from 663MHz to 698MHz were the TX and RX signals generated from the call-simulator.

HIGH CHANNEL(650.2 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	70.8588	18.79	Pk	15.1	.9	34.79	40	-5.21	0-360	200	H
2	101.9808	13.47	Pk	17.8	1.1	32.37	43.52	-11.15	0-360	300	H
3	214.8564	8.76	Pk	17.2	1.6	27.56	43.52	-15.96	0-360	100	H
4	687.8758	68.77	Pk	25.7	3	97.47	46.02	51.45	0-360	100	H
5	51.2769	9.83	Pk	19.7	.8	30.33	40	-9.67	0-360	100	V
6	69.6688	13.2	Pk	15.6	.9	29.7	40	-10.3	0-360	100	V
7	125.782	14.37	Pk	14.6	1.3	30.27	43.52	-13.25	0-360	100	V
8	688.0399	64.7	Pk	25.7	3	93.4	46.02	47.38	0-360	100	V


Pk - Peak detector

Note: Unwanted emissions captured from 617MHz to 652MHz and from 663MHz to 698MHz were the TX and RX signals generated from the call-simulator.


7.17. Below 1 GHz in the CDMA BC0

LOW CHANNEL(860 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	62.3145	7.25	Pk	18	.9	26.15	40	-13.85	0-360	300	H
2	102.4658	13.61	Pk	17.8	1.1	32.51	43.52	-11.01	0-360	100	H
3	143.4878	13.51	Pk	14.1	1.3	28.91	43.52	-14.61	0-360	200	H
4	824.8125	85.91	Pk	26.9	3.2	116.01	46.02	69.99	0-360	100	H
5	31.6448	18.17	Pk	15.5	.6	34.27	40	-5.73	0-360	200	V
6	104.691	9.2	Pk	17.7	1.1	28	43.52	-15.52	0-360	200	V
7	141.6495	17.06	Pk	14.1	1.3	32.46	43.52	-11.06	0-360	100	V
8	824.7375	78.26	Pk	26.9	3.2	108.36	46.02	62.34	0-360	100	V

Pk - Peak detector


Note: Unwanted emissions captured from 815MHz to 849MHz and from 860MHz to 894MHz were the TX and RX signals generated from the call-simulator.

MID CHANNEL(877 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	68.1195	14.36	Pk	16.2	.9	31.46	40	-8.54	0-360	200	H
2	100.6275	14.53	Pk	17.7	1.1	33.33	43.52	-10.19	0-360	300	H
3	108.4643	12.17	Pk	17.3	1.2	30.67	43.52	-12.85	0-360	300	H
4	836.1875	86.41	Pk	27.1	3.3	116.81	46.02	70.79	0-360	100	H
5	50.124	16.57	Pk	19.7	.8	37.07	40	-2.93	0-360	100	V
6	66.5715	18.98	Pk	16.7	.9	36.58	40	-3.42	0-360	100	V
7	139.0373	12.17	Pk	14.1	1.3	27.57	43.52	-15.95	0-360	100	V
8	837.0625	78.73	Pk	27.1	3.3	109.13	46.02	63.11	0-360	100	V

Pk - Peak detector

Radiated Emissions


Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
50.124	-1.37	Qp	19.7	.8	19.13	40	-20.87	241	100	V
66.5715	-1.14	Qp	16.7	.9	16.46	40	-23.54	74	155	V

Qp - Quasi-Peak detector


Note: Unwanted emissions captured from 815MHz to 849MHz and from 860MHz to 894MHz were the TX and RX signals generated from the call-simulator.

HIGH CHANNEL(894 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	61.8308	6.61	Pk	18.1	.9	25.61	40	-14.39	0-360	400	H
2	95.016	16.04	Pk	17.2	1.1	34.34	43.52	-9.18	0-360	200	H
3	147.648	18.5	Pk	14.1	1.4	34	43.52	-9.52	0-360	100	H
4	848.3125	85.29	Pk	27.4	3.3	115.99	46.02	69.97	0-360	100	H
5	60.7665	11.43	Pk	18.3	.9	30.63	40	-9.37	0-360	100	V
6	85.1475	13.88	Pk	13.7	1	28.58	40	-11.42	0-360	100	V
7	137.6828	14.6	Pk	14.1	1.3	30	43.52	-13.52	0-360	100	V
8	848.2625	76.22	Pk	27.4	3.3	106.92	46.02	60.9	0-360	100	V


Pk - Peak detector

Note: Unwanted emissions captured from 815MHz to 849MHz and from 860MHz to 894MHz were the TX and RX signals generated from the call-simulator.


7.18. Below 1 GHz in the CDMA BC10

LOW CHANNEL(851 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	67.926	11.84	Pk	16.3	.9	29.04	40	-10.96	0-360	100	H
2	96.564	13.09	Pk	17.4	1.1	31.59	43.52	-11.93	0-360	400	H
3	138.6503	13.97	Pk	14.1	1.3	29.37	43.52	-14.15	0-360	300	H
4	817.9875	86.09	Pk	27	3.2	116.29	46.02	70.27	0-360	100	H
5	61.5405	16.24	Pk	18.1	.9	35.24	40	-4.76	0-360	100	V
6	86.9858	12.34	Pk	14.4	1.1	27.84	40	-12.16	0-360	200	V
7	132.168	8.98	Pk	14.1	1.3	24.38	43.52	-19.14	0-360	100	V
8	817.85	77.42	Pk	27	3.2	107.62	46.02	61.6	0-360	200	V

Pk - Peak detector

Radiated Emissions


Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
61.5405	8.3	Qp	18.1	.9	27.3	40	-12.7	244	100	V

Qp - Quasi-Peak detector


Note: Unwanted emissions captured from 806MHz to 901MHz and from 851MHz to 940MHz were the TX and RX signals generated from the call-simulator.

MID CHANNEL(895.5 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	61.347	12.19	Pk	18.2	.9	31.29	40	-8.71	0-360	400	H
2	101.7885	10.23	Pk	17.8	1.1	29.13	43.52	-14.39	0-360	400	H
3	132.168	18.27	Pk	14.1	1.3	33.67	43.52	-9.85	0-360	100	H
4	820.5125	86.91	Pk	27	3.2	117.11	46.02	71.09	0-360	100	H
5	49.35	15.1	Pk	19.7	.8	35.6	40	-4.4	0-360	200	V
6	66.2813	17.31	Pk	16.8	.9	35.01	40	-4.99	0-360	200	V
7	141.6495	14.7	Pk	14.1	1.3	30.1	43.52	-13.42	0-360	100	V
8	820.5375	76.21	Pk	27	3.2	106.41	46.02	60.39	0-360	200	V

Pk - Peak detector

Radiated Emissions


Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
49.35	5.74	Qp	19.7	.8	26.24	40	-13.76	254	144	V
66.2813	6.12	Qp	16.8	.9	23.82	40	-16.18	140	236	V

Qp - Quasi-Peak detector


Note: Unwanted emissions captured from 806MHz to 901MHz and from 851MHz to 940MHz were the TX and RX signals generated from the call-simulator.

HIGH CHANNEL(940 MHz)

HORIZONTAL PEAK PLOT



VERTICAL PEAK PLOT



DATA

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	61.4438	10.96	Pk	18.2	.9	30.06	40	-9.94	0-360	400	H
2	103.0463	15.7	Pk	17.7	1.1	34.5	43.52	-9.02	0-360	200	H
3	181.6073	10.6	Pk	16	1.5	28.1	43.52	-15.42	0-360	200	H
4	823.3625	85.9	Pk	27	3.2	116.1	46.02	70.08	0-360	100	H
5	47.6085	15.12	Pk	19.8	.8	35.72	40	-4.28	0-360	100	V
6	61.8308	16.31	Pk	18.1	.9	35.31	40	-4.69	0-360	100	V
7	132.6518	12.31	Pk	14.1	1.3	27.71	43.52	-15.81	0-360	100	V
8	823.2625	77	Pk	27	3.2	107.2	46.02	61.18	0-360	200	V

Pk - Peak detector

Radiated Emissions

Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Below_1G_Bypass [dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
47.6085	10.79	Qp	19.8	.8	31.39	40	-8.61	97	115	V
61.8308	12.18	Qp	18.1	.9	31.18	40	-8.82	150	102	V

Qp - Quasi-Peak detector

Note: Unwanted emissions captured from 806MHz to 901MHz and from 851MHz to 940MHz were the TX and RX signals generated from the call-simulator.

END OF TEST REPORT