



Plot 6-133. Peak Excursion Ratio Plot (802.11a (UNII Band 2A) – Ch. 56)




Plot 6-134. Peak Excursion Ratio Plot (802.11a (UNII Band 2A) – Ch. 64)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 95 of 207




Plot 6-135. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 2A) – Ch. 52)




Plot 6-136. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 2A) – Ch. 56)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 96 of 207




Plot 6-137. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 2A) – Ch. 64)




Plot 6-138. Peak Excursion Ratio Plot (40MHz BW 802.11n (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 97 of 207




Plot 6-139. Peak Excursion Ratio Plot (40MHz BW 802.11n (UNII Band 2A) – Ch. 62)




Plot 6-140. Peak Excursion Ratio Plot (80MHz BW 802.11ac (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 98 of 207




Plot 6-141. Peak Excursion Ratio Plot (802.11a (UNII Band 2C) – Ch. 100)




Plot 6-142. Peak Excursion Ratio Plot (802.11a (UNII Band 2C) – Ch. 116)



FCC ID: A3LSMG900A	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 99 of 207




Plot 6-143. Peak Excursion Ratio Plot (802.11a (UNII Band 2C) – Ch. 140)




Plot 6-144. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 100)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 100 of 207




Plot 6-145. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 116)




Plot 6-146. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 140)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 101 of 207



Plot 6-147. Peak Excursion Ratio Plot (40MHz BW 802.11n (UNII Band 2C) – Ch. 102)





Plot 6-148. Peak Excursion Ratio Plot (40MHz BW 802.11n (UNII Band 2C) – Ch. 110)


FCC ID: A3LSMG900A	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 102 of 207

Antenna-2 Peak Excursion Ratio – 802.11a/n/ac


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Peak Excursion Ratio [dBm]	Max Permissible Peak Excursion Ratio [dBm/MHz]	Margin [dB]	Pass / Fail
Band 1	5180	36	a	6	7.87	13.0	-5.13	Pass
	5200	40	a	6	7.93	13.0	-5.07	Pass
	5240	48	a	6	7.90	13.0	-5.10	Pass
	5180	36	n (20MHz)	6.5/7.2 (MCS0)	8.81	13.0	-4.19	Pass
	5200	40	n (20MHz)	6.5/7.2 (MCS0)	8.11	13.0	-4.89	Pass
	5240	48	n (20MHz)	6.5/7.2 (MCS0)	8.79	13.0	-4.21	Pass
	5190	38	n (40MHz)	13.5/15 (MCS0)	8.31	13.0	-4.70	Pass
	5230	46	n (40MHz)	13.5/15 (MCS0)	8.28	13.0	-4.72	Pass
	5210	42	ac (80MHz)	29.3/32.5 (MCS0)	8.71	13.0	-4.29	Pass
Band 2A	5260	52	a	6	7.92	13.0	-5.08	Pass
	5280	56	a	6	7.89	13.0	-5.11	Pass
	5320	64	a	6	7.85	13.0	-5.15	Pass
	5260	52	n (20MHz)	6.5/7.2 (MCS0)	9.24	13.0	-3.76	Pass
	5280	56	n (20MHz)	6.5/7.2 (MCS0)	8.55	13.0	-4.45	Pass
	5320	64	n (20MHz)	6.5/7.2 (MCS0)	9.10	13.0	-3.90	Pass
	5270	54	n (40MHz)	13.5/15 (MCS0)	8.59	13.0	-4.41	Pass
	5310	62	n (40MHz)	13.5/15 (MCS0)	8.52	13.0	-4.48	Pass
	5290	58	ac (80MHz)	29.3/32.5 (MCS0)	8.39	13.0	-4.62	Pass
Band 2C	5500	100	a	6	7.84	13.0	-5.16	Pass
	5580	116	a	6	7.98	13.0	-5.02	Pass
	5700	140	a	6	7.90	13.0	-5.10	Pass
	5500	100	n (20MHz)	6.5/7.2 (MCS0)	8.92	13.0	-4.09	Pass
	5580	116	n (20MHz)	6.5/7.2 (MCS0)	9.06	13.0	-3.94	Pass
	5700	140	n (20MHz)	6.5/7.2 (MCS0)	8.94	13.0	-4.06	Pass
	5510	102	n (40MHz)	13.5/15 (MCS0)	8.15	13.0	-4.85	Pass
	5550	110	n (40MHz)	13.5/15 (MCS0)	8.44	13.0	-4.56	Pass
	5670	134	n (40MHz)	13.5/15 (MCS0)	8.38	13.0	-4.62	Pass
	5530	106	ac (80MHz)	29.3/32.5 (MCS0)	8.20	13.0	-4.80	Pass

Table 6-27. Conducted Peak Excursion Ratio Measurements

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 104 of 207	




Plot 6-153. Peak Excursion Ratio Plot (802.11a (UNII Band 1) – Ch. 48)




Plot 6-154. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 1) – Ch. 36)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 106 of 207




Plot 6-155. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 1) – Ch. 40)




Plot 6-156. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 1) – Ch. 48)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 107 of 207




Plot 6-157. Peak Excursion Ratio Plot (40MHz BW 802.11n (UNII Band 1) – Ch. 38)




Plot 6-158. Peak Excursion Ratio Plot (40MHz BW 802.11n (UNII Band 1) – Ch. 46)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 108 of 207




Plot 6-159. Peak Excursion Ratio Plot (80MHz BW 802.11ac (UNII Band 1) – Ch. 42)




Plot 6-160. Peak Excursion Ratio Plot (802.11a (UNII Band 2A) – Ch. 52)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 109 of 207




Plot 6-161. Peak Excursion Ratio Plot (802.11a (UNII Band 2A) – Ch. 56)




Plot 6-162. Peak Excursion Ratio Plot (802.11a (UNII Band 2A) – Ch. 64)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 110 of 207




Plot 6-163. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 2A) – Ch. 52)




Plot 6-164. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 2A) – Ch. 56)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 111 of 207




Plot 6-165. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 2A) – Ch. 64)




Plot 6-166. Peak Excursion Ratio Plot (40MHz BW 802.11n (UNII Band 2A) – Ch. 54)



FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 112 of 207




Plot 6-167. Peak Excursion Ratio Plot (40MHz BW 802.11n (UNII Band 2A) – Ch. 62)




Plot 6-168. Peak Excursion Ratio Plot (80MHz BW 802.11ac (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 113 of 207	




Plot 6-169. Peak Excursion Ratio Plot (802.11a (UNII Band 2C) – Ch. 100)




Plot 6-170. Peak Excursion Ratio Plot (802.11a (UNII Band 2C) – Ch. 116)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 114 of 207




Plot 6-171. Peak Excursion Ratio Plot (802.11a (UNII Band 2C) – Ch. 140)




Plot 6-172. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 100)



FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 115 of 207




Plot 6-173. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 116)




Plot 6-174. Peak Excursion Ratio Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 140)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 116 of 207




Plot 6-175. Peak Excursion Ratio Plot (40MHz BW 802.11n (UNII Band 2C) – Ch. 102)



Plot 6-176. Peak Excursion Ratio Plot (40MHz BW 802.11n (UNII Band 2C) – Ch. 110)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 117 of 207



Plot 6-177. Peak Excursion Ratio Plot (40MHz BW 802.11n (UNII Band 2C) – Ch. 134)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 118 of 207

6.6 Frequency Stability

§15.407(g)

The EUT was placed inside of an environmental chamber as the temperature in the chamber was varied between -30°C and +50°C. The temperature was incremented by 10° intervals and the unit was allowed to stabilize at each temperature before each measurement. The center frequency of the transmitting channel was evaluated at each temperature and the frequency deviation from the channel's center frequency was recorded. Data for the worst case channel is shown below.



OPERATING FREQUENCY: 5,180,000,000 Hz
 CHANNEL: 36
 REFERENCE VOLTAGE: 3.80 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	+ 20 (Ref)	5,179,999,989	-11	-0.00000021
100 %		- 30	5,180,000,025	25	0.00000048
100 %		- 20	5,179,999,974	-26	-0.00000050
100 %		- 10	5,180,000,005	5	0.00000010
100 %		0	5,179,999,986	-14	-0.00000027
100 %		+ 10	5,180,000,020	20	0.00000039
100 %		+ 20	5,179,999,971	-29	-0.00000056
100 %		+ 30	5,180,000,017	17	0.00000033
100 %		+ 40	5,180,000,005	5	0.00000010
100 %		+ 50	5,179,999,973	-27	-0.00000052
85 %	3.23	+ 20	5,179,999,991	-9	-0.00000017
115 %	4.37	+ 20	5,180,000,020	20	0.00000039
BATT. ENDPOINT	3.50	+ 20	5,179,999,985	-15	-0.00000029

Table 6-28. Frequency Stability Measurements for UNII Band 1 (Ch. 36)

Note:

Based on the results of the frequency stability test shown above the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 119 of 207	

Frequency Stability (Cont'd)

§15.407(g)

The EUT was placed inside of an environmental chamber as the temperature in the chamber was varied between -30°C and +50°C. The temperature was incremented by 10° intervals and the unit was allowed to stabilize at each temperature before each measurement. The center frequency of the transmitting channel was evaluated at each temperature and the frequency deviation from the channel's center frequency was recorded. Data for the worst case channel is shown below.



OPERATING FREQUENCY: 5,260,000,000 Hz
 CHANNEL: 52
 REFERENCE VOLTAGE: 3.80 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	+ 20 (Ref)	5,260,000,010	10	0.00000019
100 %		- 30	5,260,000,007	7	0.00000013
100 %		- 20	5,259,999,973	-27	-0.00000051
100 %		- 10	5,260,000,000	0	0.00000000
100 %		0	5,260,000,008	8	0.00000015
100 %		+ 10	5,259,999,984	-16	-0.00000030
100 %		+ 20	5,260,000,004	4	0.00000008
100 %		+ 30	5,260,000,009	9	0.00000017
100 %		+ 40	5,259,999,982	-18	-0.00000034
100 %		+ 50	5,260,000,020	20	0.00000038
85 %	3.23	+ 20	5,259,999,988	-12	-0.00000023
115 %	4.37	+ 20	5,260,000,003	3	0.00000006
BATT. ENDPOINT	3.50	+ 20	5,260,000,004	4	0.00000008

Table 6-29. Frequency Stability Measurements for UNII Band 2A (Ch. 52)

Note:

Based on the results of the frequency stability test shown above the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 120 of 207	

Frequency Stability (Cont'd)

§15.407(g)

The EUT was placed inside of an environmental chamber as the temperature in the chamber was varied between -30°C and +50°C. The temperature was incremented by 10° intervals and the unit was allowed to stabilize at each temperature before each measurement. The center frequency of the transmitting channel was evaluated at each temperature and the frequency deviation from the channel's center frequency was recorded. Data for the worst case channel is shown below.



OPERATING FREQUENCY: 5,500,000,000 Hz
 CHANNEL: 100
 REFERENCE VOLTAGE: 3.80 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	+ 20 (Ref)	5,499,999,975	-25	-0.00000045
100 %		- 30	5,500,000,022	22	0.00000040
100 %		- 20	5,499,999,979	-21	-0.00000038
100 %		- 10	5,499,999,999	-1	-0.00000002
100 %		0	5,500,000,007	7	0.00000013
100 %		+ 10	5,500,000,022	22	0.00000040
100 %		+ 20	5,500,000,002	2	0.00000004
100 %		+ 30	5,500,000,019	19	0.00000035
100 %		+ 40	5,499,999,985	-15	-0.00000027
100 %		+ 50	5,500,000,018	18	0.00000033
85 %		3.23	+ 20	5,500,000,002	2
115 %	4.37	+ 20	5,499,999,982	-18	-0.00000033
BATT. ENDPOINT	3.50	+ 20	5,499,999,982	-18	-0.00000033

Table 6-30. Frequency Stability Measurements for UNII Band 2C (Ch. 100)

Note:

Based on the results of the frequency stability test shown above the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 121 of 207	

6.7 Radiated Spurious Emission Measurements

§15.407(b.1)(b.6) §15.205 §15.209

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle (>98%), at its maximum power control level, as defined in KDB 789033 v01r03, and at the appropriate frequencies. All channels, modes (e.g. 802.11a, 802.11n (20MHz BW), 802.11n (40MHz BW), and 802.11ac (80MHz BW)), and modulations/data rates were investigated among all UNII bands. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR must not exceed the limits shown in Table 6-31 per Section 15.209.

Frequency	Field Strength [μ V/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 6-31. Radiated Limits



Test Procedures Used

KDB 789033 v01r03 – Section H

Test Settings

Average Measurements above 1GHz (Method AD)

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be $\geq 2 \times$ span/RBW)
6. Averaging type = power (RMS)
7. Sweep time = auto couple
8. Trace was averaged over 100 sweeps

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 122 of 207	

Peak Measurements above 1GHz

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

Peak Measurements below 1GHz

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. Span was set greater than 1MHz
3. RBW = 120kHz
4. Detector = CISPR quasi-peak
5. Sweep time = auto couple
6. Trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.






Figure 6-5. Test Instrument & Measurement Setup

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 123 of 207	

Test Notes

1. All radiated spurious emissions levels were measured in a radiated test setup per the guidance of KDB 789033 v01r03 Section H.
2. All emissions that lie in the restricted bands (denoted by a * next to the frequency) specified in §15.205 are below the limit shown in Table 6-31.
3. All spurious emissions lying in restricted bands specified in §15.205 are below the limit shown in Table 6-11. All spurious emissions that do not lie in a restricted band are subject to a peak limit of -27dBm/MHz. At a distance of 3 meters, the field strength limit in dB μ V/m can be determined by adding a “conversion” factor of 95.2dB to the EIRP limit of -27dBm/MHz to obtain the limit for out of band spurious emissions of 68.2dB μ V/m.
4. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
5. The EUT is supplied with a new/fully-recharged battery. The battery for this model PN547 contains an embedded NFC antenna.
6. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas. The worst-case emissions are reported however emissions whose levels were not within 20dB of the respective limits were not reported.
7. Emissions below 18GHz were measured at a 3 meter test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
8. Average levels at -135dBm and peak levels at -125dBm represent the analyzer noise floor and signify that no emission was detected.
9. Significant radiated spurious emissions levels were not found for MIMO test configurations.

Sample Calculations



Determining Spurious Emissions Levels

- Field Strength Level [dB μ V/m] = Analyzer Level [dBm] + 107 + AFCL [dB/m]
- AFCL [dB/m] = Antenna Factor [dB/m] + Cable Loss [dB]
- Margin [dB] = Field Strength Level [dB μ V/m] – Limit [dB μ V/m]

Radiated Band Edge Measurement Offset

- The amplitude offset shown in the radiated restricted band edge plots in Section 6.8 was calculated using the formula:

$$\text{Offset (dB)} = (\text{Antenna Factor} + \text{Cable Loss} + 10 \text{ dB Attenuator}) - \text{Pre-amplifier Gain}$$

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 124 of 207	

Antenna-1 Radiated Spurious Emission Measurements §15.407(b)(1) and (2), §15.205 & §15.209; RSS-210 [A9.2]

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36



Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10360.00	-125.00	Peak	H	46.44	28.44	68.20	-39.76
* 15540.00	-135.00	Average	H	51.12	23.12	53.98	-30.86
* 15540.00	-125.00	Peak	H	51.12	33.12	73.98	-40.86
* 20720.00	-135.00	Average	H	44.00	16.00	53.98	-37.98
* 20720.00	-125.00	Peak	H	44.00	26.00	73.98	-47.98
25900.00	-125.00	Peak	H	44.87	26.87	68.20	-41.33

Table 6-32. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10400.00	-125.00	Peak	H	46.65	28.65	68.20	-39.55
* 15600.00	-135.00	Average	H	51.11	23.11	53.98	-30.87
* 15600.00	-125.00	Peak	H	51.11	33.11	73.98	-40.87
* 20800.00	-135.00	Average	H	43.99	15.99	53.98	-37.99
* 20800.00	-125.00	Peak	H	43.99	25.99	73.98	-47.99
26000.00	-125.00	Peak	H	44.97	26.97	68.20	-41.23

Table 6-33. Radiated Measurements

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 125 of 207	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	-125.00	Peak	H	46.65	28.65	68.20	-39.55
* 15720.00	-135.00	Average	H	51.40	23.40	53.98	-30.58
* 15720.00	-125.00	Peak	H	51.40	33.40	73.98	-40.58
* 20960.00	-135.00	Average	H	43.90	15.90	53.98	-38.08
* 20960.00	-125.00	Peak	H	43.90	25.90	73.98	-48.08
26200.00	-125.00	Peak	H	44.76	26.76	68.20	-41.44

Table 6-34. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	-125.00	Peak	H	46.71	28.71	68.20	-39.49
* 15780.00	-135.00	Average	H	51.48	23.48	53.98	-30.50
* 15780.00	-125.00	Peak	H	51.48	33.48	73.98	-40.50
* 21040.00	-135.00	Average	H	43.84	15.84	53.98	-38.14
* 21040.00	-125.00	Peak	H	43.84	25.84	73.98	-48.14
26300.00	-125.00	Peak	H	44.78	26.78	68.20	-41.42

Table 6-35. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56



Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	-125.00	Peak	H	46.84	28.84	68.20	-39.36
* 15840.00	-135.00	Average	H	51.38	23.38	53.98	-30.60
* 15840.00	-125.00	Peak	H	51.38	33.38	73.98	-40.60
* 21120.00	-135.00	Average	H	43.74	15.74	53.98	-38.24
* 21120.00	-125.00	Peak	H	43.74	25.74	73.98	-48.24
26400.00	-125.00	Peak	H	44.72	26.72	68.20	-41.48

Table 6-36. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	-167.65	Average	H	46.94	18.94	53.98	-35.04
* 10640.00	-125.00	Peak	H	46.94	28.94	73.98	-45.04
* 15960.00	-135.00	Average	H	51.55	23.55	53.98	-30.43
* 15960.00	-125.00	Peak	H	51.55	33.55	73.98	-40.43
* 21280.00	-135.00	Average	H	43.64	15.64	53.98	-38.34
* 21280.00	-125.00	Peak	H	43.64	25.64	73.98	-48.34
26600.00	-125.00	Peak	H	47.28	29.28	68.20	-38.92

Table 6-37. Radiated Measurements

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 127 of 207	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	-135.00	Average	H	46.89	18.89	53.98	-35.09
* 11000.00	-125.00	Peak	H	46.89	28.89	73.98	-45.09
16500.00	-125.00	Peak	H	52.96	34.96	68.20	-33.24
22000.00	-125.00	Peak	H	43.92	25.92	68.20	-42.28
27500.00	-125.00	Peak	H	48.51	30.51	68.20	-37.69

Table 6-38. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116



Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	-135.00	Average	H	47.07	19.07	53.98	-34.91
* 11160.00	-125.00	Peak	H	47.07	29.07	73.98	-44.91
16740.00	-125.00	Peak	H	53.12	35.12	68.20	-33.08
* 22320.00	-135.00	Average	H	44.40	16.40	53.98	-37.58
* 22320.00	-125.00	Peak	H	44.40	26.40	73.98	-47.58
27900.00	-125.00	Peak	H	48.13	30.13	68.20	-38.07

Table 6-39. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5700MHz
 Channel: 140

Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11400.00	-135.00	Average	H	47.30	19.30	53.98	-34.68
* 11400.00	-125.00	Peak	H	47.30	29.30	73.98	-44.68
17100.00	-125.00	Peak	H	53.07	35.07	68.20	-33.13
* 22800.00	-135.00	Average	H	44.39	16.39	53.98	-37.59
* 22800.00	-125.00	Peak	H	44.39	26.39	73.98	-47.59
28500.00	-125.00	Peak	H	48.03	30.03	68.20	-38.17

Table 6-40. Radiated Measurements

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 129 of 207	

Antenna-2 Radiated Spurious Emission Measurements

§15.407(b)(1) and (2), §15.205 & §15.209; RSS-210 [A9.2]

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36



Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10360.00	-125.00	Peak	H	46.44	28.44	68.20	-39.76
* 15540.00	-135.00	Average	H	51.12	23.12	53.98	-30.86
* 15540.00	-125.00	Peak	H	51.12	33.12	73.98	-40.86
* 20720.00	-135.00	Average	H	44.00	16.00	53.98	-37.98
* 20720.00	-125.00	Peak	H	44.00	26.00	73.98	-47.98
25900.00	-125.00	Peak	H	44.87	26.87	68.20	-41.33

Table 6-41. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10400.00	-125.00	Peak	H	46.65	28.65	68.20	-39.55
* 15600.00	-135.00	Average	H	51.11	23.11	53.98	-30.87
* 15600.00	-125.00	Peak	H	51.11	33.11	73.98	-40.87
* 20800.00	-135.00	Average	H	43.99	15.99	53.98	-37.99
* 20800.00	-125.00	Peak	H	43.99	25.99	73.98	-47.99
26000.00	-125.00	Peak	H	44.97	26.97	68.20	-41.23

Table 6-42. Radiated Measurements

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 130 of 207	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	-125.00	Peak	H	46.65	28.65	68.20	-39.55
* 15720.00	-135.00	Average	H	51.40	23.40	53.98	-30.58
* 15720.00	-125.00	Peak	H	51.40	33.40	73.98	-40.58
* 20960.00	-135.00	Average	H	43.90	15.90	53.98	-38.08
* 20960.00	-125.00	Peak	H	43.90	25.90	73.98	-48.08
26200.00	-125.00	Peak	H	44.76	26.76	68.20	-41.44

Table 6-43. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	-125.00	Peak	H	46.71	28.71	68.20	-39.49
* 15780.00	-135.00	Average	H	51.48	23.48	53.98	-30.50
* 15780.00	-125.00	Peak	H	51.48	33.48	73.98	-40.50
* 21040.00	-135.00	Average	H	43.84	15.84	53.98	-38.14
* 21040.00	-125.00	Peak	H	43.84	25.84	73.98	-48.14
26300.00	-125.00	Peak	H	44.78	26.78	68.20	-41.42

Table 6-44. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56



Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	-125.00	Peak	H	46.84	28.84	68.20	-39.36
* 15840.00	-135.00	Average	H	51.38	23.38	53.98	-30.60
* 15840.00	-125.00	Peak	H	51.38	33.38	73.98	-40.60
* 21120.00	-135.00	Average	H	43.74	15.74	53.98	-38.24
* 21120.00	-125.00	Peak	H	43.74	25.74	73.98	-48.24
26400.00	-125.00	Peak	H	44.72	26.72	68.20	-41.48

Table 6-45. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10640.00	-135.00	Average	H	46.94	18.94	53.98	-35.04
10640.00	-125.00	Peak	H	46.94	28.94	73.98	-45.04
15960.00	-135.00	Average	H	51.55	23.55	53.98	-30.43
15960.00	-125.00	Peak	H	51.55	33.55	73.98	-40.43
21280.00	-135.00	Average	H	43.64	15.64	53.98	-38.34
21280.00	-125.00	Peak	H	43.64	25.64	73.98	-48.34
26600.00	-125.00	Peak	H	47.28	29.28	68.20	-38.92

Table 6-46. Radiated Measurements

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 132 of 207	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	-135.00	Average	H	46.89	18.89	53.98	-35.09
* 11000.00	-125.00	Peak	H	46.89	28.89	73.98	-45.09
16500.00	-125.00	Peak	H	52.96	34.96	68.20	-33.24
22000.00	-125.00	Peak	H	43.92	25.92	68.20	-42.28
27500.00	-125.00	Peak	H	48.51	30.51	68.20	-37.69

Table 6-47. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116



Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	-135.00	Average	H	47.07	19.07	53.98	-34.91
* 11160.00	-125.00	Peak	H	47.07	29.07	73.98	-44.91
16740.00	-125.00	Peak	H	53.12	35.12	68.20	-33.08
* 22320.00	-135.00	Average	H	44.40	16.40	53.98	-37.58
* 22320.00	-125.00	Peak	H	44.40	26.40	73.98	-47.58
27900.00	-125.00	Peak	H	48.13	30.13	68.20	-38.07

Table 6-48. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 & 3 Meters
 Operating Frequency: 5700MHz
 Channel: 140

Frequency [MHz]	Analyzer Level [dBm]	Detector	Pol. [H/V]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11400.00	-135.00	Average	H	47.30	19.30	53.98	-34.68
* 11400.00	-125.00	Peak	H	47.30	29.30	73.98	-44.68
17100.00	-125.00	Peak	H	53.07	35.07	68.20	-33.13
* 22800.00	-135.00	Average	H	44.39	16.39	53.98	-37.59
* 22800.00	-125.00	Peak	H	44.39	26.39	73.98	-47.59
28500.00	-125.00	Peak	H	48.03	30.03	68.20	-38.17

Table 6-49. Radiated Measurements

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 134 of 207

6.8 Antenna-1 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6 Mbps

Distance of Measurements: 3 Meters


Operating Frequency: 5180MHz

Channel: 36



MARKER 1
 5.14974359 GHz
 Ref 119.7 dBµV * Att 10 dB SWT 20 ms

* RBW 1 MHz
 * VBW 3 MHz
 Marker 1 [T2]
 45.55 dBµV
 5.149743590 GHz



Date: 4.FEB.2014 17:10:16

Plot 6-178. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 135 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
 5.12974359 GHz
 Ref 125.6 dBµV *Att 10 dB
 *RBW 1 MHz Marker 1 [T1]
 *VBW 3 MHz 58.43 dBµV
 SWT 20 ms 5.129743590 GHz



Date: 4.FEB.2014 17:11:31

Plot 6-179. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 136 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6 Mbps

Distance of Measurements: 3 Meters


Operating Frequency: 5320MHz

Channel: 64



MARKER 1
 5.35025641 GHz
 Ref 120.2 dBµV * Att 10 dB SWT 20 ms

* RBW 1 MHz
 * VBW 3 MHz
 Marker 1 [T2]
 46.08 dBµV
 5.350256410 GHz



Date: 5.FEB.2014 09:54:33

Plot 6-180. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 137 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.380769231 GHz
Ref 120.2 dBµV *Att 10 dB

*RBW 1 MHz *VBW 3 MHz SWT 20 ms
Marker 1 [T1] 58.14 dBµV
5.380769231 GHz



Date: 5.FEB.2014 09:55:12


Plot 6-181. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 138 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100



Date: 5.FEB.2014 10:43:49

Plot 6-182. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 139 of 207	


Radiated Band Edge Measurements (20MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
 5.468717949 GHz
 Ref 120.3 dBµV *Att 10 dB

*RBW 1 MHz Marker 1 [T1]
 *VBW 3 MHz 57.66 dBµV
 SWT 20 ms 5.468717949 GHz



Date: 5.FEB.2014 10:44:04


Plot 6-183. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 140 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5700MHz
 Channel: 140



Date: 5.FEB.2014 11:21:56

Plot 6-184. Radiated Upper Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 141 of 207	


6.9 Antenna-1 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5190MHz
 Channel: 38



MARKER 1
 5.149615385 GHz
 Ref 119.7 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz * VBW 3 MHz
 Marker 1 [T2] 49.55 dBµV
 5.149615385 GHz



Date: 4.FEB.2014 17:25:57

Plot 6-185. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 142 of 207	

Radiated Band Edge Measurements (40MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
 5.148076923 GHz
 Ref 125.6 dBµV *Att 10 dB SWT 20 ms
 *RBW 1 MHz *VBW 3 MHz
 Marker 1 [T1] 63.50 dBµV
 5.148076923 GHz




Date: 4.FEB.2014 17:26:16

Plot 6-186. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 143 of 207	

Radiated Band Edge Measurements (40MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5310MHz
 Channel: 62




Date: 5.FEB.2014 10:21:42

Plot 6-187. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)



FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 144 of 207	

Radiated Band Edge Measurements (40MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



Date: 5.FEB.2014 10:22:11


Plot 6-188. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 145 of 207	

Radiated Band Edge Measurements (40MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5510MHz
 Channel: 102



Date: 5.FEB.2014 10:47:10

Plot 6-189. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 146 of 207	

Radiated Band Edge Measurements (40MHz BW) (Cont'd)
\$15.407(b.1)(b.2) \$15.205 \$15.209



MARKER 1
5.466634615 GHz
Ref 120.3 dBµV *Att 10 dB

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz 60.37 dBµV
SWT 20 ms 5.466634615 GHz



Date: 5.FEB.2014 10:46:45

Plot 6-190. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 147 of 207	


Radiated Band Edge Measurements (40MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5670MHz
 Channel: 134



MARKER 1
 5.763461538 GHz
 * RBW 1 MHz
 * VBW 3 MHz
 Ref 120.6 dBµV * Att 10 dB SWT 20 ms
 Marker 1 [T1] 57.64 dBµV
 5.763461538 GHz



Date: 5.FEB.2014 11:23:54

Plot 6-191. Radiated Upper Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 148 of 207	

6.10 Antenna-1 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11n (80MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5210MHz

Channel: 42



Date: 4.FEB.2014 17:31:12

Plot 6-192. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 149 of 207	

Radiated Band Edge Measurements (80MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.13974359 GHz
Ref 125.6 dBµV *Att 10 dB

*RBW 1 MHz *VBW 3 MHz SWT 20 ms
Marker 1 [T1] 61.67 dBµV
5.139743590 GHz



Date: 4.FEB.2014 17:32:05

Plot 6-193. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 150 of 207	


Radiated Band Edge Measurements (80MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11ac (80MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5290MHz
 Channel: 58



MARKER 1
 5.353125 GHz
 Ref 117 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz Marker 1 [T2]
 * VBW 3 MHz 49.92 dBµV
 5.353125000 GHz



Date: 5.FEB.2014 10:29:23

Plot 6-194. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 151 of 207	

Radiated Band Edge Measurements (80MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.355288462 GHz
Ref 120.2 dBµV *Att 10 dB

*RBW 1 MHz *VBW 3 MHz SWT 20 ms
Marker 1 [T1] 62.04 dBµV
5.355288462 GHz



Date: 5.FEB.2014 10:29:47

Plot 6-195. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 152 of 207	


Radiated Band Edge Measurements (80MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11ac (80MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5530MHz
 Channel: 106



MARKER 1
 5.46 GHz
 Ref 120.3 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz * VBW 3 MHz
 Marker 1 [T2] 46.89 dBµV
 5.460000000 GHz



Date: 5.FEB.2014 10:49:17


Plot 6-196. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 153 of 207	

Radiated Band Edge Measurements (80MHz BW) (Cont'd)
\$15.407(b.1)(b.2) \$15.205 \$15.209



MARKER 1
5.435865385 GHz
Ref 120.3 dBµV *Att 10 dB SWT 20 ms
*RBW 1 MHz *VEW 3 MHz
Marker 1 [T1] 58.43 dBµV
5.435865385 GHz



Date: 5.FEB.2014 10:49:41

Plot 6-197. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 154 of 207	

6.11 Antenna-2 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6 Mbps

Distance of Measurements: 3 Meters


Operating Frequency: 5180MHz

Channel: 36



MARKER 1
 5.149871795 GHz
 Ref 119.7 dBµV * Att 10 dB SWT 20 ms

* RBW 1 MHz
 * VBW 3 MHz
 Marker 1 [T2]
 45.23 dBµV
 5.149871795 GHz



Date: 4.FEB.2014 17:15:59

Plot 6-198. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 155 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
 5.116794872 GHz
 Ref 125.6 dBµV *Att 10 dB SWT 20 ms
 *RBW 1 MHz Marker 1 [T1] 58.09 dBµV
 *VBW 3 MHz 5.116794872 GHz



Date: 4.FEB.2014 17:15:26

Plot 6-199. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 156 of 207	


Radiated Band Edge Measurements (20MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64



MARKER 1
 5.351794872 GHz
 Ref 120.2 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz * VBW 3 MHz
 Marker 1 [T2] 45.82 dBµV
 5.351794872 GHz



Date: 5.FEB.2014 10:03:55


Plot 6-200. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 157 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.351666667 GHz
Ref 120.2 dBµV *Att 10 dB SWT 20 ms
*RBW 1 MHz *VBW 3 MHz
Marker 1 [T1] 57.89 dBµV
5.351666667 GHz



Date: 5.FEB.2014 10:04:14

Plot 6-201. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 158 of 207	


Radiated Band Edge Measurements (20MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100



MARKER 1
 5.459198718 GHz
 Ref 120.3 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz * VBW 3 MHz
 Marker 1 [T2] 46.23 dBµV
 5.459198718 GHz



Date: 5.FEB.2014 10:54:59

Plot 6-202. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 159 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.466282051 GHz
Ref 120.3 dBµV *Att 10 dB

*RBW 1 MHz *VBW 3 MHz SWT 20 ms
Marker 1 [T1] 58.53 dBµV
5.466282051 GHz



Date: 5.FEB.2014 10:55:15


Plot 6-203. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 160 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5700MHz
 Channel: 140



Date: 5.FEB.2014 11:25:28

Plot 6-204. Radiated Upper Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 161 of 207	


6.12 Antenna-2 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5190MHz
 Channel: 38



MARKER 1
 5.149198718 GHz
 Ref 119.7 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz * VBW 3 MHz
 Marker 1 [T2] 45.72 dBµV
 5.149198718 GHz



Date: 4.FEB.2014 17:34:30

Plot 6-205. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 162 of 207	


Radiated Band Edge Measurements (40MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.139423077 GHz
Ref 125.6 dBµV *Att 10 dB

*RBW 1 MHz *VBW 3 MHz SWT 20 ms
Marker 1 [T1] 58.09 dBµV
5.139423077 GHz



Date: 4.FEB.2014 17:34:52

Plot 6-206. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 163 of 207	


Radiated Band Edge Measurements (40MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5310MHz
 Channel: 62



MARKER 1
 5.35 GHz
 Ref 120.2 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz * VBW 3 MHz
 Marker 1 [T2] 47.39 dBµV
 5.35000000 GHz



Date: 5.FEB.2014 10:06:28

Plot 6-207. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 164 of 207	

Radiated Band Edge Measurements (40MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.350897436 GHz
Ref 120.2 dBµV *Att 10 dB

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz 60.30 dBµV
SWT 20 ms 5.350897436 GHz



Date: 5.FEB.2014 10:06:45

Plot 6-208. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 165 of 207	


Radiated Band Edge Measurements (40MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5510MHz
 Channel: 102



MARKER 1
 5.46 GHz
 Ref 120.3 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz * VBW 3 MHz
 Marker 1 [T2] 47.76 dBµV
 5.460000000 GHz



Date: 5.FEB.2014 10:57:22

Plot 6-209. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 166 of 207	

Radiated Band Edge Measurements (40MHz BW) (Cont'd)
\$15.407(b.1)(b.2) \$15.205 \$15.209



MARKER 1
5.468557692 GHz
Ref 120.3 dBµV *Att 10 dB

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz 64.86 dBµV
SWT 20 ms 5.468557692 GHz



Date: 5.FEB.2014 10:56:55

Plot 6-210. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 167 of 207	


Radiated Band Edge Measurements (40MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5670MHz
 Channel: 134



MARKER 1
 5.726923077 GHz
 * RBW 1 MHz
 * VBW 3 MHz
 Ref 120.6 dBµV *Att 10 dB SWT 20 ms
 Marker 1 [T1] 58.08 dBµV
 5.726923077 GHz




Date: 5.FEB.2014 11:26:47

Plot 6-211. Radiated Upper Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 168 of 207	

6.13 Antenna-2 Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (80MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5210MHz
 Channel: 42



Date: 4.FEB.2014 17:36:51


Plot 6-212. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 169 of 207	

Radiated Band Edge Measurements (80MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1		* RBW 1 MHz	Marker 1 [T1]
5.124519231 GHz		* VBW 3 MHz	58.64 dBµV
Ref 125.6 dBµV	* Att 10 dB	SWT 20 ms	5.124519231 GHz



Date: 4.FEB.2014 17:37:19

Plot 6-213. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 170 of 207	

Radiated Band Edge Measurements (80MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11ac (80MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5290MHz
 Channel: 58



MARKER 1
 5.353205128 GHz

* RBW 1 MHz

Marker 1 [T2]

* VBW 3 MHz


46.18 dBµV

Ref 120.2 dBµV

* Att 10 dB

SWT 20 ms

5.353205128 GHz




Date: 5.FEB.2014 10:10:08

Plot 6-214. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 171 of 207	

Radiated Band Edge Measurements (80MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



Date: 5.FEB.2014 10:09:27

Plot 6-215. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 172 of 207	


Radiated Band Edge Measurements (80MHz BW) (Cont'd)

\$15.407(b.1)(b.2) \$15.205 \$15.209

Worst Case Mode: 802.11ac (80MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5530MHz
 Channel: 106



MARKER 1
 5.458717949 GHz
 Ref 120.3 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz * VBW 3 MHz
 Marker 1 [T2] 49.95 dBµV
 5.458717949 GHz



Date: 5.FEB.2014 10:58:46


Plot 6-216. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 173 of 207	

Radiated Band Edge Measurements (80MHz BW) (Cont'd)
\$15.407(b.1)(b.2) \$15.205 \$15.209



MARKER 1
5.467596154 GHz
Ref 120.3 dBµV *Att 10 dB SWT 20 ms
*RBW 1 MHz *VEW 3 MHz
Marker 1 [T1] 61.87 dBµV
5.467596154 GHz




Date: 5.FEB.2014 10:59:09

Plot 6-217. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 174 of 207	

6.14 MIMO Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (20MHz)
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36



Date: 4.FEB.2014 17:20:40

Plot 6-218. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 175 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.128461538 GHz
Ref 125.6 dBµV *Att 10 dB

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz 57.91 dBµV
SWT 20 ms 5.128461538 GHz



Date: 4.FEB.2014 17:21:06

Plot 6-219. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 176 of 207	


Radiated Band Edge Measurements (20MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (20MHz)
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64



MARKER 1
 5.35 GHz
 Ref 120.2 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz * VBW 3 MHz
 Marker 1 [T2] 45.51 dBµV
 5.35000000 GHz



Date: 5.FEB.2014 10:32:58

Plot 6-220. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 177 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.368269231 GHz
Ref 120.2 dBµV *Att 10 dB

*RBW 1 MHz *VBW 3 MHz SWT 20 ms
Marker 1 [T1] 57.13 dBµV
5.368269231 GHz



Date: 5.FEB.2014 10:32:27


Plot 6-221. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 178 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (20MHz)
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100



Date: 5.FEB.2014 11:14:15

Plot 6-222. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 179 of 207	

Radiated Band Edge Measurements (20MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.448461538 GHz
Ref 120.3 dBµV *Att 10 dB

*RBW 1 MHz *VBW 3 MHz SWT 20 ms
Marker 1 [T1] 56.79 dBµV
5.448461538 GHz



Date: 5.FEB.2014 11:14:31

Plot 6-223. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 180 of 207	


Radiated Band Edge Measurements (20MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (20MHz)
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5700MHz
 Channel: 140



MARKER 1
 5.726923077 GHz
 * RBW 1 MHz
 * VBW 3 MHz
 Ref 120.6 dBµV *Att 10 dB SWT 20 ms
 Marker 1 [T1]
 57.89 dBµV
 5.726923077 GHz



Date: 5.FEB.2014 11:28:08

Plot 6-224. Radiated Upper Band Edge Plot (Peak – UNII Band 2C)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 181 of 207	

6.15 MIMO Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5190MHz
 Channel: 38



MARKER 1
 5.149679487 GHz
 Ref 119.7 dBµV *Att 10 dB SWT 20 ms
 *RBW 1 MHz *VBW 3 MHz
 Marker 1 [T2] 47.48 dBµV
 5.149679487 GHz



Date: 4.FEB.2014 17:40:20


Plot 6-225. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 182 of 207	

Radiated Band Edge Measurements (40MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.146474359 GHz
Ref 125.6 dBµV *Att 10 dB SWT 20 ms
*RBW 1 MHz *VBW 3 MHz
Marker 1 [T1] 59.75 dBµV
5.146474359 GHz



Date: 4.FEB.2014 17:40:45

Plot 6-226. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 183 of 207	


Radiated Band Edge Measurements (40MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5310MHz
 Channel: 62



MARKER 1
 5.35 GHz
 Ref 120.2 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz * VBW 3 MHz
 Marker 1 [T2] 47.00 dBµV
 5.35000000 GHz



Date: 5.FEB.2014 10:35:10

Plot 6-227. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 184 of 207	

Radiated Band Edge Measurements (40MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.350160256 GHz
Ref 120.2 dBµV *Att 10 dB

*RBW 1 MHz *VBW 3 MHz SWT 20 ms
Marker 1 [T1] 58.24 dBµV
5.350160256 GHz



Date: 5.FEB.2014 10:35:29


Plot 6-228. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 185 of 207	

Radiated Band Edge Measurements (40MHz BW) (Cont'd)

\$15.407(b.1)(b.2) \$15.205 \$15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5510MHz
 Channel: 102



Date: 5.FEB.2014 11:16:15

Plot 6-229. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 186 of 207	

Radiated Band Edge Measurements (40MHz BW) (Cont'd)
\$15.407(b.1)(b.2) \$15.205 \$15.209



MARKER 1
5.464711538 GHz
Ref 120.3 dBµV *Att 10 dB

*RBW 1 MHz *VBW 3 MHz SWT 20 ms
Marker 1 [T1] 59.56 dBµV
5.464711538 GHz



Date: 5.FEB.2014 11:15:53

Plot 6-230. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 187 of 207	


Radiated Band Edge Measurements (40MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5670MHz
 Channel: 134



MARKER 1
 5.780288462 GHz
 * RBW 1 MHz
 * VBW 3 MHz
 Ref 120.6 dBµV * Att 10 dB SWT 20 ms
 Marker 1 [T1] 57.53 dBµV
 5.780288462 GHz



Date: 5.FEB.2014 11:29:07

Plot 6-231. Radiated Upper Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 188 of 207


6.16 MIMO Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11ac (80MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5210MHz
 Channel: 42



MARKER 1
 5.138701923 GHz
 Ref 119.7 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz Marker 1 [T2]
 * VBW 3 MHz 48.04 dBµV
 5.138701923 GHz



Date: 4.FEB.2014 17:43:07

Plot 6-232. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 189 of 207	


Radiated Band Edge Measurements (80MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.138701923 GHz
Ref 125.6 dBµV *Att 10 dB

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz 62.18 dBµV
SWT 20 ms 5.138701923 GHz



Date: 4.FEB.2014 17:43:32

Plot 6-233. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 190 of 207	

Radiated Band Edge Measurements (80MHz BW) (Cont'd)
\$15.407(b.1)(b.2) \$15.205 \$15.209

Worst Case Mode: 802.11ac (80MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5290MHz
 Channel: 58



MARKER 1
 5.354487179 GHz
 Ref 120.2 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz Marker 1 [T2]
 * VBW 3 MHz 47.34 dBµV
 5.354487179 GHz



Date: 5.FEB.2014 10:37:47

Plot 6-234. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 191 of 207	

Radiated Band Edge Measurements (80MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.358974359 GHz
Ref 120.2 dBµV *Att 10 dB

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz 61.65 dBµV
SWT 20 ms 5.358974359 GHz



Date: 5.FEB.2014 10:36:54

Plot 6-235. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 192 of 207	


Radiated Band Edge Measurements (80MHz BW) (Cont'd)

\$15.407(b.1)(b.2) \$15.205 \$15.209

Worst Case Mode: 802.11ac (80MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5530MHz
 Channel: 106



MARKER 1
 5.443894231 GHz
 Ref 120.3 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz Marker 1 [T2]
 * VBW 3 MHz 46.98 dBµV
 5.443894231 GHz



Date: 5.FEB.2014 11:18:04


Plot 6-236. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 193 of 207	

Radiated Band Edge Measurements (80MHz BW) (Cont'd)
\$15.407(b.1)(b.2) \$15.205 \$15.209



MARKER 1
5.454935897 GHz
Ref 120.3 dBµV *Att 10 dB SWT 20 ms
*RBW 1 MHz *VEW 3 MHz
Marker 1 [T1] 59.00 dBµV
5.454935897 GHz



Date: 5.FEB.2014 11:18:33


Plot 6-237. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 194 of 207	

6.17 WCC Radiated Band Edge Measurements

\$15.407(b.1)(b.2) \$15.205 \$15.209

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100



Date: 13.FEB.2014 20:37:17

Plot 6-238. Radiated Restricted Lower Band Edge Plot with WCC (Average – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 195 of 207	


WCC Radiated Band Edge Measurements (20MHz BW) (Cont'd)

\$15.407(b.1)(b.2) \$15.205 \$15.209



MARKER 1
 5.467051282 GHz
 Ref 120.3 dBµV *Att 10 dB

*RBW 1 MHz Marker 1 [T1]
 *VBW 3 MHz 60.48 dBµV
 SWT 20 ms 5.467051282 GHz



Date: 13.FEB.2014 20:36:51

Plot 6-239. Radiated Restricted Lower Band Edge Plot with WCC (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 196 of 207	

WCC Radiated Band Edge Measurements (40MHz BW) (Cont'd)

\$15.407(b.1)(b.2) \$15.205 \$15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5190MHz
 Channel: 38



MARKER 1
5.149038462 GHz

* RBW 1 MHz

Marker 1 [T2]

* VBW 3 MHz


51.03 dBµV

Ref 119.7 dBµV

* Att 10 dB

SWT 20 ms

5.149038462 GHz



Date: 13.FEB.2014 20:42:15

Plot 6-240. Radiated Restricted Lower Band Edge Plot with WCC (Average – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 197 of 207	


WCC Radiated Band Edge Measurements (40MHz BW) (Cont'd)

§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
 5.149839744 GHz
 Ref 125.6 dBµV *Att 10 dB

*RBW 1 MHz Marker 1 [T1]
 *VBW 3 MHz 64.38 dBµV
 SWT 20 ms 5.149839744 GHz



Date: 13.FEB.2014 20:43:29

Plot 6-241. Radiated Restricted Lower Band Edge Plot with WCC (Peak – UNII Band 1)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 198 of 207	


Radiated Band Edge Measurements with WCC (80MHz BW) (Cont'd)

\$15.407(b.1)(b.2) \$15.205 \$15.209

Worst Case Mode: 802.11ac (80MHz)
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5530MHz
 Channel: 106



MARKER 1
 5.454871795 GHz
 Ref 120.3 dBµV * Att 10 dB SWT 20 ms
 * RBW 1 MHz Marker 1 [T2]
 * VBW 3 MHz 49.19 dBµV
 5.454871795 GHz



Date: 13.FEB.2014 20:49:37

Plot 6-242. Radiated Restricted Lower Band Edge Plot with WCC (Average – UNII Band 2C)


FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 199 of 207	

Radiated Band Edge Measurements with WCC (80MHz BW) (Cont'd)
§15.407(b.1)(b.2) §15.205 §15.209



MARKER 1
5.462307692 GHz
Ref 120.3 dBµV *Att 10 dB

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz 62.12 dBµV
SWT 20 ms 5.462307692 GHz




Date: 13.FEB.2014 20:50:03

Plot 6-243. Radiated Restricted Lower Band Edge Plot with WCC (Peak – UNII Band 2C)

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 200 of 207	

6.18 Line-Conducted Test Data

\$15.407



Plot 6-244. Line Conducted Plot with 802.11a UNII Band 1 (L1)

Frequency MHz	Line	Corr. dB	QuasiPeak dBµV	Limit dBµV	Margin dB	Average dBµV	Limit dBµV	Margin dB
0.155	L1	0.2	35.90	65.80	29.80	22.40	55.80	33.30
0.600	L1	0.1	25.90	56.00	30.10	19.10	46.00	26.90
2.123	L1	0.1	16.70	56.00	39.30	11.30	46.00	34.70
2.454	L1	0.1	15.40	56.00	40.60	11.00	46.00	35.00
4.839	L1	0.2	15.90	56.00	40.10	10.20	46.00	35.80
25.762	L1	0.8	22.40	60.00	37.60	12.40	50.00	37.60

Table 6-50. Line Conducted Data with 802.11a UNII Band 1 (L1)


Notes:

- All modes of operation, data rates, and test channels were investigated and the worst-case emissions are reported in 802.11a mode using 6Mbps on Channel 36. The emissions found were not affected by the choice of channel used during testing.
- The limit for Class B device(s) from 150kHz to 30MHz are specified in Section 15.207 of the Title 47 CFR.
- L1 = Phase; N = Neutral
- Corr. (dB) = Cable loss (dB) + LISN insertion factor (dB)
- QP/AV Level (dBµV) = QP/AV Analyzer/Receiver Level (dBµV) + Corr. (dB)
- Margin (dB) = QP/AVLimit (dBµV) - QP/AV Level (dBµV)
- Traces shown in plot are made using a peak detector.
- Deviations to the Specifications: None.

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 201 of 207

Line-Conducted Test Data (Cont'd)

\$15.407



Plot 6-245. Line Conducted Plot with 802.11a UNII Band 1 (N)

Frequency MHz	Line	Corr. dB	QuasiPeak dBµV	Limit dBµV	Margin dB	Average dBµV	Limit dBµV	Margin dB
0.152	N	0.3	36.80	65.90	29.10	23.00	55.90	32.90
0.571	N	0.1	26.00	56.00	30.00	16.50	46.00	29.50
0.589	N	0.1	25.90	56.00	30.10	17.10	46.00	28.90
7.607	N	0.3	26.20	60.00	33.80	16.50	50.00	33.50
7.924	N	0.3	26.50	60.00	33.50	16.90	50.00	33.10
8.804	N	0.3	28.10	60.00	31.90	18.00	50.00	32.00

Table 6-51. Line Conducted Data with 802.11a UNII Band 1 (N)


Notes:

- All modes of operation, data rates, and test channels were investigated and the worst-case emissions are reported in 802.11a mode using 6Mbps on Channel 36. The emissions found were not affected by the choice of channel used during testing.
- The limit for Class B device(s) from 150kHz to 30MHz are specified in Section 15.207 of the Title 47 CFR.
- L1 = Phase; N = Neutral
- Corr. (dB) = Cable loss (dB) + LISN insertion factor (dB)
- QP/AV Level (dBµV) = QP/AV Analyzer/Receiver Level (dBµV) + Corr. (dB)
- Margin (dB) = QP/AVLimit (dBµV) - QP/AV Level (dBµV)
- Traces shown in plot are made using a peak detector.
- Deviations to the Specifications: None.

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 202 of 207

Line-Conducted Test Data (Cont'd)

§15.407



Plot 6-246. Line Conducted Plot with 802.11a UNII Band 2A (L1)

Frequency MHz	Line	Corr. dB	QuasiPeak dBµV	Limit dBµV	Margin dB	Average dBµV	Limit dBµV	Margin dB
0.159	L1	0.2	36.70	65.50	28.80	21.90	55.50	33.60
0.551	L1	0.1	25.60	56.00	30.40	17.20	46.00	28.80
1.491	L1	0.1	16.10	56.00	39.90	11.30	46.00	34.70
2.132	L1	0.1	16.00	56.00	40.00	10.90	46.00	35.10
11.009	L1	0.4	22.70	60.00	37.30	11.40	50.00	38.60
25.307	L1	0.8	22.30	60.00	37.70	12.40	50.00	37.60

Table 6-52. Line Conducted Data with 802.11a UNII Band 2A (L1)


Notes:

- All modes of operation, data rates, and test channels were investigated and the worst-case emissions are reported in 802.11a mode using 6Mbps on Channel 52. The emissions found were not affected by the choice of channel used during testing.
- The limit for Class B device(s) from 150kHz to 30MHz are specified in Section 15.207 of the Title 47 CFR.
- L1 = Phase; N = Neutral
- Corr. (dB) = Cable loss (dB) + LISN insertion factor (dB)
- QP/AV Level (dBµV) = QP/AV Analyzer/Receiver Level (dBµV) + Corr. (dB)
- Margin (dB) = QP/AVLimit (dBµV) - QP/AV Level (dBµV)
- Traces shown in plot are made using a peak detector.
- Deviations to the Specifications: None.

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 203 of 207

Line-Conducted Test Data (Cont'd)

\$15.407



Plot 6-247. Line Conducted Plot with 802.11a UNII Band 2A (N)

Frequency MHz	Line	Corr. dB	QuasiPeak dBµV	Limit dBµV	Margin dB	Average dBµV	Limit dBµV	Margin dB
0.164	N	0.3	36.90	65.30	28.40	22.70	55.30	32.60
0.596	N	0.1	27.00	56.00	29.00	18.70	46.00	27.40
4.670	N	0.2	23.60	56.00	32.40	14.10	46.00	31.90
4.992	N	0.2	23.40	56.00	32.60	14.00	46.00	32.00
8.851	N	0.3	28.90	60.00	31.10	19.00	50.00	31.00
9.173	N	0.3	27.70	60.00	32.30	18.20	50.00	31.80

Table 6-53. Line Conducted Data with 802.11a UNII Band 2A (N)


Notes:

- All modes of operation, data rates, and test channels were investigated and the worst-case emissions are reported in 802.11a mode using 6Mbps on Channel 52. The emissions found were not affected by the choice of channel used during testing.
- The limit for Class B device(s) from 150kHz to 30MHz are specified in Section 15.207 of the Title 47 CFR.
- L1 = Phase; N = Neutral
- Corr. (dB) = Cable loss (dB) + LISN insertion factor (dB)
- QP/AV Level (dBµV) = QP/AV Analyzer/Receiver Level (dBµV) + Corr. (dB)
- Margin (dB) = QP/AVLimit (dBµV) - QP/AV Level (dBµV)
- Traces shown in plot are made using a peak detector.
- Deviations to the Specifications: None.

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 204 of 207

Line-Conducted Test Data (Cont'd)

§15.407



Plot 6-248. Line Conducted Plot with 802.11a UNII Band 2C (L1)

Frequency MHz	Line	Corr. dB	QuasiPeak dBµV	Limit dBµV	Margin dB	Average dBµV	Limit dBµV	Margin dB
0.170	L1	0.2	38.60	65.00	26.30	23.00	55.00	31.90
0.590	L1	0.1	28.00	56.00	28.00	21.10	46.00	24.90
0.602	L1	0.1	28.60	56.00	27.40	24.10	46.00	21.90
3.430	L1	0.2	17.00	56.00	39.00	11.20	46.00	34.80
10.434	L1	0.4	21.90	60.00	38.10	12.10	50.00	37.90
25.110	L1	0.8	24.70	60.00	35.30	14.80	50.00	35.20

Table 6-54. Line Conducted Plot with 802.11a UNII Band 2C (L1)


Notes:

- All modes of operation, data rates, and test channels were investigated and the worst-case emissions are reported in 802.11a mode using 6Mbps on Channel 100. The emissions found were not affected by the choice of channel used during testing.
- The limit for Class B device(s) from 150kHz to 30MHz are specified in Section 15.207 of the Title 47 CFR.
- L1 = Phase; N = Neutral
- Corr. (dB) = Cable loss (dB) + LISN insertion factor (dB)
- QP/AV Level (dBµV) = QP/AV Analyzer/Receiver Level (dBµV) + Corr. (dB)
- Margin (dB) = QP/AVLimit (dBµV) - QP/AV Level (dBµV)
- Traces shown in plot are made using a peak detector.
- Deviations to the Specifications: None.

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 205 of 207

Line-Conducted Test Data (Cont'd)

\$15.407



Plot 6-249. Line Conducted Plot with 802.11a UNII Band 2C (N)

Frequency MHz	Line	Corr. dB	QuasiPeak dBµV	Limit dBµV	Margin dB	Average dBµV	Limit dBµV	Margin dB
0.154	N	0.3	38.90	65.80	26.80	22.60	55.80	33.20
0.182	N	0.2	37.20	64.40	27.20	22.00	54.40	32.40
0.246	N	0.2	31.60	61.90	30.30	16.10	51.90	35.80
0.586	N	0.1	27.80	56.00	28.20	18.60	46.00	27.40
8.830	N	0.3	28.10	60.00	31.90	18.70	50.00	31.30
8.874	N	0.3	28.30	60.00	31.70	18.30	50.00	31.70

Table 6-55. Line Conducted Data with 802.11a UNII Band 2C (N)



Notes:

- All modes of operation, data rates, and test channels were investigated and the worst-case emissions are reported in 802.11a mode using 6Mbps on Channel 100. The emissions found were not affected by the choice of channel used during testing.
- The limit for Class B device(s) from 150kHz to 30MHz are specified in Section 15.207 of the Title 47 CFR.
- L1 = Phase; N = Neutral
- Corr. (dB) = Cable loss (dB) + LISN insertion factor (dB)
- QP/AV Level (dBµV) = QP/AV Analyzer/Receiver Level (dBµV) + Corr. (dB)
- Margin (dB) = QP/AVLimit (dBµV) - QP/AV Level (dBµV)
- Traces shown in plot are made using a peak detector.
- Deviations to the Specifications: None.

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset		Page 206 of 207

7.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Samsung Portable Handset FCC ID: A3LSMG900A** is in compliance with Part 15E of the FCC Rules.

FCC ID: A3LSMG900A		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1401270208.A3L	Test Dates: 01/29-2/20/2014	EUT Type: Portable Handset	Page 207 of 207	