

# PCTEST ENGINEERING LABORATORY, INC.

7185 Oakland Mills Road, Columbia, MD 21046 USA

Tel. 410.290.6652 / Fax 410.290.6654

http://www.pctestlab.com



## MEASUREMENT REPORT FCC Part 15.407 UNII 802.11a/n/ac

**Applicant Name:**

Samsung Electronics Co., Ltd.  
129, Samsung-ro,  
Yeongtong-gu, Suwon-si  
Gyeonggi-do, 16677, Korea

**Date of Testing:**

5/12-5/25/2016

**Test Site/Location:**

PCTEST Lab, Columbia, MD, USA

**Test Report Serial No.:**

0Y1605130904.A3L

**FCC ID:**

A3LSMG900T

**APPLICANT:**

Samsung Electronics Co., Ltd.

**Application Type:**

Class II Permissive Change

**Model(s):**

SM-G900T

**EUT Type:**

Portable Handset

**FCC Classification:**

Unlicensed National Information Infrastructure (UNII)

**FCC Rule Part(s):**

Part 15.407

**Test Procedure(s):**

KDB 789033 D02 v01r02, KDB 662911 D01 v02r01

**Class II Permissive Change:**

Please see FCC change document

**Original Grant Date:**

3/7/2014

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in KDB 789033 D02 v01r02. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

  
Randy Ortanez  
President




|                                      |                                                                                     |                                                                                     |                                                                                       |                                 |
|--------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG900T                   |  | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) |  | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                                                       | EUT Type:<br>Portable Handset                                                       |                                                                                       | Page 1 of 88                    |

# TABLE OF CONTENTS

|                                                                  |    |
|------------------------------------------------------------------|----|
| FCC PART 15.407 MEASUREMENT REPORT .....                         | 3  |
| 1.0 INTRODUCTION .....                                           | 4  |
| 1.1 Scope .....                                                  | 4  |
| 1.2 PCTEST Test Location .....                                   | 4  |
| 2.0 PRODUCT INFORMATION .....                                    | 5  |
| 2.1 Equipment Description .....                                  | 5  |
| 2.2 Device Capabilities .....                                    | 5  |
| 2.3 Test Configuration .....                                     | 6  |
| 2.4 EMI Suppression Device(s)/Modifications .....                | 6  |
| 3.0 DESCRIPTION OF TESTS .....                                   | 7  |
| 3.1 Evaluation Procedure .....                                   | 7  |
| 3.2 Radiated Emissions .....                                     | 7  |
| 3.3 Environmental Conditions .....                               | 7  |
| 4.0 ANTENNA REQUIREMENTS .....                                   | 8  |
| 5.0 MEASUREMENT UNCERTAINTY .....                                | 9  |
| 6.0 TEST EQUIPMENT CALIBRATION DATA .....                        | 10 |
| 7.0 TEST RESULTS .....                                           | 11 |
| 7.1 Summary .....                                                | 11 |
| 7.2 26dB Bandwidth Measurement – 802.11a/n/ac .....              | 12 |
| 7.3 6dB Bandwidth Measurement – 802.11a/n/ac .....               | 23 |
| 7.4 UNII Output Power Measurement – 802.11a/n/ac .....           | 34 |
| 7.5 Maximum Power Spectral Density – 802.11a/n/ac .....          | 39 |
| 7.6 Radiated Spurious Emission Measurements – Above 1GHz .....   | 61 |
| 7.6.1 Antenna-1 Radiated Spurious Emission Measurements .....    | 64 |
| 7.6.2 Antenna-2 Radiated Spurious Emission Measurements .....    | 71 |
| 7.6.3 Antenna-1 Radiated Band Edge Measurements (40MHz BW) ..... | 77 |
| 7.7 Line-Conducted Test Data .....                               | 84 |
| 8.0 CONCLUSION .....                                             | 88 |

|                                             |                                                                                     |                                                                                             |                                                                                       |                                        |
|---------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------------------|
| <b>FCC ID:</b> A3LSMG900T                   |  | <b>FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br/>(CLASS II PERMISSIVE CHANGE)</b> |  | <b>Reviewed by:</b><br>Quality Manager |
| <b>Test Report S/N:</b><br>0Y1605130904.A3L | <b>Test Dates:</b><br>5/12-5/25/2016                                                | <b>EUT Type:</b><br>Portable Handset                                                        | Page 2 of 88                                                                          |                                        |



# MEASUREMENT REPORT

## FCC Part 15.407



### § 2.1033 General Information

**APPLICANT:** Samsung Electronics Co., Ltd.

**APPLICANT ADDRESS:** 129, Samsung-ro,  
Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Korea

**TEST SITE:** PCTEST ENGINEERING LABORATORY, INC.

**TEST SITE ADDRESS:** 7185 Oakland Mills Road, Columbia, MD 21046 USA

**FCC RULE PART(S):** Part 15.407

**BASE MODEL:** SM-G900T

**FCC ID:** A3LSMG900T

**FCC CLASSIFICATION:** Unlicensed National Information Infrastructure (UNII)


**Test Device Serial No.:** 26585, 26551 ☐ Production ☒ Pre-Production ☐ Engineering

**DATE(S) OF TEST:** 5/12-5/25/2016

**TEST REPORT S/N:** 0Y1605130904.A3L

### Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.



- PCTEST facility is an FCC registered (PCTEST Reg. No. 159966) test facility with the site description report on file and has met all the requirements specified in Section 2.948 of the FCC Rules and Industry Canada (2451B-1).
- PCTEST Lab is accredited to ISO 17025 by U.S. National Institute of Standards and Technology (NIST) under the National Voluntary Laboratory Accreditation Program (NVLAP) Lab code: 100431-0) in EMC, FCC and Telecommunications.
- PCTEST Lab is accredited to ISO 17025-2005 by the American Association for Laboratory Accreditation (A2LA) in Specific Absorption Rate (SAR) testing, Hearing Aid Compatibility (HAC) testing, CTIA Test Plans, and wireless testing for FCC and Industry Canada Rules.
- PCTEST Lab is a recognized U.S. Conformity Assessment Body (CAB) in EMC and R&TTE (n.b. 0982) under the U.S.-EU Mutual Recognition Agreement (MRA).
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC Guide 65 by the American National Standards Institute (ANSI) in all scopes of FCC Rules and Industry Canada Standards (RSS).
- PCTEST facility is an IC registered (2451B-1) test laboratory with the site description on file at Industry Canada.
- PCTEST is a CTIA Authorized Test Laboratory (CATL) for AMPS, CDMA, and EvDO wireless devices and for Over-the-Air (OTA) Antenna Performance testing for AMPS, CDMA, GSM, GPRS, EGPRS, UMTS (W-CDMA), CDMA 1xEVDO, and CDMA 1xRTT.

|                                             |                                                                                     |                                                                                            |                                                                                       |                                        |
|---------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------------------|
| <b>FCC ID:</b> A3LSMG900T                   |  | <b>FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT</b><br>(CLASS II PERMISSIVE CHANGE) |  | <b>Reviewed by:</b><br>Quality Manager |
| <b>Test Report S/N:</b><br>0Y1605130904.A3L | <b>Test Dates:</b><br>5/12-5/25/2016                                                | <b>EUT Type:</b><br>Portable Handset                                                       |                                                                                       | Page 3 of 88                           |

## 1.0 INTRODUCTION

### 1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Industry Canada Certification and Engineering Bureau.

### 1.2 PCTEST Test Location

The map below shows the location of the PCTEST LABORATORY, its proximity to the FCC Laboratory, the Columbia vicinity, the Baltimore-Washington Intern't'l (BWI) airport, the city of Baltimore and the Washington, DC area. (See Figure 1-1).

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The site coordinates are 39° 10'23" N latitude and 76° 49'50" W longitude. The facility is 0.4 miles North of the FCC laboratory, and the ambient signal and ambient signal strength are approximately equal to those of the FCC laboratory. The detailed description of the measurement facility was found to be in compliance with the requirements of § 2.948 according to ANSI C63.4-2014 on January 22, 2015.




Figure 1-1. Map of the Greater Baltimore and Metropolitan Washington, D.C. area

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 4 of 88                    |

## 2.0 PRODUCT INFORMATION

### 2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Handset FCC ID: A3LSMG900T**. The test data contained in this report pertains only to the emissions due to the EUT's UNII transmitter.

### 2.2 Device Capabilities

This device contains the following capabilities:

850/1900 CDMA/EvDO Rev0/A (BC0, BC1), 850/1900 GSM/GPRS/EDGE, 850/1900 WCDMA/HSPA, Multi-Band LTE, 802.11a/b/g/n/ac (DTS/NII), Bluetooth (1x, EDR, LE), NFC, ANT+

#### Notes:

- 5GHz NII operation is possible in 20MHz, and 40MHz, and 80MHz channel bandwidths. The maximum achievable duty cycles for all modes were determined based on measurements performed on a spectrum analyzer in zero-span mode with RBW = 8MHz, VBW = 50MHz, and detector = peak per the guidance of Section B)2)b) of KDB 789033. The RBW and VBW were both greater than 50/T, where T is the minimum transmission duration, and the number of sweep points across T was greater than 100. The duty cycles are as follows:

- 802.11a/n 20MHz Bandwidth – 99.3%
- 802.11n 40MHz Bandwidth – 99.0%
- 802.11ac 80MHz Bandwidth – 98.3%

- The device employs MIMO technology. Below are the possible configurations.

| WiFi Configurations |              | SISO |      | SDM  |      |
|---------------------|--------------|------|------|------|------|
|                     |              | ANT1 | ANT2 | ANT1 | ANT2 |
| 5GHz                | 11a          | ✓    | ✓    | ✗    | ✗    |
|                     | 11n (20MHz)  | ✓    | ✓    | ✓    | ✓    |
|                     | 11n (40MHz)  | ✓    | ✓    | ✓    | ✓    |
|                     | 11ac (80MHz) | ✓    | ✓    | ✓    | ✓    |

**Table 2-1. Frequency / Channel Operations**

✓ = Support ; ✗ = NOT Support

**SISO** = Single Input Single Output

**SDM** = Spatial Diversity Multiplexing – MIMO function

Data Rate(s) Tested: 6, 9, 12, 18, 24, 36, 48, 54Mbps (802.11a)

6.5/7.2, 13/14.4, 19.5/21.7, 26/28.9, 39/43.3, 52/57.8, 58.5/65, 65/72.2 (n – 20MHz)  
 13.5/15, 27/30, 40.5/45, 54/60, 81/90, 108/120, 121.5/135, 135/150 (n – 40MHz BW)  
 29.3/32.5, 58.5/65, 87.8/97.5, 117/130, 175.5/195, 234/260, 263.3/292.5, 292.5/325,  
 351/390, 390/433.3 (ac – 80MHz BW)

|                                      |                                                                                     |                                                                                     |                                                                                       |                                 |
|--------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG900T                   |  | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) |  | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                                                       | EUT Type:<br>Portable Handset                                                       | Page 5 of 88                                                                          |                                 |

3. UNII Channel/Frequency Plan is shown below.

| Band 2C |                 | Band 3 |                 |
|---------|-----------------|--------|-----------------|
| Ch.     | Frequency (MHz) | Ch.    | Frequency (MHz) |
| 100     | 5500            | 149    | 5745            |
| :       | :               | :      | :               |
| 120     | 5600            | 157    | 5785            |
| :       | :               | :      | :               |
| 144     | 5720            | 165    | 5825            |

Table 2-2. 802.11a / 802.11n / 802.11ac (20MHz) Frequency / Channel Operations

| Band 2C |                 | Band 3 |                 |
|---------|-----------------|--------|-----------------|
| Ch.     | Frequency (MHz) | Ch.    | Frequency (MHz) |
| 102     | 5510            | 151    | 5755            |
| :       | :               | :      | :               |
| 118     | 5590            | 159    | 5795            |
| :       | :               |        |                 |
| 142     | 5710            |        |                 |

Table 2-3. 802.11n / 802.11ac (40MHz BW) Frequency / Channel Operations

| Band 2C |                 | Band 3 |                 |
|---------|-----------------|--------|-----------------|
| Ch.     | Frequency (MHz) | Ch.    | Frequency (MHz) |
| 106     | 5530            | 155    | 5775            |
| :       | :               |        |                 |
| 138     | 5690            |        |                 |

Table 2-4. 802.11ac (80MHz BW) Frequency / Channel Operations

## 2.3 Test Configuration

The Samsung Portable Handset FCC ID: A3LSMG900T was tested per the guidance of KDB 789033 D02 v01r02. ANSI C63.10-2013 was used to reference the appropriate EUT setup for radiated spurious emissions testing. See Sections 3.2 for radiated emissions test setups, and 7.2, 7.3, 7.4, and 7.5 for antenna port conducted emissions test setups.

## 2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and/or no modifications were made during testing.

|                                      |                                                                                     |                                                                                     |                                                                                       |                                 |
|--------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG900T                   |  | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) |  | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                                                       | EUT Type:<br>Portable Handset                                                       | Page 6 of 88                                                                          |                                 |

## 3.0 DESCRIPTION OF TESTS

### 3.1 Evaluation Procedure

The measurement procedures described in the American National Standard for Testing Unlicensed Wireless Devices (ANSI C63.10-2013) and the guidance provided in KDB 789033 D02 v01r02 were used in the measurement of **Samsung Portable Handset FCC ID: A3LSMG900T**.

Deviation from measurement procedure.....None

### 3.2 Radiated Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. For measurements above 1GHz absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections. For measurements above 1GHz absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections. For measurements below 1GHz, a 72.4cm high PVC support structure is placed on top of the turntable. A 3" (~7.6cm) sheet of high density polystyrene is used as the table top and is placed on top of the PVC supports to bring the total height of the table to 80cm. For measurements above 1GHz, a high density expanded polystyrene block is placed on top of the test table to bring the total table height to 1.5m.

For all measurements, the spectrum was scanned through all EUT azimuths and from 1 to 4 meter receive antenna height using a broadband antenna from 30MHz up to the upper frequency shown in 15.33(b)(1) depending on the highest frequency generated or used in the device or on which the device operates or tunes. For frequencies above 1GHz, linearly polarized double ridge horn antennas were used. For frequencies below 30MHz, a calibrated loop antenna was used. When exploratory measurements were necessary, they were performed at 1 meter test distance inside the semi-anechoic chamber using broadband antennas, broadband amplifiers, and spectrum analyzers to determine the frequencies and modes producing the maximum emissions. Sufficient time for the EUT, support equipment, and test equipment was allowed in order for them to warm up to their normal operating condition. The test set-up was placed on top of the 1 x 1.5 meter table. The EUT, support equipment, and interconnecting cables were arranged and manipulated to maximize each emission. Appropriate precaution was taken to ensure that all emissions from the EUT were maximized and investigated. The system configuration, clock speed, mode of operation or video resolution, if applicable, turntable azimuth, and receive antenna height was noted for each frequency found.

Final measurements were made in the semi-anechoic chamber using calibrated, linearly polarized broadband and horn antennas. The test setup was configured to the setup that produced the worst case emissions. The spectrum analyzer was set to investigate all frequencies required for testing to compare the highest radiated disturbances with respect to the specified limits. The turntable containing the EUT was rotated through 360 degrees and the height of the receive antenna was varied 1 to 4 meters and stopped at the azimuth and height producing the maximum emission. Each emission was maximized by changing the orientation of the EUT through three orthogonal planes and changing the polarity of the receive antenna, whichever produced the worst-case emissions.

### 3.3 Environmental Conditions

The temperature is controlled within range of 15°C to 35°C. The relative humidity is controlled within range of 10% to 75%. The atmospheric pressure is monitored within the range 86-106kPa (860-1060mbar).

|                                      |                                                                                     |                                                                                     |                                                                                       |                                 |
|--------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG900T                   |  | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) |  | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                                                       | EUT Type:<br>Portable Handset                                                       |                                                                                       | Page 7 of 88                    |

## 4.0 ANTENNA REQUIREMENTS

### Excerpt from §15.203 of the FCC Rules/Regulations:

“An intentional radiator antenna shall be designed to ensure that no antenna other than that furnished by the responsible party can be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.”

- The antennas of the Portable Handset are **permanently attached**.
- There are no provisions for connection to an external antenna.

### Conclusion:

The **Samsung Portable Handset FCC ID: A3LSMG900T** unit complies with the requirement of §15.203.

|                                             |                                                                                     |                                                                                             |                                                                                       |                                        |
|---------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------------------|
| <b>FCC ID:</b> A3LSMG900T                   |  | <b>FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br/>(CLASS II PERMISSIVE CHANGE)</b> |  | <b>Reviewed by:</b><br>Quality Manager |
| <b>Test Report S/N:</b><br>0Y1605130904.A3L | <b>Test Dates:</b><br>5/12-5/25/2016                                                | <b>EUT Type:</b><br>Portable Handset                                                        |                                                                                       | Page 8 of 88                           |

## 5.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.10-2013. All measurement uncertainty values are shown with a coverage factor of  $k = 2$  to indicate a 95% level of confidence. The measurement data shown herein meets or exceeds the  $U_{\text{CISPR}}$  measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

| Contribution                     | Expanded Uncertainty ( $\pm$ dB) |
|----------------------------------|----------------------------------|
| Conducted Bench Top Measurements | 1.13                             |
| Line Conducted Disturbance       | 3.09                             |
| Radiated Disturbance (<1GHz)     | 4.98                             |
| Radiated Disturbance (>1GHz)     | 5.07                             |
| Radiated Disturbance (>18GHz)    | 5.09                             |

|                                      |                                                                                     |                                                                                     |                                                                                       |                                 |
|--------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG900T                   |  | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) |  | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                                                       | EUT Type:<br>Portable Handset                                                       | Page 9 of 88                                                                          |                                 |

## 6.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST).

| Manufacturer      | Model              | Description                            | Cal Date   | Cal Interval | Cal Due    | Serial Number        |
|-------------------|--------------------|----------------------------------------|------------|--------------|------------|----------------------|
| -                 | RE1                | Radiated Emissions Cable Set (UHF/EHF) | 3/4/2016   | Biennial     | 9/4/2016   | RE1                  |
| -                 | WL25-1             | Conducted Cable Set (25GHz)            | 4/11/2016  | Biennial     | 10/11/2016 | WL25-1               |
| Agilent           | N9020A             | MXA Signal Analyzer                    | 11/5/2015  | Annual       | 11/5/2016  | US46470561           |
| Agilent           | N9038A             | MXE EMI Receiver                       | 4/21/2016  | Annual       | 4/21/2017  | MYS1210133           |
| Anritsu           | MA2411B            | Pulse Power Sensor                     | 10/14/2015 | Biennial     | 10/14/2017 | 1027293              |
| Anritsu           | ML2495A            | Power Meter                            | 10/16/2015 | Biennial     | 10/16/2017 | 1039008              |
| Com-Power         | AL-130             | 9kHz - 30MHz Loop Antenna              | 7/30/2015  | Biennial     | 7/30/2017  | 121034               |
| Emco              | 3115               | Horn Antenna (1-18GHz)                 | 3/10/2016  | Biennial     | 3/10/2018  | 9704-5182            |
| ETS Lindgren      | 3160-09            | 18-26.5 GHz Standard Gain Horn         | 6/17/2014  | Biennial     | 6/17/2016  | 135427               |
| ETS Lindgren      | 3160-10            | 26.5-40 GHz Standard Gain Horn         | 6/17/2014  | Biennial     | 6/17/2016  | 130993               |
| Huber+Suhner      | Sucoflex 102A      | 40GHz Radiated Cable                   | 4/26/2016  | Biennial     | 10/26/2016 | 251425001            |
| K & L             | 11SH10-3075/U18000 | High Pass Filter                       | 7/18/2015  | Annual       | 7/18/2016  | 11SH10-3075/U18000-2 |
| K & L             | 11SH10-6000/T18000 | High Pass Filter                       | 7/18/2015  | Annual       | 7/18/2016  | 11SH10-6000/T18000-1 |
| Rhode & Schwarz   | TS-PR18            | Pre-Amplifier                          | 3/7/2016   | Annual       | 3/7/2017   | 101622               |
| Rohde & Schwarz   | ESU40              | EMI Test Receiver (40GHz)              | 7/17/2015  | Annual       | 7/17/2016  | 100348               |
| Rohde & Schwarz   | FSW67              | Signal / Spectrum Analyzer             | 6/2/2015   | Annual       | 6/2/2016   | 103200               |
| Rohde & Schwarz   | TS-PR18            | 1-18 GHz Pre-Amplifier                 | 3/7/2016   | Annual       | 3/7/2017   | 100071               |
| Rohde & Schwarz   | TS-PR26            | 18-26.5 GHz Pre-Amplifier              | 3/7/2016   | Annual       | 3/7/2017   | 100040               |
| Rohde & Schwarz   | TS-PR40            | 26.5-40 GHz Pre-Amplifier              | 3/7/2016   | Annual       | 3/7/2017   | 100037               |
| Seekonk           | NC-100             | Torque Wrench 5/16", 8" lbs            | 3/2/2016   | Biennial     | 3/2/2018   | N/A                  |
| Solar Electronics | 8012-50-R-24-BNC   | Line Impedance Stabilization Network   | 7/30/2015  | Biennial     | 7/30/2017  | 310233               |
| Sunol             | JB5                | Bi-Log Antenna (30M - 5GHz)            | 3/14/2016  | Biennial     | 3/14/2018  | A051107              |

**Table 6-1. Annual Test Equipment Calibration Schedule**

|                                      |                                                                                     |                                                                                     |                                                                                       |                                 |
|--------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG900T                   |  | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) |  | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                                                       | EUT Type:<br>Portable Handset                                                       |                                                                                       | Page 10 of 88                   |

## 7.0 TEST RESULTS

### 7.1 Summary

Company Name: Samsung Electronics Co., Ltd.  
 FCC ID: A3LSMG900T  
 Method/System: Unlicensed National Information Infrastructure (UNII)

| FCC Part Section(s)                      | Test Description                                                              | Test Limit                                                                                                           | Test Condition | Test Result | Reference           |
|------------------------------------------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|----------------|-------------|---------------------|
| <b>TRANSMITTER MODE (TX)</b>             |                                                                               |                                                                                                                      |                |             |                     |
| N/A                                      | 26dB Bandwidth                                                                | N/A                                                                                                                  | CONDUCTED      | PASS        | Section 7.2         |
| 15.407(e)                                | 6dB Bandwidth                                                                 | >500kHz(5725-5850MHz)                                                                                                |                | PASS        | Section 7.3         |
| 15.407(a)(1)                             | Maximum Conducted Output Power                                                | < 11 dBm/MHz (5470-5725MHz)<br>< 1W (30dBm) (5725-5850MHz)                                                           |                | PASS        | Section 7.4         |
| 15.407(a)(2),<br>15.407(a)(3)            | Maximum Power Spectral Density                                                | < 11 dBm/MHz (5470-5725MHz)<br>< 30 dBm/500kHz (5725-5850MHz)                                                        |                | PASS        | Section 7.5         |
| 15.407(h)                                | Dynamic Frequency Selection                                                   | See DFS Test Report                                                                                                  |                | PASS        | See DFS Test Report |
| 15.407(b)(3),<br>15.407(b)(4)            | Undesirable Emissions                                                         | < -27 dBm/MHz EIRP (outside 5470-5725MHz, 5715-5860MHz)<br>< -17 dBm/MHz EIRP (within 5715-5725MHz and 5850-5860MHz) | RADIATED       | PASS        | Section 7.6         |
| 15.205,<br>15.407(b)(3),<br>15.407(b)(4) | General Field Strength Limits (Restricted Bands and Radiated Emission Limits) | Emissions in restricted bands must meet the radiated limits detailed in 15.209                                       |                | PASS        | Section 7.6         |

**Table 7-1. Summary of Test Results**

**Notes:**

- 1) Testing was performed in the UNII 3 band to show compliance with the new UNII rules per KDB 926956 D01 v01r06. Additionally, testing was performed to show compliance on the TDWR band channels and the Band gap channels that straddle the UNII 2C and UNII 3 bands. Compliance for all other UNII channels is supported in the original filing for this application.
- 2) All channels, modes, and modulations/data rates were investigated among all UNII bands. The test results shown in the following sections represent the worst case emissions.
- 3) The analyzer plots shown in this section were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables and attenuators used as part of the system to connect the EUT to the analyzer at all frequencies of interest.
- 4) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables and attenuators.
- 5) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST "UNII Automation," Version 3.9.

|                                      |                                                                                     |                                                                                     |                                                                                       |                                 |
|--------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG900T                   |  | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) |  | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                                                       | EUT Type:<br>Portable Handset                                                       | Page 11 of 88                                                                         |                                 |

## 7.2 26dB Bandwidth Measurement – 802.11a/n/ac

### Test Overview and Limit

The bandwidth at 26dB down from the highest in-band spectral density is measured with a spectrum analyzer connected to the antenna terminal while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in KDB 789033 D02 v01r02, and at the appropriate frequencies. The spectrum analyzer's bandwidth measurement function is configured to measure the 26dB bandwidth.

***The 26dB bandwidth is used to determine the conducted power limits.***

### Test Procedure Used


KDB 789033 D02 v01r02 – Section C

### Test Settings

1. The signal analyzers' automatic bandwidth measurement capability was used to perform the 26dB bandwidth measurement. The "X" dB bandwidth parameter was set to  $X = 26$ . The automatic bandwidth measurement function also has the capability of simultaneously measuring the 99% occupied bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = approximately 1% of the emission bandwidth
3.  $VBW \geq 3 \times RBW$
4. Detector = Peak
5. Trace mode = max hold

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-1. Test Instrument & Measurement Setup**

### Test Notes


None.

|                                      |                                                                                     |                                                                                     |                                                                                       |                                 |
|--------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG900T                   |  | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) |  | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                                                       | EUT Type:<br>Portable Handset                                                       | Page 12 of 88                                                                         |                                 |

## Antenna-1 26 dB Bandwidth Measurements


|         | Frequency [MHz] | Channel No. | 802.11 Mode | Data Rate [Mbps] | Measured 26dB Bandwidth [MHz] |
|---------|-----------------|-------------|-------------|------------------|-------------------------------|
| Band 2C | 5600            | 120         | a           | 6                | 21.44                         |
|         | 5720            | 144         | a           | 6                | 21.28                         |
|         | 5600            | 120         | n (20MHz)   | 6.5/7.2 (MCS0)   | 21.50                         |
|         | 5720            | 144         | n (20MHz)   | 6.5/7.2 (MCS0)   | 21.78                         |
|         | 5590            | 118         | n (40MHz)   | 13.5/15 (MCS0)   | 40.01                         |
|         | 5710            | 142         | n (40MHz)   | 13.5/15 (MCS0)   | 40.05                         |
|         | 5610            | 122         | ac (80MHz)  | 29.3/32.5 (MCS0) | 81.46                         |
|         | 5690            | 138         | ac (80MHz)  | 29.3/32.5 (MCS0) | 81.42                         |

**Table 7-2. Conducted Bandwidth Measurements**




**Plot 7-1. 26dB Bandwidth Plot (802.11a (UNII Band 2C) – Ch. 120)**

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 13 of 88                   |




Plot 7-2. 26dB Bandwidth Plot (802.11a (UNII Band 2C) – Ch. 144)




Plot 7-3. 26dB Bandwidth Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 120)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 14 of 88                   |




Plot 7-4. 26dB Bandwidth Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 144)




Plot 7-5. 26dB Bandwidth Plot (40MHz BW 802.11n (UNII Band 2C) – Ch. 118)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 15 of 88                   |




Plot 7-6. 26dB Bandwidth Plot (40MHz BW 802.11n (UNII Band 2C) – Ch. 142)



Plot 7-7. 26dB Bandwidth Plot (80MHz BW 802.11ac (UNII Band 2C) – Ch. 122)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 16 of 88                   |




Plot 7-8. 26dB Bandwidth Plot (80MHz BW 802.11ac (UNII Band 2C) – Ch. 138)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 17 of 88                   |

## Antenna-2 26dB Bandwidth Measurements


|         | Frequency [MHz] | Channel No. | 802.11 Mode | Data Rate [Mbps] | Measured 26dB Bandwidth [MHz] |
|---------|-----------------|-------------|-------------|------------------|-------------------------------|
| Band 2C | 5600            | 120         | a           | 6                | 21.74                         |
|         | 5720            | 144         | a           | 6                | 21.47                         |
|         | 5600            | 120         | n (20MHz)   | 6.5/7.2 (MCS0)   | 21.70                         |
|         | 5720            | 144         | n (20MHz)   | 6.5/7.2 (MCS0)   | 21.67                         |
|         | 5590            | 118         | n (40MHz)   | 13.5/15 (MCS0)   | 40.03                         |
|         | 5710            | 142         | n (40MHz)   | 13.5/15 (MCS0)   | 39.96                         |
|         | 5610            | 122         | ac (80MHz)  | 29.3/32.5 (MCS0) | 81.68                         |
|         | 5690            | 138         | ac (80MHz)  | 29.3/32.5 (MCS0) | 81.01                         |

**Table 7-3. Conducted Bandwidth Measurements**




**Plot 7-9. 26dB Bandwidth Plot (802.11a (UNII Band 2C) – Ch. 120)**

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 18 of 88                   |




Plot 7-10. 26dB Bandwidth Plot (802.11a (UNII Band 2C) – Ch. 144)




Plot 7-11. 26dB Bandwidth Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 120)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 19 of 88                   |




Plot 7-12. 26dB Bandwidth Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 144)




Plot 7-13. 26dB Bandwidth Plot (40MHz BW 802.11n (UNII Band 2C) – Ch. 118)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 20 of 88                   |




Plot 7-14. 26dB Bandwidth Plot (40MHz BW 802.11n (UNII Band 2C) – Ch. 142)



Plot 7-15. 26dB Bandwidth Plot (80MHz BW 802.11ac (UNII Band 2C) – Ch. 122)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 21 of 88                   |



Plot 7-16. 26dB Bandwidth Plot (80MHz BW 802.11ac (UNII Band 2C) – Ch. 138)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 22 of 88                   |

## 7.3 6dB Bandwidth Measurement – 802.11a/n/ac

### §15.407 (e)

#### Test Overview and Limit

The bandwidth at 6dB down from the highest in-band spectral density is measured with a spectrum analyzer connected to the antenna terminal while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in KDB 789033 D02 v01r02, and at the appropriate frequencies. The spectrum analyzer's bandwidth measurement function is configured to measure the 6dB bandwidth.

***In the 5.725 – 5.850GHz band, the 6dB bandwidth must be  $\geq 500$  kHz.***

#### Test Procedure Used


KDB 789033 D02 v01r02 – Section C

#### Test Settings

1. The signal analyzers' automatic bandwidth measurement capability was used to perform the 6dB bandwidth measurement. The "X" dB bandwidth parameter was set to  $X = 6$ . The automatic bandwidth measurement function also has the capability of simultaneously measuring the 99% occupied bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 100 kHz
3. VBW  $\geq 3 \times$  RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple

#### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-2. Test Instrument & Measurement Setup**

#### Test Notes


None.

|                                      |                                                                                     |                                                                                     |                                                                                       |                                 |
|--------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG900T                   |  | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) |  | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                                                       | EUT Type:<br>Portable Handset                                                       |                                                                                       | Page 23 of 88                   |

## Antenna-1 6 dB Bandwidth Measurements


|               | Frequency [MHz] | Channel No. | 802.11 Mode | Data Rate [Mbps] | Measured 6dB Bandwidth [MHz] |
|---------------|-----------------|-------------|-------------|------------------|------------------------------|
| <b>Band 3</b> | 5745            | 149         | a           | 6                | 16.35                        |
|               | 5785            | 157         | a           | 6                | 16.37                        |
|               | 5825            | 165         | a           | 6                | 16.36                        |
|               | 5745            | 149         | n (20MHz)   | 6.5/7.2 (MCS0)   | 17.53                        |
|               | 5785            | 157         | n (20MHz)   | 6.5/7.2 (MCS0)   | 17.58                        |
|               | 5825            | 165         | n (20MHz)   | 6.5/7.2 (MCS0)   | 17.60                        |
|               | 5755            | 151         | n (40MHz)   | 13.5/15 (MCS0)   | 36.09                        |
|               | 5795            | 159         | n (40MHz)   | 13.5/15 (MCS0)   | 36.33                        |
|               | 5775            | 155         | ac (80MHz)  | 29.3/32.5 (MCS0) | 75.82                        |

**Table 7-4. Conducted Bandwidth Measurements**




**Plot 7-17. 6dB Bandwidth Plot (802.11a (UNII Band 3) – Ch. 149)**

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 24 of 88                   |




Plot 7-18. 6dB Bandwidth Plot (802.11a (UNII Band 3) – Ch. 157)




Plot 7-19. 6dB Bandwidth Plot (802.11a (UNII Band 3) – Ch. 165)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 25 of 88                   |




Plot 7-20. 6dB Bandwidth Plot (20MHz BW 802.11n (UNII Band 3) – Ch. 149)




Plot 7-21. 6dB Bandwidth Plot (20MHz BW 802.11n (UNII Band 3) – Ch. 157)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 26 of 88                   |




Plot 7-22. 6dB Bandwidth Plot (20MHz BW 802.11n (UNII Band 3) – Ch. 165)




Plot 7-23. 6dB Bandwidth Plot (40MHz BW 802.11n (UNII Band 3) – Ch. 151)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 27 of 88                   |



Plot 7-24. 6dB Bandwidth Plot (40MHz BW 802.11n (UNII Band 3) – Ch. 159)




Plot 7-25. 6dB Bandwidth Plot (80MHz BW 802.11ac (UNII Band 3) – Ch. 155)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 28 of 88                   |

## Antenna-2 6dB Bandwidth Measurements


|               | Frequency [MHz] | Channel No. | 802.11 Mode | Data Rate [Mbps] | Measured 6dB Bandwidth [MHz] |
|---------------|-----------------|-------------|-------------|------------------|------------------------------|
| <b>Band 3</b> | 5745            | 149         | a           | 6                | 16.36                        |
|               | 5785            | 157         | a           | 6                | 16.33                        |
|               | 5825            | 165         | a           | 6                | 16.36                        |
|               | 5745            | 149         | n (20MHz)   | 6.5/7.2 (MCS0)   | 17.60                        |
|               | 5785            | 157         | n (20MHz)   | 6.5/7.2 (MCS0)   | 17.57                        |
|               | 5825            | 165         | n (20MHz)   | 6.5/7.2 (MCS0)   | 17.58                        |
|               | 5755            | 151         | n (40MHz)   | 13.5/15 (MCS0)   | 36.36                        |
|               | 5795            | 159         | n (40MHz)   | 13.5/15 (MCS0)   | 36.35                        |
|               | 5775            | 155         | ac (80MHz)  | 29.3/32.5 (MCS0) | 75.50                        |

**Table 7-5. Conducted Bandwidth Measurements**




**Plot 7-26. 6dB Bandwidth Plot (802.11a (UNII Band 3) – Ch. 149)**

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 29 of 88                   |




Plot 7-27. 6dB Bandwidth Plot (802.11a (UNII Band 3) – Ch. 157)




Plot 7-28. 6dB Bandwidth Plot (802.11a (UNII Band 3) – Ch. 165)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 30 of 88                   |




Plot 7-29. 6dB Bandwidth Plot (20MHz BW 802.11n (UNII Band 3) – Ch. 149)




Plot 7-30. 6dB Bandwidth Plot (20MHz BW 802.11n (UNII Band 3) – Ch. 157)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 31 of 88                   |




Plot 7-31. 6dB Bandwidth Plot (20MHz BW 802.11n (UNII Band 3) – Ch. 165)




Plot 7-32. 6dB Bandwidth Plot (40MHz BW 802.11n (UNII Band 3) – Ch. 151)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 32 of 88                   |



Plot 7-33. 6dB Bandwidth Plot (40MHz BW 802.11n (UNII Band 3) – Ch. 159)



Plot 7-34. 6dB Bandwidth Plot (80MHz BW 802.11ac (UNII Band 3) – Ch. 155)

|                                      |                                               |                                                                                     |                |                                 |
|--------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------------------|
| FCC ID: A3LSMG900T                   | <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT<br>(CLASS II PERMISSIVE CHANGE) | <b>SAMSUNG</b> | Reviewed by:<br>Quality Manager |
| Test Report S/N:<br>0Y1605130904.A3L | Test Dates:<br>5/12-5/25/2016                 | EUT Type:<br>Portable Handset                                                       |                | Page 33 of 88                   |