




Antenna-2 Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/MHz]	Margin [dB]	Pass / Fail
Band 1	5180	36	a	6	5.79	11.0	-5.21	Pass
	5200	40	a	6	6.39	11.0	-4.61	Pass
	5240	48	a	6	6.35	11.0	-4.65	Pass
	5180	36	n (20MHz)	6.5/7.2 (MCS0)	-1.83	11.0	-12.83	Pass
	5200	40	n (20MHz)	6.5/7.2 (MCS0)	5.71	11.0	-5.29	Pass
	5240	48	n (20MHz)	6.5/7.2 (MCS0)	5.75	11.0	-5.25	Pass
	5190	38	n (40MHz)	13.5/15 (MCS0)	1.22	11.0	-9.78	Pass
	5230	46	n (40MHz)	13.5/15 (MCS0)	1.12	11.0	-9.88	Pass
	5210	42	ac (80MHz)	29.3/32.5 (MCS0)	-2.53	11.0	-13.53	Pass
Band 2A	5260	52	a	6	6.56	11.0	-4.44	Pass
	5280	56	a	6	6.73	11.0	-4.27	Pass
	5320	64	a	6	6.12	11.0	-4.88	Pass
	5260	52	n (20MHz)	6.5/7.2 (MCS0)	5.77	11.0	-5.23	Pass
	5280	56	n (20MHz)	6.5/7.2 (MCS0)	6.36	11.0	-4.64	Pass
	5320	64	n (20MHz)	6.5/7.2 (MCS0)	6.43	11.0	-4.57	Pass
	5270	54	n (40MHz)	13.5/15 (MCS0)	1.52	11.0	-9.48	Pass
	5310	62	n (40MHz)	13.5/15 (MCS0)	1.89	11.0	-9.11	Pass
	5290	58	ac (80MHz)	29.3/32.5 (MCS0)	-1.89	11.0	-12.89	Pass
Band 2C	5500	100	a	6	6.26	11.0	-4.74	Pass
	5600	120	a	6	5.22	11.0	-5.78	Pass
	5720	144	a	6	5.91	11.0	-5.09	Pass
	5500	100	n (20MHz)	6.5/7.2 (MCS0)	6.41	11.0	-4.59	Pass
	5600	120	n (20MHz)	6.5/7.2 (MCS0)	5.33	11.0	-5.67	Pass
	5720	144	n (20MHz)	6.5/7.2 (MCS0)	6.39	11.0	-4.61	Pass
	5510	102	n (40MHz)	13.5/15 (MCS0)	1.33	11.0	-9.67	Pass
	5590	118	n (40MHz)	13.5/15 (MCS0)	1.19	11.0	-9.81	Pass
	5710	142	n (40MHz)	13.5/15 (MCS0)	1.54	11.0	-9.46	Pass
	5530	106	ac (80MHz)	29.3/32.5 (MCS0)	-0.55	11.0	-11.55	Pass
	5610	122	ac (80MHz)	29.3/32.5 (MCS0)	-1.72	11.0	-12.72	Pass
5690	138	ac (80MHz)	29.3/32.5 (MCS0)	-1.90	11.0	-12.90	Pass	

Table 7-20. Conducted Power Spectral Density Measurements

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 90 of 249	



Plot 7-118. Power Spectral Density Plot (802.11a (UNII Band 1) – Ch. 36)




Plot 7-119. Power Spectral Density Plot (802.11a (UNII Band 1) – Ch. 40)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 91 of 249




Plot 7-120. Power Spectral Density Plot (802.11a (UNII Band 1) – Ch. 48)




Plot 7-121. Power Spectral Density Plot (20MHz BW 802.11n (UNII Band 1) – Ch. 36)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 92 of 249




Plot 7-124. Power Spectral Density Plot (40MHz BW 802.11n (UNII Band 1) – Ch. 38)




Plot 7-125. Power Spectral Density Plot (40MHz BW 802.11n (UNII Band 1) – Ch. 46)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 94 of 249




Plot 7-126. Power Spectral Density Plot (80MHz BW 802.11ac (UNII Band 1) – Ch. 42)




Plot 7-127. Power Spectral Density Plot (802.11a (UNII Band 2A) – Ch. 52)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 95 of 249




Plot 7-128. Power Spectral Density Plot (802.11a (UNII Band 2A) – Ch. 56)




Plot 7-129. Power Spectral Density Plot (802.11a (UNII Band 2A) – Ch. 64)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 96 of 249




Plot 7-130. Power Spectral Density Plot (20MHz BW 802.11n (UNII Band 2A) – Ch. 52)




Plot 7-131. Power Spectral Density Plot (20MHz BW 802.11n (UNII Band 2A) – Ch. 56)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 97 of 249




Plot 7-132. Power Spectral Density Plot (20MHz BW 802.11n (UNII Band 2A) – Ch. 64)



Plot 7-133. Power Spectral Density Plot (40MHz BW 802.11n (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 98 of 249




Plot 7-134. Power Spectral Density Plot (40MHz BW 802.11n (UNII Band 2A) – Ch. 62)




Plot 7-135. Power Spectral Density Plot (80MHz BW 802.11ac (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 99 of 249




Plot 7-136. Power Spectral Density Plot (802.11a (UNII Band 2C) – Ch. 100)




Plot 7-137. Power Spectral Density Plot (802.11a (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 100 of 249




Plot 7-138. Power Spectral Density Plot (802.11a (UNII Band 2C) – Ch. 144)




Plot 7-139. Power Spectral Density Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 100)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 101 of 249




Plot 7-140. Power Spectral Density Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 120)




Plot 7-141. Power Spectral Density Plot (20MHz BW 802.11n (UNII Band 2C) – Ch. 144)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 102 of 249




Plot 7-142. Power Spectral Density Plot (40MHz BW 802.11n (UNII Band 2C) – Ch. 102)




Plot 7-143. Power Spectral Density Plot (40MHz BW 802.11n (UNII Band 2C) – Ch. 118)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 103 of 249




Plot 7-144. Power Spectral Density Plot (40MHz BW 802.11n (UNII Band 2C) – Ch. 142)




Plot 7-145. Power Spectral Density Plot (80MHz BW 802.11ac (UNII Band 2C) – Ch. 106)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 104 of 249



Plot 7-146. Power Spectral Density Plot (80MHz BW 802.11ac (UNII Band 2C) – Ch. 122)




Plot 7-147. Power Spectral Density Plot (80MHz BW 802.11ac (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 105 of 249


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]	Pass / Fail
Band 3	5745	149	a	6	3.40	30.0	-26.60	Pass
	5785	157	a	6	3.19	30.0	-26.81	Pass
	5825	165	a	6	3.18	30.0	-26.83	Pass
	5745	149	n (20MHz)	6.5/7.2 (MCS0)	3.73	30.0	-26.27	Pass
	5785	157	n (20MHz)	6.5/7.2 (MCS0)	3.55	30.0	-26.45	Pass
	5825	165	n (20MHz)	6.5/7.2 (MCS0)	3.60	30.0	-26.40	Pass
	5755	151	n (40MHz)	13.5/15 (MCS0)	-1.22	30.0	-31.22	Pass
	5795	159	n (40MHz)	13.5/15 (MCS0)	-1.24	30.0	-31.24	Pass
	5775	155	ac (80MHz)	29.3/32.5 (MCS0)	-4.55	30.0	-34.55	Pass

Table 7-21. Band 3 Conducted Power Spectral Density Measurements




Plot 7-148. Power Spectral Density Plot (802.11a (UNII Band 3) – Ch. 149)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 106 of 249




Plot 7-149. Power Spectral Density Plot (802.11a (UNII Band 3) – Ch. 157)




Plot 7-150. Power Spectral Density Plot (802.11a (UNII Band 3) – Ch. 165)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 107 of 249




Plot 7-151. Power Spectral Density Plot (20MHz BW 802.11n (UNII Band 3) – Ch. 149)




Plot 7-152. Power Spectral Density Plot (20MHz BW 802.11n (UNII Band 3) – Ch. 157)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 108 of 249




Plot 7-153. Power Spectral Density Plot (20MHz BW 802.11n (UNII Band 3) – Ch. 165)



Plot 7-154. Power Spectral Density Plot (40MHz BW 802.11n (UNII Band 3) – Ch. 151)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 109 of 249



Plot 7-155. Power Spectral Density Plot (40MHz BW 802.11n (UNII Band 3) – Ch. 159)



Plot 7-156. Power Spectral Density Plot (80MHz BW 802.11ac (UNII Band 3) – Ch. 155)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 110 of 249

Summed MIMO Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Antenn-1 Power Density [dBm]	Antenn-2 Power Density [dBm]	Summed MIMO Power Density [dBm]	Max Permissible Power Density [dBm/MHz]	Margin [dB]	Pass / Fail
Band 1	5180	36	a	6.5/7.2 (MCS0)	4.81	5.79	8.34	11.0	-2.66	Pass
	5200	40	a	6.5/7.2 (MCS0)	4.72	6.39	8.65	11.0	-2.35	Pass
	5240	48	a	6.5/7.2 (MCS0)	5.11	6.35	8.78	11.0	-2.22	Pass
	5180	36	n (20MHz)	6.5/7.2 (MCS0)	4.68	5.55	8.15	11.0	-2.85	Pass
	5200	40	n (20MHz)	6.5/7.2 (MCS0)	4.69	5.71	8.24	11.0	-2.76	Pass
	5240	48	n (20MHz)	6.5/7.2 (MCS0)	5.10	5.75	8.45	11.0	-2.55	Pass
	5190	38	n (40MHz)	13.5/15 (MCS0)	0.05	1.22	3.68	11.0	-7.32	Pass
	5230	46	n (40MHz)	13.5/15 (MCS0)	0.26	1.12	3.72	11.0	-7.28	Pass
Band 2A	5210	42	ac (80MHz)	29.3/32.5 (MCS0)	-3.51	-2.53	0.02	11.0	-10.98	Pass
	5260	52	a	6.5/7.2 (MCS0)	4.83	6.56	8.79	11.0	-2.21	Pass
	5280	56	a	6.5/7.2 (MCS0)	4.90	6.73	8.92	11.0	-2.08	Pass
	5320	64	a	6.5/7.2 (MCS0)	4.75	6.12	8.50	11.0	-2.50	Pass
	5260	52	n (20MHz)	6.5/7.2 (MCS0)	4.48	5.77	8.18	11.0	-2.82	Pass
	5280	56	n (20MHz)	6.5/7.2 (MCS0)	4.66	6.36	8.60	11.0	-2.40	Pass
	5320	64	n (20MHz)	6.5/7.2 (MCS0)	4.47	6.43	8.57	11.0	-2.43	Pass
	5270	54	n (40MHz)	13.5/15 (MCS0)	1.59	1.52	4.56	11.0	-6.44	Pass
	5310	62	n (40MHz)	13.5/15 (MCS0)	0.99	1.89	4.47	11.0	-6.53	Pass
	5290	58	ac (80MHz)	29.3/32.5 (MCS0)	-2.62	-1.89	0.77	11.0	-10.23	Pass
Band 2C	5500	100	a	6.5/7.2 (MCS0)	4.51	6.26	8.48	11.0	-2.52	Pass
	5600	120	a	6.5/7.2 (MCS0)	5.22	5.22	8.23	11.0	-2.77	Pass
	5720	144	a	6.5/7.2 (MCS0)	4.09	5.91	8.11	11.0	-2.89	Pass
	5500	100	n (20MHz)	6.5/7.2 (MCS0)	4.22	6.41	8.46	11.0	-2.54	Pass
	5600	120	n (20MHz)	6.5/7.2 (MCS0)	4.07	5.33	7.75	11.0	-3.25	Pass
	5720	144	n (20MHz)	6.5/7.2 (MCS0)	3.89	6.39	8.33	11.0	-2.67	Pass
	5510	102	n (40MHz)	13.5/15 (MCS0)	0.61	1.33	3.99	11.0	-7.01	Pass
	5590	118	n (40MHz)	13.5/15 (MCS0)	0.78	1.19	4.00	11.0	-7.00	Pass
	5710	142	n (40MHz)	13.5/15 (MCS0)	0.60	1.54	4.11	11.0	-6.89	Pass
	5530	106	ac (80MHz)	29.3/32.5 (MCS0)	-3.39	-0.55	1.27	11.0	-9.73	Pass
5610	122	ac (80MHz)	29.3/32.5 (MCS0)	-3.53	-1.72	0.48	11.0	-10.52	Pass	
5690	138	ac (80MHz)	29.3/32.5 (MCS0)	-6.18	-1.90	-0.52	11.0	-11.52	Pass	

Table 7-22. Bands 1, 2A, 2C MIMO Conducted Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Antenn-1 Power Density [dBm]	Antenn-2 Power Density [dBm]	Summed MIMO Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]	Pass / Fail
Band 3	5745	149	a	6.5/7.2 (MCS0)	1.43	3.40	5.54	30.0	-24.46	Pass
	5785	157	a	6.5/7.2 (MCS0)	1.71	3.19	5.52	30.0	-24.48	Pass
	5825	165	a	6.5/7.2 (MCS0)	1.73	3.18	5.52	30.0	-24.48	Pass
	5745	149	n (20MHz)	6.5/7.2 (MCS0)	1.47	3.73	5.75	30.0	-24.25	Pass
	5785	157	n (20MHz)	6.5/7.2 (MCS0)	1.67	3.55	5.72	30.0	-24.28	Pass
	5825	165	n (20MHz)	6.5/7.2 (MCS0)	1.54	3.60	5.70	30.0	-24.30	Pass
	5755	151	n (40MHz)	13.5/15 (MCS0)	-1.97	-1.22	1.43	30.0	-28.57	Pass
	5795	159	n (40MHz)	13.5/15 (MCS0)	-1.68	-1.24	1.56	30.0	-28.44	Pass
	5775	155	ac (80MHz)	29.3/32.5 (MCS0)	-2.81	-4.55	-0.58	30.0	-30.58	Pass

Table 7-23. Band 3 MIMO Conducted Power Spectral Density Measurements

Note:

Per KDB 662911 v02r01 Section E)2), the power spectral density at Antenna 1 and Antenna 2 were first measured separately as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.



FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 111 of 249	

Sample MIMO Calculation:

At 5180MHz 802.11n mode, the average conducted power spectral density was measured to be 4.68 dBm for Antenna-1 and 5.55 dBm for Antenna-2.

Antenna 1 + Antenna 2 = MIMO

$$(4.68 \text{ dBm} + 5.55 \text{ dBm}) = (2.94 \text{ mW} + 3.59 \text{ mW}) = 6.53 \text{ mW} = 8.15 \text{ dBm}$$

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 112 of 249	

7.6 Frequency Stability

§15.407(g)

The EUT was placed inside of an environmental chamber as the temperature in the chamber was varied between -30°C and +50°C. The temperature was incremented by 10° intervals and the unit was allowed to stabilize at each temperature before each measurement. The center frequency of the transmitting channel was evaluated at each temperature and the frequency deviation from the channel's center frequency was recorded. Data for the worst case channel is shown below.



OPERATING FREQUENCY: 5,180,000,000 Hz
 CHANNEL: 36
 REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	5,180,000,345	345	0.00000666
100 %		- 30	5,180,000,138	138	0.00000266
100 %		- 20	5,179,999,831	-169	-0.00000326
100 %		- 10	5,179,999,745	-255	-0.00000492
100 %		0	5,180,000,291	291	0.00000562
100 %		+ 10	5,179,999,777	-223	-0.00000431
100 %		+ 20	5,180,000,132	132	0.00000255
100 %		+ 30	5,179,999,875	-125	-0.00000241
100 %		+ 40	5,179,999,980	-20	-0.00000039
100 %		+ 50	5,180,000,227	227	0.00000438
BATT. ENDPOINT		3.45	+ 20	5,179,999,921	-79

Table 7-24. Frequency Stability Measurements for UNII Band 1 (Ch. 36)

Note:

Based on the results of the frequency stability test shown above the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 113 of 249	

Frequency Stability

§15.407(g)

The EUT was placed inside of an environmental chamber as the temperature in the chamber was varied between -30°C and +50°C. The temperature was incremented by 10° intervals and the unit was allowed to stabilize at each temperature before each measurement. The center frequency of the transmitting channel was evaluated at each temperature and the frequency deviation from the channel's center frequency was recorded. Data for the worst case channel is shown below.



OPERATING FREQUENCY: 5,260,000,000 Hz
 CHANNEL: 52
 REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	5,260,000,101	101	0.00000192
100 %		- 30	5,260,000,003	3	0.00000006
100 %		- 20	5,259,999,970	-30	-0.00000057
100 %		- 10	5,260,000,019	19	0.00000036
100 %		0	5,259,999,985	-15	-0.00000029
100 %		+ 10	5,259,999,993	-7	-0.00000013
100 %		+ 20	5,260,000,149	149	0.00000283
100 %		+ 30	5,260,000,130	130	0.00000247
100 %		+ 40	5,259,999,901	-99	-0.00000188
100 %		+ 50	5,260,000,018	18	0.00000034
BATT. ENDPOINT		3.45	+ 20	5,260,000,123	123

Table 7-25. Frequency Stability Measurements for UNII Band 2A (Ch. 52)

Note:

Based on the results of the frequency stability test shown above the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 114 of 249	

Frequency Stability

§15.407(g)

The EUT was placed inside of an environmental chamber as the temperature in the chamber was varied between -30°C and +50°C. The temperature was incremented by 10° intervals and the unit was allowed to stabilize at each temperature before each measurement. The center frequency of the transmitting channel was evaluated at each temperature and the frequency deviation from the channel's center frequency was recorded. Data for the worst case channel is shown below.



OPERATING FREQUENCY: 5,500,000,000 Hz
 CHANNEL: 100
 REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	5,500,000,250	250	0.00000455
100 %		- 30	5,499,999,921	-79	-0.00000144
100 %		- 20	5,500,000,230	230	0.00000418
100 %		- 10	5,500,000,023	23	0.00000042
100 %		0	5,499,999,884	-116	-0.00000211
100 %		+ 10	5,500,000,058	58	0.00000105
100 %		+ 20	5,499,999,829	-171	-0.00000311
100 %		+ 30	5,499,999,907	-93	-0.00000169
100 %		+ 40	5,500,000,089	89	0.00000162
100 %		+ 50	5,499,999,950	-50	-0.00000091
BATT. ENDPOINT		3.45	+ 20	5,499,999,900	-100

Table 7-26. Frequency Stability Measurements for UNII Band 2C (Ch. 100)

Note:

Based on the results of the frequency stability test shown above the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 115 of 249	

Frequency Stability

§15.407(g)

The EUT was placed inside of an environmental chamber as the temperature in the chamber was varied between -30°C and +50°C. The temperature was incremented by 10° intervals and the unit was allowed to stabilize at each temperature before each measurement. The center frequency of the transmitting channel was evaluated at each temperature and the frequency deviation from the channel's center frequency was recorded. Data for the worst case channel is shown below.



OPERATING FREQUENCY: 5,745,000,000 Hz
 CHANNEL: 149
 REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	5,745,000,042	42	0.00000073
100 %		- 30	5,744,999,890	-110	-0.00000191
100 %		- 20	5,745,000,054	54	0.00000094
100 %		- 10	5,745,000,383	383	0.00000667
100 %		0	5,745,000,166	166	0.00000289
100 %		+ 10	5,745,000,131	131	0.00000228
100 %		+ 20	5,744,999,962	-38	-0.00000066
100 %		+ 30	5,744,999,923	-77	-0.00000134
100 %		+ 40	5,745,000,342	342	0.00000595
100 %		+ 50	5,744,999,931	-69	-0.00000120
BATT. ENDPOINT		3.45	+ 20	5,744,999,871	-129

Table 7-27. Frequency Stability Measurements for UNII Band 3 (Ch. 149)

Note:

Based on the results of the frequency stability test shown above the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 116 of 249	

7.7 Radiated Spurious Emission Measurements – Above 1GHz

§15.407(b) §15.205 §15.209

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in KDB 789033 D02 v01r03, and at the appropriate frequencies. All channels, modes (e.g. 802.11a, 802.11n (20MHz BW), 802.11n (40MHz BW), and 802.11ac (80MHz)), and modulations/data rates were investigated among all UNII bands. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

For transmitters operating in the 5.15-5.25 GHz and 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an EIRP of -27 dBm/MHz.

For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an EIRP of -27 dBm/MHz.

For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR must not exceed the limits shown in Table 7-28 per Section 15.209.

Frequency	Field Strength [$\mu\text{V}/\text{m}$]	Measured Distance [Meters]
Above 960.0 MHz	500	3

Table 7-28. Radiated Limits



Test Procedures Used

KDB 789033 D02 v01r03 – Section G

Test Settings

Average Measurements above 1GHz (Method AD)

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be $\geq 2 \times \text{span}/\text{RBW}$)
6. Averaging type = power (RMS)
7. Sweep time = auto couple
8. Trace was averaged over 100 sweeps

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 117 of 249	

Peak Measurements above 1GHz

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

Peak Measurements below 1GHz

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. Span was set greater than 1MHz
3. RBW = 120kHz
4. Detector = CISPR quasi-peak
5. Sweep time = auto couple
6. Trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.








Figure 7-5. Test Instrument & Measurement Setup

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 118 of 249	

Test Notes

1. All radiated spurious emissions levels were measured in a radiated test setup per the guidance of KDB 789033 D02 v01r03 Section G.
2. All emissions that lie in the restricted bands (denoted by a * next to the frequency) specified in §15.205 are below the limit shown in Table 7-28.
3. All spurious emissions lying in restricted bands specified in §15.205 are below the limit shown in Table 7-28. All spurious emissions that do not lie in a restricted band are subject to a peak limit of -27dBm/MHz. At a distance of 3 meters, the field strength limit in dBμV/m can be determined by adding a “conversion” factor of 95.2dB to the EIRP limit of -27dBm/MHz to obtain the limit for out of band spurious emissions of 68.2dBμV/m.
4. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
5. This unit was tested with its standard battery.
6. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas. The worst-case emissions are reported however emissions whose levels were not within 20dB of the respective limits were not reported.
7. Emissions below 18GHz were measured at a 3 meter test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
8. Radiated spurious emissions were investigated while operating in MIMO mode, however, it was determined that single antenna operation produced the worst case emissions. Since the emissions produced from MIMO operation were found to be more than 20dB below the limit, the MIMO emissions are not reported.
9. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. Any emissions found to be within 20dB of the limit are fully investigated and the results are shown in this section. Rohde & Schwarz EMC32, Version 9.15.00 automated test software was used to perform the Radiated Spurious Emissions Pre-Scan testing.
10. The "-" shown in the following RSE tables are used to denote a noise floor measurement.

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 119 of 249	

Sample Calculations



Determining Spurious Emissions Levels

- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level }_{[dBm]} + 107 + \text{AFCL }_{[dB/m]}$
- $\text{AFCL }_{[dB/m]} = \text{Antenna Factor }_{[dB/m]} + \text{Cable Loss }_{[dB]}$
- $\text{Margin }_{[dB]} = \text{Field Strength Level }_{[dB\mu V/m]} - \text{Limit }_{[dB\mu V/m]}$


Radiated Band Edge Measurement Offset

- The amplitude offset shown in the radiated restricted band edge plots in Section 7.7 was calculated using the formula:


$$\text{Offset (dB)} = (\text{Antenna Factor} + \text{Cable Loss} + \text{Attenuator}) - \text{Preamplifier Gain}$$

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 120 of 249	


7.7.1 Antenna-1 Radiated Spurious Emission Measurements



Plot 7-157. Radiated Spurious Plot above 1GHz (802.11a – U1 Ch. 40, Ant. Pol. H)




Plot 7-158. Radiated Spurious Plot above 1GHz (802.11a – U1 Ch. 40, Ant. Pol. V)




Plot 7-159. Radiated Spurious Plot above 1GHz (802.11a – U2A Ch. 56, Ant. Pol. H)


FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 121 of 249



Plot 7-160. Radiated Spurious Plot above 1GHz (802.11a – U2A Ch. 56, Ant. Pol. V)




Plot 7-161. Radiated Spurious Plot above 1GHz (802.11a – U2C Ch. 120, Ant. Pol. H)




Plot 7-162. Radiated Spurious Plot above 1GHz (802.11a – U2C Ch. 120, Ant. Pol. V)



FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 122 of 249	



Plot 7-163. Radiated Spurious Plot above 1GHz (802.11a – U3 Ch. 157, Ant. Pol. H)




Plot 7-164. Radiated Spurious Plot above 1GHz (802.11a – U3 Ch. 157, Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 123 of 249	


Antenna-1 Radiated Spurious Emissions Measurements (Above 18GHz)

§15.209



19:09:41 03.01.2017

Plot 7-165. Radiated Spurious Plot 18GHz - 26.5GHz (802.11a – Ant. Pol. H)




19:19:43 03.01.2017

Plot 7-166. Radiated Spurious Plot above 18GHz - 26.5GHz (802.11a – Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 124 of 249


Antenna-1 Radiated Spurious Emissions Measurements (Above 18GHz)

§15.209



19:46:24 03.01.2017

Plot 7-167. Radiated Spurious Plot 26.5GHz - 40GHz (802.11a – Ant. Pol. H)



19:32:47 03.01.2017

Plot 7-168. Radiated Spurious Plot above 26.5GHz - 40GHz (802.11a – Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 125 of 249

Antenna-1 Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5180MHz
 Channel: 36



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10360.00	Peak	H	-	-	-66.09	19.26	-9.54	50.63	68.20	-17.57
* 15540.00	Average	H	-	-	-74.82	23.08	-9.54	45.72	53.98	-8.26
* 15540.00	Peak	H	-	-	-64.48	23.08	-9.54	56.06	73.98	-17.92
* 20720.00	Average	H	-	-	-76.33	8.13	-9.54	29.26	53.98	-24.72
* 20720.00	Peak	H	-	-	-65.75	8.13	-9.54	39.84	73.98	-34.14
25900.00	Peak	H	-	-	-64.17	8.50	-9.54	41.79	68.20	-26.41

Table 7-29. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10400.00	Peak	H	-	-	-66.08	19.21	-9.54	50.59	68.20	-17.61
* 15600.00	Average	H	-	-	-75.03	23.12	-9.54	45.55	53.98	-8.43
* 15600.00	Peak	H	-	-	-65.59	23.12	-9.54	54.99	73.98	-18.99
* 20800.00	Average	H	-	-	-71.11	8.16	-9.54	34.50	53.98	-19.48
* 20800.00	Peak	H	-	-	-59.14	8.16	-9.54	46.47	73.98	-27.51
26000.00	Peak	H	-	-	-57.10	8.52	-9.54	48.88	68.20	-19.32

Table 7-30. Radiated Measurements

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 126 of 249	

Worst Case Mode: 802.11a
Worst Case Transfer Rate: 6 Mbps
Distance of Measurements: 1 Meters
Operating Frequency: 5240MHz
Channel: 48



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-66.71	19.66	-9.54	50.41	68.20	-17.79
* 15720.00	Average	H	-	-	-74.86	23.75	-9.54	46.35	53.98	-7.63
* 15720.00	Peak	H	-	-	-63.57	23.75	-9.54	57.64	73.98	-16.34
* 20960.00	Average	H	-	-	-71.44	8.12	-9.54	34.14	53.98	-19.84
* 20960.00	Peak	H	-	-	-59.59	8.12	-9.54	45.99	73.98	-27.99
26200.00	Peak	H	-	-	-56.55	8.62	-9.54	49.53	68.20	-18.67

Table 7-31. Radiated Measurements

Worst Case Mode: 802.11a
Worst Case Transfer Rate: 6 Mbps
Distance of Measurements: 1 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	H	-	-	-66.49	19.21	-9.54	50.18	68.20	-18.02
* 15600.00	Average	H	-	-	-74.91	23.12	-9.54	45.67	53.98	-8.31
* 15600.00	Peak	H	-	-	-64.46	23.12	-9.54	56.12	73.98	-17.86
* 20800.00	Average	H	-	-	-71.12	8.16	-9.54	34.49	53.98	-19.49
* 20800.00	Peak	H	-	-	-59.72	8.16	-9.54	45.89	73.98	-28.09
26000.00	Peak	H	-	-	-58.12	8.52	-9.54	47.86	68.20	-20.34

Table 7-32. Radiated Measurements with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 127 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5260MHz
 Channel: 52



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	-	-	-66.23	19.78	-9.54	51.01	68.20	-17.19
* 15780.00	Average	H	-	-	-74.84	23.52	-9.54	46.14	53.98	-7.84
* 15780.00	Peak	H	-	-	-64.47	23.52	-9.54	56.51	73.98	-17.47
* 21040.00	Average	H	-	-	-71.08	8.10	-9.54	34.48	53.98	-19.50
* 21040.00	Peak	H	-	-	-60.08	8.10	-9.54	45.48	73.98	-28.50
26300.00	Peak	H	-	-	-55.34	8.76	-9.54	50.88	68.20	-17.32

Table 7-33. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-67.23	19.40	-9.54	49.63	68.20	-18.57
* 15840.00	Average	H	-	-	-74.30	23.34	-9.54	46.49	53.98	-7.49
* 15840.00	Peak	H	-	-	-63.66	23.34	-9.54	57.13	73.98	-16.85
* 21120.00	Average	H	-	-	-70.82	8.09	-9.54	34.72	53.98	-19.26
* 21120.00	Peak	H	-	-	-59.87	8.09	-9.54	45.67	73.98	-28.31
26400.00	Peak	H	-	-	-55.95	8.99	-9.54	50.50	68.20	-17.70

Table 7-34. Radiated Measurements

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 128 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5320MHz
 Channel: 64



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-77.06	19.15	-9.54	39.55	53.98	-14.43
* 10640.00	Peak	H	-	-	-66.87	19.15	-9.54	49.74	73.98	-24.24
* 15960.00	Average	H	-	-	-74.96	22.82	-9.54	45.32	53.98	-8.66
* 15960.00	Peak	H	-	-	-63.20	22.82	-9.54	57.08	73.98	-16.90
* 21280.00	Average	H	-	-	-70.36	8.07	-9.54	35.17	53.98	-18.81
* 21280.00	Peak	H	-	-	-58.27	8.07	-9.54	47.26	73.98	-26.72
26600.00	Peak	H	-	-	-47.05	-8.30	-9.54	42.11	68.20	-26.09

Table 7-35. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-67.23	19.40	-9.54	49.63	68.20	-18.57
* 15840.00	Average	H	-	-	-74.31	23.34	-9.54	46.48	53.98	-7.50
* 15840.00	Peak	H	-	-	-63.68	23.34	-9.54	57.11	73.98	-16.87
* 21120.00	Average	H	-	-	-70.85	8.09	-9.54	34.69	53.98	-19.29
* 21120.00	Peak	H	-	-	-59.90	8.09	-9.54	45.64	73.98	-28.34
26400.00	Peak	H	-	-	-55.99	8.99	-9.54	50.46	68.20	-17.74

Table 7-36. Radiated Measurements with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 129 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5500MHz
 Channel: 100



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-77.30	20.12	-9.54	40.28	53.98	-13.70
* 11000.00	Peak	H	-	-	-66.16	20.12	-9.54	51.42	73.98	-22.56
16500.00	Peak	H	-	-	-62.22	22.66	-9.54	57.90	68.20	-10.30
22000.00	Peak	H	-	-	-59.64	8.35	-9.54	46.16	68.20	-22.04
27500.00	Peak	H	-	-	-45.98	-8.93	-9.54	42.55	68.20	-25.65

Table 7-37. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5600MHz
 Channel: 120

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-75.95	20.45	-9.54	41.95	53.98	-12.03
* 11160.00	Peak	H	-	-	-65.46	20.45	-9.54	52.44	73.98	-21.54
16740.00	Peak	H	-	-	-63.38	26.21	-9.54	60.28	68.20	-7.92
* 22320.00	Average	H	-	-	-70.52	8.20	-9.54	35.14	53.98	-18.84
* 22320.00	Peak	H	-	-	-60.01	8.20	-9.54	45.65	73.98	-28.33
27900.00	Peak	H	-	-	-45.95	-9.24	-9.54	42.27	68.20	-25.93

Table 7-38. Radiated Measurements

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 130 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5720MHz
 Channel: 144



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-76.53	21.60	-9.54	42.53	53.98	-11.45
* 11440.00	Peak	H	-	-	-65.42	21.60	-9.54	53.64	73.98	-20.34
17160.00	Peak	H	-	-	-62.26	27.19	-9.54	62.39	68.20	-5.81
* 22880.00	Average	H	-	-	-70.58	8.24	-9.54	35.12	53.98	-18.86
* 22880.00	Peak	H	-	-	-60.08	8.24	-9.54	45.62	73.98	-28.36
28600.00	Peak	H	-	-	-45.49	-9.22	-9.54	42.75	68.20	-25.45

Table 7-39. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5600MHz
 Channel: 120

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-75.98	20.45	-9.54	41.92	53.98	-12.06
* 11160.00	Peak	H	-	-	-65.46	20.45	-9.54	52.44	73.98	-21.54
16740.00	Peak	H	-	-	-63.41	26.21	-9.54	60.25	68.20	-7.95
* 22320.00	Average	H	-	-	-70.56	8.20	-9.54	35.10	53.98	-18.88
* 22320.00	Peak	H	-	-	-60.02	8.20	-9.54	45.64	73.98	-28.34
27900.00	Peak	H	-	-	-45.96	-9.24	-9.54	42.26	68.20	-25.94

Table 7-40. Radiated Measurements with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 131 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5745MHz
 Channel: 149



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-76.21	21.68	-9.54	42.93	53.98	-11.05
* 11490.00	Peak	H	-	-	-65.51	21.68	-9.54	53.63	73.98	-20.35
17235.00	Peak	H	-	-	-63.01	27.16	-9.54	61.61	68.20	-6.59
* 22980.00	Average	H	-	-	-71.08	8.19	-9.54	34.57	53.98	-19.41
* 22980.00	Peak	H	-	-	-59.69	8.19	-9.54	45.96	73.98	-28.02
28725.00	Peak	H	-	-	-45.27	-9.45	-9.54	42.74	68.20	-25.46

Table 7-41. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-76.05	21.53	-9.54	42.94	53.98	-11.04
* 11570.00	Peak	H	-	-	-65.63	21.53	-9.54	53.36	73.98	-20.62
17355.00	Peak	H	-	-	-61.33	26.72	-9.54	62.85	68.20	-5.35
23140.00	Peak	H	-	-	-59.29	8.47	-9.54	46.63	68.20	-21.57
28925.00	Peak	H	-	-	-44.93	-9.71	-9.54	42.82	68.20	-25.38

Table 7-42. Radiated Measurements

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 132 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5825MHz
 Channel: 165



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	H	-	-	-75.61	21.46	-9.54	43.30	53.98	-10.67
* 11650.00	Peak	H	-	-	-64.62	21.46	-9.54	54.29	73.98	-19.68
17475.00	Peak	H	-	-	-60.05	25.78	-9.54	63.18	68.20	-5.02
23300.00	Peak	H	-	-	-59.78	8.60	-9.54	46.28	68.20	-21.92
29125.00	Peak	H	-	-	-44.02	-9.93	-9.54	43.51	68.20	-24.69

Table 7-43. Radiated Measurements


Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-76.08	21.53	-9.54	42.91	53.98	-11.07
* 11570.00	Peak	H	-	-	-65.66	21.53	-9.54	53.33	73.98	-20.65
17355.00	Peak	H	-	-	-61.37	26.72	-9.54	62.81	68.20	-5.39
23140.00	Peak	H	-	-	-59.29	8.47	-9.54	46.63	68.20	-21.57
28925.00	Peak	H	-	-	-44.98	-9.71	-9.54	42.77	68.20	-25.43


Table 7-44. Radiated Measurements with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 133 of 249	


7.7.2 Antenna-2 Radiated Spurious Emission Measurements



Plot 7-169. Radiated Spurious Plot above 1GHz (802.11a – U1 Ch. 40, Ant. Pol. H)




Plot 7-170. Radiated Spurious Plot above 1GHz (802.11a – U1 Ch. 40, Ant. Pol. V)




Plot 7-171. Radiated Spurious Plot above 1GHz (802.11a – U2A Ch. 56, Ant. Pol. H)


FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 134 of 249



Plot 7-172. Radiated Spurious Plot above 1GHz (802.11a – U2A Ch. 56, Ant. Pol. V)




Plot 7-173. Radiated Spurious Plot above 1GHz (802.11a – U2C Ch. 120, Ant. Pol. H)




Plot 7-174. Radiated Spurious Plot above 1GHz (802.11a – U2C Ch. 120, Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 135 of 249	



Plot 7-175. Radiated Spurious Plot above 1GHz (802.11a – U3 Ch. 157, Ant. Pol. H)




Plot 7-176. Radiated Spurious Plot above 1GHz (802.11a – U3 Ch. 157, Ant. Pol. V)


FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 136 of 249	

Antenna-2 Radiated Spurious Emissions Measurements (Above 18GHz)

§15.209



Plot 7-177. Radiated Spurious Plot above 18GHz - 26.5GHz (802.11a – Ant. Pol. H)




Plot 7-178. Radiated Spurious Plot above 18GHz - 26.5GHz (802.11a – Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 137 of 249


Antenna-2 Radiated Spurious Emissions Measurements (Above 18GHz)

§15.209



19:41:31 03.01.2017

Plot 7-179. Radiated Spurious Plot 26.5GHz - 40GHz (802.11a – Ant. Pol. H)



19:36:10 03.01.2017

Plot 7-180. Radiated Spurious Plot above 26.5GHz - 40GHz (802.11a – Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 138 of 249

Antenna-2 Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5180MHz
 Channel: 36



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10360.00	Peak	H	-	-	-66.40	19.26	-9.54	50.32	68.20	-17.88
* 15540.00	Average	H	-	-	-75.03	23.08	-9.54	45.51	53.98	-8.47
* 15540.00	Peak	H	-	-	-64.96	23.08	-9.54	55.58	73.98	-18.40
* 20720.00	Average	H	-	-	-70.90	8.13	-9.54	34.69	53.98	-19.29
* 20720.00	Peak	H	-	-	-60.32	8.13	-9.54	45.27	73.98	-28.71
25900.00	Peak	H	-	-	-56.24	8.50	-9.54	49.72	68.20	-18.48

Table 7-45. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10400.00	Peak	H	-	-	-66.40	19.21	-9.54	50.27	68.20	-17.93
* 15600.00	Average	H	-	-	-75.03	23.12	-9.54	45.55	53.98	-8.43
* 15600.00	Peak	H	-	-	-64.96	23.12	-9.54	55.62	73.98	-18.36
* 20800.00	Average	H	-	-	-71.10	8.16	-9.54	34.51	53.98	-19.47
* 20800.00	Peak	H	-	-	-59.12	8.16	-9.54	46.49	73.98	-27.49
26000.00	Peak	H	-	-	-58.30	8.52	-9.54	47.68	68.20	-20.52

Table 7-46. Radiated Measurements

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 139 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5240MHz
 Channel: 48



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10480.00	Peak	H	-	-	-66.40	19.66	-9.54	50.72	68.20	-17.48
* 15720.00	Average	H	-	-	-74.86	23.75	-9.54	46.35	53.98	-7.63
* 15720.00	Peak	H	-	-	-64.47	23.75	-9.54	56.74	73.98	-17.24
* 20960.00	Average	H	-	-	-71.49	8.12	-9.54	34.09	53.98	-19.89
* 20960.00	Peak	H	-	-	-59.47	8.12	-9.54	46.11	73.98	-27.87
26200.00	Peak	H	-	-	-57.64	8.62	-9.54	48.44	68.20	-19.76

Table 7-47. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10400.00	Peak	H	-	-	-66.45	19.21	-9.54	50.22	68.20	-17.98
* 15600.00	Average	H	-	-	-75.06	23.12	-9.54	45.52	53.98	-8.46
* 15600.00	Peak	H	-	-	-65.05	23.12	-9.54	55.53	73.98	-18.45
* 20800.00	Average	H	-	-	-71.19	8.16	-9.54	34.42	53.98	-19.56
* 20800.00	Peak	H	-	-	-59.15	8.16	-9.54	46.46	73.98	-27.52
26000.00	Peak	H	-	-	-58.39	8.52	-9.54	47.59	68.20	-20.61

Table 7-48. Radiated Measurements with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 140 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5260MHz
 Channel: 52



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10520.00	Peak	H	-	-	-66.64	19.78	-9.54	50.60	68.20	-17.60
* 15780.00	Average	H	-	-	-74.87	23.52	-9.54	46.11	53.98	-7.87
* 15780.00	Peak	H	-	-	-63.31	23.52	-9.54	57.67	73.98	-16.31
* 21040.00	Average	H	-	-	-70.88	8.10	-9.54	34.68	53.98	-19.30
* 21040.00	Peak	H	-	-	-60.39	8.10	-9.54	45.17	73.98	-28.81
26300.00	Peak	H	-	-	-54.89	8.76	-9.54	51.33	68.20	-16.87

Table 7-49. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
10560.00	Peak	H	-	-	-66.61	19.40	-9.54	50.25	68.20	-17.95
* 15840.00	Average	H	-	-	-74.43	23.34	-9.54	46.36	53.98	-7.62
* 15840.00	Peak	H	-	-	-64.19	23.34	-9.54	56.60	73.98	-17.38
* 21120.00	Average	H	-	-	-70.65	8.09	-9.54	34.89	53.98	-19.09
* 21120.00	Peak	H	-	-	-60.37	8.09	-9.54	45.17	73.98	-28.81
26400.00	Peak	H	-	-	-55.74	8.99	-9.54	50.71	68.20	-17.49

Table 7-50. Radiated Measurements

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 141 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5320MHz
 Channel: 64



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-76.86	19.15	-9.54	39.75	53.98	-14.23
* 10640.00	Peak	H	-	-	-66.27	19.15	-9.54	50.34	73.98	-23.64
* 15960.00	Average	H	-	-	-73.97	22.82	-9.54	46.31	53.98	-7.67
* 15960.00	Peak	H	-	-	-63.40	22.82	-9.54	56.88	73.98	-17.10
* 21280.00	Average	H	-	-	-70.39	8.07	-9.54	35.14	53.98	-18.84
* 21280.00	Peak	H	-	-	-58.54	8.07	-9.54	46.99	73.98	-26.99
26600.00	Peak	H	-	-	-47.38	-8.30	-9.54	41.78	68.20	-26.42

Table 7-51. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-66.63	19.40	-9.54	50.23	68.20	-17.97
* 15840.00	Average	H	-	-	-74.44	23.34	-9.54	46.35	53.98	-7.63
* 15840.00	Peak	H	-	-	-64.24	23.34	-9.54	56.55	73.98	-17.43
* 21120.00	Average	H	-	-	-70.75	8.09	-9.54	34.79	53.98	-19.19
* 21120.00	Peak	H	-	-	-60.46	8.09	-9.54	45.08	73.98	-28.90
26400.00	Peak	H	-	-	-55.79	8.99	-9.54	50.66	68.20	-17.54

Table 7-52. Radiated Measurements with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 142 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5500MHz
 Channel: 100



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-77.22	20.12	-9.54	40.36	53.98	-13.62
* 11000.00	Peak	H	-	-	-66.33	20.12	-9.54	51.25	73.98	-22.73
16500.00	Peak	H	-	-	-62.36	22.66	-9.54	57.76	68.20	-10.44
22000.00	Peak	H	-	-	-59.72	8.35	-9.54	46.08	68.20	-22.12
27500.00	Peak	H	-	-	-45.55	-8.93	-9.54	42.98	68.20	-25.22

Table 7-53. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5600MHz
 Channel: 120

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11200.00	Average	H	-	-	-75.92	20.45	-9.54	41.98	53.98	-12.00
* 11200.00	Peak	H	-	-	-65.20	20.45	-9.54	52.70	73.98	-21.28
16800.00	Peak	H	-	-	-63.40	26.21	-9.54	60.26	68.20	-7.94
* 22400.00	Average	H	-	-	-70.43	8.19	-9.54	35.22	53.98	-18.76
* 22400.00	Peak	H	-	-	-58.87	8.19	-9.54	46.78	73.98	-27.20
28000.00	Peak	H	-	-	-45.39	-9.43	-9.54	42.64	68.20	-25.56

Table 7-54. Radiated Measurements

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 143 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5720MHz
 Channel: 144



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11400.00	Average	H	-	-	-76.53	21.60	-9.54	42.53	53.98	-11.45
* 11400.00	Peak	H	-	-	-65.20	21.60	-9.54	53.86	73.98	-20.12
17100.00	Peak	H	-	-	-61.95	27.19	-9.54	62.70	68.20	-5.50
* 22800.00	Average	H	-	-	-70.71	8.29	-9.54	35.03	53.98	-18.95
* 22800.00	Peak	H	-	-	-59.30	8.29	-9.54	46.44	73.98	-27.54
28500.00	Peak	H	-	-	-46.02	-9.03	-9.54	42.41	68.20	-25.79

Table 7-55. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5600MHz
 Channel: 120

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11200.00	Average	H	-	-	-75.95	20.45	-9.54	41.95	53.98	-12.03
* 11200.00	Peak	H	-	-	-65.26	20.45	-9.54	52.64	73.98	-21.34
16800.00	Peak	H	-	-	-63.40	26.21	-9.54	60.26	68.20	-7.94
* 22400.00	Average	H	-	-	-70.48	8.19	-9.54	35.17	53.98	-18.81
* 22400.00	Peak	H	-	-	-58.92	8.19	-9.54	46.73	73.98	-27.25
28000.00	Peak	H	-	-	-45.40	-9.43	-9.54	42.63	68.20	-25.57

Table 7-56. Radiated Measurements with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 144 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5745MHz
 Channel: 149



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-76.37	21.68	-9.54	42.77	53.98	-11.21
* 11490.00	Peak	H	-	-	-66.19	21.68	-9.54	52.95	73.98	-21.03
17235.00	Peak	H	-	-	-62.44	27.16	-9.54	62.18	68.20	-6.02
* 22980.00	Average	H	-	-	-71.51	8.19	-9.54	34.14	53.98	-19.84
* 22980.00	Peak	H	-	-	-61.11	8.19	-9.54	44.54	73.98	-29.44
28725.00	Peak	H	-	-	-45.18	-9.45	-9.54	42.83	68.20	-25.37

Table 7-57. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-76.04	21.53	-9.54	42.95	53.98	-11.03
* 11570.00	Peak	H	-	-	-65.30	21.53	-9.54	53.69	73.98	-20.29
17355.00	Peak	H	-	-	-61.30	26.72	-9.54	62.88	68.20	-5.32
23140.00	Peak	H	-	-	-60.50	8.47	-9.54	45.42	68.20	-22.78
28925.00	Peak	H	-	-	-44.18	-9.71	-9.54	43.57	68.20	-24.63

Table 7-58. Radiated Measurements

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 145 of 249	

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5825MHz
 Channel: 165



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	H	-	-	-76.66	21.46	-9.54	42.25	53.98	-11.72
* 11650.00	Peak	H	-	-	-65.12	21.46	-9.54	53.79	73.98	-20.18
17475.00	Peak	H	-	-	-60.36	25.78	-9.54	62.87	68.20	-5.33
23300.00	Peak	H	-	-	-60.68	8.60	-9.54	45.38	68.20	-22.82
29125.00	Peak	H	-	-	-44.17	-9.93	-9.54	43.36	68.20	-24.84

Table 7-59. Radiated Measurements

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 1 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-76.05	21.53	-9.54	42.94	53.98	-11.04
* 11570.00	Peak	H	-	-	-65.36	21.53	-9.54	53.63	73.98	-20.35
17355.00	Peak	H	-	-	-61.33	26.72	-9.54	62.85	68.20	-5.35
23140.00	Peak	H	-	-	-60.52	8.47	-9.54	45.40	68.20	-22.80
28925.00	Peak	H	-	-	-44.21	-9.71	-9.54	43.54	68.20	-24.66


Table 7-60. Radiated Measurements with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 146 of 249	


7.7.3 Simultaneous Tx Radiated Spurious Emissions Measurements §15.247(d) §15.205 & §15.209

Description	2.4 GHz Emission	5 GHz Emission
Antenna	1	2
Channel	6	48
Operating Frequency(MHz)	2437	5240
Data Rate (Mbps)	1	6
Mode	802.11b	802.11g

Table 7-61. Simultaneous Transmission Config-1




Plot 7-181. Radiated Spurious Plot above 1GHz (2.4GHz – 5GHz, Ant. Pol. H)




Plot 7-182. Radiated Spurious Plot above 1GHz (2.4GHz – 5GHz, Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 147 of 249




Plot 7-183. Radiated Spurious Plot 18-26.5GHz (2.4GHz – 5GHz, Ant. Pol. H)




Plot 7-184. Radiated Spurious Plot 26.5-40GHz (2.4GHz – 5GHz, Ant. Pol. H)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 148 of 249



04:18:20 02.02.2017

Plot 7-185. Radiated Spurious Plot 18-26.5GHz (2.4GHz – 5GHz, Ant. Pol. V)





05:17:50 02.02.2017

Plot 7-186. Radiated Spurious Plot 26.5-40GHz (2.4GHz – 5GHz, Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 149 of 249


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
3174.00	Peak	H	-	-	-58.12	-3.42	45.46	68.20	-22.74
5992.00	Peak	H	-	-	-59.34	3.45	51.11	68.20	-17.09
* 8098.00	Average	H	-	-	-71.30	11.24	46.94	53.98	-7.03
* 8098.00	Peak	H	-	-	-58.46	11.24	59.78	73.98	-14.19
8810.00	Peak	H	-	-	-59.39	13.37	60.98	68.20	-7.22
* 10916.00	Average	H	-	-	-71.63	12.08	47.45	53.98	-6.53
* 10916.00	Peak	H	-	-	-58.99	12.08	60.09	73.98	-13.89
13734.00	Peak	H	-	-	-58.92	16.14	64.22	68.20	-3.98
16552.00	Peak	H	-	-	-59.00	16.54	64.54	68.20	-3.66

Table 7-62. Radiated Measurements (ANT1 2.4GHz – ANT2 5GHz)


FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 150 of 249

Description	2.4 GHz Emission	5 GHz Emission
Antenna	2	1
Channel	6	56
Operating Frequency(MHz)	2437	5280
Data Rate (Mbps)	1	6
Mode	802.11b	802.11g



Table 7-63. Simultaneous Transmission Config-2




Plot 7-187. Radiated Spurious Plot above 1GHz (5GHz – 2.4GHz, Ant. Pol. H)




Plot 7-188. Radiated Spurious Plot above 1GHz (5GHz – 2.4GHz, Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 151 of 249	



04:33:35 02.02.2017


Plot 7-189. Radiated Spurious Plot 18-26.5GHz (5GHz – 2.4GHz, Ant. Pol. H)



05:28:26 02.02.2017


Plot 7-190. Radiated Spurious Plot 26.5-40GHz (5GHz – 2.4GHz, Ant. Pol. H)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 152 of 249



04:27:15 02.02.2017

Plot 7-191. Radiated Spurious Plot 18-26.5GHz (5GHz – 2.4GHz, Ant. Pol. V)





05:16:27 02.02.2017

Plot 7-192. Radiated Spurious Plot 26.5-40GHz (5GHz – 2.4GHz, Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 153 of 249	


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
3169.00	Peak	H	-	-	-56.83	-3.44	46.73	68.20	-21.47
5972.00	Peak	H	-	-	-59.60	3.42	50.82	68.20	-17.38
* 8043.00	Average	H	-	-	-70.88	11.42	47.54	53.98	-6.44
* 8043.00	Peak	H	-	-	-59.22	11.42	59.20	73.98	-14.78
8775.00	Peak	H	-	-	-59.80	13.13	60.33	68.20	-7.87
* 10846.00	Average	H	-	-	-71.27	12.03	47.76	73.98	-26.22
* 10846.00	Peak	H	-	-	-58.44	12.03	60.59	73.98	-13.39
13649.00	Peak	H	-	-	-59.27	16.78	64.51	68.20	-3.69
16452.00	Peak	H	-	-	-58.88	16.82	64.94	68.20	-3.26

Table 7-64. Radiated Measurements (ANT1 5GHz – ANT2 2.4GHz)


FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 154 of 249

Description	2.4 & 5 GHz Tx	2.4 & 5 GHz Tx
Antenna	1 & 2	1 & 2
Channel	6 & 56	6 & 56
Operating Frequency(MHz)	2437 & 5280	2437 & 5280
Data Rate (Mbps)	6 & MCS8	6 & MCS8
Mode	802.11g/n/a/ac	802.11g/n/a/ac

Table 7-65. Simultaneous Transmission Config-3




Plot 7-193. Radiated Spurious Plot above 1GHz (Ant1: 2.4 - 5GHz Ant2: 2.4 - 5GHz, Ant. Pol. H)




Plot 7-194. Radiated Spurious Plot above 1GHz (Ant1: 2.4 - 5GHz Ant2: 2.4 - 5GHz, Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 155 of 249



04:32:10 02.02.2017


Plot 7-195. Radiated Spurious Plot 18-26.5GHz (Ant1: 2.4 - 5GHz Ant2: 2.4 - 5GHz, Ant. Pol. H)



05:29:09 02.02.2017


Plot 7-196. Radiated Spurious Plot 26.5-40GHz (Ant1: 2.4 - 5GHz Ant2: 2.4 - 5GHz, Ant. Pol. H)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 156 of 249



04:30:28 02.02.2017

Plot 7-197. Radiated Spurious Plot 18-26.5GHz (Ant1: 2.4 - 5GHz Ant2: 2.4 - 5GHz, Ant. Pol. V)





05:14:22 02.02.2017

Plot 7-198. Radiated Spurious Plot 26.5-40GHz (Ant1: 2.4 - 5GHz Ant2: 2.4 - 5GHz, Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 157 of 249


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
3169.00	Peak	H	-	-	-56.88	-3.44	46.68	68.20	-21.52
5972.00	Peak	H	-	-	-60.05	3.42	50.37	68.20	-17.83
* 8043.00	Average	H	-	-	-70.96	11.42	47.46	53.98	-6.52
* 8043.00	Peak	H	-	-	-58.72	11.42	59.70	73.98	-14.28
8775.00	Peak	H	-	-	-59.72	13.13	60.41	68.20	-7.79
* 10846.00	Average	H	-	-	-71.68	12.03	47.35	53.98	-6.62
* 10846.00	Peak	H	-	-	-58.23	12.03	60.80	73.98	-13.18
13649.00	Peak	H	-	-	-59.88	16.78	63.90	68.20	-4.30
16452.00	Peak	H	-	-	-58.76	16.82	65.06	68.20	-3.14

Table 7-66. Radiated Measurements (Ant1: 2.4 - 5GHz Ant2: 2.4 - 5GHz)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 158 of 249

7.7.4 Antenna-1 Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36




Date: 1.JAN.2017 17:11:26

Plot 7-199. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 159 of 249

Antenna-1 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209




Date: 1.JAN.2017 17:11:41

Plot 7-200. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 160 of 249

Antenna-1 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 1.JAN.2017 17:21:18

Plot 7-202. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 162 of 249

Antenna-1 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6 Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5500MHz

Channel: 100




Date: 1.JAN.2017 17:28:19

Plot 7-203. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 163 of 249

Antenna-1 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 1.JAN.2017 17:28:28

Plot 7-204. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 164 of 249

Antenna-1 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6 Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5825MHz

Channel: 165



Date: 1.JAN.2017 17:32:34

Plot 7-205. Radiated Upper Band Edge Plot (Peak – UNII Band 3)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 165 of 249

Antenna-1 WCP Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6 Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5180MHz

Channel: 36




Date: 1.JAN.2017 17:37:52

Plot 7-206. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 166 of 249

Antenna-1 WCP Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209




Date: 1.JAN.2017 17:38:02

Plot 7-207. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 167 of 249

7.7.5 Antenna-1 Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5190MHz
 Channel: 38




Date: 1.JAN.2017 17:49:43

Plot 7-208. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 168 of 249	

Antenna-1 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 1.JAN.2017 17:49:52

Plot 7-209. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 169 of 249

Antenna-1 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11n (40MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5310MHz

Channel: 62




Date: 1.JAN.2017 17:43:48

Plot 7-210. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 170 of 249

Antenna-1 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209




Date: 1.JAN.2017 17:43:58

Plot 7-211. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 171 of 249	

Antenna-1 Radiated Band Edge Measurements (40MHz BW)
§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5510MHz
 Channel: 102




Date: 1.JAN.2017 17:51:05

Plot 7-212. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG9500	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 172 of 249

Antenna-1 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 1.JAN.2017 17:51:15

Plot 7-213. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 173 of 249	

Antenna-1 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11n (40MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5795MHz

Channel: 159



Date: 1.JAN.2017 17:52:35

Plot 7-214. Radiated Upper Band Edge Plot (Peak – UNII Band 3)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 174 of 249

Antenna-1 WCP Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6 Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5190MHz

Channel: 38




Date: 1.JAN.2017 18:08:49

Plot 7-215. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 175 of 249

Antenna-1 WCP Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 1.JAN.2017 18:09:01

Plot 7-216. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 176 of 249

7.7.6 Antenna-1 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11n (80MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5210MHz

Channel: 42




Date: 1.JAN.2017 17:46:53

Plot 7-217. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 177 of 249

Antenna-1 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 1.JAN.2017 17:47:03

Plot 7-218. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 178 of 249

Antenna-1 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11ac (80MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5290MHz

Channel: 58




Date: 1.JAN.2017 17:48:12

Plot 7-219. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 179 of 249	

Antenna-1 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 1.JAN.2017 17:48:26

Plot 7-220. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 180 of 249

Antenna-1 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11ac (80MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5530MHz

Channel: 106




Date: 1.JAN.2017 18:03:01

Plot 7-221. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 181 of 249

Antenna-1 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209




Date: 1.JAN.2017 18:03:14

Plot 7-222. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 182 of 249	

Antenna-1 Radiated Band Edge Measurements (80MHz BW)
§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11ac (80MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5775MHz
 Channel: 155



Date: 1.JAN.2017 17:54:06

Plot 7-223. Radiated Upper Band Edge Plot (Peak – UNII Band 3)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 183 of 249

Antenna-1 WCP Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6 Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5210MHz

Channel: 42




Date: 1.JAN.2017 18:07:21

Plot 7-224. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 184 of 249

Antenna-1 WCP Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209




Date: 1.JAN.2017 18:07:32

Plot 7-225. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 185 of 249

7.7.7 Antenna-2 Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36




Date: 24.DEC.2016 10:32:42

Plot 7-226. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 186 of 249	

Antenna-2 Radiated Band Edge Measurements (20MHz BW)
§15.407(b.1)(b.2) §15.205 §15.209



Date: 24.DEC.2016 10:33:00

Plot 7-227. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 187 of 249	

Antenna-2 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6 Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5320MHz

Channel: 64




Date: 24.DEC.2016 11:03:53

Plot 7-228. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 188 of 249

Antenna-2 Radiated Band Edge Measurements (20MHz BW)
§15.407(b.1)(b.2) §15.205 §15.209



Date: 24.DEC.2016 11:04:09


Plot 7-229. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 189 of 249	

Antenna-2 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100




Date: 24.DEC.2016 11:29:30

Plot 7-230. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 190 of 249

Antenna-2 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 24.DEC.2016 11:30:52

Plot 7-231. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 191 of 249

Antenna-2 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6 Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5825MHz

Channel: 165



Date: 24.DEC.2016 12:05:26

Plot 7-232. Radiated Upper Band Edge Plot (Peak – UNII Band 3)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 192 of 249

Antenna-2 WCP Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6 Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5180MHz

Channel: 36




Date: 31.JAN.2017 20:08:33

Plot 7-233. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 193 of 249

Antenna-2 WCP Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 31.JAN.2017 20:07:55

Plot 7-234. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 194 of 249	

7.7.8 Antenna-2 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11n (40MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5190MHz

Channel: 38




Date: 24.DEC.2016 10:44:09

Plot 7-235. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 195 of 249	

Antenna-2 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 24.DEC.2016 10:44:44

Plot 7-236. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 196 of 249

Antenna-2 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11n (40MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5310MHz

Channel: 62




Date: 24.DEC.2016 11:13:24

Plot 7-237. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 197 of 249	

Antenna-2 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 24.DEC.2016 11:13:54

Plot 7-238. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 198 of 249	

Antenna-2 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11n (40MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5510MHz

Channel: 102




Date: 24.DEC.2016 11:40:12

Plot 7-239. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 199 of 249	

Antenna-2 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 24.DEC.2016 11:51:04

Plot 7-240. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 200 of 249	

Antenna-2 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11n (40MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5795MHz

Channel: 159




Date: 24.DEC.2016 12:10:19

Plot 7-241. Radiated Upper Band Edge Plot (Peak – UNII Band 3)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 201 of 249

Antenna-2 WCP Radiated Band Edge Measurements (40MHz BW)
§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11a
 Worst Case Transfer Rate: 6 Mbps
 Distance of Measurements: 3 Meters
 Operating Frequency: 5310MHz
 Channel: 62




Date: 31.JAN.2017 20:10:11

Plot 7-242. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 202 of 249

Antenna-2 WCP Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209




Date: 31.JAN.2017 20:10:27

Plot 7-243. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 203 of 249	

7.7.9 Antenna-2 Radiated Band Edge Measurements (80MHz BW) §15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (80MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5210MHz
 Channel: 42




Date: 24.DEC.2016 10:55:18

Plot 7-244. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 204 of 249	

Antenna-2 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 24.DEC.2016 10:55:59

Plot 7-245. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 205 of 249

Antenna-2 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11ac (80MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5290MHz

Channel: 58




Date: 24.DEC.2016 11:18:04

Plot 7-246. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 206 of 249	

Antenna-2 Radiated Band Edge Measurements (80MHz BW)
§15.407(b.1)(b.2) §15.205 §15.209



Date: 24.DEC.2016 11:19:50

Plot 7-247. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 207 of 249	

Antenna-2 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11ac (80MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5530MHz

Channel: 106




Date: 24.DEC.2016 11:54:05

Plot 7-248. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 208 of 249

Antenna-2 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 24.DEC.2016 11:54:47

Plot 7-249. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 209 of 249	

Antenna-2 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11ac (80MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5775MHz

Channel: 155



Date: 24.DEC.2016 12:11:56

Plot 7-250. Radiated Upper Band Edge Plot (Peak – UNII Band 3)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 210 of 249

Antenna-2 WCP Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11ac

Worst Case Transfer Rate: 6 Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5530MHz

Channel: 106




Date: 31.JAN.2017 20:11:46

Plot 7-251. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 211 of 249

Antenna-2 WCP Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209




Date: 31.JAN.2017 20:12:03

Plot 7-252. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 212 of 249	

7.7.10 MIMO Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (20MHz)
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36




Date: 5.JAN.2017 23:06:30

Plot 7-253. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 213 of 249	

MIMO Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 31.JAN.2017 19:55:47

Plot 7-254. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 214 of 249	

MIMO Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11n (20MHz)

Worst Case Transfer Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5320MHz

Channel: 64




Date: 5.JAN.2017 23:15:55

Plot 7-255. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 215 of 249	

MIMO Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Date: 31.JAN.2017 19:58:27

Plot 7-256. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 216 of 249

MIMO Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11n (20MHz)

Worst Case Transfer Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5500MHz

Channel: 100




Date: 5.JAN.2017 23:32:08

Plot 7-257. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 217 of 249

MIMO Radiated Band Edge Measurements (20MHz BW)
§15.407(b.1)(b.2) §15.205 §15.209




Date: 5.JAN.2017 23:50:01

Plot 7-258. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 218 of 249	

MIMO Radiated Band Edge Measurements (20MHz BW)
§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (20MHz)
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165



Date: 5.JAN.2017 23:54:31

Plot 7-259. Radiated Upper Band Edge Plot (Peak – UNII Band 3)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 219 of 249

MIMO WCP Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Worst Case Mode: 802.11n (20MHz)

Worst Case Transfer Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5320MHz

Channel: 64





Date: 8.JAN.2017 18:15:15

Plot 7-260. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 220 of 249

7.7.11 MIMO Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11n (40MHz)
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5190MHz
 Channel: 38



Date: 8.JAN.2017 17:35:18

Plot 7-261. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 221 of 249

MIMO Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Worst Case Mode: 802.11n (40MHz)

Worst Case Transfer Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5310MHz

Channel: 62



Date: 8.JAN.2017 17:52:50

Plot 7-262. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 222 of 249

MIMO Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11n (40MHz)

Worst Case Transfer Rate: MCS8


Distance of Measurements: 3 Meters

Operating Frequency: 5510MHz

Channel: 102



1 RM
AVG



Date: 8.JAN.2017 17:57:12

Plot 7-263. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 223 of 249

MIMO Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11n (40MHz)

Worst Case Transfer Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5795MHz

Channel: 159



Date: 8.JAN.2017 18:02:13

Plot 7-264. Radiated Upper Band Edge Plot (Peak – UNII Band 3)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 224 of 249

MIMO WCP Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Worst Case Mode: 802.11n (40MHz)

Worst Case Transfer Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5310MHz

Channel: 64



Date: 8.JAN.2017 18:16:40

Plot 7-265. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 225 of 249

7.7.12 MIMO Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Worst Case Mode: 802.11ac (80MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5210MHz

Channel: 42



Date: 8.JAN.2017 17:38:13

Plot 7-266. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 226 of 249

MIMO Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Worst Case Mode: 802.11ac (80MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5290MHz

Channel: 58



Date: 8.JAN.2017 17:51:00

Plot 7-267. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 227 of 249

MIMO Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209



Worst Case Mode: 802.11ac (80MHz)

Worst Case Transfer Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5530MHz

Channel: 106




Date: 8.JAN.2017 17:59:37

Plot 7-268. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 228 of 249

MIMO Radiated Band Edge Measurements (80MHz BW)
§15.407(b.1)(b.2) §15.205 §15.209

Worst Case Mode: 802.11ac (80MHz)
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5775MHz
 Channel: 155



Date: 8.JAN.2017 18:03:10

Plot 7-269. Radiated Upper Band Edge Plot (Peak – UNII Band 3)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 229 of 249

MIMO WCP Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11ac (80MHz)

Worst Case Transfer Rate: MCS0


Distance of Measurements: 3 Meters

Operating Frequency: 5210MHz

Channel: 42



1 RM
AVG



2 PK
MAXH

Date: 8.JAN.2017 18:11:09

Plot 7-270. Radiated Restricted Band Edge Plot with WCP

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 230 of 249

7.8 Radiated Spurious Emissions Measurements – Below 1GHz

§15.209

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR must not exceed the limits shown in Table 7-67 per Section 15.209.

Frequency	Field Strength [$\mu\text{V}/\text{m}$]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-67. Radiated Limits



Test Procedures Used

ANSI C63.10-2013

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 231 of 249	

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-6. Radiated Test Setup < 30MHz








Figure 7-7. Radiated Test Setup < 1GHz

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 232 of 249	


Test Notes

1. All emissions lying in restricted bands specified in §15.205 are below the limit shown in Table 7-67.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector. The worst-case emissions are reported however emissions whose levels were not within 20dB of the respective limits were not reported.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. There were no emissions detected in the 30MHz – 1GHz frequency range, as shown in the subsequent plots.


FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 233 of 249

Antenna-1 Radiated Spurious Emissions Measurements (Below 1GHz)



§15.209



Plot 7-271. Radiated Spurious Plot below 1GHz (802.11a – U3 Ch. 157, Ant. Pol. H)




Plot 7-272. Radiated Spurious Plot below 1GHz (802.11a – U3 Ch. 157, Ant. Pol. V)


FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 234 of 249	

Antenna-2 Radiated Spurious Emissions Measurements (Below 1GHz)



§15.209



Plot 7-273. Radiated Spurious Plot below 1GHz (802.11a – U3 Ch. 157, Ant. Pol. H)



Plot 7-274. Radiated Spurious Plot below 1GHz (802.11a – U3 Ch. 157, Ant. Pol. V)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 235 of 249	

7.9 Line-Conducted Test Data

§15.407

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst case emissions are reported in this section.

All conducted emissions must not exceed the limits shown in the table below, per Section 15.207.

Frequency of emission (MHz)	Conducted Limit (dB μ V)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-68. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10-2013, Section 6.2



Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 236 of 249	

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.






Figure 7-8. Test Instrument & Measurement Setup


Test Notes

1. All modes of operation were investigated and the worst-case emissions are reported using mid channel. The emissions found were not affected by the choice of channel used during testing.
2. The limit for an intentional radiator from 150kHz to 30MHz are specified in 15.207.
3. $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
4. $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Corr. (dB)}$
5. $\text{Margin (dB)} = \text{QP/AV Limit (dB}\mu\text{V)} - \text{QP/AV Level (dB}\mu\text{V)}$
6. Traces shown in plot are made using a peak detector.
7. Deviations to the Specifications: None.


FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 237 of 249

Line-Conducted Test Data

§15.407



Plot 7-275. Line Conducted Plot with 802.11a UNII Band 1 (L1)




Plot 7-276. Line Conducted Plot with 802.11a UNII Band 1 (N)


FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 238 of 249

Line-Conducted Test Data

§15.407



Plot 7-277. Line Conducted Plot with 802.11a UNII Band 2A (L1)




Plot 7-278. Line Conducted Plot with 802.11a UNII Band 2A (N)


FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 239 of 249

Line-Conducted Test Data

\$15.407



Plot 7-279. Line Conducted Plot with 802.11a UNII Band 2C (L1)




Plot 7-280. Line Conducted Plot with 802.11a UNII Band 2C (N)


FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 240 of 249

Line-Conducted Test Data

\$15.407



Plot 7-281. Line Conducted Plot with 802.11a UNII Band 3 (L1)





Plot 7-282. Line Conducted Plot with 802.11a UNII Band 3 (N)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 241 of 249

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Samsung Portable Handset FCC ID: A3LSMG9500** is in compliance with Part 15E of the FCC Rules.

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 242 of 249	

APPENDIX A. 802.11A DUAL TX



A.1 Summary

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
15.205, 15.407(b.1),(5),(6)	General Field Strength Limits (Restricted Bands and Radiated Emission Limits)	Emissions in restricted bands must meet the radiated limits detailed in 15.209	Radiated	PASS	Section A.2

Table A.1-1. Summary of Test Results

Notes:

- 1) This device employs dual transmission in 802.11a and 802.11g modes using Cyclic Delay Diversity. For all test cases, the device was set to transmit from both antennas simultaneously. The data in this section demonstrates compliance to the dual-transmission requirements specified in KDB 662911 v02r01.
- 2) All data found in this section is compiled from plots found in the main body of this test report.
- 3) Since this device is able to transmit the same data through both of its antennas in a given symbol period, then, by the definition specified in KDB 662911 v02r01 Section F)1), the transmission symbols are correlated.
- 4) Since two antennas are supported in this device and a minimum of $N_{ss} = 1$ antenna can operate at any given time, the maximum array gain for two correlated signals is $10\log_{10}(N_{ant}/N_{ss}) = 3\text{dB}$, where N_{ss} is the number of spatial streams and N_{ant} is the total number of antennas.
- 5) For conducted spurious emissions, per KDB 662911 v02r01 Section E)3)b), the emissions on each individual output complied with its corresponding relative limit for that output, so additional testing was not required for dual transmission operation.

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 243 of 249

A.2 Dual Tx Radiated Restricted Band Edge Measurements

§15.205 §15.209

The radiated restricted band edge measurements are measured with an EMI test receiver connected to the receive antenna while the EUT is transmitting on both outputs in 802.11a mode.


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5180MHz

Channel: 36




Date: 5.JAN.2017 22:52:32

Plot A.2-1. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset	Page 244 of 249	

Dual Tx Radiated Restricted Band Edge Measurements

§15.407(b.1)(b.2) §15.205 §15.209



Date: 5.JAN.2017 23:20:31

Plot A.2-2. Radiated Restricted Lower Band Edge Plot (Peak – UNII Band 1)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 245 of 249

Dual Tx Radiated Restricted Band Edge Measurements

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5320MHz

Channel: 64





Date: 5.JAN.2017 23:09:31

Plot A.2-3. Radiated Restricted Upper Band Edge Plot (Average – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 246 of 249

Dual Tx Radiated Restricted Band Edge Measurements

§15.407(b.1)(b.2) §15.205 §15.209



Date: 5.JAN.2017 23:18:30

Plot A.2-4. Radiated Restricted Upper Band Edge Plot (Peak – UNII Band 2A)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 247 of 249

Dual Tx Radiated Restricted Band Edge Measurements

§15.407(b.1)(b.2) §15.205 §15.209



Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5500MHz

Channel: 100



Date: 5.JAN.2017 23:27:21

Plot A.2-5. Radiated Restricted Lower Band Edge Plot (Average – UNII Band 2C)

Note:

Per KDB 789033 Section II(G)3)d)ii, the Integration Method was used to determine compliance with the out-of-band emission limits.

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 248 of 249

Dual Tx Radiated Restricted Band Edge Measurements

§15.407(b.1)(b.2) §15.205 §15.209


Worst Case Mode: 802.11a

Worst Case Transfer Rate: 6Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 5825MHz

Channel: 165



Date: 5.JAN.2017 23:55:25

Plot A.2-6. Radiated Upper Band Edge Plot (Peak – UNII Band 3)

FCC ID: A3LSMG9500		FCC Pt. 15.407 802.11a/n/ac UNII MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701120025-05.A3L	Test Dates: 12/23/2016-2/17/2017	EUT Type: Portable Handset		Page 249 of 249