

7.4 Band Edge Emissions at Antenna Terminal

§2.1051 §22.917(a) §24.238(a) §27.53(c) §27.53(g) §27.53(h) §27.53(m)

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level for Band 41 is as noted in the Test Notes on the following page.

The minimum permissible attenuation level of any spurious emission is $43 + \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v02r02 – Section 6.0

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW \geq 1% of the emission bandwidth
4. VBW \geq 3 x RBW
5. Detector = RMS
6. Number of sweep points \geq 2 x Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-3. Test Instrument & Measurement Setup

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 68 of 158

Test Notes


Per 22.917(b) 24.238(a) 27.53(h) in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Per 27.53(g) for operations in the 698-746 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.

Per 27.53(c.5) for operations in the 776-788 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.

For all plots showing emissions in the 763 – 775MHz and 793 – 805MHz band, the FCC limit per 27.53(c.4) is $65 + 10\log_{10}(P) = -35\text{dBm}$ in a 6.25kHz bandwidth.

Per 27.53(m) for operations in the BRS/EBS bands, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth. In addition, the attenuation factor shall not be less that $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz.




Plot 7-103. Lower Band Edge Plot (Band 12 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 69 of 158




Plot 7-104. Upper Band Edge Plot (Band 12 – 1.4MHz QPSK – RB Size 6)




Plot 7-105. Upper Extended Band Edge Plot (Band 12 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 70 of 158




Plot 7-106. Lower Band Edge Plot (Band 12 – 3.0MHz QPSK – RB Size 15)




Plot 7-107. Upper Band Edge Plot (Band 12 – 3.0MHz QPSK – RB Size 15)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 71 of 158




Plot 7-108. Lower Band Edge Plot (Band 12/17 – 5.0MHz QPSK – RB Size 25)



Plot 7-109. Upper Band Edge Plot (Band 12/17 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 72 of 158




Plot 7-110. Lower Band Edge Plot (Band 12/17 – 10.0MHz QPSK – RB Size 50)




Plot 7-111. Upper Band Edge Plot (Band 12/17 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 73 of 158




Plot 7-112. Lower Band Edge Plot (Band 13 – 5.0MHz QPSK – RB Size 25)




Plot 7-113. Lower Emission Mask Edge Plot (Band 13 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 74 of 158



Plot 7-116. Lower Band Edge Plot (Band 13 – 10.0MHz QPSK – RB Size 50)




Plot 7-117. Lower Emission Mask Edge Plot (Band 13 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 76 of 158




Plot 7-118. Upper Band Edge Plot (Band 13 – 10.0MHz QPSK – RB Size 50)




Plot 7-119. Upper Emission Mask Edge Plot (Band 13 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 77 of 158



Plot 7-120. Lower Band Edge Plot (Band 5/26 – 1.4MHz QPSK – RB Size 6)




Plot 7-121. Lower Extended Band Edge Plot (Band 5/26 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 78 of 158




Plot 7-122. Upper Band Edge Plot (Band 5/26 – 1.4MHz QPSK – RB Size 6)



Plot 7-123. Upper Extended Band Edge Plot (Band 5/26 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 79 of 158




Plot 7-124. Lower Band Edge Plot (Band 5/26 – 3.0MHz QPSK – RB Size 15)




Plot 7-125. Upper Band Edge Plot (Band 5/26 – 3.0MHz QPSK – RB Size 15)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 80 of 158




Plot 7-126. Lower Band Edge Plot (Band 5/26 – 5.0MHz QPSK – RB Size 25)




Plot 7-127. Upper Band Edge Plot (Band 5/26 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 81 of 158




Plot 7-128. Lower Band Edge Plot (Band 5/26 – 10.0MHz QPSK – RB Size 50)



Plot 7-129. Upper Band Edge Plot (Band 5/26 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 82 of 158




Plot 7-130. Lower Band Edge Plot (Band 26 – 15.0MHz QPSK – RB Size 75)




Plot 7-131. Upper Band Edge Plot (Band 26 – 15.0MHz QPSK – RB Size 75)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 83 of 158



Plot 7-132. Lower Band Edge Plot (Band 4 – 1.4MHz QPSK – RB Size 6)




Plot 7-133. Lower Extended Band Edge Plot (Band 4 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 84 of 158




Plot 7-134. Upper Band Edge Plot (Band 4 – 1.4MHz QPSK – RB Size 6)




Plot 7-135. Upper Extended Band Edge Plot (Band 4 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 85 of 158




Plot 7-136. Lower Band Edge Plot (Band 4 – 3.0MHz QPSK – RB Size 15)




Plot 7-137. Lower Extended Band Edge Plot (Band 4 – 3.0MHz QPSK – RB Size 15)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 86 of 158




Plot 7-138. Upper Band Edge Plot (Band 4 – 3.0MHz QPSK – RB Size 15)




Plot 7-139. Upper Extended Band Edge Plot (Band 4 – 3.0MHz QPSK – RB Size 15)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 87 of 158



Plot 7-140. Lower Band Edge Plot (Band 4 – 5.0MHz QPSK – RB Size 25)




Plot 7-141. Lower Extended Band Edge Plot (Band 4 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 88 of 158




Plot 7-142. Upper Band Edge Plot (Band 4 – 5.0MHz QPSK – RB Size 25)




Plot 7-143. Upper Extended Band Edge Plot (Band 4 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 89 of 158



Plot 7-144. Lower Band Edge Plot (Band 4 – 10.0MHz QPSK – RB Size 50)




Plot 7-145. Lower Extended Band Edge Plot (Band 4 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 90 of 158




Plot 7-146. Upper Band Edge Plot (Band 4 – 10.0MHz QPSK – RB Size 50)




Plot 7-147. Upper Extended Band Edge Plot (Band 4 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 91 of 158




Plot 7-148. Lower Band Edge Plot (Band 4 – 15.0MHz QPSK – RB Size 75)




Plot 7-149. Lower Extended Band Edge Plot (Band 4 – 15.0MHz QPSK – RB Size 75)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 92 of 158




Plot 7-150. Upper Band Edge Plot (Band 4 – 15.0MHz QPSK – RB Size 75)




Plot 7-151. Upper Extended Band Edge Plot (Band 4 – 15.0MHz QPSK – RB Size 75)

FCC ID: A3LSMG950N	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 93 of 158



Plot 7-152. Lower Band Edge Plot (Band 4 – 20.0MHz QPSK – RB Size 100)




Plot 7-153. Lower Extended Band Edge Plot (Band 4 – 20.0MHz QPSK – RB Size 100)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 94 of 158




Plot 7-154. Upper Band Edge Plot (Band 4 – 20.0MHz QPSK – RB Size 100)




Plot 7-155. Upper Extended Band Edge Plot (Band 4 – 20.0MHz QPSK – RB Size 100)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 95 of 158



Plot 7-156. Lower Band Edge Plot (Band 2/25 – 1.4MHz QPSK – RB Size 6)




Plot 7-157. Lower Extended Band Edge Plot (Band 2/25 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 96 of 158




Plot 7-158. Upper Band Edge Plot (Band 2/25 – 1.4MHz QPSK – RB Size 6)




Plot 7-159. Upper Extended Band Edge Plot (Band 2/25 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG950N	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 97 of 158



Plot 7-160. Lower Band Edge Plot (Band 2/25 – 3.0MHz QPSK – RB Size 15)




Plot 7-161. Lower Extended Band Edge Plot (Band 2/25 – 3.0MHz QPSK – RB Size 15)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 98 of 158




Plot 7-162. Upper Band Edge Plot (Band 2/25 – 3.0MHz QPSK – RB Size 15)




Plot 7-163. Upper Extended Band Edge Plot (Band 2/25 – 3.0MHz QPSK – RB Size 15)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 99 of 158




Plot 7-164. Lower Band Edge Plot (Band 2/25 – 5.0MHz QPSK – RB Size 25)




Plot 7-165. Lower Extended Band Edge Plot (Band 2/25 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 100 of 158




Plot 7-166. Upper Band Edge Plot (Band 2/25 – 5.0MHz QPSK – RB Size 25)




Plot 7-167. Upper Extended Band Edge Plot (Band 2/25 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 101 of 158




Plot 7-168. Lower Band Edge Plot (Band 2/25 – 10.0MHz QPSK – RB Size 50)




Plot 7-169. Lower Extended Band Edge Plot (Band 2/25 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 102 of 158




Plot 7-170. Upper Band Edge Plot (Band 2/25 – 10.0MHz QPSK – RB Size 50)




Plot 7-171. Upper Extended Band Edge Plot (Band 2/25 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 103 of 158



Plot 7-172. Lower Band Edge Plot (Band 2/25 – 15.0MHz QPSK – RB Size 75)




Plot 7-173. Lower Extended Band Edge Plot (Band 2/25 – 15.0MHz QPSK – RB Size 75)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 104 of 158




Plot 7-174. Upper Band Edge Plot (Band 2/25 – 15.0MHz QPSK – RB Size 75)




Plot 7-175. Upper Extended Band Edge Plot (Band 2/25 – 15.0MHz QPSK – RB Size 75)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 105 of 158



Plot 7-176. Lower Band Edge Plot (Band 2/25 – 20.0MHz QPSK – RB Size 100)




Plot 7-177. Lower Extended Band Edge Plot (Band 2/25 – 20.0MHz QPSK – RB Size 100)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 106 of 158




Plot 7-178. Upper Band Edge Plot (Band 2/25 – 20.0MHz QPSK – RB Size 100)




Plot 7-179. Upper Extended Band Edge Plot (Band 2/25 – 20.0MHz QPSK – RB Size 100)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 107 of 158




Plot 7-180. Lower ACP Plot (Band 41 – 5.0MHz QPSK – RB Size 25)




Plot 7-181. Upper ACP Plot (Band 41 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 108 of 158




Plot 7-182. Lower ACP Plot (Band 41 – 10.0MHz QPSK – RB Size 50)




Plot 7-183. Upper ACP Plot (Band 41 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 109 of 158




Plot 7-184. Lower ACP Plot (Band 41 – 15.0MHz QPSK – RB Size 75)




Plot 7-185. Upper ACP Plot (Band 41 – 15.0MHz QPSK – RB Size 75)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 110 of 158



Plot 7-186. Lower ACP Plot (Band 41 – 20.0MHz QPSK – RB Size 100)



Plot 7-187. Upper ACP Plot (Band 41 – 20.0MHz QPSK – RB Size 100)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 111 of 158

7.5 Peak-Average Ratio

§24.232(d)

Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

Test Procedure Used

KDB 971168 D01 v02r02 – Section 5.7.1

Test Settings

1. The signal analyzer’s CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW > Emission bandwidth of signal
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal “RF Burst” trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the “on time” of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-4. Test Instrument & Measurement Setup


Test Notes

None.

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 112 of 158	





Plot 7-188. PAR Plot (Band 2/25 – 1.4MHz QPSK – RB Size 6)




Plot 7-189. PAR Plot (Band 2/25 – 1.4MHz 16-QAM – RB Size 6)


FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 113 of 158



FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 114 of 158




Plot 7-192. PAR Plot (Band 2/25 – 3.0MHz 16-QAM – RB Size 15)




Plot 7-193. PAR Plot (Band 2/25 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 115 of 158





Plot 7-194. PAR Plot (Band 2/25 – 5.0MHz QPSK – RB Size 25)




Plot 7-195. PAR Plot (Band 2/25 – 5.0MHz 16-QAM – RB Size 25)


FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 116 of 158



FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 117 of 158





Plot 7-198. PAR Plot (Band 2/25 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-199. PAR Plot (Band 2/25 – 10.0MHz 64-QAM – RB Size 50)


FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 118 of 158



FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 119 of 158




Plot 7-202. PAR Plot (Band 2/25 – 15.0MHz 64-QAM – RB Size 75)




Plot 7-203. PAR Plot (Band 2/25 – 20.0MHz QPSK – RB Size 100)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 120 of 158



Plot 7-204. PAR Plot (Band 2/25 – 20.0MHz 16-QAM – RB Size 100)



Plot 7-205. PAR Plot (Band 2/25 – 20.0MHz 64-QAM – RB Size 100)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 121 of 158

7.6 Radiated Power (ERP/EIRP)

§22.913(a.2) §24.232(c.2) §27.50(h.2) §27.50(b.10) §27.50(c.10) §27.50(d.4)

Test Overview

Effective Radiated Power (ERP) and Equivalent Isotropic Radiated Power (EIRP) measurements are performed using the substitution method described in ANSI/TIA-603-D-2010 with the EUT transmitting into an integral antenna. Measurements on signals operating below 1GHz are performed using vertically and horizontally polarized tuned dipole antennas. Measurements on signals operating above 1GHz are performed using vertically and horizontally polarized broadband horn antennas. All measurements are performed as RMS average measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.

Test Procedures Used

KDB 971168 D01 v02r02 – Section 5.2.1

ANSI/TIA-603-D-2010 – Section 2.2.17

Test Settings

1. Radiated power measurements are performed using the signal analyzer's "channel power" measurement capability for signals with continuous operation. For signals with burst transmission, the signal analyzer's "time domain power" measurement capability is used
2. RBW = 1 – 5% of the expected OBW, not to exceed 1MHz
3. VBW \geq 3 x RBW
4. Span = 1.5 times the OBW
5. No. of sweep points \geq 2 x span / RBW
6. Detector = RMS
7. Trigger is set to "free run" for signals with continuous operation with the sweep times set to "auto".
Trigger is set to enable triggering only on full power bursts with the sweep time set less than or equal to the transmission burst duration
8. The integration bandwidth was roughly set equal to the measured OBW of the signal for signals with continuous operation. For signals with burst transmission, the "gating" function was enabled to ensure that measurements are performed during times in which the transmitter is operating at its maximum power
9. Trace mode = trace averaging (RMS) over 100 sweeps
10. The trace was allowed to stabilize

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 122 of 158	

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-5. Radiated Test Setup <1GHz





Figure 7-6. Radiated Test Setup >1GHz

Test Notes

- 1) The EUT was tested in three orthogonal planes and in all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, RB sizes and offsets, and channel bandwidth configurations shown in the tables below.
- 2) This unit was tested with its standard battery.


FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 123 of 158	

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBd]	ERP [dBm]	ERP Limit [dBm]	Margin [dB]
699.70	1.4	QPSK	H	286	78	1 / 0	11.36	2.85	14.21	34.77	-20.56
707.50	1.4	QPSK	H	286	75	1 / 0	11.21	2.99	14.20	34.77	-20.57
715.30	1.4	QPSK	H	290	73	1 / 0	10.37	3.06	13.43	34.77	-21.34
699.70	1.4	16-QAM	H	286	78	1 / 0	10.49	2.85	13.34	34.77	-21.43
700.50	3	QPSK	H	286	78	1 / 7	11.58	2.85	14.43	34.77	-20.34
707.50	3	QPSK	H	286	75	1 / 0	11.24	2.99	14.23	34.77	-20.54
714.50	3	QPSK	H	290	73	1 / 0	10.71	3.05	13.76	34.77	-21.01
700.50	3	16-QAM	H	286	78	1 / 7	10.62	2.85	13.47	34.77	-21.30

Table 7-2. ERP Data (Band 12)



Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBd]	ERP [dBm]	ERP Limit [dBm]	Margin [dB]
701.50	5	QPSK	H	286	78	1 / 0	11.63	2.88	14.51	34.77	-20.27
707.50	5	QPSK	H	286	75	1 / 0	11.37	2.99	14.36	34.77	-20.41
713.50	5	QPSK	H	290	73	1 / 0	11.09	3.04	14.13	34.77	-20.64
701.50	5	16-QAM	H	286	78	1 / 0	10.53	2.88	13.41	34.77	-21.37
704.00	10	QPSK	H	286	78	1 / 25	11.39	2.94	14.33	34.77	-20.45
707.50	10	QPSK	H	286	75	1 / 0	11.29	2.99	14.28	34.77	-20.49
711.00	10	QPSK	H	290	73	1 / 25	11.29	3.02	14.31	34.77	-20.46
704.00	10	16-QAM	H	286	78	1 / 25	10.35	2.94	13.29	34.77	-21.49
701.50	5	QPSK	V	145	341	1 / 0	10.40	2.88	13.28	34.77	-21.50
701.50	5 (WCP)	QPSK	H	276	83	1 / 0	11.52	2.88	14.40	34.77	-20.38

Table 7-3. ERP Data (Band 12/17)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 124 of 158	



Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBd]	ERP [dBm]	ERP Limit [dBm]	Margin [dB]
779.50	5	QPSK	H	115	276	1 / 24	16.80	3.85	20.65	34.77	-14.12
782.00	5	QPSK	H	240	269	1 / 0	17.19	3.92	21.11	34.77	-13.66
784.50	5	QPSK	H	240	264	1 / 24	17.78	4.02	21.80	34.77	-12.97
784.50	5	16-QAM	H	240	264	1 / 24	16.71	4.02	20.73	34.77	-14.04
782.00	10	QPSK	H	237	263	1 / 25	17.14	3.92	21.06	34.77	-13.71
782.00	10	16-QAM	H	237	263	1 / 25	16.01	3.92	19.93	34.77	-14.84
784.50	5	QPSK	V	174	86	1 / 74	16.92	4.02	20.94	34.77	-13.83
784.50	5 (WCP)	QPSK	H	233	279	1 / 49	17.66	4.02	21.68	34.77	-13.09

Table 7-4. ERP Data (Band 13)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 125 of 158	



Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBd]	ERP [dBm]	ERP Limit [dBm]	Margin [dB]
824.70	1.4	QPSK	H	197	262	1 / 3	16.09	5.36	21.45	38.45	-17.00
836.50	1.4	QPSK	H	203	265	1 / 0	14.49	5.15	19.64	38.45	-18.81
848.30	1.4	QPSK	H	202	269	1 / 3	14.61	5.16	19.77	38.45	-18.68
824.70	1.4	16-QAM	H	197	262	1 / 3	15.09	5.36	20.45	38.45	-18.00
825.50	3	QPSK	H	197	262	1 / 0	16.21	5.35	21.56	38.45	-16.89
836.50	3	QPSK	H	203	265	1 / 0	14.76	5.15	19.91	38.45	-18.54
847.50	3	QPSK	H	202	269	1 / 14	14.82	5.14	19.96	38.45	-18.49
825.50	3	16-QAM	H	197	262	1 / 0	15.24	5.35	20.59	38.45	-17.86
826.50	5	QPSK	H	197	262	1 / 0	16.33	5.34	21.67	38.45	-16.78
836.50	5	QPSK	H	203	265	1 / 0	14.99	5.15	20.14	38.45	-18.31
846.50	5	QPSK	H	202	269	1 / 24	14.93	5.13	20.06	38.45	-18.39
826.50	5	16-QAM	H	197	262	1 / 0	15.33	5.34	20.67	38.45	-17.78
829.00	10	QPSK	H	197	262	1 / 25	15.99	5.30	21.29	38.45	-17.16
836.50	10	QPSK	H	203	265	1 / 0	15.43	5.15	20.58	38.45	-17.87
844.00	10	QPSK	H	202	269	1 / 0	14.62	5.11	19.73	38.45	-18.72
829.00	10	16-QAM	H	197	262	1 / 25	15.04	5.30	20.34	38.45	-18.11
831.50	15	QPSK	H	195	260	1 / 0	15.94	5.25	21.19	38.45	-17.27
836.50	15	QPSK	H	200	261	1 / 0	15.35	5.15	20.50	38.45	-17.95
841.50	15	QPSK	H	200	270	1 / 0	14.73	5.11	19.84	38.45	-18.61
831.50	15	16-QAM	H	195	260	1 / 0	15.11	5.25	20.36	38.45	-18.10
826.50	5	QPSK	V	184	338	1 / 0	13.17	5.34	18.51	38.45	-19.94
826.50	5 (WCP)	QPSK	H	214	269	1 / 0	16.19	5.34	21.53	38.45	-16.92

Table 7-5. ERP Data (Band 5/26)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 126 of 158	



Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Margin [dB]
1710.70	1.4	QPSK	H	100	153	1 / 0	12.47	9.62	22.09	30.00	-7.91
1732.50	1.4	QPSK	H	100	203	1 / 0	12.57	9.50	22.07	30.00	-7.93
1754.30	1.4	QPSK	H	100	202	1 / 0	12.41	9.38	21.79	30.00	-8.21
1710.70	1.4	16-QAM	H	100	153	1 / 0	11.49	9.62	21.11	30.00	-8.89
1711.50	3	QPSK	H	100	153	1 / 0	12.73	9.62	22.35	30.00	-7.65
1732.50	3	QPSK	H	100	203	1 / 0	12.62	9.50	22.12	30.00	-7.88
1753.50	3	QPSK	H	100	202	1 / 0	12.74	9.39	22.13	30.00	-7.87
1711.50	3	16-QAM	H	100	153	1 / 0	11.76	9.62	21.38	30.00	-8.62
1712.50	5	QPSK	H	100	159	1 / 0	12.86	9.61	22.47	30.00	-7.53
1732.50	5	QPSK	H	100	200	1 / 0	12.68	9.50	22.18	30.00	-7.82
1752.50	5	QPSK	H	100	202	1 / 24	13.11	9.39	22.50	30.00	-7.50
1752.50	5	16-QAM	H	100	202	1 / 24	12.10	9.39	21.49	30.00	-8.51
1715.00	10	QPSK	H	100	166	1 / 0	12.77	9.60	22.37	30.00	-7.63
1732.50	10	QPSK	H	100	204	1 / 0	12.59	9.50	22.09	30.00	-7.91
1750.00	10	QPSK	H	100	201	1 / 49	13.03	9.41	22.44	30.00	-7.56
1750.00	10	16-QAM	H	100	201	1 / 49	12.14	9.41	21.55	30.00	-8.45
1717.50	15	QPSK	H	100	159	1 / 0	12.51	9.58	22.09	30.00	-7.91
1732.50	15	QPSK	H	100	203	1 / 37	12.38	9.50	21.88	30.00	-8.12
1747.50	15	QPSK	H	100	202	1 / 74	12.40	9.42	21.82	30.00	-8.18
1717.50	15	16-QAM	H	100	159	1 / 0	11.54	9.58	21.12	30.00	-8.88
1720.00	20	QPSK	H	100	165	1 / 0	12.47	9.57	22.04	30.00	-7.96
1732.50	20	QPSK	H	100	200	1 / 0	12.34	9.50	21.84	30.00	-8.16
1745.00	20	QPSK	H	100	200	1 / 99	12.32	9.43	21.75	30.00	-8.25
1720.00	20	16-QAM	H	100	165	1 / 0	11.69	9.57	21.26	30.00	-8.74
1752.50	5	QPSK	V	144	124	1 / 0	12.53	9.39	21.92	30.00	-8.08
1752.50	5 (WCP)	QPSK	H	100	196	1 / 0	12.98	9.39	22.37	30.00	-7.63

Table 7-6. EIRP Data (Band 4)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 127 of 158	



Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Margin [dB]
1850.70	1.4	QPSK	V	110	51	1 / 0	12.03	8.97	21.00	33.01	-12.01
1880.00	1.4	QPSK	V	110	55	1 / 0	12.51	8.99	21.50	33.01	-11.51
1909.30	1.4	QPSK	V	110	151	1 / 0	11.77	8.98	20.75	33.01	-12.26
1880.00	1.4	16-QAM	V	110	55	1 / 0	11.80	8.99	20.79	33.01	-12.22
1851.50	3	QPSK	V	110	60	1 / 0	9.30	8.97	18.27	33.01	-14.74
1880.00	3	QPSK	V	110	53	1 / 0	12.60	8.99	21.59	33.01	-11.42
1908.50	3	QPSK	V	110	161	1 / 0	11.73	8.98	20.71	33.01	-12.30
1880.00	3	16-QAM	V	110	53	1 / 0	11.89	8.99	20.88	33.01	-12.13
1852.50	5	QPSK	V	110	65	1 / 0	12.14	8.97	21.11	33.01	-11.90
1880.00	5	QPSK	V	110	69	1 / 0	12.50	8.99	21.49	33.01	-11.52
1907.50	5	QPSK	V	110	150	1 / 0	11.60	8.99	20.59	33.01	-12.42
1880.00	5	16-QAM	V	110	69	1 / 0	10.80	8.99	19.79	33.01	-13.22
1855.00	10	QPSK	V	110	81	1 / 0	12.18	8.97	21.15	33.01	-11.86
1880.00	10	QPSK	V	110	80	1 / 0	12.45	8.99	21.44	33.01	-11.57
1905.00	10	QPSK	V	110	142	1 / 0	11.55	8.99	20.54	33.01	-12.47
1880.00	10	16-QAM	V	110	80	1 / 0	10.87	8.99	19.86	33.01	-13.15
1857.50	15	QPSK	V	110	85	1 / 0	12.13	8.97	21.10	33.01	-11.91
1880.00	15	QPSK	V	110	79	1 / 0	11.41	8.99	20.40	33.01	-12.61
1902.50	15	QPSK	V	110	122	1 / 0	11.39	9.00	20.39	33.01	-12.62
1857.50	15	16-QAM	V	110	85	1 / 0	11.22	8.97	20.19	33.01	-12.82
1860.00	20	QPSK	V	110	79	1 / 99	12.19	8.98	21.17	33.01	-11.84
1880.00	20	QPSK	V	110	69	1 / 50	12.36	8.99	21.35	33.01	-11.66
1900.00	20	QPSK	V	110	166	1 / 0	12.09	9.00	21.09	33.01	-11.92
1880.00	20	16-QAM	V	110	69	1 / 50	11.32	8.99	20.31	33.01	-12.70
1880.00	3	QPSK	H	110	233	1 / 0	11.47	8.99	20.46	33.01	-12.55
1880.00	3 (WCP)	QPSK	H	110	174	1 / 0	11.55	8.99	20.54	33.01	-12.47

Table 7-7. EIRP Data (Band 2/25)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 128 of 158	

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Margin [dB]
2498.50	5	QPSK	H	112	211	1 / 0	13.40	8.39	21.79	33.01	-11.22
2593.00	5	QPSK	H	108	214	1 / 0	13.49	8.74	22.23	33.01	-10.78
2687.50	5	QPSK	H	100	22	1 / 0	13.25	8.73	21.98	33.01	-11.03
2593.00	5	16-QAM	H	108	214	1 / 0	12.93	8.74	21.67	33.01	-11.34
2501.00	10	QPSK	H	100	230	1 / 0	13.26	8.38	21.64	33.01	-11.37
2593.00	10	QPSK	H	108	217	1 / 0	13.42	8.74	22.16	33.01	-10.85
2685.00	10	QPSK	H	100	224	1 / 0	13.23	8.73	21.96	33.01	-11.05
2593.00	10	16-QAM	H	108	217	1 / 0	12.80	8.74	21.54	33.01	-11.47
2503.50	15	QPSK	H	100	211	1 / 0	13.19	8.39	21.58	33.01	-11.43
2593.00	15	QPSK	H	100	209	1 / 0	13.36	8.74	22.10	33.01	-10.91
2682.50	15	QPSK	H	100	219	1 / 0	13.29	8.73	22.02	33.01	-10.99
2593.00	15	16-QAM	H	100	209	1 / 0	12.66	8.74	21.40	33.01	-11.61
2506.00	20	QPSK	H	100	208	1 / 0	13.25	8.40	21.65	33.01	-11.36
2593.00	20	QPSK	H	100	211	1 / 0	13.34	8.74	22.08	33.01	-10.93
2680.00	20	QPSK	H	100	211	1 / 0	13.30	8.73	22.03	33.01	-10.98
2680.00	20	16-QAM	H	100	211	1 / 0	12.75	8.73	21.48	33.01	-11.53
2593.00	5	QPSK	V	166	87	1 / 0	12.34	8.74	21.08	33.01	-11.93
2593.00	5 (WCP)	QPSK	H	100	222	1 / 0	13.43	8.74	22.17	33.01	-10.84

Table 7-8. EIRP Data (Band 41)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 129 of 158	

7.7 Radiated Spurious Emissions Measurements

§2.1053 §22.917(a) §24.238(a) §27.53(c) §27.53(f) §27.53(g) §27.53(h) §27.53(m)

Test Overview

Radiated spurious emissions measurements are performed using the substitution method described in ANSI/TIA-603-D-2010 with the EUT transmitting into an integral antenna. Measurements on signals operating below 1GHz are performed using vertically and horizontally polarized tuned dipole antennas. Measurements on signals operating above 1GHz are performed using vertically and horizontally polarized broadband horn antennas. All measurements are performed as peak measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.


Test Procedures Used

KDB 971168 D01 v02r02 – Section 5.8

ANSI/TIA-603-D-2010 – Section 2.2.12

Test Settings

1. RBW = 100kHz for emissions below 1GHz and 1MHz for emissions above 1GHz
2. VBW \geq 3 x RBW
3. Span = 1.5 times the OBW
4. No. of sweep points \geq 2 x span / RBW
5. Detector = RMS
6. Trace mode = Average (Max Hold for pulsed emissions)
7. The trace was allowed to stabilize

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 130 of 158	

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-7. Test Instrument & Measurement Setup

Test Notes

- 1) The EUT was tested in three orthogonal planes and in all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, RB sizes and offsets, and channel bandwidth configurations shown in the tables below.
- 2) This unit was tested with its standard battery.
- 3) The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter. The worst-case emissions are reported.
- 4) Emissions below 18GHz were measured at a 3 meter test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
- 5) The "-" shown in the following RSE tables are used to denote a noise floor measurement.

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 131 of 158	

OPERATING FREQUENCY: 701.50 MHz
 CHANNEL: 23035
 MEASURED OUTPUT POWER: 14.51 dBm = 0.028 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 27.51 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1403.00	H	110	195	-65.83	5.60	-60.23	74.7
2104.50	H	-	-	-68.31	6.67	-61.63	76.1
2806.00	H	-	-	-67.14	7.92	-59.22	73.7

Table 7-9. Radiated Spurious Data (Band 12/17 – Low Channel)

OPERATING FREQUENCY: 707.50 MHz
 CHANNEL: 23095
 MEASURED OUTPUT POWER: 14.36 dBm = 0.027 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 27.36 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1415.00	H	-	-	-69.69	5.69	-63.99	78.4
2122.50	H	110	64	-64.52	6.75	-57.77	72.1
2830.00	H	-	-	-67.12	7.90	-59.22	73.6

Table 7-10. Radiated Spurious Data (Band 12/17 – Mid Channel)

OPERATING FREQUENCY: 713.50 MHz
 CHANNEL: 23155
 MEASURED OUTPUT POWER: 14.13 dBm = 0.026 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 27.13 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1427.00	H	110	195	-66.51	5.79	-60.72	74.9
2140.50	H	-	-	-65.96	6.82	-59.14	73.3
2854.00	H	-	-	-66.19	7.88	-58.31	72.4

Table 7-11. Radiated Spurious Data (Band 12/17 – High Channel)

OPERATING FREQUENCY: 701.50 MHz
 CHANNEL: 23035
 MEASURED OUTPUT POWER: 14.40 dBm = 0.028 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 27.40 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1403.00	H	110	204	-67.05	5.60	-61.45	75.8
2104.50	H	-	-	-70.26	6.67	-63.58	78.0
2806.00	H	-	-	-69.35	7.92	-61.43	75.8

Table 7-12. Radiated Spurious Data with WCP (Band 12/17 – Low Channel)

OPERATING FREQUENCY: 779.50 MHz
 CHANNEL: 23205
 MEASURED OUTPUT POWER: 20.65 dBm = 0.116 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 33.65 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
2338.50	H	-	-	-70.53	7.35	-63.18	83.8
3118.00	H	-	-	-66.77	7.19	-59.58	80.2
3897.50	H	-	-	-65.01	7.31	-57.70	78.3

Table 7-13. Radiated Spurious Data (Band 13 – Low Channel)

OPERATING FREQUENCY: 782.00 MHz
 CHANNEL: 23230
 MEASURED OUTPUT POWER: 21.11 dBm = 0.129 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 34.11 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
2346.00	H	-	-	-68.70	7.33	-61.38	82.5
3128.00	H	-	-	-64.37	7.20	-57.17	78.3
3910.00	H	-	-	-62.66	7.34	-55.32	76.4

Table 7-14. Radiated Spurious Data (Band 13 – Mid Channel)

OPERATING FREQUENCY: 784.50 MHz
 CHANNEL: 23255
 MEASURED OUTPUT POWER: 21.80 dBm = 0.151 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 34.80 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
2353.50	H	-	-	-68.07	7.30	-60.77	82.6
3138.00	H	-	-	-64.60	7.21	-57.39	79.2
3922.50	H	-	-	-62.36	7.37	-54.99	76.8

Table 7-15. Radiated Spurious Data (Band 13 – High Channel)

MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.00 MHz
 DISTANCE: 3 meters
 NARROWBAND EMISSION LIMIT: -50 dBm
 WIDEBAND EMISSION LIMIT: -40 dBm/MHz

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Margin [dB]
1559.00	H	-	-	-70.73	6.55	-64.17	-24.2
1564.00	H	-	-	-70.64	6.57	-64.07	-24.1
1569.00	H	-	-	-70.33	6.59	-63.74	-23.7

Table 7-16. Radiated Spurious Data (Band 13 – 1559-1610MHz Band)

OPERATING FREQUENCY: 784.50 MHz
 CHANNEL: 23255
 MEASURED OUTPUT POWER: 21.68 dBm = 0.147 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 34.68 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
2353.50	H	-	-	-68.74	7.30	-61.44	83.1
3138.00	H	-	-	-64.69	7.21	-57.48	79.2
3922.50	H	-	-	-62.97	7.37	-55.60	77.3

Table 7-17. Radiated Spurious Data with WCP (Band 13 – High Channel)

MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.00 MHz
 DISTANCE: 3 meters
 NARROWBAND EMISSION LIMIT: -50 dBm
 WIDEBAND EMISSION LIMIT: -40 dBm/MHz

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Margin [dB]
1569.00	H	-	-	-70.14	6.59	-63.55	-23.6

Table 7-18. Radiated Spurious Data with WCP (Band 13 – 1559-1610MHz Band)

OPERATING FREQUENCY: 826.50 MHz
 CHANNEL: 20425
 MEASURED OUTPUT POWER: 21.67 dBm = 0.147 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 34.67 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1653.00	H	-	-	-70.50	6.70	-63.81	85.5
2479.50	H	-	-	-66.57	7.54	-59.03	80.7
3306.00	H	-	-	-63.91	7.38	-56.53	78.2

Table 7-19. Radiated Spurious Data (Band 5/26 – Low Channel)

OPERATING FREQUENCY: 836.50 MHz
 CHANNEL: 20525
 MEASURED OUTPUT POWER: 20.14 dBm = 0.103 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 33.14 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1673.00	H	-	-	-70.56	6.70	-63.87	84.0
2509.50	H	-	-	-67.61	7.63	-59.98	80.1
3346.00	H	-	-	-64.90	7.51	-57.39	77.5

Table 7-20. Radiated Spurious Data (Band 5/26 – Mid Channel)

OPERATING FREQUENCY: 846.50 MHz
 CHANNEL: 20625
 MEASURED OUTPUT POWER: 20.06 dBm = 0.101 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 33.06 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1693.00	H	110	265	-67.88	6.70	-61.18	81.2
2539.50	H	-	-	-67.46	7.60	-59.86	79.9
3386.00	H	-	-	-64.83	7.65	-57.18	77.2

Table 7-21. Radiated Spurious Data (Band 5/26 – High Channel)

OPERATING FREQUENCY: 826.50 MHz
 CHANNEL: 20425
 MEASURED OUTPUT POWER: 21.53 dBm = 0.142 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 34.53 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	[dBc]
1653.00	H	180	212	-58.25	6.70	-51.56	73.1
2479.50	H	-	-	-68.38	7.63	-60.75	82.3
3306.00	H	-	-	-64.75	7.51	-57.24	78.8

Table 7-22. Radiated Spurious Data with WCP (Band 5/26 – Mid Channel)

OPERATING FREQUENCY: 1712.50 MHz
 CHANNEL: 19975
 MEASURED OUTPUT POWER: 22.47 dBm = 0.177 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 35.47 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3425.00	H	110	200	-62.12	9.87	-52.25	74.7
5137.50	H	-	-	-65.22	10.76	-54.47	76.9
6850.00	H	-	-	-59.84	11.67	-48.17	70.6

Table 7-23. Radiated Spurious Data (Band 4 – Low Channel)

OPERATING FREQUENCY: 1732.50 MHz
 CHANNEL: 20175
 MEASURED OUTPUT POWER: 22.18 dBm = 0.165 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 35.18 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3465.00	H	110	218	-59.30	9.91	-49.39	71.6
5197.50	H	-	-	-64.76	10.75	-54.02	76.2
6930.00	H	-	-	-60.23	11.76	-48.47	70.7

Table 7-24. Radiated Spurious Data (Band 4 – Mid Channel)

OPERATING FREQUENCY: 1752.50 MHz
 CHANNEL: 20375
 MEASURED OUTPUT POWER: 22.50 dBm = 0.178 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 35.50 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3505.00	H	110	228	-60.54	9.95	-50.59	73.1
5257.50	H	-	-	-65.05	10.71	-54.34	76.8
7010.00	H	-	-	-59.48	11.83	-47.65	70.2

Table 7-25. Radiated Spurious Data (Band 4 – High Channel)

OPERATING FREQUENCY: 1752.50 MHz
 CHANNEL: 20375
 MEASURED OUTPUT POWER: 22.37 dBm = 0.173 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 35.37 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3505.00	H	110	230	-61.23	9.95	-51.28	73.7
5257.50	H	-	-	-64.94	10.71	-54.23	76.6
7010.00	H	-	-	-59.41	11.83	-47.58	70.0

Table 7-26. Radiated Spurious Data with WCP (Band 4 – High Channel)

OPERATING FREQUENCY: 1851.50 MHz
 CHANNEL: 18615
 MEASURED OUTPUT POWER: 18.27 dBm = 0.067 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 3.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 31.27 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3703.00	H	225	182	-61.55	9.52	-52.02	70.3
5554.50	H	-	-	-65.37	11.02	-54.35	72.6
7406.00	H	-	-	-57.51	10.95	-46.56	64.8

Table 7-27. Radiated Spurious Data (Band 2/25 – Low Channel)

OPERATING FREQUENCY: 1880.00 MHz
 CHANNEL: 18900
 MEASURED OUTPUT POWER: 21.59 dBm = 0.144 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 3.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 34.59 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3760.00	H	110	187	-62.75	9.39	-53.37	75.0
5640.00	H	-	-	-65.26	11.22	-54.04	75.6
7520.00	H	-	-	-57.45	11.10	-46.35	67.9

Table 7-28. Radiated Spurious Data (Band 2/25 – Mid Channel)

OPERATING FREQUENCY: 1908.50 MHz
 CHANNEL: 19185
 MEASURED OUTPUT POWER: 20.71 dBm = 0.118 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 3.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 33.71 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3817.00	H	110	190	-62.28	9.32	-52.96	73.7
5725.50	H	-	-	-64.96	11.36	-53.60	74.3
7634.00	H	-	-	-57.63	11.33	-46.30	67.0

Table 7-29. Radiated Spurious Data (Band 2/25 – High Channel)

OPERATING FREQUENCY: 1880.00 MHz
 CHANNEL: 18900
 MEASURED OUTPUT POWER: 20.54 dBm = 0.113 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 3.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10}(W) =$ 33.54 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
3760.00	H	110	207	-62.61	9.39	-53.23	73.8
5640.00	H	-	-	-65.16	11.22	-53.94	74.5
7520.00	H	-	-	-57.61	11.10	-46.51	67.1

Table 7-30. Radiated Spurious Data with WCP (Band 2/25 – Mid Channel)

OPERATING FREQUENCY: 2498.50 MHz
 CHANNEL: 39675
 MEASURED OUTPUT POWER: 21.79 dBm = 0.151 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $55 + 10 \log_{10}(W)$ 46.79 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
4997.00	H	-	-	-61.98	11.19	-50.79	72.6
7495.50	H	-	-	-54.85	11.14	-43.71	65.5
9994.00	H	-	-	-53.63	12.55	-41.08	62.9

Table 7-31. Radiated Spurious Data (Band 41 – Low Channel)

OPERATING FREQUENCY: 2593.00 MHz
 CHANNEL: 40620
 MEASURED OUTPUT POWER: 22.23 dBm = 0.167 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $55 + 10 \log_{10}(W)$ 47.23 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
5186.00	H	100	218	-56.99	10.83	-46.16	68.4
7779.00	H	-	-	-54.27	11.60	-42.68	64.9
10372.00	H	-	-	-53.50	12.74	-40.76	63.0

Table 7-32. Radiated Spurious Data (Band 41 – Mid Channel)

OPERATING FREQUENCY: 2687.50 MHz
 CHANNEL: 41565
 MEASURED OUTPUT POWER: 21.98 dBm = 0.158 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $55 + 10 \log_{10}(W)$ 46.98 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
5375.00	H	100	28	-45.61	11.10	-34.52	56.5
8062.50	H	100	29	-43.69	11.56	-32.13	54.1
10750.00	H	-	-	-53.02	13.03	-39.99	62.0

Table 7-33. Radiated Spurious Data (Band 41 – High Channel)

OPERATING FREQUENCY: 2593.00 MHz
 CHANNEL: 40620
 MEASURED OUTPUT POWER: 22.17 dBm = 0.165 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $55 + 10 \log_{10}(W)$ 47.17 dBc

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	[dBc]
5186.00	H	100	206	-48.35	10.83	-37.52	59.7
7779.00	H	-	-	-54.90	11.60	-43.31	65.5
10372.00	H	-	-	-53.92	12.74	-41.18	63.4

Table 7-34. Radiated Spurious Data with WCP (Band 41 – Mid Channel)

7.8 Frequency Stability / Temperature Variation

\$2.1055 \$22.355 \$24.235 \$27.54

Test Overview and Limit

Frequency stability testing is performed in accordance with the guidelines of ANSI/TIA-603-D-2010. The frequency stability of the transmitter is measured by:

- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

For Part 22, the frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency. For Part 24 and Part 27, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

Test Procedure Used

ANSI/TIA-603-D-2010

Test Settings

1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
2. The equipment is turned on in a “standby” condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Test Setup

The EUT was connected via an RF cable to a spectrum analyzer with the EUT placed inside an environmental chamber.

Test Notes

None

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 145 of 158	

Band 12/17 Frequency Stability Measurements
§2.1055 §27.54

OPERATING FREQUENCY: 707,500,000 Hz
 CHANNEL: 23790
 REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	707,499,949	-51	-0.0000072
100 %		- 30	707,500,066	66	0.0000093
100 %		- 20	707,499,667	-333	-0.0000471
100 %		- 10	707,499,786	-214	-0.0000302
100 %		0	707,499,674	-326	-0.0000461
100 %		+ 10	707,500,262	262	0.0000370
100 %		+ 20	707,500,106	106	0.0000150
100 %		+ 30	707,500,104	104	0.0000147
100 %		+ 40	707,499,921	-79	-0.0000112
100 %		+ 50	707,499,896	-104	-0.0000147
BATT. ENDPOINT		3.45	+ 20	707,499,543	-457

Table 7-35. Frequency Stability Data (Band 12/17)

Band 12/17 Frequency Stability Measurements
§2.1055 §27.54




Figure 7-8. Frequency Stability Graph (Band 12/17)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset		Page 147 of 158

Band 13 Frequency Stability Measurements
§2.1055 §27.54

OPERATING FREQUENCY: 782,000,000 Hz
 CHANNEL: 23230
 REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	781,999,921	-79	-0.0000101
100 %		- 30	781,999,944	-56	-0.0000072
100 %		- 20	782,000,073	73	0.0000093
100 %		- 10	781,999,871	-129	-0.0000165
100 %		0	782,000,231	231	0.0000295
100 %		+ 10	782,000,247	247	0.0000316
100 %		+ 20	781,999,794	-206	-0.0000263
100 %		+ 30	782,000,030	30	0.0000038
100 %		+ 40	782,000,096	96	0.0000123
100 %		+ 50	781,999,831	-169	-0.0000216
BATT. ENDPOINT		3.45	+ 20	781,999,781	-219

Table 7-36. Frequency Stability Data (Band 13)

Band 13 Frequency Stability Measurements
§2.1055 §27.54




Figure 7-9. Frequency Stability Graph (Band 13)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 149 of 158	

Band 5/26 Frequency Stability Measurements
§2.1055 §22.355

OPERATING FREQUENCY: 836,500,000 Hz
 CHANNEL: 20525
 REFERENCE VOLTAGE: 3.85 VDC
 DEVIATION LIMIT: ± 0.00025 % or 2.5 ppm

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	836,500,338	338	0.0000404
100 %		- 30	836,500,013	13	0.0000016
100 %		- 20	836,500,251	251	0.0000300
100 %		- 10	836,500,277	277	0.0000331
100 %		0	836,499,979	-21	-0.0000025
100 %		+ 10	836,499,830	-170	-0.0000203
100 %		+ 20	836,499,713	-287	-0.0000343
100 %		+ 30	836,499,775	-225	-0.0000269
100 %		+ 40	836,499,885	-115	-0.0000137
100 %		+ 50	836,499,836	-164	-0.0000196
BATT. ENDPOINT		3.45	+ 20	836,500,000	0

Table 7-37. Frequency Stability Data (Band 5/26)

Band 5/26 Frequency Stability Measurements
§2.1055 §22.355




Figure 7-10. Frequency Stability Graph (Band 5/26)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 151 of 158	

Band 4 Frequency Stability Measurements

§2.1055 §§27.54

OPERATING FREQUENCY: 1,732,500,000 Hz
 CHANNEL: 20175
 REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	1,732,499,741	-259	-0.0000149
100 %		- 30	1,732,499,863	-137	-0.0000079
100 %		- 20	1,732,500,002	2	0.0000001
100 %		- 10	1,732,500,109	109	0.0000063
100 %		0	1,732,500,033	33	0.0000019
100 %		+ 10	1,732,500,211	211	0.0000122
100 %		+ 20	1,732,499,971	-29	-0.0000017
100 %		+ 30	1,732,499,641	-359	-0.0000207
100 %		+ 40	1,732,500,050	50	0.0000029
100 %		+ 50	1,732,500,024	24	0.0000014
BATT. ENDPOINT	3.45	+ 20	1,732,499,863	-137	-0.0000079

Table 7-38. Frequency Stability Data (Band 4)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Band 4 Frequency Stability Measurements
§2.1055 §§27.54





Figure 7-11. Frequency Stability Graph (Band 4)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 153 of 158	

Band 2/25 Frequency Stability Measurements
§2.1055 §24.235

OPERATING FREQUENCY: 1,880,000,000 Hz
 CHANNEL: 18900
 REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	1,880,000,295	295	0.0000157
100 %		- 30	1,879,999,553	-447	-0.0000238
100 %		- 20	1,879,999,911	-89	-0.0000047
100 %		- 10	1,880,000,038	38	0.0000020
100 %		0	1,879,999,868	-132	-0.0000070
100 %		+ 10	1,880,000,174	174	0.0000093
100 %		+ 20	1,880,000,225	225	0.0000120
100 %		+ 30	1,879,999,815	-185	-0.0000098
100 %		+ 40	1,880,000,184	184	0.0000098
100 %		+ 50	1,880,000,254	254	0.0000135
BATT. ENDPOINT	3.45	+ 20	1,880,000,137	137	0.0000073

Table 7-39. Frequency Stability Data (Band 2/25)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Band 2/25 Frequency Stability Measurements
§2.1055 §24.235





Figure 7-12. Frequency Stability Graph (Band 2/25)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 155 of 158	

Band 41 Frequency Stability Measurements

§2.1055 §27.54

OPERATING FREQUENCY: 2,593,000,000 Hz
 CHANNEL: 40620
 REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	2,593,000,282	282	0.0000109
100 %		- 30	2,592,999,903	-97	-0.0000037
100 %		- 20	2,593,000,255	255	0.0000098
100 %		- 10	2,592,999,793	-207	-0.0000080
100 %		0	2,593,000,184	184	0.0000071
100 %		+ 10	2,592,999,921	-79	-0.0000030
100 %		+ 20	2,593,000,216	216	0.0000083
100 %		+ 30	2,593,000,060	60	0.0000023
100 %		+ 40	2,593,000,353	353	0.0000136
100 %		+ 50	2,592,999,928	-72	-0.0000028
BATT. ENDPOINT	3.45	+ 20	2,593,000,179	179	0.0000069

Table 7-40. Frequency Stability Data (Band 41)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

Band 41 Frequency Stability Measurements
§2.1055 §27.54





Figure 7-13. Frequency Stability Graph (Band 41)

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 157 of 158	

8.0 CONCLUSION

The data collected relate only to the item(s) tested and show that the **Samsung Portable Handset FCC ID: A3LSMG950N** complies with all the requirements of Parts of the FCC rules for LTE operation only.

FCC ID: A3LSMG950N		FCC Pt. 22, 24, 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1701030008-03.A3L	Test Dates: 1/2 - 2/24/2017	EUT Type: Portable Handset	Page 158 of 158	