



**HIGH CHANNEL(744.5MHz)**

**HORIZONTAL PEAK PLOT**



**VERTICAL PEAK PLOT**



**DATA**

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	60.4788	9.84	Pk	18.4	.8	29.04	40	-10.96	0-360	400	H
2	103.0666	7.72	Pk	17.7	1.1	26.52	43.52	-17	0-360	400	H
5	713.79	72.58	Pk	25.6	2.9	101.08	46.02	55.06	0-360	100	H
7	744.4258	32.01	Pk	26.6	3	61.61	46.02	15.59	0-360	100	H
3	54.8773	7.8	Pk	19.4	.8	28	40	-12	0-360	100	V
4	97.877	10.34	Pk	17.6	1.1	29.04	43.52	-14.48	0-360	100	V
6	714.7448	69.25	Pk	25.6	2.9	97.75	46.02	51.73	0-360	100	V
8	744.6268	30.73	Pk	26.6	3	60.33	46.02	14.31	0-360	200	V


Pk - Peak detector

Note: Unwanted emissions captured from 699MHz to 716MHz and from 729MHz to 746MHz were the TX and RX signals generated from the call-simulator.


### 4.11. Below 1 GHz in the LTE Band 13

#### LOW CHANNEL(748.5MHz)

#### HORIZONTAL PEAK PLOT



#### VERTICAL PEAK PLOT



**DATA**

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	60.0933	9.86	Pk	18.5	.8	29.16	40	-10.84	0-360	400	H
2	102.2768	7.12	Pk	17.8	1.1	26.02	43.52	-17.5	0-360	300	H
5	779.5845	74.35	Pk	26.7	3	104.05	46.02	58.03	0-360	100	H
7	748.505	31.34	Pk	26.7	3	61.04	46.02	15.02	0-360	100	H
3	57.7988	8.92	Pk	18.9	.8	28.62	40	-11.38	0-360	300	V
4	96.364	7.43	Pk	17.4	1	25.83	43.52	-17.69	0-360	100	V
6	779.4778	68.65	Pk	26.7	3	98.35	46.02	52.33	0-360	100	V
8	748.5584	31.01	Pk	26.7	3	60.71	46.02	14.69	0-360	200	V

Pk - Peak detector


Note: Unwanted emissions captured from 777MHz to 787MHz and from 746MHz to 756MHz were the TX and RX signals generated from the call-simulator.

**MID CHANNEL(751.0MHz)**

**HORIZONTAL PEAK PLOT**



**VERTICAL PEAK PLOT**



**DATA**

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	60.0933	9.83	Pk	18.5	.8	29.13	40	-10.87	0-360	400	H
2	99.7175	7.61	Pk	17.7	1.1	26.41	43.52	-17.11	0-360	300	H
5	782.2685	73.99	Pk	26.7	3	103.69	46.02	57.67	0-360	100	H
7	750.7544	32.35	Pk	26.8	3	62.15	46.02	16.13	0-360	100	H
3	59.3873	8.09	Pk	18.6	.8	27.49	40	-12.51	0-360	300	V
4	96.8053	7.48	Pk	17.4	1.1	25.98	43.52	-17.54	0-360	100	V
6	782.0321	67.9	Pk	26.7	3	97.6	46.02	51.58	0-360	100	V
8	750.9069	31.82	Pk	26.8	3	61.62	46.02	15.6	0-360	200	V

Pk - Peak detector


Note: Unwanted emissions captured from 777MHz to 787MHz and from 746MHz to 756MHz were the TX and RX signals generated from the call-simulator.

**HIGH CHANNEL(753.5MHz)**

**HORIZONTAL PEAK PLOT**



**VERTICAL PEAK PLOT**



**DATA**

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	60.1815	9.65	Pk	18.5	.9	29.05	40	-10.95	0-360	400	H
2	101.5708	7.7	Pk	17.7	1.1	26.5	43.52	-17.02	0-360	300	H
5	784.7238	74.08	Pk	26.7	3	103.78	46.02	57.76	0-360	100	H
7	753.812	32.07	Pk	26.9	3	61.97	46.02	15.95	0-360	100	H
3	57.0928	8.43	Pk	19	.8	28.23	40	-11.77	0-360	100	V
4	96.011	6.91	Pk	17.4	1	25.31	43.52	-18.21	0-360	100	V
6	784.0375	68.32	Pk	26.7	3	98.02	46.02	52	0-360	200	V
8	753.6824	31.38	Pk	26.9	3	61.28	46.02	15.26	0-360	200	V

Pk - Peak detector


Note: Unwanted emissions captured from 777MHz to 787MHz and from 746MHz to 756MHz were the TX and RX signals generated from the call-simulator.




### 4.12. Below 1 GHz in the LTE Band 26

#### LOW CHANNEL(860.5MHz)

#### HORIZONTAL PEAK PLOT



#### VERTICAL PEAK PLOT



**DATA**

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	60.0893	10.02	Pk	18.5	.8	29.32	40	-10.68	0-360	400	H
2	101.0145	7.36	Pk	17.7	1.1	26.16	43.52	-17.36	0-360	300	H
5	816.475	78.87	Pk	27	3.1	108.97	46.02	62.95	0-360	100	H
7	861.575	31	Pk	27.6	3.2	61.8	46.02	15.78	0-360	100	H
3	57.1868	8.76	Pk	19	.8	28.56	40	-11.44	0-360	300	V
4	94.5323	7.64	Pk	17.1	1	25.74	43.52	-17.78	0-360	100	V
6	816.7125	73.47	Pk	27	3.1	103.57	46.02	57.55	0-360	100	V
8	861.675	32.17	Pk	27.6	3.2	62.97	46.02	16.95	0-360	100	V

Pk - Peak detector


Note: Unwanted emissions captured from 814MHz to 849MHz and from 859MHz to 894MHz were the TX and RX signals generated from the call-simulator.

**MID CHANNEL(876.5MHz)**

**HORIZONTAL PEAK PLOT**



**VERTICAL PEAK PLOT**



**DATA**

Trace Markers


Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	59.8958	9.64	Pk	18.5	.8	28.94	40	-11.06	0-360	400	H
2	100.1438	7.57	Pk	17.7	1.1	26.37	43.52	-17.15	0-360	300	H
5	831.625	80.63	Pk	27.1	3.1	110.83	46.02	64.81	0-360	100	H
7	876.725	30.7	Pk	28	3.2	61.9	46.02	15.88	0-360	100	H
3	56.6063	8.49	Pk	19.1	.8	28.39	40	-11.61	0-360	100	V
4	94.4355	7.55	Pk	17.1	1.1	25.75	43.52	-17.77	0-360	100	V
6	831.3313	71.59	Pk	27.1	3.1	101.79	46.02	55.77	0-360	100	V
8	875.9125	30.49	Pk	28	3.2	61.69	46.02	15.67	0-360	100	V

Pk - Peak detector


Note: Unwanted emissions captured from 814MHz to 849MHz and from 859MHz to 894MHz were the TX and RX signals generated from the call-simulator.

**HIGH CHANNEL(892.5MHz)**

**HORIZONTAL PEAK PLOT**



**VERTICAL PEAK PLOT**



**DATA**

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_749	Bypass_Below_1G[dB]	Corrected Reading (dBuV/m)	QPk Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	59.025	9.33	Pk	18.7	.8	28.83	40	-11.17	0-360	400	H
2	102.2723	7.67	Pk	17.8	1.1	26.57	43.52	-16.95	0-360	300	H
5	846.6125	78.54	Pk	27.3	3.2	109.04	46.02	63.02	0-360	100	H
7	891.5875	30.67	Pk	28	3.3	61.97	46.02	15.95	0-360	100	H
3	59.2185	8.88	Pk	18.7	.8	28.38	40	-11.62	0-360	300	V
4	94.4355	7.66	Pk	17.1	1.1	25.86	43.52	-17.66	0-360	100	V
6	846.1	69.41	Pk	27.3	3.2	99.91	46.02	53.89	0-360	100	V
8	891.75	31.3	Pk	28	3.3	62.6	46.02	16.58	0-360	100	V

Pk - Peak detector

Note: Unwanted emissions captured from 814MHz to 849MHz and from 859MHz to 894MHz were the TX and RX signals generated from the call-simulator.