




Plot 7-136. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 52 Tones (UNII Band 1) – Ch. 36)




Plot 7-137. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 52 Tones (UNII Band 1) – Ch. 40)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 121 of 516




Plot 7-138. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 52 Tones (UNII Band 1) – Ch. 48)




Plot 7-139. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 52 Tones (UNII Band 1) – Ch. 38)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 122 of 516



Plot 7-140. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 52 Tones (UNII Band 1) – Ch. 46)




Plot 7-141. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 52 Tones (UNII Band 1) – Ch. 42)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 123 of 516




Plot 7-142. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 52 Tones (UNII Band 2A) – Ch. 52)




Plot 7-143. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 52 Tones (UNII Band 2A) – Ch. 56)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 124 of 516



Plot 7-144. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 52 Tones (UNII Band 2A) – Ch. 64)




Plot 7-145. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 52 Tones (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 125 of 516



Plot 7-146. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 52 Tones (UNII Band 2A) – Ch. 62)



Plot 7-147. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 52 Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 126 of 516




Plot 7-148. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 100)




Plot 7-149. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 127 of 516




Plot 7-152. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 118)




Plot 7-153. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 129 of 516




Plot 7-154. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 106)



Plot 7-155. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 130 of 516




Plot 7-156. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMG9750	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset	Page 131 of 516	


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	52T	MCS0	4.96	30.0	-25.04
	5785	157	ax (20MHz)	52T	MCS0	4.94	30.0	-25.06
	5825	165	ax (20MHz)	52T	MCS0	4.83	30.0	-25.17
	5755	151	ax (40MHz)	52T	MCS0	4.45	30.0	-25.55
	5795	159	ax (40MHz)	52T	MCS0	4.01	30.0	-25.99
	5775	155	ax (80MHz)	52T	MCS0	6.22	30.0	-23.78

Table 7-68. Band 3 Conducted Power Spectral Density Measurements SISO ANT1 (52 Tones)




Plot 7-157. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 52 Tones (UNII Band 3) – Ch. 149)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 132 of 516




Plot 7-158. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 52 Tones (UNII Band 3) – Ch. 157)




Plot 7-159. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 52 Tones (UNII Band 3) – Ch. 165)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 133 of 516




Plot 7-160. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 52 Tones (UNII Band 3) – Ch. 151)



Plot 7-161. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 52 Tones (UNII Band 3) – Ch. 159)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 134 of 516



Plot 7-162. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 52 Tones (UNII Band 3) – Ch. 155)

FCC ID: A3LSMG9750	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset	Page 135 of 516	

SISO Antenna-1 Power Spectral Density Measurements (106 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	106T	MCS0	7.12	11.0	-3.88
	5200	40	ax (20MHz)	106T	MCS0	6.75	11.0	-4.25
	5240	48	ax (20MHz)	106T	MCS0	7.09	11.0	-3.91
	5190	38	ax (40MHz)	106T	MCS0	5.15	11.0	-5.85
	5230	46	ax (40MHz)	106T	MCS0	5.25	11.0	-5.75
	5210	42	ax (80MHz)	106T	MCS0	3.86	11.0	-7.14
Band 2A	5260	52	ax (20MHz)	106T	MCS0	6.89	11.0	-4.11
	5280	56	ax (20MHz)	106T	MCS0	6.84	11.0	-4.16
	5320	64	ax (20MHz)	106T	MCS0	7.02	11.0	-3.98
	5270	54	ax (40MHz)	106T	MCS0	5.35	11.0	-5.65
	5310	62	ax (40MHz)	106T	MCS0	4.99	11.0	-6.01
	5290	58	ax (80MHz)	106T	MCS0	4.28	11.0	-6.72
Band 2C	5500	100	ax (20MHz)	106T	MCS0	6.85	11.0	-4.15
	5600	120	ax (20MHz)	106T	MCS0	7.10	11.0	-3.90
	5720	144	ax (20MHz)	106T	MCS0	6.92	11.0	-4.08
	5510	102	ax (40MHz)	106T	MCS0	5.09	11.0	-5.91
	5590	118	ax (40MHz)	106T	MCS0	5.08	11.0	-5.92
	5710	142	ax (40MHz)	106T	MCS0	5.14	11.0	-5.86
	5530	106	ax (80MHz)	106T	MCS0	3.30	11.0	-7.70
	5610	122	ax (80MHz)	106T	MCS0	3.77	11.0	-7.23
	5690	138	ax (80MHz)	106T	MCS0	1.04	11.0	-9.96

Table 7-69. Bands 1, 2A, 2C Conducted Power Spectral Density Measurements SISO ANT1 (106 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density	Margin [dB]
Band 1	5180	36	ax (20MHz)	106T	MCS0	7.12	-7.25	-0.13	10.0	-10.13
	5200	40	ax (20MHz)	106T	MCS0	6.75	-7.55	-0.80	10.0	-10.80
	5240	48	ax (20MHz)	106T	MCS0	7.09	-7.33	-0.24	10.0	-10.24
	5190	38	ax (40MHz)	106T	MCS0	5.15	-7.25	-2.10	10.0	-12.10
	5230	46	ax (40MHz)	106T	MCS0	5.25	-7.55	-2.30	10.0	-12.30
	5210	42	ax (80MHz)	106T	MCS0	3.86	-7.33	-3.47	10.0	-13.47

Table 7-70. Bands 1 e.i.r.p Conducted Power Spectral Density Measurements (ISED 106 Tones)

FCC ID: A3LSMG9750			MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 136 of 516	




Plot 7-163. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 1) – Ch. 36)




Plot 7-164. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 1) – Ch. 40)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 137 of 516




Plot 7-165. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 1) – Ch. 48)




Plot 7-166. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 1) – Ch. 38)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 138 of 516




Plot 7-167. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 1) – Ch. 46)




Plot 7-168. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 106 Tones (UNII Band 1) – Ch. 42)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 139 of 516




Plot 7-169. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 2A) – Ch. 52)




Plot 7-170. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 2A) – Ch. 56)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 140 of 516




Plot 7-171. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 2A) – Ch. 64)




Plot 7-172. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 141 of 516



Plot 7-173. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 2A) – Ch. 62)




Plot 7-174. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 106 Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 142 of 516




Plot 7-175. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 100)




Plot 7-176. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 143 of 516




Plot 7-177. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 144)




Plot 7-178. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 102)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 144 of 516




Plot 7-179. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 118)




Plot 7-180. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 145 of 516




Plot 7-181. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 106)



Plot 7-182. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 146 of 516



Plot 7-183. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 106 Tones (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMG9750	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset	Page 147 of 516	

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	106T	MCS0	4.41	30.0	-25.59
	5785	157	ax (20MHz)	106T	MCS0	4.57	30.0	-25.43
	5825	165	ax (20MHz)	106T	MCS0	4.29	30.0	-25.71
	5755	151	ax (40MHz)	106T	MCS0	2.38	30.0	-27.62
	5795	159	ax (40MHz)	106T	MCS0	2.29	30.0	-27.71
	5775	155	ax (80MHz)	106T	MCS0	4.44	30.0	-25.56

Table 7-71. Band 3 Conducted Power Spectral Density Measurements SISO ANT1 (106 Tones)




Plot 7-184. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 3) – Ch. 149)

FCC ID: A3LSMG9750	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset	Page 148 of 516	




Plot 7-185. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 3) – Ch. 157)




Plot 7-186. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 106 Tones (UNII Band 3) – Ch. 165)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 149 of 516




Plot 7-187. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 3) – Ch. 151)



Plot 7-188. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 106 Tones (UNII Band 3) – Ch. 159)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 150 of 516



Plot 7-189. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 106 Tones (UNII Band 3) – Ch. 155)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 151 of 516

SISO Antenna-1 Power Spectral Density Measurements (242 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242T	MCS0	4.15	11.0	-6.85
	5200	40	ax (20MHz)	242T	MCS0	4.27	11.0	-6.73
	5240	48	ax (20MHz)	242T	MCS0	4.40	11.0	-6.60
	5190	38	ax (40MHz)	242T	MCS0	2.66	11.0	-8.34
	5230	46	ax (40MHz)	242T	MCS0	3.02	11.0	-7.98
	5210	42	ax (80MHz)	242T	MCS0	1.60	11.0	-9.40
Band 2A	5260	52	ax (20MHz)	242T	MCS0	4.45	11.0	-6.55
	5280	56	ax (20MHz)	242T	MCS0	4.79	11.0	-6.21
	5320	64	ax (20MHz)	242T	MCS0	4.97	11.0	-6.03
	5270	54	ax (40MHz)	242T	MCS0	3.02	11.0	-7.98
	5310	62	ax (40MHz)	242T	MCS0	2.79	11.0	-8.21
	5290	58	ax (80MHz)	242T	MCS0	2.00	11.0	-9.00
Band 2C	5500	100	ax (20MHz)	242T	MCS0	4.52	11.0	-6.48
	5600	120	ax (20MHz)	242T	MCS0	4.64	11.0	-6.36
	5720	144	ax (20MHz)	242T	MCS0	4.60	11.0	-6.40
	5510	102	ax (40MHz)	242T	MCS0	2.53	11.0	-8.47
	5590	118	ax (40MHz)	242T	MCS0	2.81	11.0	-8.19
	5710	142	ax (40MHz)	242T	MCS0	2.74	11.0	-8.26
	5530	106	ax (80MHz)	242T	MCS0	0.73	11.0	-10.27
	5610	122	ax (80MHz)	242T	MCS0	0.74	11.0	-10.26
	5690	138	ax (80MHz)	242T	MCS0	-1.53	11.0	-12.53

Table 7-72. Bands 1, 2A, 2C Conducted Power Spectral Density Measurements SISO ANT1 (242 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density	Margin [dB]
Band 1	5180	36	ax (20MHz)	242T	MCS0	4.15	-7.25	-3.10	10.0	-13.10
	5200	40	ax (20MHz)	242T	MCS0	4.27	-7.55	-3.28	10.0	-13.28
	5240	48	ax (20MHz)	242T	MCS0	4.40	-7.33	-2.93	10.0	-12.93
	5190	38	ax (40MHz)	242T	MCS0	2.66	-7.25	-4.59	10.0	-14.59
	5230	46	ax (40MHz)	242T	MCS0	3.02	-7.55	-4.53	10.0	-14.53
	5210	42	ax (80MHz)	242T	MCS0	1.60	-7.33	-5.73	10.0	-15.73

Table 7-73. Bands 1 e.i.r.p Conducted Power Spectral Density Measurements (ISED 242 Tones)

FCC ID: A3LSMG9750	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset	Page 152 of 516




Plot 7-190. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 1) – Ch. 36)




Plot 7-191. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 1) – Ch. 40)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 153 of 516




Plot 7-192. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 1) – Ch. 48)




Plot 7-193. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 1) – Ch. 38)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 154 of 516




Plot 7-194. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 1) – Ch. 46)




Plot 7-195. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 242 Tones (UNII Band 1) – Ch. 42)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 155 of 516




Plot 7-196. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 2A) – Ch. 52)




Plot 7-197. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 2A) – Ch. 56)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 156 of 516




Plot 7-198. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 2A) – Ch. 64)




Plot 7-199. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 157 of 516




Plot 7-200. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 2A) – Ch. 62)




Plot 7-201. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 242 Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 158 of 516




Plot 7-202. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 100)




Plot 7-203. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 120)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 159 of 516




Plot 7-204. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 144)




Plot 7-205. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 102)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 160 of 516




Plot 7-206. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 118)




Plot 7-207. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 161 of 516




Plot 7-208. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 106)



Plot 7-209. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 162 of 516




Plot 7-210. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 242 Tones (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 163 of 516


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242T	MCS0	1.60	30.0	-28.40
	5785	157	ax (20MHz)	242T	MCS0	1.63	30.0	-28.37
	5825	165	ax (20MHz)	242T	MCS0	1.66	30.0	-28.34
	5755	151	ax (40MHz)	242T	MCS0	0.50	30.0	-29.50
	5795	159	ax (40MHz)	242T	MCS0	0.07	30.0	-29.93
	5775	155	ax (80MHz)	242T	MCS0	1.57	30.0	-28.43

Table 7-74. Band 3 Conducted Power Spectral Density Measurements SISO ANT1 (242 Tones)




Plot 7-211. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 149)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 164 of 516




Plot 7-212. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 157)




Plot 7-213. Power Spectral Density Plot SISO ANT1 (20MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 165)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 165 of 516




Plot 7-214. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 151)



Plot 7-215. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 159)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 166 of 516



Plot 7-216. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 242 Tones (UNII Band 3) – Ch. 155)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 167 of 516

SISO Antenna-1 Power Spectral Density Measurements (484 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5190	38	ax (40MHz)	484T	MCS0	-0.05	11.0	-11.05
	5230	46	ax (40MHz)	484T	MCS0	0.03	11.0	-10.97
	5210	42	ax (80MHz)	484T	MCS0	-0.82	11.0	-11.82
Band 2A	5270	54	ax (40MHz)	484T	MCS0	-0.41	11.0	-11.41
	5310	62	ax (40MHz)	484T	MCS0	-0.48	11.0	-11.48
	5290	58	ax (80MHz)	484T	MCS0	-0.92	11.0	-11.92
Band 2C	5510	102	ax (40MHz)	484T	MCS0	-0.77	11.0	-11.77
	5590	118	ax (40MHz)	484T	MCS0	-0.71	11.0	-11.71
	5710	142	ax (40MHz)	484T	MCS0	-0.46	11.0	-11.46
	5530	106	ax (80MHz)	484T	MCS0	-1.87	11.0	-12.87
	5610	122	ax (80MHz)	484T	MCS0	-1.71	11.0	-12.71
	5690	138	ax (80MHz)	484T	MCS0	-4.19	11.0	-15.19

Table 7-75. Bands 1, 2A, 2C Conducted Power Spectral Density Measurements SISO ANT1 (484 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density	Margin [dB]
Band 1	5190	38	ax (40MHz)	484T	MCS0	-0.05	-7.25	-7.30	10.0	-17.30
	5230	46	ax (40MHz)	484T	MCS0	0.03	-7.55	-7.52	10.0	-17.52
	5210	42	ax (80MHz)	484T	MCS0	-0.82	-7.33	-8.15	10.0	-18.15

Table 7-76. Bands 1 e.i.r.p Conducted Power Spectral Density Measurements (ISED 484 Tones)

FCC ID: A3LSMG9750			MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 168 of 516	




Plot 7-217. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 1) – Ch. 38)




Plot 7-218. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 1) – Ch. 46)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 169 of 516




Plot 7-219. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 484 Tones (UNII Band 1) – Ch. 42)




Plot 7-220. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 170 of 516




Plot 7-221. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 2A) – Ch. 62)




Plot 7-222. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 484 Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 171 of 516




Plot 7-223. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 2C) – Ch. 102)




Plot 7-224. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 2C) – Ch. 118)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 172 of 516




Plot 7-225. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 2C) – Ch. 142)




Plot 7-226. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 484 Tones (UNII Band 2C) – Ch. 106)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 173 of 516



Plot 7-227. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 484 Tones (UNII Band 2C) – Ch. 122)




Plot 7-228. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 484 Tones (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 174 of 516


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5755	151	ax (40MHz)	484T	MCS0	-3.80	30.0	-33.80
	5795	159	ax (40MHz)	484T	MCS0	-3.12	30.0	-33.12
	5775	155	ax (80MHz)	484T	MCS0	-1.18	30.0	-31.18

Table 7-77. Band 3 Conducted Power Spectral Density Measurements SISO ANT1 (484 Tones)




Plot 7-229. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 3) – Ch. 151)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 175 of 516



Plot 7-230. Power Spectral Density Plot SISO ANT1 (40MHz BW 802.11ax – 484 Tones (UNII Band 3) – Ch. 159)



Plot 7-231. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 484 Tones (UNII Band 3) – Ch. 155)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 176 of 516

SISO Antenna-1 Power Spectral Density Measurements (996 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5210	42	ax (80MHz)	996T	MCS0	-4.12	11.0	-15.12
Band 2A	5290	58	ax (80MHz)	996T	MCS0	-4.06	11.0	-15.06
Band 2C	5530	106	ax (80MHz)	996T	MCS0	-4.33	11.0	-15.33
	5610	122	ax (80MHz)	996T	MCS0	-5.00	11.0	-16.00
	5690	138	ax (80MHz)	996T	MCS0	-7.42	11.0	-18.42

Table 7-78. Bands 1, 2A, 2C Conducted Power Spectral Density Measurements SISO ANT1 (996 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density	Margin [dB]
Band 1	5210	42	ax (80MHz)	996T	MCS0	-4.12	-7.33	-11.45	10.0	-21.45

Table 7-79. Bands 1 e.i.r.p Conducted Power Spectral Density Measurements (ISED 996 Tones)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 177 of 516	




Plot 7-232. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 1) – Ch. 42)




Plot 7-233. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 178 of 516




Plot 7-234. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 2C) – Ch. 106)



Plot 7-235. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 179 of 516




Plot 7-236. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMG9750	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset	Page 180 of 516	

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5775	155	ax (80MHz)	996T	MCS0	-4.34	30.0	-34.34

Table 7-80. Band 3 Conducted Power Spectral Density Measurements SISO ANT1 (996 Tones)



Plot 7-237. Power Spectral Density Plot SISO ANT1 (80MHz BW 802.11ax – 996 Tones (UNII Band 3) – Ch. 155)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 181 of 516

SISO Antenna-2 Power Spectral Density Measurements (26 Tones)

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Power Density	Margin [dB]
Band 1	5180	36	ax (20MHz)	26T	MCS0	8.06	11.0	-2.94
	5200	40	ax (20MHz)	26T	MCS0	6.88	11.0	-4.12
	5240	48	ax (20MHz)	26T	MCS0	8.88	11.0	-2.12
	5190	38	ax (40MHz)	26T	MCS0	7.35	11.0	-3.65
	5230	46	ax (40MHz)	26T	MCS0	9.05	11.0	-1.95
	5210	42	ax (80MHz)	26T	MCS0	8.06	11.0	-2.94
Band 2A	5260	52	ax (20MHz)	26T	MCS0	8.67	11.0	-2.33
	5280	56	ax (20MHz)	26T	MCS0	8.06	11.0	-2.94
	5320	64	ax (20MHz)	26T	MCS0	8.44	11.0	-2.56
	5270	54	ax (40MHz)	26T	MCS0	8.50	11.0	-2.50
	5310	62	ax (40MHz)	26T	MCS0	8.90	11.0	-2.10
	5290	58	ax (80MHz)	26T	MCS0	8.36	11.0	-2.64
Band 2C	5500	100	ax (20MHz)	26T	MCS0	8.08	11.0	-2.92
	5600	120	ax (20MHz)	26T	MCS0	8.03	11.0	-2.97
	5720	144	ax (20MHz)	26T	MCS0	7.68	11.0	-3.32
	5510	102	ax (40MHz)	26T	MCS0	9.27	11.0	-1.73
	5590	118	ax (40MHz)	26T	MCS0	8.43	11.0	-2.57
	5710	142	ax (40MHz)	26T	MCS0	7.68	11.0	-3.32
	5530	106	ax (80MHz)	26T	MCS0	8.19	11.0	-2.81
	5610	122	ax (80MHz)	26T	MCS0	9.18	11.0	-1.82
	5690	138	ax (80MHz)	26T	MCS0	5.44	11.0	-5.56

Table 7-81. Bands 1, 2A, 2C Conducted Power Spectral Density Measurements SISO ANT2 (26 Tones)

	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26T	MCS0	8.06	-8.43	-0.37	10.0	-10.37
	5200	40	ax (20MHz)	26T	MCS0	6.88	-8.34	-1.46	10.0	-11.46
	5240	48	ax (20MHz)	26T	MCS0	8.88	-7.99	0.89	10.0	-9.11
	5190	38	ax (40MHz)	26T	MCS0	7.35	-8.43	-1.08	10.0	-11.08
	5230	46	ax (40MHz)	26T	MCS0	9.05	-8.34	0.71	10.0	-9.29
	5210	42	ax (80MHz)	26T	MCS0	8.06	-7.99	0.07	10.0	-9.93

Table 7-82. Bands 1 e.i.r.p Conducted Power Spectral Density Measurements (ISED 26 Tones)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 182 of 516	




Plot 7-238. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 36)




Plot 7-239. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 40)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 183 of 516




Plot 7-240. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 48)




Plot 7-241. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 1) – Ch. 38)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 184 of 516




Plot 7-244. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 52)




Plot 7-245. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 56)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 186 of 516




Plot 7-246. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 64)




Plot 7-247. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 187 of 516




Plot 7-248. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 62)




Plot 7-249. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 2A) – Ch. 58)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 188 of 516




Plot 7-252. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 144)




Plot 7-253. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 102)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 190 of 516




Plot 7-254. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 118)




Plot 7-255. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 191 of 516




Plot 7-256. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 106)



Plot 7-257. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 192 of 516




Plot 7-258. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 2C) – Ch. 138)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 193 of 516


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26T	MCS0	5.73	30.0	-24.27
	5785	157	ax (20MHz)	26T	MCS0	5.43	30.0	-24.57
	5825	165	ax (20MHz)	26T	MCS0	5.28	30.0	-24.72
	5755	151	ax (40MHz)	26T	MCS0	5.42	30.0	-24.58
	5795	159	ax (40MHz)	26T	MCS0	4.25	30.0	-25.75
	5775	155	ax (80MHz)	26T	MCS0	8.39	30.0	-21.61

Table 7-83. Band 3 Conducted Power Spectral Density Measurements SISO ANT2 (26 Tones)




Plot 7-259. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 149)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 194 of 516




Plot 7-260. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 157)



Plot 7-261. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 165)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 195 of 516



Plot 7-264. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 26 Tones (UNII Band 3) – Ch. 155)

FCC ID: A3LSMG9750	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset	Page 197 of 516	


SISO Antenna-2 Power Spectral Density Measurements (52 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	52T	MCS0	7.31	11.0	-3.69
	5200	40	ax (20MHz)	52T	MCS0	7.83	11.0	-3.17
	5240	48	ax (20MHz)	52T	MCS0	8.08	11.0	-2.92
	5190	38	ax (40MHz)	52T	MCS0	7.73	11.0	-3.27
	5230	46	ax (40MHz)	52T	MCS0	8.01	11.0	-2.99
	5210	42	ax (80MHz)	52T	MCS0	6.86	11.0	-4.14
Band 2A	5260	52	ax (20MHz)	52T	MCS0	8.24	11.0	-2.76
	5280	56	ax (20MHz)	52T	MCS0	8.71	11.0	-2.29
	5320	64	ax (20MHz)	52T	MCS0	8.04	11.0	-2.96
	5270	54	ax (40MHz)	52T	MCS0	8.01	11.0	-2.99
	5310	62	ax (40MHz)	52T	MCS0	7.81	11.0	-3.19
	5290	58	ax (80MHz)	52T	MCS0	6.61	11.0	-4.39
Band 2C	5500	100	ax (20MHz)	52T	MCS0	8.23	11.0	-2.77
	5600	120	ax (20MHz)	52T	MCS0	8.16	11.0	-2.84
	5720	144	ax (20MHz)	52T	MCS0	7.95	11.0	-3.05
	5510	102	ax (40MHz)	52T	MCS0	7.99	11.0	-3.01
	5590	118	ax (40MHz)	52T	MCS0	7.62	11.0	-3.38
	5710	142	ax (40MHz)	52T	MCS0	7.53	11.0	-3.47
	5530	106	ax (80MHz)	52T	MCS0	6.47	11.0	-4.53
	5610	122	ax (80MHz)	52T	MCS0	6.31	11.0	-4.69
	5690	138	ax (80MHz)	52T	MCS0	3.69	11.0	-7.31

Table 7-84. Bands 1, 2A, 2C Conducted Power Spectral Density Measurements SISO ANT2 (52 Tones)


	Frequency [MHz]	Channel No.	802.11 Mode	Tones	Data Rate [Mbps]	Measured Power Density [dBm]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density	Margin [dB]
Band 1	5180	36	ax (20MHz)	52T	MCS0	7.31	-8.43	-1.12	10.0	-11.12
	5200	40	ax (20MHz)	52T	MCS0	7.83	-8.34	-0.51	10.0	-10.51
	5240	48	ax (20MHz)	52T	MCS0	8.08	-7.99	0.09	10.0	-9.91
	5190	38	ax (40MHz)	52T	MCS0	7.73	-8.43	-0.70	10.0	-10.70
	5230	46	ax (40MHz)	52T	MCS0	8.01	-8.34	-0.33	10.0	-10.33
	5210	42	ax (80MHz)	52T	MCS0	6.86	-7.99	-1.13	10.0	-11.13

Table 7-85. Bands 1 e.i.r.p Conducted Power Spectral Density Measurements (ISED 52 Tones)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 198 of 516	




Plot 7-265. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 52 Tones (UNII Band 1) – Ch. 36)




Plot 7-266. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 52 Tones (UNII Band 1) – Ch. 40)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 199 of 516




Plot 7-269. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 52 Tones (UNII Band 1) – Ch. 46)




Plot 7-270. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 52 Tones (UNII Band 1) – Ch. 42)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 201 of 516




Plot 7-273. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 52 Tones (UNII Band 2A) – Ch. 64)




Plot 7-274. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 52 Tones (UNII Band 2A) – Ch. 54)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 203 of 516




Plot 7-279. Power Spectral Density Plot SISO ANT2 (20MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 144)




Plot 7-280. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 102)

FCC ID: A3LSMG9750	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset	Page 206 of 516




Plot 7-281. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 118)




Plot 7-282. Power Spectral Density Plot SISO ANT2 (40MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 142)

FCC ID: A3LSMG9750	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 207 of 516



Plot 7-283. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 106)



Plot 7-284. Power Spectral Density Plot SISO ANT2 (80MHz BW 802.11ax – 52 Tones (UNII Band 2C) – Ch. 122)

FCC ID: A3LSMG9750		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1811120202-15.A3L	Test Dates: 10/31/2018-1/17/2019	EUT Type: Portable Handset		Page 208 of 516